2286

Section **A** for the entry of Daily

AIR MINISTRY.—M

FORM 1090.

REGISTE

Kept at Dorrington

in the County of Salo

Diameter of Funnel of Gauge 5"

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREME

An observer who does not conform to this rul year in the space on the right of this parag

Please

2286

DORRINGTON SCHOOL

1931-36, 1938-40

7R0404

FOR OFFICIAL USE.

GANIZATION.

286

6

Jan. 1, following

Date	Jan.	Feb.	March	April								Dec.	Date
	in.	in.	in.	in.		in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·04	·10	·07	—	—	·11	·03	—	—	1
2	—	·06	·01	·62	·30	·02	—	—	·21	—	·14	·14	2
3	·04	·01	—	—	·02	—	·03	—	·49	·08	·85	·05	3
4	—	—	—	·11	·01	—	·12	·37	·24	—	·05	—	4
5	—	·01	Tr	·15	·07	1·00	·09	·08	·04	—	·01	·36	5
6	—	·13	—	·07	—	·12	—	·02	·02	·23	·06	—	6
7	—	·03	—	·01	—	·09	·45	·12	·02	·05	·19	·01	7
8	·03	·04	—	·08	—	·10	·02	·83	—	—	·06	—	8
9	·10	·34	—	·02	—	·10	—	·08	—	·03	·30	Tr	9
10	·01	·06	Tr	—	·03	·02	·29	·07	·05	·01	·50	·01	10
11	·05	·25	·02	—	—	·06	·03	·01	·04	—	·19	—	11
12	·02	·05	—	—	—	—	·24	·11	·24	·03	·02	—	12
13	—	·04	·05	Tr	·04	—	·21	·25	·01	—	·60	—	13
14	·01	—	—	—	·04	·72	·14	1·00	·07	—	·36	—	14
15	·01	·21	Tr	·02	·07	—	·23	·84	·01	Tr.	·02	·12	15
16	·10	·09	—	·10	·24	·58	Tr	·22	·18	Tr	—	·01	16
17	·02	·02	—	·05	1·03	—	·05	·02	·01	—	·09	—	17
18	·04	·01	—	·20	·02	·28	·13	·30	·01	·01	·23	—	18
19	·02	·05	Tr	·07	—	·45	·22	·52	—	Tr	·03	—	19
20	·01	·05	·13	·06	—	·01	—	·24	Tr	—	—	·04	20
21	·24	·01	—	Tr	·61	·02	—	·02	—	—	·15	Tr	21
22	·08	·02	·02	—	·11	—	·02	Tr	Tr	—	·02	—	22
23	·32	—	—	·10	·18	·09	·37	—	—	—	·09	—	23
24	·06	Tr	—	·22	·12	·03	·16	—	—	—	·06	·21	24
25	·08	·05	—	·70	·13	—	·40	—	—	—	·04	·01	25
26	Tr.	·05	—	·07	—	—	·08	—	—	—	·31	—	26
27	·06	·40	—	·19	1·02	—	·16	—	—	·04	·15	—	27
28	·09	·09	·03	·02	·30	—	·01	—	—	·01	·10	·05	28
29	·04	—	·04	·01	·15	—	·28	—	Tr.	·19	·50	·10	29
30	·06	×	—	·01	·08	—	Tr	—	·02	·01	—	—	30
31	·14	×	—	×	·02	×	—	—	×	—	×	·05	31
TOTAL	1·63	2·08	·30	2·92	4·69	3·76	3·63	5·10	1·77	·7~~1~~2	5·12	1·16	YEAR'S TOTAL 32·~~89~~ 88
*Days with ·01 in. or more.	23	24	7	22	22	17	22	18	17	12	26	13	223
*Days with ·04 in. or more.	15	16	3	16	17	12	17	14	10	5	20	8	154

40-9999

(Signed) Jas A Narraway P.T.O.

*See Instruction 2 (*f*) on other side.

2286

Section **A** for the entry of Daily FOR OFFICIAL USE.

AIR MINISTRY.—M OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Dorrington School

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 250 ft.

Station no. 2286

File Ref. 699823/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·04	·10	·07	—	—	·11	·03	—	—	1
2	—	·06	·01	·62	·30	·02	—	—	·21	—	·14	·14	2
3	·04	·01	—	—	·02	—	·03	—	·49	·08	·85	·05	3
4	—	—	—	·11	·01	—	·12	·37	·24	—	·05	—	4
5	—	·01	Tr	·15	·07	1·00	·09	·08	·04	—	·01	·36	5
6	—	·13	—	·07	—	·12	—	·02	·02	·23	·06	—	6
7	—	·03	—	·01	—	·09	·45	·12	·02	·05	·19	·01	7
8	·03	·04	—	·08	—	·10	·02	·83	—	—	·06	—	8
9	·10	·34	—	·02	—	·10	—	·08	—	·03	·30	Tr	9
10	·01	·06	Tr	—	·03	·02	·29	·07	·05	·01	·50	·01	10
11	·05	·25	·02	—	—	·06	·03	·01	·04	—	·19	—	11
12	·02	·05	—	—	—	—	·24	·11	·24	·03	·02	—	12
13	—	·04	·05	Tr	·04	—	·21	·25	·01	—	·60	—	13
14	·01	—	—	—	·04	·72	·14	1·00	·07	—	·36	—	14
15	·01	·21	Tr	·02	·07	—	·23	·84	·01	Tr	·02	·12	15
16	·10	·09	—	·10	·24	·58	Tr	·22	·18	Tr	—	·01	16
17	·02	·02	—	·05	1·03	—	·05	·02	·01	—	·09	—	17
18	·04	·01	—	·20	·02	·28	·13	·30	·01	·01	·23	—	18
19	·02	·05	Tr	·07	—	·45	·22	·52	—	Tr	·03	—	19
20	·01	·05	·13	·06	—	·01	—	·24	Tr	—	—	·04	20
21	·24	·01	—	Tr	·61	·02	—	·02	—	—	·15	Tr	21
22	·08	·02	·02	—	·11	—	·02	Tr	Tr	—	·02	—	22
23	·32	—	—	·10	·18	·09	·27	—	—	—	·09	—	23
24	·06	Tr	—	·22	·12	·03	·16	—	—	—	·06	·21	24
25	·08	·05	—	·70	·13	—	·40	—	—	—	·04	·01	25
26	Tr	·05	—	·07	—	—	·08	—	—	—	·31	—	26
27	·06	·40	—	·19	1·02	—	·16	—	—	·04	·15	—	27
28	·09	·09	·03	·02	·30	—	·01	—	—	·01	·10	·05	28
29	·04	—	·04	·01	·15	—	·28	—	Tr	·19	·50	·10	29
30	·06	×	—	·01	·08	—	Tr	—	·02	·01	—	—	30
31	·14	×	—	×	·02	×	—	—	×	—	×	·05	31
TOTAL	1·63	2·08	·30	2·92	4·69	3·76	3·63	5·10	1·77	·72	5·12	1·16	YEAR'S TOTAL 32·~~59~~ 88
*Days with ·01 in. or more.	23	24	7	22	22	17	22	18	17	12	26	13	223
*Days with ·04 in. or more.	15	16	3	16	17	12	17	14	10	5	20	8	154

40-9999

(Signed) Jas A Narraway

P.T.O.

*See Instruction 2 (*f*) on other side.

2286

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2286

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dorrington School

in the County of Salop

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·03	—	·25	·51	·07	·25	·18	·05	·06	·03	·14	1
2	·10	—	—	·60	·37	tr	·10	tr	·07	·05	·04	·20	2
3	—	·01	—	·50	·03	—	·23	—	—	·13	·04	·07	3
4	·09	tr	·16	·31	—	—	·06	—	—	·01	·34	—	4
5	·77	—	·10	·03	·14	—	tr	—	·09	·01	·02	—	5
6	·54	—	·01	·23	·11	—	—	—	·12	·03	·37	—	6
7	·09	—	—	·15	tr	—	—	—	·15	1·02	—	·02	7
8	·01	—	·16	·14	—	—	—	—	·13	·46	—	—	8
9	·76	·10	—	·01	·01	—	—	—	·01	—	tr	—	9
10	·22	—	·08	·25	·02	·13	—	—	·17	·17	—	—	10
11	·02	·01	—	·33	·04	—	tr	—	·01	·13	·02	·04	11
12	·19	—	—	·02	·10	—	·06	—	·26	·24	·03	·02	12
13	·20	—	—	·12	—	—	1·51	—	·03	·09	·05	·11	13
14	·37	—	—	·05	·41	—	·05	—	—	·06	·11	·07	14
15	·02	—	—	·10	·03	—	·03	—	·01	·03	·01	·24	15
16	·64	—	—	·13	·03	—	·28	—	—	·01	tr	—	16
17	·01	—	—	·03	·02	—	·19	—	·05	·07	tr	—	17
18	—	—	—	tr	·10	—	·01	—	·01	—	·18	—	18
19	tr	tr	—	·09	·26	—	—	—	—	·12	·04	—	19
20	tr	—	—	·06	·49	—	·04	·50	—	·25	·07	·02	20
21	·02	—	·27	·28	·38	—	·01	·48	·51	·25	·08	·12	21
22	—	—	·16	·01	·06	—	·13	·02	·10	·47	·27	·05	22
23	—	—	—	·07	·51	—	·02	—	·16	·09	·10	·03	23
24	·05	—	—	·01	·07	tr	·20	—	·01	·01	·04	·02	24
25	·01	·02	—	—	·01	·12	—	—	—	·05	tr	—	25
26	—	·02	·11	·22	·19	—	·02	—	·20	·08	·06	—	26
27	—	~~·02~~	·42	·11	·41	—	·11	—	tr	·01	·02	·04	27
28	—	—	·13	·07	·23	·16	·12	—	·01	·04	—	·03	28
29	—	—	·69	·09	·14	·08	·02	·13	·15	·58	·19	·03	29
30	—	×	·37	·06	·04	·44	·14	·04	·07	·03	·25	—	30
31	—	×	·10	×	·01	×	·08	tr	×	tr	×	·06	31
TOTAL	4·15	·19	2·76	4·32	4·72	1·00	3·66	1·35	2·37	4·55	2·36	1·31	YEAR'S TOTAL 32·74
*Days with ·01 in. or more.	19	6	13	28	27	6	22	6	22	28	22	18	217
*Days with .04 in. or more.	13	1	12	22	19	6	16	5	15	20	16	11	156

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) Jas A Narraway

P.T.O.

2286

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2286~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Dorrington School
in the County of Salop
Diameter of Funnel of Gauge 3" in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·14	·06	—	·01	—	—	—	—	·01	·03	Tr		1
2	·04	—	·19	—	·11	Tr	—	—	—	—	·02	—		2
3	·15	·15	·13	—	·13	—	—	—	·06	—	—	—		3
4	·37	·02	—	—	·19	—	—	—	Tr	—	—	—		4
5	·14	—	·18	—	·10	—	—	—	—	—	—	—		5
6	—	·28	·10	—	·32	—	—	—	—	·02	—	Tr		6
7	—	·07	·03	—	—	—	·48	—	—	·45	Tr	—		7
8	·04	—	·05	—	·13	—	·32	—	—	·02	—	—		8
9	—	—	·07	—	·04	—	·20	—	—	·57	·02	—		9
10	·10	·24	—	—	·03	—	·31	—	—	1·50	·21	—		10
11	·06	—	—	—	·10	—	·02	—	—	·11	·03	—		11
12	·02	·02	—	·02	·02	·01	·20	—	—	Tr	—	·02		12
13	—	—	—	—	·20	Tr	·32	—	—	·09	·15	—		13
14	·06	—	Tr	—	·02	—	·15	·10	—	·11	·09	—		14
15	·02	—	·03	—	—	—	·01	·15	—	·10	·10	—		15
16	—	·05	·43	—	·02	·02	Tr	·19	—	·03	·01	·13		16
17	—	·13	·40	—	—	·06	—	·01	·04	—	·02	·02		17
18	—	·01	·08	—	—	·05	—	·02	—	—	·03	·01		18
19	—	—	·45	—	—	·26	·02	Tr	·28	—	·10	—		19
20	—	·05	·13	—	—	·33	—	—	·25	Tr	·04	·01		20
21	—	·01	·02	—	·02	·32	—	·24	—	—	·04	·01		21
22	·06	—	—	·12	·15	·35	—	—	—	·28	Tr	—		22
23	·02	·06	—	·05	—	·20	—	·28	·16	·21	Tr	—		23
24	—	·75	—	·07	·10	1·10	—	—	·11	·32	—	·07		24
25	—	·18	—	·20	·03	·20	—	—	·12	—	—	·15		25
26	—	·53	—	·10	·23	·02	—	—	·06	·18	—	—		26
27	—	—	—	·09	·11	—	—	—	·13	·07	—	—		27
28	—	·10	—	·12	—	—	—	—	·02	·05	—	—		28
29	—	—	Tr	·16	—	·01	Tr	—	—	—	—	—		29
30	·05	X	·02	·19	—	·03	·06	—	·03	·05	—	·02		30
31	·08	X	·08	X	—	X	—	—	X	·08	X	·17		31
TOTAL	1·28	2·79	2·45	1·12	2·06	2·96	2·09	·99	1·26	4·25	·89	·61	Year's Total 22·75	
*Days with ·01 in. or more.	15	17	17	10	20	14	11	7	11	19	14	10	165	
*Days with .04 in. or more.	12	13	13	9	13	9	8	5	9	15	7	4	117	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Jas. A. Narraway.

[P. T. O.

Section **A** **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. 2286

Kept at Dorrington School

in the County of Salop

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	·01	—	—	—	—	—	·12	·04	·50	·05	·25	1
2	—	—	Tr.	—	—	—	—	·05	—	·04	—	·06	2
3	—	—	·05	—	—	—	—	·02	·20	·10	·05	·13	3
4	·04	—	·02	—	·18	—	—	·02	·45	·55	·03	·38	4
5	·09	—	·05	·08	·12	Tr.	—	·80	·01	·04	·10	·05	5
6	—	Tr.	·05	—	·57	Tr.	—	·01	—	·05	·02	·26	6
7	·02	—	·03	—	·04	·14	—	·10	—	·08	·02	·26	7
8	·06	—	—	·01	·18	Tr.	—	·03	·01	·02	·17	·40	8
9	·01	—	—	·05	—	—	—	·15	—	—	·65	·06	9
10	—	—	·15	·40	·01	—	—	·24	—	·01	·15	·01	10
11	·23	—	·12	·38	—	—	Tr.	·05	—	—	·04	·22	11
12	·89	—	·14	·06	—	—	·31	·13	—	—	Tr.	·01	12
13	·15	—	·02	·16	—	—	·29	·01	Tr.	·06	Tr.	·02	13
14	·69	—	Tr.	·01	·01	·04	·01	·01	—	·09	·30	·04	14
15	·03	—	·36	—	·16	—	Tr.	·02	—	·18	·38	·16	15
16	·08	—	·10	—	·02	—	—	·05	Tr.	·05	·12	·02	16
17	·25	—	·20	·03	·09	—	·26	·13	·31	·05	—	·27	17
18	·14	—	·02	·16	·02	·02	·01	·01	·01	—	·02	·13	18
19	·19	—	Tr.	·18	—	·17	—	—	·02	·06	—	·11	19
20	—	—	Tr.	·02	·04	Tr.	—	·05	·06	·03	·04	·03	20
21	·02	—	·18	—	·02	·16	—	·03	·03	·11	·01	—	21
22	—	—	Tr.	—	·05	—	Tr.	·22	·26	·11	—	·17	22
23	·16	—	·08	·13	·01	·55	—	—	·02	·03	·02	·24	23
24	·02	—	—	·05	·03	·07	·20	—	·08	·02	—	·06	24
25	—	·26	·08	·08	·05	·03	·02	—	·03	·20	—	·07	25
26	·10	·01	—	·26	·01	·13	Tr.	—	·14	·03	·03	·06	26
27	—	—	·01	·24	—	·06	·01	·05	·04	·70	·02	·24	27
28	·05	—	—	·23	—	—	Tr.	·08	·18	·13	—	·35	28
29	·02	—	—	·02	—	—	·10	·02	·12	·04	·06	—	29
30	·03	×	—	·01	—	—	·02	·07	·08	·09	·03	—	30
31	·09	×	—	×	—	×	·02	·13	×	·12	×	·36	31
TOTAL	3·53	·28	1·08	2·51	1·61	·97	1·24	2·60	2·09	2·89	2·31	4·42	YEAR'S TOTAL 25·53
Days with ·01 in. or more.	23	3	17	20	18	11	11	26	19	27	21	28	224
Days with ·04 in. or more.	16	1	12	14	10	8	5	16	12	21	12	23	150

40-9999

(Signed) Jas a Narraway [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 2286

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Dorrington School

in the County of Salop

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	~~May~~ June	~~June~~ May	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	·05	—	—	·05	·01	·18	—	·03	·16	·07	·37		1
2	—	·04	Tr.	—	·01	·06	—	—	—	·17	·10	·05		2
3	·01	·13	Tr.	·05	—	·10	—	—	—	·23	·27	·13		3
4	·03	·01	—	·10	—	·17	—	—	·02	·39	·02	·15		4
5	—	·34	·28	·01	—	·11	·02	—	·05	—	·10	·05		5
6	·01	·01	·04	·20	—	·28	—	—	·01	—	·02	·15		6
7	Tr.	Tr	—	·23	—	·49	—	—	—	·21	·06	·21		7
8	·02	—	—	·26	Tr.	·01	—	·05	·01	·29	·13	·12		8
9	·01	—	—	·32	—	·25	—	—	—	·58	·10	Tr.		9
10	·12	—	—	·23	—	·12	—	—	—	·11	·02	Tr.		10
11	·15	·04	Tr.	·01	—	·02	—	·07	—	·02	·18	·02		11
12	·08	·03	—	·02	—	·10	—	—	Tr.	—	·03	—		12
13	—	—	—	·04	·10	—	—	·05	·05	—	·20	—		13
14	·03	—	—	·18	·01	—	—	—	·32	—	·75	·12		14
15	—	·08	·14	·38	·11	·03	—	Tr.	·10	—	·22	·15		15
16	·04	·20	·02	·15	—	—	·04	·07	·55	·23	·40	·03		16
17	—	·01	—	·16	·23	·16	·16	Tr.	·07	·02	·67	—		17
18	—	·02	—	·29	·11	·03	·03	·02	·39	·06	·22	—		18
19	—	Tr.	—	·12	·01	·28	—	—	·02	·20	·16	Tr.		19
20	·01	·42	—	·20	Tr.	·05	·19	—	—	·02	·85	—		20
21	—	·66	—	·11	—	—	·02	—	·32	·03	·05	—		21
22	·02	·03	—	·04	—	—	—	Tr.	·04	—	—	—		22
23	·03	—	·06	Tr.	105	—	—	—	·06	·66	—	—		23
24	·17	·35	·24	Tr.	—	—	—	—	·60	—	—	—		24
25	·17	·28	·07	Tr.	—	·22	—	—	·03	·05	·01	·49		25
26	—	·23	—	·05	—	·01	—	—	·21	·09	·05	·27		26
27	—	·06	—	·01	·03	—	—	·20	·10	—	·18	·38		27
28	·09	·03	—	—	·12	—	—	·02	·23	·01	·02	·54		28
29	·01		—	—	—	—	—	Tr.	·17	·06	·06	·47		29
30	·06	✕	Tr.	·10	—	·09	—	—	·09	·52	—	·16		30
31	—	✕	—	✕	—	✕	—	·03	✕	·43	✕	—		31
					June	May							Year's Total.	
TOTAL	1·10	3·02	·85	3·26	2·59	1·83	·64	·51	3·47	4 4·53	4·94	3·86	29·80 61	
* Days with .01 in. or more.	19	20	7	23	11	20	7	8	22	22	26	18	203	
* Days with .04 in. or more.	9	13	6	19	7	14	4	5	16	17	20	16	144	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Jas. A. Narraway [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2286

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Dorrington School

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" Ground " Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·13	·06	·57	—	·10	·05	·16	Tr	—	·05	·05		1
2	—	·06	—	·05	—	·30	1·53	·01	Tr	—	·26	—		2
3	—	—	—	—	—	·10	·01	—	·78	—	·01	·02		3
4	·04	—	—	—	—	·15	—	—	·30	—	·35	·03		4
5	·22	·02	—	—	·03	—	·08	·15	·11	—	·10	—		5
6	·08	—	·02	—	—	·11	·06	·08	·14	—	·23	·02		6
7	·01	—	·03	—	—	·01	·30	·01	·32	—	·53	—		7
8	·17	—	·20	—	—	—	—	—	·01	—	·59	·05		8
9	·55	—	·05	—	—	Tr	·80	—	·42	·02	·02	·15		9
10	·04	—	Tr	—	—	·08	·03	—	·02	—	—	·08		10
11	—	—	—	—	·05	·04	·05	—	·08	·01	·75	·82		11
12	—	—	—	·05	·21	·20	·50	Tr	·41	·02	·13	·06		12
13	—	—	—	—	—	·13	Tr	Tr	—	—	·13	·05		13
14	—	—	—	·12	—	—	·15	Tr	·14	—	·01	·49		14
15	·11	Tr	—	—	—	·00	·07	·02	·07	·02	·23	·10		15
16	·15	·09	—	—	·55	—	·07	—	·01	—	·20	·04		16
17	—	·49	—	—	—	—	·05	—	—	·07	·03	·17		17
18	—	·33	—	—	—	—	·45	·03	—	·19	—	·10		18
19	·30	·13	·03	·13	—	—	·02	·06	—	—	—	·01		19
20	·19	·14	·03	·05	—	·22	—	—	—	·03	Tr	·02		20
21	·04	·04	·07	·29	—	1·11	·30	—	—	—	Tr	—		21
22	—	·30	·12	—	·06	·05	·20	—	·01	—	·03	·09		22
23	·01	·08	·34	—	Tr	—	·16	—	·29	—	—	—		23
24	·24	·05	—	—	·12	—	—	—	·95	·35	·02	—		24
25	·21	—	·20	·20	Tr	—	·09	—	·02	·03	—	—		25
26	·10	·09	·28	—	Tr	—	·03	—	·08	·05	·02	—		26
27	·08	·04	—	—	—	—	·04	—	·01	·16	·03	—		27
28	·40	·08	·48	·03	—	·11	·04	—	—	·10	·02	·08		28
29	·03	·27	·08	—	—	·29	·02	—	—	·02	·02	—		29
30	·10	×	·04	—	·12	·06	·20	—	—	·73	—	—		30
31	·30	×	—	×	·05	×	·08	—	×	·03	×	·45		31
													Year's Total	
TOTAL	3·37	2·34	2·03	1·49	1·19	3·06	5·38	·52	4·17	1·83	3·76	2·88	32·02	✓
* Days with .01 in. or more.	21	16	15	9	8	16	26	8	19	15	22	20	195	x
* Days with .04 in. or more.	18	15	11	8	7	15	21	14	13	7	12	15	146	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Jas A Narraway [P.T.O.

~~MINSTERLEY~~ / WORTHEN **COPY FOR OFFICIAL USE**

Section **A** SP for the entry of Daily Observations

Station No. 2286/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at WORTHEN

in the County of SALOP / 3

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 395 ft.

No file

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·05	–	–	–	·57	·25	·04	–	·09	·19	·20		1
2	–	·02	–	·04	·08	·03	·08	–	–	·20	·01	·16		2
3	–	–	–	–	·13	·08	·03	–	·10	·95	–	–		3
4	·02	–	–	–	–	–	·06	·09	·005	·33	·01	·19		4
5	–	·07	–	–	–	–	·25	1·65	·05	–	–	·04		5
6	·36	–	–	–	–	·07	·37	–	–	·25	–	·09		6
7	·14	–	–	–	–	–	·37	·65	·01	·16	–	·03		7
8	·20	–	–	–	–	–	·05	·25	–	·37	–	·15		8
9	·08	·02	–	–	–	·02	·04	·10	–	·06	–	·69		9
10	·07	–	–	–	–	·09	·35	·005	–	·03	–	·27		10
11	·62	–	–	–	–	·04	·02	·005	–	·04	·16	·04		11
12	·10	·03	–	–	·09	·03	·01	–	–	·44	·54	·02		12
13	·07	–	–	–	·01	–	–	–	–	–	·09	·17		13
14	·40	–	–	–	·03	–	·29	–	·17	–	·03	–		14
15	·21	–	–	–	·15	–	–	·08	–	–	·02	·14		15
16	·38	–	–	–	·08	–	·04	·01	–	·10	·08	–		16
17	–	·02	–	–	–	–	·005	–	·16	·04	·02	–		17
18	·03	–	–	–	·04	·02	–	·49	·52	·04	·23	–		18
19	·01	–	–	–	–	–	–	·07	–	–	·05	–		19
20	·02	–	–	–	–	–	–	–	·01	–	·28	·05		20
21	–	–	–	–	–	–	–	·02	·01	–	·07	–		21
22	–	–	–	·09	–	·05	–	·01	–	–	·40	–		22
23	–	–	–	·08	·06	·01	·08	–	·14	–	·07	–		23
24	–	·06	·22	–	–	–	–	·40	·05	·03	·11	–		24
25	·20	·20	·07	–	·21	·05	·13	–	·04	·32	1·17	·05		25
26	·18	·19	·05	–	–	·31	·01	–	–	·48	·04	–		26
27	·11	·16	–	–	·68	·15	·10	·47	·11	·01	·24	–		27
28	·27	·06	·005	–	–	·08	·13	·06	·02	·01	·03	·03		28
29	·44	X	–	–	·42	·03	·005	–	–	·06	·07	·09		29
30	·01	X	–	–	·01	·02	–	–	·46	–	·36	·29		30
31	·11	X	–	X	·23	X	–	–	X	·24	X	·39	29·87	31
TOTAL	4·03 ✓	0·88 ✓	0·345 ✓	0·21 ✓	2·22 ✓	1·65 ✓	2·67 ✓	4·40 ✓	1·855 ✓	4·25 ✓	4·27	~~3·19~~ ✓ 3·09	Year's Total 29·97	✓
* Days with .01 in. or more.	22	11	34	3	14	17	19	15	14	21	23	19	182	✓
* Days with .04 in. or more.	17	7	3	3	11	19	15	12	10	17	17	16	138	✓

SP
13/4/39

Dr. D. M. HUNTER

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) D. M. Hunter

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2286/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at WORTHEN

in the County of SALOP

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 395 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	–	·03	·25	–	–	–	·05	–	–	·01	·09		1
2	·05	–	–	·09	–	–	·03	·16	·24	–	·05	·02		2
3	·36	–	·03	·25	–	–	·01	·06	–	–	·03	·32		3
4	·16	–	·13	·34	·05	–	·32	–	·23	·19	·17	·64		4
5	–	–	–	·09	·03	–	·29	·06	–	·08	·39	·02		5
6	·61	–	·15	–	–	–	·47	–	–	–	·02	–		6
7	·24	·06	·11	–	–	–	·43	·12	–	–	·16	·41		7
8	·01	·11	·67	–	–	–	·50	·09	–	·37	·64	·05		8
9	·03	·14	·02	–	–	–	·10	·29	–	·32	·10	·20		9
10	·41	–	·07	–	–	·02	–	·06	·08	·25	·01	·04		10
11	·13	·05	·11	–	–	·06	–	·02	–	·04	–	·02		11
12	·05	·02	–	–	–	·02	–	–	·04	·16	–	–		12
13	–	·03	–	·18	·07	·02	·31	–	–	·07	–	–		13
14	·52	–	·01	·16	·21	·27	·05	–	·03	·08	·19	–		14
15	·29	·01	·07	·06	·02	·21	·20	–	–	–	·20	–		15
16	·14	·01	·03	–	·59	·06	·56	–	–	–	·15	–		16
17	·33	·03	–	·02	·01	·39	·01	–	–	·36	·11	–		17
18	·45	·04	·10	–	–	·16	·10	–	–	·05	·69	·01		18
19	·27	–	–	–	–	·01	·74	–	–	–	·01	·02		19
20	·16	–	·01	–	·05	·05	·73	·16	·01	–	–	–		20
21	·20	·18	·28	·02	·20	–	1·34	·01	·21	–	–	–		21
22	·44	·39	·18	·08	·01	–	·05	–	·01	·02	·60	–		22
23	·27	·06	·06	·12	–	–	·18	–	–	·03	·39	–		23
24	·59	–	·01	·04	–	·03	·18	–	–	·13	·02	–		24
25		·19	–	·05	–	–	·03	–	–	·19	·44	·01		25
26	–	·04	–	·02	–	–	–	·26	–	–	·15	·06		26
27	–	·74	·24	–	–	·09	·10	–	–	–	·04	·06		27
28	·02	·09	·14	–	–	·12	·52	·23	–	–	·14	·06		28
29	–	×	–	·24	–	·06	1·07	–	–	·12	·02	–		29
30	–	×	–	·10	–	·20	·12	–	–	–	·10	·09		30
31	–	×	–	×	–	×	·07	·12	×	·11	×	·01		31
TOTAL	5·82	2·19	2·45	2·11	1·24	1·77	8·51	1·69	·85	2·57	4·89	2·13	Year's Total 36·16	
* Days with .01 in. or more.	24	17	20	17	10	16	26	14	8	17	25	18	212	
* Days with .04 in. or more.	21	12	13	14	6	11	22	12	5	15	18	11	160	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2286/2.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Worthen

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 395 ft.

Jan & Feb. apportioned.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	(·20)	–	·06	–	–	–	–	–	–	·50	–		1
2	–	–	–	·12	–	–	·04	–	–	–	·83	·17		2
3	–	·11	–	·03	–	–	·06	–	–	·12	·79	·01		3
4	–	·02	–	·13	–	–	–	–	–	·08	·21	·02		4
5	–	–	–	–	·15	–	·10	–	–	·16	·37	·12		5
6	·08	·39	–	–	–	–	·02	–	–	·61	·19	·04		6
7	·01	·69	–	·12	·01	–	–	–	–	·20	–	·16		7
8	–	·01	–	–	·01	–	–	–	·05	·11	·01	·13		8
9	–	–	·01	–	–	–	·87	·09	·04	·19	·83	·23		9
10	–	–	·03	–	–	–	·46	·09	–	·02	·21	·20		10
11	–	–	·02	·01	–	·11	1·41	–	–	–	·73	·09		11
12	–	·02	·03	–	–	·19	·36	–	·17	–	·14	–		12
13	–	·05	·14	–	–	–	–	·03	·11	–	–	·09		13
14	–	–	·20	·08	·04	–	·05	·01	·14	·04	·04	·23		14
15	·01	–	·04	·18	·86	·18	–	–	·16	·01	·14	·03		15
16	–	·13	·35	–	–	–	·20	–	·25	·46	·62	–		16
17	–	–	·25	·03	·24	–	–	–	·01	–	·94	–		17
18	·12	·54	·51	·70	–	–	–	·01	·34	·01	·08	·13		18
19	–	·16	·10	·04	–	–	·20	–	·19	–	·12	–		19
20	–	–	–	·11	–	–	·32	·01	–	·14	·02	·01		20
21	–	–	·03	·01	·16	·61	·01	–	–	–	1·41	–		21
22	–	–	·04	·02	·46	·22	–	–	–	–	–	–		22
23	–	·09	·04	·13	·04	·02	–	–	·11	·01	·02	–		23
24	–	–	·09	–	–	–	·04	–	·04	·02	·01	·02		24
25	·10	–	–	–	·04	–	–	–	·01	·01	–	–		25
26	1·01	·05	–	·02	·13	·01	·12	–	·02	–	–	–		26
27	·88	·07	·05	1·43	·05	–	·21	–	–	–	–	–		27
28	·36	·30	–	·05	·33	–	–	–	–	–	·12	–		28
29	–	–	·30	·39	·04	·09	·07	–	–	–	–	·07		29
30	(·20)	✕	–	·25	·04	–	–	–	–	·19	·01	·02		30
31	–	✕	·22	✕	–	✕	–	–	✕	·84	✕	·06		31
TOTAL	7 2·~~5~~7	2·63 ~~2·83~~	2·45	3·91	2·60	1·43	4·54	0·24	1·64	3·22	8·36	1·83	Year's Total 35·62	
* Days with .01 in. or more.	8	15	18	20	15	8	17	6	14	18	23	19	181	
* Days with .04 in. or more.	6	12	13	14	13	6	15	2	11	12	18	13.	135	

† Spare column, no entries required.

(Signed) ....

[P.T.O.

* See Instruction 3 (f) on other side.

X SHREWSBURY (

2286/6

SHREWSBURY, WENLOCK RD.

1937 — 40

780404

Section A for the ent

AIR MIN

Station No. 2286/6

FALL ORGANIZATION

FORM 1090

RE

937

Kept at 11L. Wenlock

in the County of Shrop

1/34

Diameter of Funnel of Gauge

Height of top of Gauge abov

,, Ground ,,

4/38

THE MORNING MEA

OUS DAY

An observer who does not con

year in the space on the righ

f the following

Jan. 1, following ✓

Date	Jan.	Feb.	Ma								Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·09	tr.	·03	—	—	—	—	·10	·08	·05	·07		1
2	·02	·10	·02	·52	—	—	—	—	—	tr.	·01	1·16		2
3	—	·10	—	·05	·09	·04	·03	—	—	tr.	—	·02		3
4	·09	·07	·02	—	tr.	·02	—	·10	—	—	tr.	·41		4
5	·16	—	·15	·02	—	—	tr.	—	—	—	—	—		5
6	·09	—	·02	·06	·10	—	·04	—	—	—	—	·02		6
7	—	·47	—	·07	—	·03	—	—	—	tr.	·02	—		7
8	·01	·12	—	·02	·10	·01	·09	—	·06	—	·43	—		8
9	—	·03	—	·01	·10	—	·20	·02	·14	—	—	—		9
10	—	·08	·25	—	—	·15	—	—	—	—	—	·18		10
11	—	tr.	·12	—	·42	·12	tr.	—	—	—	·02	·18		11
12	·05	·16	·04	—	·02	·35	·02	1·03	·15	—	—	·07		12
13	·07	—	—	·07	·02	·04	—	·15	·05	—	—	·01		13
14	—	·17	·18	·08	—	—	·01	·02	—	—	—	·18		14
15	·07	—	—	·18	—	—	·79	—	·10	—	—	·04		15
16	·01	·04	·15	·15	—	—	—	·07	·04	—	—	—		16
17	·36	·12	·10	·03	—	·02	—	—	·56	—	—	—		17
18	·51	·04	·14	—	—	—	·04	—	·39	·01	·38	·09		18
19	·06	·06	·07	·08	—	·13	·23	—	—	—	·08	—		19
20	·13	·07	—	·34	·13	—	·06	—	—	—	—	·02		20
21	·06	·16	·14	·02	·02	—	·05	—	—	·04	—	·01		21
22	·04	·07	·20	—	·06	—	·35	—	—	·32	·32	·04		22
23	·10	·02	·01	—	·04	—	·01	—	—	·38	·22	—		23
24	·22	·32	·05	—	—	—	—	—	·08	·45	—	tr.		24
25	·01	·52	—	—	·06	—	—	—	·02	·28	·01	·02		25
26	—	·11	·10	—	·40	—	—	—	—	tr.	—	·01		26
27	—	—	—	·11	—	—	—	—	tr.	·65	—	·01		27
28	—	·31	—	—	—	·01	—	—	—	·18	—	·02		28
29	—	X	—	—	—	·03	—	—	—	·55	·03	·01		29
30	·10	X	—	—	—	·03	—	—	·01	—	·07	—		30
31	·12	X	—	X	—	X	—	—	X	·10	X	—		31
													Year's Total	
TOTAL	2·41	3·23	1·76	1·84	1·56	·98	1·92	1·39	1·70	3·04	1·64	2·57	24·04	✓
* Days with .01 in. or more.	21	22	17	17	13	13	13	6	12	11	12	20	177	✓
* Days with .04 in. or more.	17	20	13	11	10	6	9	4	10	10	7	10	127	✓

Print

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L.W. Sharpe

P.T.O.

X L. W. SHARPE ESQ X

X SHREWSBURY (

Section **A** **for the entry of Daily Observations** **Station No.** 2286/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at 114 Wenlock Road, Shrewsbury
in the County of Shropshire
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 229·1 ft.

303251/34

761862/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·09	tr:	·03	—	—	—	—	·10	·08	·05	·07		1
2	·02	·10	·02	·52	—	—	—	—	—	tr:	·01	1·16		2
3	—	·10	—	·05	·09	·04	·03	—	—	tr:	—	·02		3
4	·09	·07	·02	—	tr:	·02	—	·10	—	—	tr:	·41		4
5	·16	—	·15	·02	—	—	tr:	—	—	—	—	—		5
6	·09	—	·02	·06	·10	—	·04	—	—	—	—	·02		6
7	—	·47	—	·07	—	·03	—	—	—	tr:	·02	—		7
8	·01	·12	—	·02	·10	·01	·09	—	·06	—	·43	—		8
9	—	·03	—	·01	·10	—	·20	·02	·14	—	—	—		9
10	—	·08	·25	—	—	·15	—	—	—	—	—	·18		10
11	—	tr:	·12	—	·42	·12	tr:	—	—	—	·02	·18		11
12	·05	·16	·04	—	·02	·35	·02	1·03	·15	—	—	·07		12
13	·07	—	—	·07	·02	·04	—	·15	·05	—	—	·01		13
14	—	·17	·18	·08	—	—	·01	·02	—	—	—	·18		14
15	·07	—	—	·18	—	—	·79	—	·10	—	—	·04		15
16	·01	·04	·15	·15	—	—	—	·07	·04	—	—	—		16
17	·36	·12	·10	·03	—	·02	—	—	·56	—	—	—		17
18	·51	·04	·14	—	—	—	·04	—	·39	·01	·38	·09		18
19	·06	·06	·07	·08	—	·13	·23	—	—	—	·08	—		19
20	·13	·07	—	·34	·13	—	·06	—	—	—	—	·02		20
21	·06	·16	·14	·02	·02	—	·05	—	—	·04	—	·01		21
22	·04	·07	·20	—	·06	—	·35	—	—	·32	·32	·04		22
23	·10	·02	·01	—	·04	—	·01	—	—	·38	·22	—		23
24	·22	·32	·05	—	—	—	—	—	·08	·45	—	tr:		24
25	·01	·52	—	—	·06	—	—	—	·02	·28	·01	·02		25
26	—	·11	·10	—	·40	—	—	—	—	tr:	—	·01		26
27	—	—	—	·11	—	—	—	—	tr:	·65	—	·01		27
28	—	·31	—	—	—	·01	—	—	—	·18	—	·02		28
29	—	X	—	—	—	·03	—	—	—	·55	·03	·01		29
30	·10	X	—	—	—	·03	—	—	·01	—	·07	—		30
31	·12	X	—	X	—	X	—	—	X	·10	X	—		31
													Year's Total	
TOTAL	2·41	3·23	1·76	1·84	1·56	·98	1·92	1·39	1·70	3·04	1·64	2·57	24·04	✓
* Days with .01 in. or more.	21	22	17	17	13	13	13	6	12	11	12	20	177	✓
* Days with .04 in. or more.	17	20	13	11	10	6	9	4	10	10	7	10	127	✓

Print

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L W Sharpe

P.T.O.

X L. W. SHARPE ESQ X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2286/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 114 Wenlock Road, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground One ft. .... in.

,, Ground ,, Sea Level 299·1 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·01	—	—	—	·86	·07	·03	—	·13	·08	·20		1
2	—	·02	—	·03	·06	·02	—	·03	—	·10	tr.	·04		2
3	·02	—	—	—	·01	·05	·03	—	·04	·76	·04	·01		3
4	—	—	tr.	—	—	·01	—	·09	—	·21	tr.	·09		4
5	·02	·03	—	—	—	—	·10	·56	·02	·03	tr.	·02		5
6	·15	—	—	—	—	·02	·01	—	·03	·12	—	·05		6
7	·02	—	tr.	—	—	—	·36	·28	·04	·11	tr.	·04		7
8	·31	—	tr.	—	—	—	·20	·60	tr.	·24	—	·10		8
9	·04	·03	—	—	—	·04	·06	·57	—	—	—	·34		9
10	·02	·02	—	—	—	·36	·07	·04	—	—	—	·33		10
11	·58	·02	·01	—	—	·04	·25	·01	—	·03	·12	·07		11
12	·11	—	—	—	·03	—	·04	—	—	·30	·29	·02		12
13	·02	tr.	—	—	—	—	·06	—	—	·01	·06	·10		13
14	·43	—	—	—	·01	—	·38	—	·10	—	·01	·01		14
15	·15	—	—	—	·03	—	·06	·03	tr.	·06	·02	·32		15
16	·41	—	—	—	tr.	—	—	·04	—	·04	·13	·03		16
17	—	—	—	—	—	—	·02	—	·08	·03	·02	—		17
18	—	—	—	—	·05	tr.	—	·24	·41	—	·19	—		18
19	·02	—	—	—	—	—	—	·08	·02	tr.	·04	—		19
20	·02	—	tr.	—	—	—	—	—	—	—	·29	—		20
21	—	—	tr.	—	—	—	—	·02	·01	—	·04	—		21
22	—	—	—	·06	—	·02	—	·02	·09	tr.	·30	·11		22
23	—	—	—	—	·02	·01	—	—	·15	·01	·03	tr.		23
24	·04	·02	·17	—	—	tr.	—	1·12	·03	·02	·02	—		24
25	·03	·05	·02	—	·21	·01	·04	—	tr.	·39	1·30	·07		25
26	·02	·16	·10	—	·05	·32	·03	—	·03	·41	·01	·02		26
27	·03	·02	tr.	—	·40	·07	·03	·38	·03	·01	·27	—		27
28	·08	·04	—	—	—	·05	·04	·06	·04	—	·01	·10		28
29	·40	X	tr.	tr.	·42	·03	—	—	·02	·10	·04	·05		29
30	·01	X	—	—	·14	—	—	—	·25	—	·27	·27		30
31	·07	X	—	X	·17	X	—	—	X	·15	X	·26		31
TOTAL	3·00	·42	·30	·09	1·60	1·91	1·85	4·20	1·39	3·26	3·58	2·65	Year's Total 24·25 24·25	
* Days with .01 in. or more.	23	11	4	2	13	15	18	18	17	21	22	23	187	
* Days with .04 in. or more.	12	3	2	1	8	8	13	12	9	14	15	17	114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L.W. Sharpe

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2280/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 11 L. Wenlock Road, Shrewsbury
in the County of Shropshire
Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground One ft. — in.
,, Ground ,, Sea Level 229.1 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	—	·02	·127	—	—	—	·01	·02	—	—	·02		1
2	·06	—	—	·08	—	—	tr:	·16	·20	—	·02	·01		2
3	·50	tr:	·06	·25	—	—	—	·06	—	—	·06	·31		3
4	·18	—	·08	·30	·08	—	·46	—	—	·17	·12	·47		4
5	—	tr:	—	·02	·07	—	·11	·02	—	·05	·24	·01		5
6	·48	—	—	—	·01	—	·41	—	—	—	·05	—		6
7	·10	·06	·05	—	·03	—	·36	·10	—	—	·14	·49		7
8	·01	·04	·47	—	—	—	·25	·04	—	·43	·63	·03		8
9	·05	·02	·01	—	—	—	·01	·21	—	·33	·01	·09		9
10	·63	—	·03	—	—	—	—	·02	·03	·15	—	·11		10
11	·10	·03	·15	—	—	·11	—	—	—	·15	—	·01		11
12	·01	·04	—	—	—	·10	—	tr:	·06	·02	—	—		12
13	tr:	—	·01	·11	·05	·07	·06	—	·05	·18	·01	—		13
14	·41	—	—	·04	·23	·20	—	—	—	·10	·18	—		14
15	·17	tr:	·03	·01	·04	·23	·20	—	—	·02	·15	—		15
16	·07	—	·05	—	·30	·01	·08	—	—	·28	·09	—		16
17	·32	·03	—	—	—	·02	·04	—	—	·18 ✓	·11	—		17
18	·16	·09	·07	—	—	·05	·02	—	—	·53	·67	—		18
19	·19	—	—	—	—	—	·92	—	—	—	·05	·02		19
20	·24	—	—	—	—	·06	·05	·02	·02	—	tr:	—		20
21	·21	·03	·13	·02	·03	—	·25	·04	·19	—	—	—		21
22	·25	·20	·01	·06	—	—	·04	·01	—	·03	·46	—		22
23	·17	·02	·04	·03	—	—	·04	·01	—	·02	·33	—		23
24	·08	—	—	·07	—	tr:	·09	—	—	·11	·01	—		24
25	·50	·08	—	·07	—	—	·13	—	—	·10	·17	·03		25
26	·04	·04	—	·03	—	—	—	·03	—	—	·16	·06		26
27	—	·39	·23	·02	—	·04	·06	·03	—	·04	·04	—		27
28	·01	·04	·12	·07	—	—	·36	·87	—	—	·09	·25		28
29	—	✕	—	·16	—	·05	·62	·04	—	·05	·01	—		29
30	—	✕	—	·11	—	·17	·02	·01	—	—	·08	—		30
31	—	✕	—	✕	—	✕	—	·09	✕	·09	✕	·15		31
													Year's Total	
TOTAL	5·07	1·11	1·56	1·72	·84	1·11	4·58	1·77	·57	3·03	3·88	2·06	27·30	✓
* Days with .01 in. or more.	25	14	17	18	9	12	22	18	7	20	24	15	210	✓
* Days with .04 in. or more.	22	9	11	12	6	10	19	9	4	16	19	8	145	—

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L.W. Sharpe [P.T.O.

Section **A** **for the entry of Daily Observations** **Station No.** 2286/6.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at 114 Wenlock Road, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft. — in.

,, Ground ,, Sea Level 229·1 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·03	–	·04	–	–	–	–	–	–	·38	·01		1
2	–	·02	–	·20	–	–	·01	–	–	–	·61	·15		2
3	–	·12	–	·02	–	–	·07	–	–	·17	·81	·02		3
4	–	–	–	·21	–	–	·02	–	–	·05	·12	–		4
5	–	·03	–	–	·18	–	·21	–	·07	·06	·41	·07		5
6	·11	·36	–	–	–	–	·07	–	–	·43	·11	·05		6
7	·01	·26	–	·05	·01	–	·03	–	tr.	·10	–	·04		7
8	–	–	–	–	–	–	·04	–	·07	·10	·01	·04		8
9	–	–	·17	·05	–	·26	·50	·04	·03	·11	·84	·22		9
10	–	–	·08	–	–	·24	·54	·04	–	·03	·06	·23		10
11	–	–	·01	·04	–	·15	·13	–	–	tr.	·56	·17		11
12	–		·04	–	–	·05	·19	–	·15	–	·03	–		12
13	–	·06	·46	·02	–	–	–	·01	·11	–	–	·04		13
14	–	·03	·01	·08	·18	–	–	–	·25	·03	·03	·16		14
15	–	–	·02	·04	·91	·52	–	–	·13	·02	·07	·01		15
16	–		·32	–	–	–	·13	–	·19	·45	·80	·01		16
17	–		·37	tr.	·06	–	–	–	–	·01	·86	·01		17
18	·11	·95	·22	·46	–	–	–	·05	·26	·05	·03	·06		18
19	–	·19	·12	·06	–	–	·18	–	·13	tr.	·10	·02		19
20	–	·19	–	·06	–	–	·19	–	·03	·29	·02	–		20
21	–	·01	tr.	·01	·18	·67	·11	·03	–	·01	1·32	–		21
22	–	·02	·04	·03	·40	·06	–	–	·08	·01	·01	–		22
23	–	·03	·02	·24	·03	–	–	–	·02	tr.	·02	–		23
24	tr.	–	·12	·01	tr.	–	–	–	–	–	–	–		24
25	·06	–	–	·01	·10	–	·07	–	·02	·02	–	·01		25
26	1·27	·05	–	·22	·15	–	·05	tr.	–	–	·02	·02		26
27	1·08	·02	·01	·18	·10	–	·11	–	–	–	·07	–		27
28	·38	·41	–	·01	1·00	–	–	–	–	–	–	·01		28
29	–	–	·06	·52	·02	·09	·06	–	–	–	–	·02		29
30	·05	×	–	·57	·07	–	–	–	–	·13	–	·03		30
31	·16	×	·10	×	tr.	×	–	–	×	·98	×	·03		31
TOTAL	3·23	2·78	2·17	3·13	3·39	2·04	2·71	·17	1·54	3·05	7·29	1·43	Year's Total 32·93	
* Days with .01 in. or more.	9	17	17	23	14	8	19	5	14	19	23	23	191	
* Days with .04 in. or more.	8	9	12	16	11	8	16	3	10	12	15	11	131	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. W. Sharpe. [P.T.O.

X Meole Brace

2286/8

MEOLE BRACE HALL
1937-40

780404

Section **A** for the entry
AIR MINIS
Station No. 2286/8
ALL ORGANIZATION

FORM 1090 **REC** 37.

Kept at Meole Brace
in the County of Sal
Diameter of Funnel of Gauge..
Height of top of Gauge above
,, Ground ,,

[illegible]

THE MORNING MEAS **US DAY**

An observer who does not confo *he following*
year in the space on the right o

Jan. 1, following ✓

Date	Jan.	Feb.	Mar.							ov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·07	·02	·04	-	.			·10	·10	·07	·05		1
2	·01	·07	-	·50	.	.						1·10		2
3	-	·04	-	·04	·07	·02								3
4	·07	·14	-	.	.	·01	·01	·09				·36		4
5	·17	-	·17	·02	.									5
6	·07	-	·01	·06	·09		·03							6
7	-	·39	-	·09	-	·04					·03			7
8	-	·12	-	.	·07		·02		·01		·38			8
9	-	·01	-	·01	·08		·21	·03	·20					9
10	-	·08	Snow. ·25	.	-	·14						·15		10
11	-	-	·14	-	·41	·14					·03	·25		11
12	·06	·11	-	-	-	·29		·87	·18			·08		12
13	·07	-	-	-	-	·04		·10						13
14	-	-	·19	·10	-			·01			·01	·20		14
15	-	·26	-	·15	-		·68		·09			·07		15
16	·07	·03	·22	·08	-				·04					16
17	·07	·13	·07	-	-				·62					17
18	Snow. ·79	·04	·08	·03	-		·03		·54		·38	·10		18
19	·06	·04	·11	·07	-	·23	·25				·07			19
20	·10	·06	-	·39	·15									20
21	·07	·21	·15	-	-		·11			·03				21
22	·04	·05	Snow. ·21	-	·09		·31			·25	·26	·05		22
23	·11	·01	·05	-	·03		·03			·40	·26			23
24	·17	·29	-	-	.				·09	·52				24
25	-	·38	-	-	-				·02	·30				25
26	-	·13	Snow ·08	-	·37							·01		26
27	-	Snow. ·25	-	·12	-					·65				27
28	.	·11	·02	-	-					·15				28
29	·01		-	-	-	·04				·75		·02	print	29
30	·12	✕	-	-	-	·02				·03	·09			30
31	·14	✕	-	✕	-	✕			✕	·12	✕		d	31
TOTAL	2·33	3·02	1·77	1·70	1·36	·97	1·68	1·10	1·89	3·10	1·58	2·44	Year's Total 23·14	✓ 4B
* Days with .01 in. or more.	~~2~~ 19	~~2~~ 23	~~3~~ 15	~~5~~ 14	~~4~~ 9	~~5~~ 10	~~6~~ 10	~~2~~ 5	~~2~~ 10	~~2~~ 11	~~5~~ 10	~~2~~ 12	~~30~~	148
* Days with .04 in. or more.	14	20	12	11	8	7	5	3	8	9	7	10	117	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J B Hoare [P.T.O.

N

X J. ~~R.~~ B. Hoare Esq X

X Meole Brace

Section **A** for the entry of Daily Observations

Station No. 2286/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Meole Brace Hall.

in the County of Salop.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 13 in.

" Ground " Sea Level alt 250 ft.

[illegible]

Wrote 23/2/38 [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·07	·02	·04	-	·			·10	·10	·07	·05		1
2	·01	·07	-	·50	-	·						1·10		2
3	-	·04	-	·04	·07	·02								3
4	·07	·14	-	·	·	·01	·01	·09				·36		4
5	·17	-	·17	·02	-									5
6	·07	-	·01	·06	·09		·03							6
7	-	·39	-	·09	-	·04					·03			7
8	-	·12	-	-	·07		·02		·01		·38			8
9	-	·01	-	·01	·08		·21	·03	·20					9
10	-	·08	Snow. ·25	-	-	·14						·15		10
11	-	-	·14	-	·41	·14					·03	·25		11
12	·06	·11	-	-	-	·29		·87	·18			·08		12
13	·07	-	-	-	-	·04		·10						13
14	-	-	·19	·10	-			·01			·01	·20		14
15	-	·26	-	·15	-		·68		·09			·07		15
16	·07	·03	·22	·08	-				·04					16
17	·07	·13	·07	-	-				·62					17
18	Snow. ·79	·04	·08	·03	-		·03		·54		·38	·10		18
19	·06	·04	·11	·07	-	·23	·25				·07			19
20	·10	·06	-	·39	·15									20
21	·07	·21	·15	-	-		·11			·03				21
22	·04	·06	Snow. ·21	-	·09		·31			·25	·26	·05		22
23	·11	·01	·25	-	·03		·03			·40	·26			23
24	·17	·29	-	-	-				·09	·52				24
25	-	·38	-	-	-				·02	·30				25
26	-	·13	Snow ·08	-	·37							·01		26
27	-	Snow. ·25	-	·12	-					·65				27
28	·	·11	·02	-	-					·15				28
29	·01		-	-	-	·04				·75		·02	print	29
30	·12	✕	-	-	-	·02				·03	·09			30
31	·14	✕	-	✕	-	✕			✕	·12	✕		d	31
TOTAL	2·33	3·02	1·77	1·70	1·36	·97	1·68	1·10	1·89	3·30	1·58	2·44	Year's Total 23·14	JB
* Days with .01 in. or more.	~~2~~ 19	~~2~~ 23	~~3~~ 15	~~3~~ 14	~~1~~ 9	~~3~~ 10	~~6~~ 10	~~2~~ 5	~~2~~ 10	~~2~~ 11	~~3~~ 10	~~2~~ 12	~~30~~	148
* Days with .04 in. or more.	17	20	12	11	8	7	5	3	8	9	7	10	117	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J B Hoare [P.T.O.

N

X J. B. Hoare Esq X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2286/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Meole Brace Hall

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level abt 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	T	-	T	·92	T	·09		·14	·08	·20		1
2	-	·06	-	·02	·06	·04	-	·03		·12		·05		2
3	-	-	-	-	·03	·06	-		·05	·77	·03	T		3
4	-	-	T	-		·02	·11	·12		·19		·09		4
5	·03	·02	-	-			·20	·26	·02	T	T	·01		5
6	·15	-	-	-		·04	·31			·14		·06		6
7	-	-	-	-			·22	·24	·05	·11				7
8	·28	-	T	-			·05	·71		·25		·14		8
9	·03	-	-	-	T		·06	·51				·34		9
10	·01	·04	-	-		·25	·27	·03				·38		10
11	·53	-	T	-	·03		·01	·01		·02	·14	·09		11
12	·11	-	T	-	T	·03	·04			·26	·32			12
13	-	·01	-	-		·01	-			T	·11	·11		13
14	·33	·01	-	-	·02		·34		·11		·02			14
15	·24	-	-	-	·04		·04	·02	T		T	·31		15
16	·46	-	-	-	T			·02		·12	·12	·02		16
17	-	-	T	-			·01		·10	·01	·01	T		17
18	-	-	-	-	·06	·01		·15	·49		·22	~~·03~~		18
19	·01	T	-	-		·01		·19	·03		·03			19
20	-	-	T	-					T		·30			20
21	·01	-	T	-		T		T	T		·04	·02	Snow	21
22	-	-	-	·04		·01		·03	·04		·27	·08	"	22
23	-	-	-	·05	T	·01		·84	·05		·01			23
24	·01	·01	·14	-	·14						·02			24
25	·05	·06	·06	-	·07	T	·06			·37	1·28	·08		25
26	·04	·14	·09	-	·02	·19	·01		·01	·38		·01		26
27	-	·02	T	-	·43	·19	·03	·43	·06	·03	·19			27
28	·08	·03	-	-	T	·06	·03	·07	·03		T	·10		28
29	·38		-	-	·39	T	T		·01	·09	·04	·04		29
30	·01	×	-	-	·02	·02			·23		·28	·15		30
31	·06	×	-	×	·18	×		·01	×	·19	×	37		31
TOTAL	2·82	·40	·29	·11	1·49	1·87	1·79	3·76	1·28	3·19	3·51	2·65	Year's Total 23·16	✓
* Days with .01 in. or more.	19	10	3	X3	13	16	16	18	14	16	19	20	~~57~~	167 ✓
* Days with .04 in. or more.	12.	~~xx~~4	3	2	8	8	11	10	9	13	13	16	110	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Hoare .... in T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2286/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Meole Brace Hall, Shrewsbury

in the County of Salop.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level abt 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07		·02	·32	T	~~T~~	T	·02	·19		T	·01		1
2	·09		T	·06				·16		T	T	T		2
3	·37		·02	·19				·01			·06	·30		3
4	·25		·10	·34	·03	~~37~~	37		·01	·14	·11	·51		4
5				·05	·13	~~T~~	·12	T		·06	·23	·02		5
6	·45				T		·44				·06			6
7	·09	·06	·03		·02		·34	11		T	·20	·39		7
8	T	·05	·44				·32	06		·36	·68	·05		8
9	·06	·03	·01				·T	23		·37	T	·11		9
10	·70		·05					T	·02	·14	T	·09		10
11	·09	·01	·15			·10		T		·15		T		11
12	T	·05				·06			·04	·02				12
13	·42		·02	·12	·06	·13	·06		·11	·18				13
14	·22			·04	·19	·21			·14		·17			14
15	·30		T	T	·03	·27	·13			T	·10			15
16	·10	·01	·07		·30	T	T			·35	·13			16
17	·33	·10		T	T		·17			·42	·11	T		17
18	·18		·05			·06	·03			·08	·73			18
19	·15						·68				·04	T		19
20	·23				T	·06	·14	·02	·02			·02		20
21	·21	·03	·13	T	·03		·34	·03	·19					21
22	·26	·20	·01	·04			·02		T	·01	·37			22
23	·23	·02	·10	T			·03	T		·01	·42			23
24	·09		T	T		·01	·08			·11	T			24
25	·59	·08		·08			·11			·09	·19	T		25
26	T	·06		·07				·01			·26	·07		26
27		·42	·22	·02		·05	·06	·10		·02	·06	·19	Snow	27
28		·04	·17	·06		·01	·37	1·15			·08	·02		28
29			T	·16		T	·59	·02		·04	T			29
30				·11		·21	·01			·03	·08	·07		30
31								·05		·09		·10		31
TOTAL	5.48	1.16	1·59	1·66	·79	1·17	4·41	1·97	·72	2·67	4·08	1·95	Year's Total 27·65	
* Days with .01 in. or more.	22 ~~11~~	14 5	16 ~~8~~	14 ~~7~~	8 ~~4~~	11 ~~2~~	20 ~~4~~	13 ~~6~~	8 ~~5~~	5 19	19	14 ~~4~~	178 ~~40~~	
* Days with .04 in. or more.	22.	9	10	13	4	9	16	7	5	14	19	10	138	

† Spare column, no entries required.

(*Signed*) G. D. Hoare

[P.T.O.

*See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 2286/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930.

File No
741704/38.

Kept at Meole Brace Hall, Shrewsbury
in the County of Salop
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02		·03	·48						·35			**1**
2		·13		·15							·62	·10		**2**
3				·01			·09			·15	·64	·02		**3**
4				·10			T			·07	·24	·01		**4**
5	T						·13		·06	·06	·36	·09		**5**
6	·09	·31			·12		·06			·41	·14	·03		**6**
7	T	·29		·05	·01		·03		T	·11	T	·11		**7**
8	T	T		T			·07		·04	·10		·05		**8**
9			·21			·03	·53	·03	·03	·10	·85	·19		**9**
10			·07	·01		·76	·46	·03	T	·02	·05	·26		**10**
11		T Snow	·01	·06		·44	·43				·54	·16		**11**
12		·12 Snow	T			·06	·19		·09		·03			**12**
13		T Snow	·45 Snow	T				·06	·13			·02		**13**
14			·01 "	·08	·08			T	·24	·01	·03	·17		**14**
15			T	·06	1·05	·56			·11	·02	·09	T		**15**
16	T	·10 Snow	·27				·15		·19	·44	·62	·01		**16**
17			·34	T	·07				T		·97	·01		**17**
18	·09 Snow	·67	·22	·48				·04	·23	·05	·03	·06		**18**
19		·24	·10	·06			·13		·14	T	·10	·01		**19**
20				·07			·12	T	·01	·26	1·34			**20**
21		T			·13	·68	·08			T	T			**21**
22		·01	·07	·02	·50	·08			·11	·01				**22**
23		·04	·02	·31	·02	T			·03	T	·01			**23**
24	T		·10				·01	T		·01		T		**24**
25	·06			·01	·09	·01	·11		·01	T				**25**
26	1·13	·05		·39	·06	T	·06	T			·01	T		**26**
27	·75	T	·01 Snow	·14	·08		·08	·02			·02			**27**
28	·25 Snow	·45			·81									**28**
29			·07		·07	·09	·05					T		**29**
30	·01 Snow	✕		·44	·09					·12	T	T		**30**
31	25	✕	·06	✕		✕			✕	·89	✕	·03		**31**
TOTAL	2·63	·2·33	2·01	2·47	3·66	2·71	2·78	·18	1·42	2·83	7·04	1·33	Year's Total 31·39	
* Days with .01 in. or more.	X 8	12	~~4~~ 15	18 ~~5~~	15 ~~2~~	9 ~~8~~	18 ~~2~~	5 ~~3~~	14	17 ~~5~~	20 ~~6~~	17 ~~8~~	168 ~~44~~	
* Days with .04 in. or more.	7	10	11	13	13.	7	16	2.	10	12	14	9	124	

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J B Hoare

P.T.O.

2287

Section **A** for the entry

AIR MINIST

FORM 1090.

REGIS

Kept at Beckbury H

in the County of Salo

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform
year in the space on the right of

2287

SALOP. BECKBURY HOUSE

1931 — 40

780404

FOR OFFICIAL USE.

LL ORGANIZATION.

I.

Y.

following

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02			0.05		0.15			0.08	0.03			1
2		0.08		0.62	0.49	0.07		0.02	0.38	0.05	0.05	0.06	2
3				0.01			0.02		0.80		0.83	0.05	3
4			0.02	0.13			0.10	0.32	0.42	0.01	0.03		4
5				0.27	0.07	1.26	0.04	0.06	0.10			0.30	5
6		0.18		0.05		0.03	0.12	0.03	0.04	0.21	0.12		6
7						0.13		0.37			0.09	0.01	7
8	0.08			0.17		0.03	0.04	0.83			0.06		8
9	0.08	0.27		0.04		0.27		0.13			0.18		9
10		0.04			0.02		0.41	0.06	0.14		0.37	0.05	10
11		0.20				0.07	0.01		0.21		0.05	0.02	11
12	0.04	0.05		0.03			0.32	0.04	0.16	0.08	0.01		12
13		0.11	0.07			0.01	0.12	0.17					13
14		0.05			0.11	0.46	0.21	1.24	0.07		0.50		14
15	0.02	0.24	0.15	0.05	0.02		0.10	0.33				0.18	15
16	0.08	0.12		0.19	0.37	0.55	0.02	0.12	0.19				16
17	0.09	0.01		0.19	1.11	0.02	0.11				0.12		17
18	0.05			0.26		0.28		0.18	0.01		0.31		18
19		0.04		0.02		0.23	0.26	0.32			0.01		19
20		0.09		0.01				0.36		0.03	0.05	0.06	20
21	0.34			0.01	0.61						0.08		21
22	0.08		0.01		0.07			0.15					22
23	0.23			0.02	0.23	0.55	0.39			0.01	0.11	0.26	23
24				0.08	0.21	0.01	0.13				0.06		24
25	0.03	0.03		1.15	0.05		0.04				0.01	0.01	25
26		0.04		0.18			0.05				0.53		26
27	0.13	0.31		0.11	0.73		0.03			0.07	0.11	0.03	27
28	0.05	0.18	0.01	0.05	0.38					0.02		0.19	28
29	0.03		0.04		0.06		0.24			0.25	0.04	0.03	29
30		×		0.05			0.05		0.09			0.01	30
31	0.17	×		×		×	0.01		×		×		31
TOTAL	1.52	2.04	0.30	3.74	4.53	4.12	2.82	4.73	2.69	0.76	3.72	1.26	YEAR'S TOTAL 32.23
*Days with ·01 in. or more.													191
*Days with ·04 in. or more.													145

40-9999

(Signed) C. H. Horsfall [P.T.O.

*See Instruction 2 (*f*) on other side.

2287

Section **A** for the entry

AIR MINIST

LL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Beckbury House

in the County of Salop

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground ft 9 ins

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02			0.05		0.15			0.08	0.03			1
2		0.08		0.62	0.49	0.07		0.02	0.38	0.05	0.05	0.06	2
3				0.01			0.02		0.80		0.83	0.05	3
4			0.02	0.13			0.10	0.32	0.42	0.01	0.03		4
5				0.27	0.07	1.26	0.04	0.06	0.10			0.30	5
6		0.18		0.05		0.03	0.12	0.03	0.04	0.21	0.12		6
7						0.13		0.37			0.09	0.01	7
8	0.08			0.17		0.03	0.04	0.83			0.06		8
9	0.08	0.27		0.04		0.27		0.13			0.18		9
10		0.04			0.02		0.41	0.06	0.14		0.37	0.05	10
11		0.20				0.07	0.01		0.21		0.05	0.02	11
12	0.04	0.05		0.03			0.32	0.04	0.16	0.08	0.01		12
13		0.11	0.07			0.01	0.12	0.17					13
14		0.05			0.11	0.46	0.21	1.24	0.07		0.50		14
15	0.02	0.24	0.15	0.05	0.02		0.10	0.33				0.18	15
16	0.08	0.12		0.19	0.37	0.55	0.02	0.12	0.19				16
17	0.09	0.01		0.19	1.11	0.02	0.11				0.12		17
18	0.05			0.26		0.28		0.18	0.01		0.31		18
19		0.04		0.02		0.23	0.26	0.32			0.01		19
20		0.09		0.01				0.36		0.03	0.05	0.06	20
21	0.34			0.01	0.61						0.08		21
22	0.08		0.01		0.07			0.15					22
23	0.23			0.02	0.23	0.55	0.39			0.01	0.11	0.26	23
24				0.08	0.21	0.01	0.13				0.06		24
25	0.03	0.03		1.15	0.05		0.04				0.01	0.01	25
26		0.04		0.18			0.05				0.53		26
27	0.13	0.31		0.11	0.73		0.03			0.07	0.11	0.03	27
28	0.05	0.18	0.01	0.05	0.38					0.02		0.19	28
29	0.03		0.04		0.06		0.24			0.25	0.04	0.03	29
30		×		0.05			0.05		0.09			0.01	30
31	0.17	×		×		×	0.01		×		×		31
TOTAL	1.52	2.04	0.30	3.74	4.53	4.12	2.82	4.73	2.69	0.76	3.72	1.26	YEAR'S TOTAL 32.23
*Days with ·01 in. or more.													191
*Days with ·04 in. or more.													145

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. H. Horsfall

[P.T.O.

2287

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Beckbury House.

in the County of Salop.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 220. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.04		0.06	0.44	0.07	0.13	0.14	0.11	0.07	0.02	0.07	1
2	0.06			0.08	0.39		0.24		0.08	0.05	0.03	0.15	2
3		0.01		0.90	0.05				0.03	0.12		0.03	3
4	0.04			0.15			0.03				0.36	0.02	4
5	0.34		0.10	0.02	0.04		0.01		0.09				5
6	0.58		0.09	0.26					0.13				6
7			0.09	0.09	0.03				0.02	0.83			7
8			0.01	0.09	0.01				0.06	0.38		0.02	8
9	0.32			0.02	0.04								9
10	0.19	0.16	0.04	0.20	0.05				0.10	0.24			10
11	0.02			0.26	0.03	0.06	0.03		0.01	0.24		0.02	11
12	0.15				0.06		0.19		0.17	0.20	0.05		12
13	0.06			0.02			2.33	0.11		0.12	0.06	0.09	13
14	0.25			0.02			0.01	0.12		0.08	0.14		14
15				0.01	0.34					0.05		0.03	15
16	0.40			0.22	0.01		0.37		0.03				16
17				0.03	0.02		0.16			0.03			17
18					0.01					0.04	0.12		18
19				0.08	0.06					0.05	0.02		19
20		0.01		0.05	0.61		0.05	0.56		0.43	0.10		20
21			0.23	0.44	0.46			0.16		0.39	0.02	0.04	21
22			0.23	0.04	0.07		0.13		0.40	0.08	0.19		22
23			0.01	0.02	0.56		0.02		0.13	0.22	0.12	0.05	23
24	0.12			0.01	0.01		0.19		0.11		0.10		24
25	0.01	0.01				0.43	0.01		0.01	0.10			25
26		0.01	0.07	0.27	0.17				0.14	0.04		0.01	26
27			0.35	0.09	0.36		0.03				0.05	0.05	27
28			0.16	0.07	0.20	0.05	0.12						28
29			0.13	0.12	0.19	0.02	0.02	0.14	0.15	0.35	0.09	0.23	29
30		×	0.29	0.18	0.01	0.26	0.02	0.06	0.02	0.05	0.25	0.13	30
31		×	0.17	×		×	0.31		×		×	0.17	31
TOTAL	2.56	0.24	1.97	3.80	4.22	0.89	4.40	1.29	1.79	4.16	1.72	1.11	YEAR'S TOTAL 28.15
*Days with ·01 in. or more.	14	6	14	27	25	6	20	7	18	22	16	15	190
*Days with ·04 in. or more.	11	2	12	19	17	5	11	7	12	21	12	9	138

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. H. Horsfall.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2287.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Beckbury House Shrewsbury

in the County of Salop.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 220' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10	0.14	0.03						0.02	0.02	0.02		1
2	0.31		0.19		0.11						0.04		2
3	0.15	0.17	0.06		0.11								3
4	0.17	0.01			0.09								4
5	0.14	0.01	0.07										5
6		0.38			0.11								6
7	0.01	0.15					0.11			0.42			7
8	0.05		0.08	0.02	0.04		0.38						8
9					0.03	0.05	0.35			0.52	0.03		9
10	0.09	0.13				0.01	0.44	0.05		1.74	0.15		10
11	0.08				0.17		0.17	0.01		0.08		0.05	11
12				0.02			0.10					0.13	12
13					0.16	0.01	0.33			0.13	0.21		13
14	0.04						0.03	0.49		0.22	0.07		14
15	0.13		0.02			0.03	0.37	0.16		0.10	0.11	0.03	15
16	0.03	0.04	0.37		0.05	0.16				0.25	0.03	0.02	16
17	0.11	0.06	0.42			0.04					0.01	0.02	17
18	0.07		0.05			0.21					0.03		18
19			0.37			0.25	0.09		0.21		0.17		19
20		0.06	0.09		0.01	0.04		0.20	0.28		0.02		20
21		0.01				0.69		0.22			0.02		21
22				0.02	0.16	0.44		0.24		0.40			22
23				0.08		0.22			0.12	0.17			23
24		0.19		0.07	0.09	0.62			0.13	0.28			24
25		0.42		0.14		0.23			0.12			0.17	25
26		0.81		0.07	0.24	0.14			0.01	0.21			26
27		0.02		0.05	0.10				0.08	0.15		0.04	27
28		0.03		0.10			0.02			0.03		0.01	28
29	0.03			0.03			0.05						29
30	0.12	×	0.07	0.25			0.07			0.02		0.20	30
31	0.08	×	0.15	×		×		0.06	×	0.18	×		31
TOTAL	1.71	2.63	1.97	0.85	1.47	3.14	2.51	1.43	0.97	4.92	0.91	0.67	YEAR'S TOTAL 23.18
*Days with ·01 in. or more.	17	16	13	11	14	15	13	8	8	17	13	9	154
*Days with .04 in. or more.	14	11	11	7	12	12	8	7	3	14	6	5	110

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) G. H. Horsfall

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2287.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Beckbury House.

in the County of Salop.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 220. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.10							0.08	0.18	0.66	0.07	0.25		1
2	0.01		0.04					0.03	0.17		0.04	0.08		2
3	0.03							0.05		0.04	0.01	0.08		3
4	0.12		0.05	0.04	0.16				0.19	0.35		0.29		4
5			0.08	0.06	0.13			0.74		0.01	0.09	0.03		5
6			0.06		0.44					0.09		0.25		6
7	0.06		0.01		0.01	0.07		0.04		0.07	0.04	0.11		7
8					0.23	0.14		0.02			0.25	0.19		8
9			0.10	0.02				0.02			0.67	0.08		9
10	0.06		0.03	0.28				0.31			0.09			10
11	0.58		0.13	0.40				0.10			0.04	0.14		11
12	0.02		0.02	0.06			0.67	0.21						12
13	0.72			0.10			0.09			0.06				13
14	0.04		0.24		0.07	0.03				0.22	0.39	0.03		14
15	0.06		0.08		0.19			0.05		0.26	0.26	0.20		15
16	0.20		0.09		0.03			0.04		0.07	0.13			16
17	0.16			0.02	0.05		0.20	0.19	0.25			0.15		17
18	0.17			0.13		0.04	0.07					0.08		18
19	0.04		0.11	0.11		0.10		0.02	0.02	0.09		0.15		19
20			0.09			0.03			0.04	0.03	0.05			20
21					0.02	0.19		0.09	0.04	0.05	0.02			21
22	0.12		0.11			0.06		0.11	0.22	0.05		0.29		22
23			0.06	0.14	0.03	0.44				0.02	0.03	0.05		23
24		0.19	0.04			0.07	0.16		0.11					24
25	0.04			0.14		0.06			0.04	0.18		0.32		25
26	0.11		0.03	0.41	0.03	0.14	0.03		0.14	0.10	0.02	0.04		26
27	0.02			0.31		0.03	0.03		0.03	0.17	0.03	0.12		27
28				0.20				0.20	0.10	0.01	0.03	0.28		28
29							0.19	0.01	0.20	0.10	0.01	0.07		29
30	0.11	×					0.01	0.09		0.16		0.17		30
31		×		×		×	0.06		×	0.20	×	0.18		31
TOTAL	2.77	0.19.	1.37	2.42	1.39	1.40	1.51	2.40	1.73	2.99	2.27	3.63	Year's Total 24.07	
*Days with ·01 in. or more.	20	1.	18	15	12	13	10	19	14	22	19	24	187	
*Days with .04 in. or more.	16	1.	14	13	7.	10	7	14	12	18	12	22	146	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. H. Horsfall.

[P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations.

Station No 2287.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Beckbury House.
in the County of Salop.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
,, Ground ,, Sea Level 220' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04		0.05		0.06		0.16		0.24	0.21	0.04	0.01		1
2		0.10	0.07			0.07				0.16	0.14	0.02		2
3	0.01	0.32	0.09			0.01				0.10	0.27	0.37		3
4	0.04		0.03	0.18		0.13			0.12	0.36	0.02	0.21		4
5		0.40	0.27	0.02			0.15		0.09	0.05	0.08	0.21		5
6			0.06	0.23		0.12				0.26	0.07	0.08		6
7				0.19		026				0.09	0.11	0.24		7
8				0.24				0.10		0.15		0.22		8
9	0.05			0.23		0.25				0.76	0.09			9
10		0.02		0.11		0.02		0.02		0.02	0.02			10
11	0.20					0.09		0.14			0.12	0.01		11
12	0.21	0.04				0.10		0.03						12
13	0.11			0.06	0.12	0.05			0.27		0.06			13
14				0.09	0.03	0.04			0.08		0.75	0.23		14
15		0.09		0.42	0.12	0.13			0.19		0.04	0.17		15
16		0.12	0.15	0.03		0.02	0.02		0.40	0.27	0.67	0.05		16
17				0.17	0.03	0.23	0.12	0.03	0.08		0.93			17
18				0.31	0.09	0.04		0.50	0.17	0.04	0.07			18
19				0.10	0.37	0.47	0.10		0.01	0.35	0.16	0.02		19
20		0.37		0.31		0.04	0.15			0.05	0.72			20
21		0.46		0.02					0.37	0.01	0.03			21
22	0.01	0.32	0.07	0.05					0.05					22
23			0.13		0.04			0.09	0.07	0.66				23
24	0.18	0.32	0.08	0.06					0.57	0.11		0.28		24
25	0.16	0.23				0.18				0.05		0.05		25
26		0.16						0.72	0.27		0.05	0.31		26
27		0.09			0.03			0.02	0.36	0.02	0.08	0.15		27
28	0.02	0.03			0.17				0.20	0.04	0.01	0.02		28
29			0.04						0.13	0.02	0.14	0.07		29
30	0.04	×		0.06		0.07		0.06	0.12	0.44	0.25	0.06		30
31		×		×		×			×	0.26	×	0.40		31
TOTAL	1.07 ✓	3.07 ✓	1.04 ✓	2.88 ✓	1.06 ✓	2.32 ✓	0.70 ✓	1.71 ✓	3.79 ✓	4.48 ✓	4.92 ✓	3.18 ✓	Year's Total 30.82	22
*Days with ·01 in. or more.	12.	15.	11.	19.	9.	19.	6.	10.	19.	23.	24.	21.	188	
*Days with .04 in. or more.	9.	13.	10.	16.	6.	16.	5.	6.	18.	19.	20.	16.	154	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. H. Horsfall.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2287.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Beckbury House

in the County of Salop.

Diameter of Funnel of Gauge 5. in.s

Height of top of Gauge above Ground ft 9. ins

,, Ground ,, Sea Level 220. ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.20	0.12	0.12	0.52		0.25		0.27			0.10	0.06		1
2	0.28	0.05		0.12		0.73	0.90	0.01			0.24			2
3	0.03	0.03				0.08		0.04	0.78			0.03		3
4			0.08			0.13	0.03		0.31		0.35	0.26		4
5	0.17		0.02					0.06	0.02		0.08	0.15		5
6	0.03		0.03		0.04	0.09	0.07	0.09	0.10		0.05	0.09		6
7			0.02				0.20		0.23		0.22	0.02		7
8	0.09		0.26						0.35		0.47	0.07		8
9	0.47		0.07			0.01	0.89			0.01	0.01			9
10	0.07						0.02		0.07					10
11			0.02		0.03	0.11	0.07		0.01		0.61			11
12				0.04	0.17	0.27	0.67		0.42		0.21	0.30		12
13				0.08		0.03				0.07	0.01	0.73		13
14				0.09	0.03	0.14	0.05	0.06	0.14	0.04	0.13	0.31		14
15						0.04			0.04		0.22	0.05		15
16	0.25	0.08		0.04	0.62		0.06		0.04		0.22	0.06		16
17	0.02	0.36					0.17			0.07	0.02	0.09		17
18		0.22		0.01		0.05	0.21	0.03		0.27		0.03		18
19	0.38	0.15	0.01	0.33		0.02		0.05		0.05				19
20	0.01	0.14	0.07	0.02		0.10				0.02				20
21			0.03	0.25		1.47	0.03							21
22	0.02	0.28	0.04	0.01	0.05	0.01	0.22				0.02	0.14		22
23	0.03	0.05	0.30	0.02	0.02		0.19			0.02		0.02		23
24	0.20	0.05		0.03	0.09				0.24	0.27				24
25	0.21		0.05	0.16			0.11		1.54	0.03	0.02			25
26	0.03	0.07	0.25							0.04	0.01			26
27	0.23		0.01						0.16	0.17	0.03			27
28	0.18	0.15	0.11	0.02		0.16	0.05			0.05	0.03	0.06		28
29	0.07	0.23	0.07			0.12				0.03	0.08	0.33		29
30	0.07	×			0.13	0.02	0.23			0.78				30
31	0.40	×	0.13	×	0.02	×	0.01		×	0.03	×	0.15		31
TOTAL	3.44	1.98	1.69	1.74	1.20	3.83	4.18	0.61	4.45	1.95	3.13	2.95	Year's Total. 31.15	✓
* Days with .01 in. or more.	22.	14	19.	15	10.	19.	19.	8.	15.	16.	21.	19.	197	✓
* Days with .04 in. or more.	15.	13.	12.	9.	6.	14.	15.	6.	13.	10.	13,	15.	141	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) G. H. Horsfall.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2287.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Beckbury House

in the County of Salop

Diameter of Funnel of Gauge 5" ins

Height of top of Gauge above Ground 1 ft 9. in.

,, Ground ,, Sea Level 220 ft.

~~Copy.~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.15	0.11		0.03					0.12	0.11	0.07	0.08		1
2	0.01	0.11	0.02	0.55			0.02				0.02	1.23		2
3	0.12	0.05		0.03	0.12	0.05	0.03					0.03		3
4		0.17				0.04		0.11				0.43		4
5	0.19		0.20	0.02										5
6	0.12		0.02	0.04	0.14		0.04					0.04		6
7		0.42		0.13		0.04			0.01		0.02			7
8		0.17		0.02	0.11		0.04		0.03		0.44			8
9		0.04		0.02	0.16		0.25	0.03	0.21					9
10		0.10				0.11	0.04		0.01			0.20		10
11			0.37		0.44	0.10	0.02				0.03	0.21		11
12	0.08	0.18	0.06		0.02	0.39		1.12	0.18			0.07		12
13	0.09		0.02	0.07	0.04	0.06		0.17	0.08					13
14			0.20	0.14				0.02	0.02		0.02	0.23		14
15	0.10	0.18		0.20			0.82		0.13			0.06		15
16		0.05	0.24	0.20				0.09	0.06		0.01			16
17	0.11	0.13	0.13	0.04		0.01			0.62					17
18	0.81	0.07	0.17				0.05		0.40		0.38	0.12		18
19	0.06	0.09	0.10	0.10		0.15	0.27				0.11			19
20	0.17	0.08		0.36	0.14							0.02		20
21	0.10	0.19	0.14	0.02	0.05		0.14			0.04		0.05		21
22	0.07	0.10	0.05		0.09		0.33			0.27	0.32	0.05		22
23	0.12	0.03	0.19		0.05		0.05			0.45	0.26			23
24	0.26	0.34	0.07						0.12	0.44				24
25		0.47							0.03	0.29		0.03		25
26		0.20	0.11		0.53							0.02		26
27		0.17		0.14						0.68				27
28		0.20								0.19	0.04	0.04		28
29	0.01					0.05				0.57		0.01		29
30	0.13	×				0.03			0.01	0.04	0.09			30
31	0.15	×		×		×			×	0.12	×			31
TOTAL	2.85	3.65	2.09	2.11	1.89	1.03	2.10	1.54	2.03	3.20	1.81	2.92	Year's Total. 27.22.	✓
* Days with .01 in. or more.	19.	23.	16.	17.	12.	11.	13.	6.	15.	11.	13.	18.	174.	✓
* Days with .04 in. or more.	17.	22.	13.	11.	11.	9.	10.	4.	9.	11.	8.	13.	138.	✓

† Spare column, no entries required.

40-9999

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2287

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Beckbury House.
in the County of Salop.
Diameter of Funnel of Gauge 5 ins
Height of top of Gauge above Ground ft 9 ins
,, Ground ,, Sea Level 220' ft.

Rainday Ann. Total Corr. for Arith. 2.3.39. EMT.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.02				1.00	0.11	0.04		0.13	0.10	0.22	1
2		0.04		0.05	0.09	0.03		0.02		0.14		0.06	2
3						0.07			0.05	0.80	0.05		3
4						0.01	0.15	0.10		0.23		0.12	4
5	0.02	0.03					0.01	0.82	0.02	0.03		0.02	5
6	0.18					0.03	0.33		0.05	0.15		0.07	6
7	0.03						0.23	0.30	0.05	0.13			7
8	0.33						0.07	0.59		0.26		0.15	8
9	0.07					0.06	0.05	0.50				0.36	9
10	0.03	0.06				0.33	0.27	0.07				0.34	10
11	0.60	0.03				0.05	0.03	0.01		0.04	0.14	0.10	11
12	0.15				0.05		0.08			0.31	0.31	0.03	12
13	0.04									0.01	0.11	0.12	13
14	0.43				0.03		0.35		0.12		0.01	[illegible]	14
15	0.17						0.12	0.03			0.02	0.37	15
16	0.45				0.05			0.05		0.12	0.16		16
17							0.02		0.10	0.03	0.01		17
18					0.07			0.12	0.38	0.02	0.21		18
19	0.02							0.24	0.03		0.06		19
20	0.01							0.01	0.02		0.31		20
21	0.04										0.05		21
22				0.23		0.03		0.03	0.12		0.34	0.11	22
23				0.06	0.01				0.16		0.03		23
24		0.02	0.15		0.22			1.12	0.06		0.01		24
25	0.08	0.07	0.03		0.09		0.5			0.41	1.32	0.09	25
26	0.05	0.18	0.12		0.03	0.15	0.03		0.01	0.38		0.03	26
27	0.05	0.03	0.01		0.45	0.29	0.04	0.39	0.07		0.20		27
28	0.10	0.06			0.02	0.05	0.05	0.07	0.04	0.06	0.01	0.13	28
29	0.42				0.44	0.01			0.03	0.07	0.05	0.07	29
30	0.02	×				0.03			0.27		0.28	0.26	30
31	0.10	×		×	0.17	×			×	0.17	×	0.27	31
TOTAL	3.39	0.54	0.31	0.34	1.72	2.14	1.99	4.51	1.58.	3.49	3.78	2.95	YEAR'S TOTAL 26.74
*Days with ·01 in. or more.	22.	10.	4.	3.	13.	14.	17.	18.	17.	19.	21.	19	178.
*Days with .04 in. or more.	16.	5.	3.		9.	6.	13.	13.	12.	15.	15.	16.	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. H. Horsfall

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2287.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Beckbury House

in the County of Salop.

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground ft. 1 ins

" Ground " Sea Level 220. ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.15		0.02	0.27					0.02		0.03	0.03		1
2	0.06		0.01	0.11				0.19	0.23		0.02	0.02		2
3	0.59			0.17				0.06			0.07	0.29		3
4	0.21		0.14	0.33	0.04		0.52	0.03		0.17	0.14	0.38		4
5				0.03	0.14		0.14			0.09	0.25	0.18		5
6	0.50						0.41				0.10			6
7	0.12	0.08	0.05		0.05		0.32	0.09			0.16	0.46		7
8		0.06	0.48				0.32	0.08		0.35	0.70	0.08		8
9	0.08	0.03					0.01	0.23		0.44	0.01	0.13		9
10	0.62		0.04						0.04	0.17		0.14		10
11	0.11	0.03	0.17			0.12		0.02		0.16				11
12		0.06				0.11			0.02					12
13			0.01	0.14	0.07	0.09	0.07		0.11	0.18				13
14	0.42			0.05	0.25	0.23				0.14	0.18			14
15	0.21		0.04	0.01	0.06	0.25	0.25				0.15			15
16	0.09		0.07		0.30	0.01				0.34	0.17			16
17	0.32	0.04					0.14			0.42	0.14			17
18	0.19	0.11	0.09			0.07	0.03			0.13	0.72			18
19	0.22						0.90				0.07	0.02		19
20	0.25					0.08	0.09	0.02	0.03			0.03		20
21	0.23	0.03	0.16	0.02	0.04		0.21	0.03	0.21.					21
22	0.27	0.20		0.07			0.05			0.04	0.36			22
23	0.19	0.02	0.04	0.03			0.05			0.04	0.45			23
24	0.91			0.08			0.13			0.15				24
25	0.58	0.11		0.05			0.15			0.11	0.20			25
26		0.05		0.07				0.03		0.01	0.19	0.10		26
27		0.39	0.23	0.02		0.06	0.07	0.04		0.06	0.06			27
28		0.06	0.18	0.09		0.04	0.38	0.78			0.12	0.27		28
29				0.19.			0.65	0.09		0.06				29
30		✕		0.14		0.19	0.02			0.05	0.11			30
31		✕		✕		✕		0.11.	✕		✕	0.15		31
TOTAL	5.42	1.27	1.73	1.87	0.95	1.25	4.91	1.80	0.66	3.11	4.40	2.28	Year's Total ~~31.65~~	✓ 2965
* Days with .01 in. or more.	21.	14.	15.	18.	8.	11.	21.	14.	7.	19.	22.	14	184.	✓
* Days with .04 in. or more.	20.	10.	12.	13.	8.	10.	18.	7.	4.	18.	19.	10	149.	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. H. Horsfall.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2287.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Beckbury House

in the County of Shropshire.

Diameter of Funnel of Gauge 5 ins.

Height of top of Gauge above Ground ......ft. 9 ins.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.03		0.05							0.35			1
2				0.22			0.03				0.63	0.12		2
3		0.14		0.03			0.06			0.17	0.66	0.09		3
4		0.04		0.25			0.03			0.09	0.32	0.02		4
5					0.14		0.20		0.08	0.08	0.37	0.08		5
6	0.13	0.34					0.09			0.44	0.20	0.04		6
7		0.24		0.06	0.01		0.03			0.12		0.07		7
8	0.01			0.04			0.04		0.09	0.14		0.06		8
9			0.19	0.03		0.29	0.48	0.05	0.04	0.13	0.82	0.23		9
10			0.08			0.22	0.59	0.05		0.05	0.11	0.22		10
11		0.02	0.03	0.05		0.15	0.13				0.55	0.21		11
12		0.05				0.05	0.21		0.11		0.05			12
13		0.06	0.20	0.03					0.16			0.02		13
14			0.25	0.10	0.12				0.26	0.05	0.03	0.20		14
15	0.01		0.01	0.04	0.93	0.58			0.11	0.03	0.11	0.01		15
16		0.26	0.28				0.16		0.25	0.45	0.71			16
17		0.68	0.38		0.10						0.98	0.01		17
18	0.13		0.28	0.45				0.05	0.25	0.08		0.08		18
19		0.28	0.14	0.08			0.17		0.17		0.12	0.01		19
20				0.08			0.15		0.03	0.30	0.03			20
21					0.09	0.65	0.17	0.03			1.28			21
22		0.03	0.15	0.04	0.53	0.09								22
23		0.04	0.04	0.22	0.05				0.10		0.02			23
24			0.10							0.01		0.01		24
25	0.07			0.01	0.11		0.07		0.02					25
26	1.02	0.07		0.17	0.18		0.06				0.03	0.02		26
27	0.75		0.05	0.20	0.12						0.11			27
28	0.33	0.43		0.01	1.03									28
29			0.08	0.47	0.02	0.10	0.07					0.03		29
30	0.04	×		0.63	0.09					0.16		0.03		30
31	0.18	×	0.12	×		×			×	0.97	×	0.05		31
													Year's Total	
TOTAL	2.67	2.71	2.38	3.26	3.52	2.13	2.74	0.18	1.67	3.27	7.48	1.61	33.62	
* Days with .01 in. or more.	10.	15.	16	22.	14.	8.	18.	4.	13.	16.	20.	21.	177.	
* Days with .04 in. or more.	8.	12.	14.	17.	11.	8.	15.	3.	11.	14.	16.	12.	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. H. Horsfall

[P.T.O.

2288

Section **A** for the entry
AIR MINIS

FORM 1090.

REG

Kept at Radbrook

in the County of Sa

Diameter of Funnel of Gauge....

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

An observer who does not conform
year in the space on the right o

—

2288

SALOP, RADBROOK HALL

1931-37

780404

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

31.

AY.

he following

Jan. 1, following

Date	Jan.	Feb.	Marc						ct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	×	×	·12	×	·18	×	×	·09	·04	×	×	1
2	×	·09	×	·62	·42	·07	·01	·01	·53	·06	·09	·09	2
3	×	×	·06	×	×	×	·02	×	·68	·01	·80	·02	3
4	×	·01	·03	·12	×	×	·09	·27	·37	×	·04	×	4
5	×	×	×	·27	·04	1·00	·21	·05	·06	×	×	·32	5
6	×	·17	×	·07	×	·05	·11	×	·02	·24	·12	×	6
7	×	·01	×	×	×	·20	×	·48	×	×	·12	·01	7
8	×	·01	×	·19	×	·18	·03	·80	×	×	·07	×	8
9	·14	·31	×	·04	·01	·06	×	·10	×	·01	·15	×	9
10	×	·04	·01	×	·04	·02	·18	·06	·07	×	·25	·04	10
11	·03	·20	·01	×	·02	·10	·06	×	·18	×	·06	·01	11
12	·01	·05	×	·03	×	×	·64	·09	·17	·04	·01	×	12
13	×	·05	·07	×	·03	·02	·04	·18	×	×	×	×	13
14	×	·07	×	×	·12	1·15	·19	1·53	·06	×	·46	×	14
15	·01	·22	×	·05	·02	×	·18	·33	×	×	×	·18	15
16	·06	·15	×	·17	·25	·47	·02	·18	·19	×	×	×	16
17	·09	·02	×	·10	·99	·03	·01	×	×	×	·13	×	17
18	·04	×	×	·18	×	·22	·05	·15	·02	×	·30	×	18
19	·02	·04	×	·06	×	·17	·18	·17	×	·01	·02	×	19
20	×	·09	·16	·02	×	×	×	·43	×	×	·05	·05	20
21	·34	·01	×	×	·68	×	×	×	×	×	·10	×	21
22	·04	·01	×	×	·04	×	×	·20	×	×	·02	×	22
23	·25	×	×	×	·28	·33	·48	×	×	×	·11	·25	23
24	×	×	×	·08	·26	·01	·12	×	×	×	·10	×	24
25	·02	·05	×	·99	·06	×	·02	×	×	×	·02	·02	25
26	×	·03	×	·12	×	×	·05	×	×	×	·53	×	26
27	·10	·22	·01	·09	·90	×	·01	×	×	·08	·12	·01	27
28	·07	·23	·03	·05	·38	×	×	×	×	·05	×	·05	28
29	·02	×	·05	×	·14	×	·25	×	×	·22	·05	·15	29
30	×	×	×	·08	·01	×	·01	×	·10	×	×	×	30
31	·19	×	×	×	·09	×	·02	×	×	×	×	·02	31
TOTAL	1·50	2·08	0·43	3·45	4·78	4·26	2·98	5·08	2·54	0·76	3·72	1·22	YEAR'S TOTAL 32·80
*Days with ·01 in. or more.	17	22	9	20	20	17	24	16	13	10	23	14	205
*Days with ·04 in. or more.	10	15	4	18	15	13	15	15	11	7	19	8	150

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Donald Macpherson

[P.T.O.

2288

Section **A** for the entry

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Radbrook Hall

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 8½ in.

„ Ground „ Sea Level 235 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	×	×	·12	×	·18	×	×	·09	·04	×	×	1
2	×	·09	×	·62	·42	·07	·01	·01	·53	·06	·09	·09	2
3	×	×	·06	×	×	×	·02	×	·68	·01	·80	·02	3
4	×	·01	·03	·12	×	×	·09	·27	·37	×	·04	×	4
5	×	×	×	·27	·04	1·00	·21	·05	·06	×	×	·32	5
6	×	·17	×	·07	×	·05	·11	×	·02	·24	·12	×	6
7	×	·01	×	×	×	·20	×	·48	×	×	·12	·01	7
8	×	·01	×	·19	×	·18	·03	·80	×	×	·07	×	8
9	·14	·31	×	·04	·01	·06	×	·10	×	·01	·15	×	9
10	×	·04	·01	×	·04	·02	·18	·06	·07	×	·25	·04	10
11	·03	·20	·01	×	·02	·10	·06	×	·18	×	·06	·01	11
12	·01	·05	×	·03	×	×	·64	·09	·17	·04	·01	×	12
13	×	·05	·07	×	·03	·02	·04	·18	×	×	×	×	13
14	×	·07	×	×	·12	1·15	·19	1·53	·06	×	·46	×	14
15	·01	·22	×	·05	·02	×	·18	·33	×	×	×	·18	15
16	·06	·15	×	·17	·25	·47	·02	·18	·19	×	×	×	16
17	·09	·02	×	·10	·99	·03	·01	×	×	×	·13	×	17
18	·04	×	×	·18	×	·22	·05	·15	·02	×	·30	×	18
19	·02	·04	×	·06	×	·17	·18	·17	×	·01	·02	×	19
20	×	·09	·16	·02	×	×	×	·43	×	×	·05	·05	20
21	·34	·01	×	×	·68	×	×	×	×	×	·10	×	21
22	·04	·01	×	×	·04	×	×	·20	×	×	·02	×	22
23	·25	×	×	×	·28	·33	·48	×	×	×	·11	·25	23
24	×	×	×	·08	·26	·01	·12	×	×	×	·10	×	24
25	·02	·05	×	·99	·06	×	·02	×	×	×	·02	·02	25
26	×	·03	×	·12	×	×	·05	×	×	×	·53	×	26
27	·10	·22	·01	·09	·90	×	·01	×	×	·08	·12	·01	27
28	·07	·23	·03	·05	·38	×	×	×	×	·05	×	·05	28
29	·02	×	·05	×	·14	×	·25	×	×	·22	·05	·15	29
30	×	×	×	·08	·01	×	·01	×	·10	×	×	×	30
31	·19	×	×	×	·09	×	·02	×	×	×	×	·02	31
TOTAL	1·50	2·08	0·43	3·45	4·78	4·26	2·98	5·08	2·54	0·76	3·72	1·22	YEAR'S TOTAL 32·80
*Days with ·01 in. or more.	17	22	9	20	20	17	24	16	13	10	23	14	205
*Days with ·04 in. or more.	10	15	4	18	15	13	15	15	11	7	19	8	150

40-9999

(*Signed*) Donald Macpherson

[P.T.O.

*See Instruction 2 (*f*) on other side.

File Ref.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 743255/27

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2288.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

2288

Kept at Radbrook

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 8½ in.

,, Ground ,, Sea Level 235 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4	2	X	5	46	8	8	15	12	1	2	14	1
2	8	X	X	7	32	X	X	X	10	5	2	9	2
3	1	X	X	93	5	X	27	X	2	10	1	4	3
4	4	1	X	15	X	X	4	X	X	X	35	1	4
5	50	1	12	2	7	X	X	X	9	X	X	X	5
6	48	X	11	22	X	X	X	X	12	X	X	X	6
7	1	X	8	8	8	X	X	X	10	89	X	1	7
8	X	X	X	7	1	X	X	X	21	26	X	1	8
9	32	X	X	2	6	X	X	X	X	6	1	X	9
10	20	4	2	25	4	3	X	X	12	27	X	X	10
11	2	2	1	20	3	7	1	X	2	14	X	3	11
12	20	3	X	2	8	X	39	X	18	22	3	1	12
13	6	X	12	3	X	X	295	11	X	10	4	7	13
14	28	X	X	1	X	X	2	13	X	4	9	3	14
15	X	X	X	1	45	X	X	X	X	3	X	X	15
16	50	X	X	30	1	X	35	X	2	X	X	X	16
17	X	X	X	2	2	X	14	X	1	2	X	X	17
18	X	X	X	X	2	X	X	X	X	2	12	X	18
19	X	X	X	9	9	X	X	X	X	4	1	X	19
20	X	X	X	X	52	X	3	54	X	45	9	1	20
21	X	2	30	42	38	X	2	14	X	41	2	3	21
22	X	X	16	3	13	X	13	X	45	6	18	2	22
23	X	2	1	3	52	X	3	X	4	22	9	4	23
24	12	X	X	X	5	X	11	X	8	1	7	X	24
25	2	1	8	X	X	21	1	X	2	6	1	X	25
26	X	2	34	30	20	X	X	X	13	4	1	1	26
27	X	X	15	8	31	X	4	X	X	X	10	2	27
28	X	X	9	3	20	5	10	X	X	X	X	X	28
29	X	X	8	6	13	4	1	15	15	38	9	24	29
30	X	×	29	14	1	30	1	5	6	3	21	9	30
31	X	×	17	×	X	×	32	1	×	1	×	12	31
TOTAL	288	20	213	363	424	78	506	128	204	392	157	102	YEAR'S TOTAL 2875
*Days with ·01 in. or more.	16 ✓	10 ✓	16	26 ✓	25 ✓	7 ✓	20 ✓	8 ✓	19 ✓	25 ✓	20 ✓	19	211
*Days with .04 in. or more.	12	1	13	16	19	6	12	7	14	18	11	8	137

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Donald Macpherson

P.T.O.

COPY FOR OFFICIAL USE. Copy

Section **A** for the entry of Daily Observations. Station No. 2288 2288

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933. File No 743255/27.

Kept at Radbrook

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 8½ in.

,, Ground ,, Sea Level 235 ft.

Total – Day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	13	3						2	1			1
2	25		20		9	1			2		2		2
3	9	17	4		8								3
4	16	2			10								4
5	13	3	8										5
6		45		1	23					1			6
7		4					39			54			7
8	2		7	2	2		39						8
9		11			1		40			57	9		9
10	8	3				1	19	5		175	16		10
11	4				10		5	1		7			11
12	6			3	1	1	16					17	12
13					16		23	6		15	19		13
14	6						2	14		19	9		14
15	10		2			1	24	19		9	12	3	15
16	1	3	35		3	11	1			28		2	16
17	11	2	40			4							17
18	12		6			25					4		18
19			35			21			23		9		19
20		8	9			25		21	35		1	1	20
21					1	29		26			3		21
22				4	14	8		20		22			22
23				12		25			18	16			23
24		13		4	9	65			12	27			24
25		65		8		11			7			16	25
26		97		3	18	25				20		1	26
27		2		2	7				6	12		3	27
28		5		8		1	1	1		4		1	28
29	7			12			1						29
30	9	×	4	30			7			2		16	30
31	8	×	9	×		×		5	×	13	×		31
TOTAL	157	293	182	89	132	254	217	118	105	482	77	60	YEAR'S TOTAL 21.66
*Days with ·01 in. or more.	17	16	13	12	15	16	13	10	8	18	10	9	157
*Days with .04 in. or more.	15	10	11	7	10	11	9	8	6	15	6	3	111

40-9999

*See Instruction 2 (*f*) on other side,

D

(Signed) Donald Macpherson J.P.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2288

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

File No 743255/27

Kept at Radbrook Hall

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 8½ ft ...... in.

,, Ground ,, Sea Level 235 ft.

Donald D. Macpherson

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	12	X	X	X	X	X	X	10	2	45	15	X		1
2	X	X	4	X	X	X	X	2	12	3	3	15		2
(3) 3	III°	X	X	X	X	X	X	4	X	5	3	10		3
(11) 4	XI"	X	6	2	13	X	X	3	12	38	X	10		4
5	X	X	6	6	11	X	X	83	X	X	X	23		5
6	X	X	6	1	44	8	X	X	X	5	9	3		6
7	5~~X~~	X	X	X	1	3	X	3	X	6	X	25		7
8	X	X	X	X	25	X	X	1	X	X	3	10		8
9	X	X	9	3	X	X	X	6	X	X	22	10		9
10	4	X	4	34	X	X	X	25	X	X	54	22		10
11	47	X	14	35	X	X	2	7	X	X	X	3		11
12	10	X	1	6	X	X	85	15	X	X	7	X		12
13	75	X	1	9	X	X	8	X	X	4	X	15		13
14	2	X	27	X	X	3	X	X	X	20	X	X		14
15	4	X	7	X	18	X	X	3	X	16	30	X		15
16	20	X	9	X	3	X	X	10	X	X	23	4		16
17	16	X	1	3	5	X	20	3	20	5	10	18		17
18	16	X	X	16	X	3	X	X	X	X	X	X		18
19	X	X	10	8	X	7	X	3	X	10	X	15		19
20	3	X	6	1	2	1	X	X	5	X	X	10		20
21	1	X	1	X	1	17	X	4	3	8	3	10		21
22	18	X	10	X	1	6	X	10	22	9	X	X		22
23	X	X	7	12	4	48	8	X	X	2	X	X		23
24	X	16	2	4	1	10	X	X	6	1	1	30		24
25	4	X	X	13	3	5	X	X	6	15	X	4		25
26	8	X	1	39	X	12	2	X	10	12	X	30		26
27	X	X	X	22	X	4	X	X	5	15	X	2		27
28	X	X	X	20	X	X	X	14	14	2	3	13		28
29	1	X	X	X	X	X	19	3	12	6	4	30		29
30	8	X	X	X	X	X	2	12	3	42	2	24		30
31	X	X	X	X	X	X	5	1	X	X	X	16		31 6
TOTAL	268	16	132	244	132	127	151	221	132	269	192	342	Year's Total	2227
*Days with ·01 in. or more.	20	1	20	18	14	13	9	21	14	21	16	23	190	
*Days with .04 in. or more.	16	1	14	13	7	9	6	12	11	16	9	20	134	

† Spare column, no entries required.

(*Signed*) Donald D. Macpherson J.P.

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2288

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Radbrook Hall

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 8½ ft. in.

,, Ground ,, Sea Level 235 ft.

Donald D. Macpherson

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 48

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	2	—	—	—	—	—	18	—	—	12	28	25		1
2	—	—	—	—	6	—	—	—	23	15	6	—		2
3	—	—	4	—	3	3	—	—	—	6	5	—		3
4	7	30	9	—	—	—	—	—	—	35	20	18		4
5	—	—	4	—	—	18	—	—	5	30	—	9		5
6	—	40	25	15	—	2	10	—	10	1	8	40		6
7	—	—	2	1	—	10	—	—	—	3	—	—		7
8	1	—	—	20	—	22	—	—	—	12	6	25		8
9	—	—	—	20	—	1	—	6	—	15	11	18		9
10	—	—	—	25	—	22	—	—	—	65	7	—		10
11	22	—	—	22	—	3	—	—	—	2	7	—		11
12	15	—	—	10	—	10	—	7	—	—	—	—		12
13	8	—	—	—	—	8	—	—	—	—	—	—		13
14	—	—	—	—	10	10	—	—	16	—	17	—		14
15	—	—	—	6	—	2	—	—	3	—	57	5		15
16	—	12	—	9	9	—	—	—	17	—	3	15		16
17	—	8	11	48	—	—	5	—	35	25	60	2		17
18	—	1	—	3	3	20	5	—	6	—	60	—		18
19	—	—	—	12	6	3	—	8	25	2	5	—		19
20	—	—	—	28	20	43	10	—	—	30	15	—		20
21	—	35	—	9	—	—	8	—	—	3	85	—		21
22	—	65	—	30	—	—	—	—	25	—	25	—		22
23	—	20	1	8	—	—	—	—	—	—	—	—		23
24	18	—	13	3	—	—	—	10	10	55	—	—		24
25	12	30	7	—	—	15	—	—	50	10	—	—		25
26	—	—	—	—	—	—	—	—	—	2	—	45		26
27	—	35	—	4	—	—	—	50	20	—	—	50		27
28	—	3	—	—	—	—	—	2	50	2	12	6		28
29	—	6	—	—	15	—	—	—	25	—	—	—		29
30	2	×	—	—	—	—	—	—	8	—	25	7		30
31	—	×	—	×	—	×	—	7	×	49	×	6		31
TOTAL	87	285	76	273	72	192	56	90	328	374	462	271	Year's Total. 2566	
* Days with .01 in. or more.	9	12	9	18	8	16	6	7	16	20	20	13	154	
* Days with .04 in. or more.	6	10	7	15	6	10	6	6	15	13	19	12	125	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Donald D. Macpherson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2288

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Radbrook Hall

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 8½ inches in.

" Ground " Sea Level 235 ft.

W.D Days Totals -

Donald Macpherson

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (·15)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	30	35		25				3			20			1
2	13	05	40	45		20	2	22				12		2
3	3		28	10		68	95	9			40			3
4			9			9		6	75					4
5	16					6			39		25	29		5
6			9			10	3	9	11		29			6
7	8		3		2		5	6	20		28			7
8			6				22		25		19	13		8
9			11						11		60			9
10	80		10	11			95		30					10
11			3		28	10	5		9	2				11
12				9	18	23	3		2	1	85			12
13				7	11		70		80		15			13
14						9				1	9	100		14
15					3	20	5		14			28		15
16		2			46				9			4		16
17		4		25			40		11			6		17
18												6		18
19		50	3			9	5	6						19
20	75	16	5	50				19		1				20
21		20	10			10				3				21
22			5	15	1	125	20					2		22
23		60	3			5	24					12		23
24		9	20		8		20				(10)			24
25	20			4					40	4				25
26	9		25	29					151	3				26
27	11	5	30						2					27
28	7		10						20	55				28
29	9	25	16			12	11			5				29
30	04	✕	3			20	1			1		30		30
31	1	✕		✕		✕	20		✕	70	✕	1		31 d
TOTAL	·36 2·92 ~~[illegible]~~	·7 1·87 ~~[illegible]~~	·25 2·82 ~~[illegible]~~	– 2·07 ~~[illegible]~~	– 1·12	– 3·56	·03 4·53 ~~4·50~~	– ·72	– 5·49	·20 ~~[illegible]~~ 1·66	(3·30) ~~4·10~~	– 2·55	Year's Total ~~[illegible]~~	32·611
* Days with .01 in. or more.	14	11	20	10	8	15	18	8	17	11	11	12	155	✓
* Days with .04 in. or more.	12	9	15	10	5	15	14	6	15	4	11	10	126	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Donald Macpherson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2285

2288

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Radbrook Hall

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 8½ in.

,, Ground ,, Sea Level 235 ft.

Donald Macpherson

Corrected for WD ff.

Totals ✓

Days ✓ ff.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	14	7					2				17	12		1
2	1	8	10	5					9	8	7	5		2
3			2	55								98		3
4	7	15		3	7	4						2		4
5		14				3		9				34		5
6			19	4	11									6
7	23			4			1							7
8		18		10		3					3			8
9		12		4	6	3	2		2	2	35			9
10		4		2	12		24	2	20					10
11		8				32						58		11
12	1		20		46	14					4	9		12
13	11	10	5		2	22	1	99	15			28		13
14	6			4	4	6		7	5					14
15			17	9					2		2			15
16	10	20		17			55		5					16
17		3	28	7				7	3					17
18	7	12	9	3		1			60					18
19	72	5	10				6		52		36	13		19
20	6	5	22	6		20	28				9			20
21	12	6		46	10							2		21
22	8	17	14	1	9		12			2		1		22
23	4	4	6		8		34			27	21			23
24	14	4	13				5			62	19			24
25	17	37	6						10	67				25
26	1	44							2	30				26
27		19	6		40									27
28		22		14					1	75				28
29			3							15		8		29
30		✕				11				69	4	2		30
31	25	✕	–	✕	–	✕ ·03	–	–	✕	5 ·17	✕ ·12	–		31
TOTAL	·07 2·46 ~~2·39~~	3·18 ~~3·25~~	2·09	1·93	1·52	1·14 ~~1·12~~	1·68 ~~1·70~~	1·24	1·86	3·69 ~~3·52~~	1·69 ~~1·74~~	2·35 ~~2·47~~	Year's Total 24·83	✓
* Days with .01 in. or more.	~~18~~ 19	~~22~~ 21	16	17	11	11	11	5	13	~~14~~ 12	11	~~13~~ 12	159	✓
* Days with .04 in. or more.	~~15~~ 16	~~20~~ 19	14	13	10	7	7	4.	8	~~9~~ 10	9	~~9~~ 8	125	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Donald Macpherson

Donald Macpherson

[P.T.O.

905311/29.

Section **A** for the entry

AIR MINIST

Station No. 2288/3

LL ORGANIZATION

FORM 1090

REGI

8

2288/3

COPTHORNE

THE HAWTHORNES

1938 – 39

780404

Kept at The Hawthornes

in the County of SHROPS

Diameter of Funnel of Gauge....

Height of top of Gauge above G

,, Ground ,, S

THE MORNING MEASU **S DAY**

An observer who does not conform *following*

year in the space on the right of t

P

Jan. 1, following

Date	Jan.	Feb.	Mar.								.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	·98	-	·06	-	·09	-	·15		1
2	·02	·04	-	-	·05	·02	-	·01	·01	·14	-	·04		2
3	-	-	-	-	-	·07	·05	-	·03	·71	·02	·01		3
4	·01	-	-	-	-	·02	·02	·09	-	·18	-	·04		4
5	·03	·02	-	-	-	-	·01	·69	·02	·02	-	-		5
6	·12	-	-	-	-	·04	·43	-	·01	·10	-	·04		6
7	·01	-	-	-	-	-	·19	·33	·05	·14	-	·01		7
8	·29	-	-	-	-	-	·01	·64	·01	·24	-	·15		8
9	·05	·01	-	-	-	·08	·03	·28	-	-	-	·27		9
10	·02	·06	-	-	-	·27	·28	-	-	·01	·01	·39		10
11	·47	·02	-	-	-	·02	·05	·01	-	·03	·15	·06		11
12	·08	-	-	-	·06	·01	·02	-	-	·26	·31	·01		12
13	·03	-	-	-		-	-	-	-	·01	·09	·11		13
14	·29	-	-	-	·03	-	·37	-	·09	-	-	-		14
15	·11	-	-	-	·02	-	·08	·01	-	·03	·03	·31		15
16	·41	-	-	-	·15	-	·01	·01	·01	·16	·12	·01		16
17	-	-	-	-	-	-	-	·01	·08	·07	-	-		17
18	·01	-	-	-	·06	-	-	·27	·41	·01	·18	-		18
19	·02	-	-	-	-	·01	-	·02	-	-	·03	-		19
20	·01	-	-	-	-	-	-	-	-	-	·26	-		20
21	-	-	-	·01	-	-	-	·03	·02	-	·03	s ·06		21
22	-	-	-	·09	-	·02	-	-	·02	-	·35	·07		22
23	-	-	-	·03	·03	·01	-	·01	·14	-	·01	-		23
24	·03	·07	·14	-	·16	·03	-	·77	·03	·01	·04	-		24
25	·02	·06	·05	-	·07	-	·03	-	-	·37	1·06	-		25
26	·04	·09	·09	-	·03	·29	-	-	·07	·40	·01	-		26
27	·05	·02	-	-	·39	·02	·03	·32	·04	·01	·18	-		27
28	·08	·04	-	-	·02	·04	·07	·07	·02	-	-	-		28
29	·36	-	-	-	·43	·01	-	·01	·01	·08	·03	·06		29
30	·01	✕	-	-	·01	-	-	-	·26	-	·27	·21		30
31	·09	✕	-	✕	·13	✕	-	-	✕	·18	✕	·27		31
TOTAL	2·66	·43	·28	·13	1·64	1·97	1·68	3·64	1·33	3·24	3·18	2·30	Year's Total 22·48	
* Days with .01 in. or more.	25	10	3	3	15	17	16	19	19	22	19	19	187	
* Days with .04 in. or more.	13	6	3	1.	9	7.	8	10	8	14	11	15	105	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. H. Pinslow

[P.T.O.

905311/29.

Section A for the entry

Station No. 2288/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Hawthornes. Copthorne. Shrewsbury

in the County of SHROPSHIRE.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 252 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·	·	-	·98	-	·06	-	·09	·	·15		1
2	·02	·04	-	·	·05	·02	·	·01	·01	·14	-	·04		2
3	-	-	-	·	·	·07	·05	-	·03	·71	·02	·01		3
4	·01	-	·	-	·	·02	·02	·09	·	·18	·	·07		4
5	·03	·02	·	-	·	·	·01	·69	·02	·02	·	-		5
6	·12	-	-	-	·	·07	·43	-	·01	·10	·	·04		6
7	·01	-	-	-	·	·	·19	·33	·05	·14	·	·01		7
8	·29	-	-	-	·	-	·01	·64	·01	·24	·	·15		8
9	·05	·01	-	·	·	·08	·03	·28	-	-	·	·27		9
10	·02	·06	-	·	·	·27	·28	-	-	·01	·01	·39		10
11	·47	·02	-	·	·	·02	·05	·01	-	·03	·15	·06		11
12	·08	-	-	-	·06	·01	·02	·	·	·26	·31	·01		12
13	·03	-	-	-		-	·	-	·	·01	·09	·11		13
14	·29	-	·	·	·03	·	·37	-	·09	-	-	·		14
15	·11	-	-	-	·02	·	·08	·01	-	·03	·03	·31		15
16	·41	-	-	-	·15	·	·01	·01	·01	·16	·12	·01		16
17	-	-	-	-	·	·	-	·01	·08	·07	-	·		17
18	·01	-	-	-	·06	·	-	·27	·41	·01	·18	-		18
19	·02	-	-	-	·	·01	-	·02	-	-	·03	-		19
20	·01	-	-	-	·	-	-	-	-	-	·26	-		20
21	-	-	-	·01	·	-	-	·03	·02	·	·03	s ·06		21
22	-	-	-	·09	-	·02	·	-	·02	-	·35	·07		22
23	·	-	-	·03	·03	·01	-	·01	·14	-	·01	·		23
24	·03	·07	·14	·	·16	·03	·	·77	·03	·01	·04	-		24
25	·02	·06	·05	-	·07	-	·03	·	-	·37	1·06	-		25
26	·04	·09	·09	-	·03	·29	·	-	·07	·40	·01	-		26
27	·05	·02	-	-	·39	·02	·03	·32	·04	·01	·18	-		27
28	·08	·04	-	-	·02	·04	·07	·07	·02	-	-	-		28
29	·36	·	-	-	·43	·01	·	·01	·01	·08	·03	·06		29
30	·01	✕	-	-	·01	-	·	-	·26	-	·27	·21		30
31	·09	✕	·	✕	·13	✕	-	-	✕	·18	✕	·27		31
TOTAL	2·66	·43	·28	·13	1·64	1·97	1·68	3·64	1·33	3·24	3·18	2·30	Year's Total 22·48	
* Days with .01 in. or more.	25	10	3	3	15	17	16	19	19	22	19	19	187	
* Days with .04 in. or more.	13	6	3	1.	9	7.	8	10	8	14	11	15	105	

† Spare column, no entries required.

(*Signed*) W. H. Puslow

[P.T.O.

* See Instruction 3 (f) on other side.

2-2887/3

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. ~~2299~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

File No. 905311/29.

Kept at THE HAWTHORNES, COPTHORNE, SHREWSBURY

in the County of SHROPSHIRE

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground - ft. 12" in.

" Ground " Sea Level 252 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19	.	.01	.27	.	.	.	.13	.	.	.	.01		1
2	.09	.	.	.08	.	.	.	.17	.19	.01	.02	.		2
3	.44	.	.02	.23	.	.	.	.03	.	.	.06	.27		3
4	.26	.	.06	.26	.11	.	.47	.	.01	.16	.09	.47		4
5	.01	.	.02	.01	.13	.	.09	.03	.	.07	.17	.02		5
6	.41	.	.	.	.02	.	.39	.	.	.	.03	.01		6
7	.09	.03	.03	-	.03	.	.36	.09	.	.	.15	.46		7
8	.01	.03	.45	.	.01	.	.24	.15	.	.49	.63	.05		8
9	.06	.02	.	.	.	.	.01	.17	.	.33	.02	.12		9
10	.62	.	.05	.	.	.	.	.05	.03	.16	.	.10		10
11	.08	.05	.13	.	.	.09	.	.	.02	.11	.	.		11
12	.01	.02	.02	.	.	.11	.	.	.06	.01	.	-		12
13	.	.01	.	.09	.03	.03	.08	.	.07	.09	-	-		13
14	.47	-	.	.08	.23	.25	.	.	.01	.10	.15	-		14
15	.14	-	.03	.01	.01	.27	.16	.	.	.01	.12	.		15
16	.06	-	.07	-	.29	.01	.18	.	.	.27	.08	.		16
17	.35	.02	.01	-	.01	-	.05	.	.	.48	.15	-		17
18	.19	.08	.04	-	.	.09	.01	.	.	.03	.66	-		18
19	.27	.01	.01	-	.	-	.87	.	.	-	.03	.03		19
20	.23	-	-	-	.	.07	.18	.03	.02	-	.	-		20
21	.16	.01	.11	.01	.05	.	.09	.09	.19	.01	.	.		21
22	.25	.27	.02	.05	.	.	.04	.06	-	.04	.37	.		22
23	.18	.01	.02	.03	.	.	.06	.	.	.04	.33	.		23
24	.03	.01	.	.09	.	.03	.14	.	-	.13	.01	.		24
25	.53	.09	.	.07	.	.	.13	.	-	.09	.17	-		25
26	.	.03	.	.06	.	.	.	.03	.	-	.13	.		26
27	.	.39	.23	.01	.	.06	.09	.07	-	.02	.03	39 s		27
28	.	.09	.09	.03	.	.07	.29	.94	.	-	.09	.01		28
29	.	=	.01	.16	.	.02	.65	.06	-	.06	.01			29
30	.	✕	.	.07	.	.23	.02	.01	-	.07	.08	.11		30
31	.	✕	.	✕	.	✕	-	-	✕	.01	✕	.03		31
Total	5.15	1.17	1.43	1.61	.92	1.33	4.55	2.11	.60	2.79	3.58	2.08	Year's Total 27.32	✓
* Days with .01 in. or more.	24	17	20	18	11	13	22	16	9	23	23	14.	210	✓
* Days with .04 in. or more.	20	6	9	12	5	9	19	11	4	16.	16.	8	135	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W.H. Purslow

P.T.O.

2288/5

MOUNTFIELDS

1936

780404

Section **A** for the entry o
AIR MINISTR

Station No. 2288/5

L ORGANIZATION.

FORM 1090.

REGI

36.

Kept at Shrewsbury

in the County of Shrops

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASU

An observer who does not conform
year in the space on the right of

e following

/3.

Jan. 1, following
·43

Date	Jan.	Feb.	Mar.								v.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							·01	·29						1
2							·09				(·10) ~~·04~~			2
3						·95	nil	nil	·04		·24			3
4						·10	·01 ·61		·73					4
5						nil	·02	·04	·23					5
6						·08		·04						6
7						nil		nil.	·10		·37			7
8						nil		nil	·24					8
9						nil		nil	tr		·55	·55		9
10						nil	·05	nil	·38					10
11						·09		nil	·10		·15			11
12							·03	tr	·22		·65	Snow		12
13						·02	nil	·01	·60		·24			13
14						·13	·02	nil	·18					14
15						·02	nil	nil	·02			1·15		15
16						nil	·04	nil						16
17						nil	·10		nil		·50			17
18						nil	·14		·05					18
19						·04			nil					19
20						·02	nil		nil			·15		20
21					nil.	·05	nil		nil					21
22					nil	1·10	·02		nil	·40				22
23						·02	·23			nil		·17		23
24						nil	·17		nil	tr.				24
25						nil	·10		·21	·27				25
26					·09	nil	nil		1·51		·04			26
27						nil	nil.		·16					27
28						nil	nil		nil		·05			28
29						·23	·04			(·94)				29
30		×				·19	nil		nil			(·10)		30
31		×		×	·14	×	·22		×		×	·43		31
TOTAL						3·51	~~3·09~~	·41	4·78	1·73	2·89	2·55	Year's Total ~~19·66~~	
* Days with .01 in. or more.						17	21						21·30	
* Days with .04 in. or more.						11	15							

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Rev. R. S. Harcombe

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2288/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Shrewsbury (MOUNTFIELDS)
in the County of Shropshire
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

Record for Jan – May at [illegible] has been lost by observer
Salop/3.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·43

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							·01	·29		nil				1
2							·59	nil		nil	(·10) ~~·04~~			2
3						·95	nil	nil	·04	·24	·24			3
4						·10	·01 nil	·05	·73					4
5						nil	·02	·04	·23					5
6						·08	·03	·04	-					6
7						nil	·18	nil.	·10		·37			7
8						nil	nil	nil	·24					8
9						nil	·04	nil	tr		·55	·55		9
10						nil	·05	nil	·38					10
11						·09	·34	nil	·10		·15			11
12						·17	·63	nil	·22		·65	Snow		12
13						·02	nil	·01	·60		·24			13
14						·13	·02	nil	·18					14
15						·02	nil	nil	·02			1·15		15
16						nil	·04	nil	nil					16
17						nil	·10		nil		·50			17
18						nil	·14		·05					18
19						·04	·16		nil					19
20						·02	nil		nil	·12		·15		20
21					nil.	·05	nil		nil	nil				21
22					nil	1·10	·02		nil	·40				22
23						·02	·23		·01	nil.		·17		23
24						nil	·17		nil	tr.				24
25						nil	·10		·21	·27				25
26					·19	nil	nil		1·51		·04			26
27						nil	nil.		·16					27
28						nil	nil		nil		·05			28
29						·23	·04		nil	(·94)				29
30		×				·19	nil		nil			(·10)		30
31		×		×	·14	×	·22		×		×	·43		31
TOTAL						3·31	~~3·99~~ 3·44	·41	4·78	1·73	2·89	2·55	Year's Total ~~19·68~~ 21·30	
* Days with .01 in. or more.						17	21							
* Days with .04 in. or more.						11	15							

40-9999
* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) Rev. R.S. Harcombe

[P.T.O.

2289

2289

Shrewsbury, 'Brymore' Longden Rd

1931 — 40

780404

Section **A** for the entry o
AIR MINISTR

FOR OFFICIAL USE.
L ORGANIZATION.

FORM 1090.

REGIS

1.

Kept at 'Brymore' Lo

in the County of Sh

89.

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea l

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of th

following

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	–	–	·04		·22	–	–	·06	·02			1
2	–	·07	–	·62	·48	·05	–	–	·50	·05	·07	·06	2
3	–	–	–		–		·01	–	·75	–	·78	·04	3
4	–	–	–	·12	–		·08	·32	·39	–	·02	–	4
5	–	–	–	·25	·03	1.16	·13	05	·06	–	·10	·29	5
6	–	·18	–			·02	·07	–	–	·23	–	–	6
7	–	–	–	·07		·14	–	·40	–	–	·11	–	7
8	·66	–	–	·17		·02	·02	·80	–	–	·04	–	8
9	·07	·29	–	·61		·26		·11	–	–	·17	–	9
10		·03	–				·36	·04	·07	–	·29	·02	10
11	–	·18	–		·03	·07			·17	–	·04	–	11
12	–	·61	–				·59	·06	·20	·05	–	–	12
13	–	·01	·08		·01		·07	·20	·04	–	–	–	13
14	–	–	–	·02	·10	·92	·17	1.55	–	–	·48	·19	14
15	–	·23	–	·04	·01		·07	·35	–	–	–	–	15
16	·19	·17	–	·77	·29	·51	·01	·13	·77	–	–	–	16
17	·09	·01	–	·15	1.04	·01	[illegible]	–	–	–	·12	–	17
18	·02	–	–	·21	–	·22	·05	·15	–	–	·30	–	18
19	–	·02		·03	–	·19	·15	·24	·01	–	–	–	19
20	–	·70	·14	·01	–		–	·38		–	·05	·03	20
21	·35	–	–	–	·71	–	–	–		–	·08	–	21
22	·07	–	–	–	·02	–	–	·18		–	–	–	22
23	·28	–	–	–	·25	·32	·45	–		–	·11	·25	23
24	–	–	–	·10	·20	–	·11	–		–	–	–	24
25	·01	·03	–	1.04	·04	–	·02	–		·07	–	–	25
26	–	·02	–	·14	–	–	·05	–			·56	–	26
27	·11		–	·08	·84	–	–	–		·02	·40	·02	27
28	·06	·52	–	·04	·40	–	–	–		·22		·18	28
29	–		·07	–	·10	–	·26	–		–	·03	·04	29
30	–	×	–	·05	–	–	–	–	·08	–		·01	30
31	·20	×	–	×	·01	×	·01	–	×	–	×	–	31
TOTAL	1.42	1.87	·29	3.36	4.56	4.11	2.68	4.97	2.49	·66	3.45	1.13	YEAR'S TOTAL 30.99
*Days with ·01 in. or more.	~~13~~	~~16~~	~~3~~	~~20~~	~~17~~	~~14~~	~~19~~	~~15~~	~~12~~	~~7~~	~~18~~	~~11~~	~~165~~
*Days with ·04 in. or more.	10	9	3	16	11	11	14	15	11	5	16	7	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Wyndham Deedes

[P.T.O.

Section **A** for the entry o

FOR OFFICIAL USE. 2289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at 'Brymore', Longden Rd, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 250 ft.

Station No. 2289.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	—	·04		·22	—	—	·06	·02			1
2	—	·07	—	·62	·48	·05	—	—	·50	·05	·07	·06	2
3	—	—	—		—		·01	—	·75	—	·78	·04	3
4	—	—	—	·12	—		·08	·33	·39	—	·02	—	4
5	—	—	—	·25	·03	1·16	·13	·05	·06	—	·10	·29	5
6	—	·18	—			·02	·07	—	—	·23	—	—	6
7	—	—	—	·07		·14	—	·40	—	—	·11	—	7
8	·66	—	—	·17		·02	·02	·80	—	—	·04	—	8
9	·07	·29	—	·61		·26		·11	—	—	·17	—	9
10		·03	—				·36	·04	·07	—	·29	·02	10
11	—	·18	—		·03	·07			·17	—	·04	—	11
12	—	·61	—				·59	·06	·20	·05	—	—	12
13	—	·01	·08		·01		·07	·20	·04	—	—	—	13
14	—	—	—	·02	·10	·92	·17	1·55	—	—	·48	·19	14
15	—	·23	—	·04	·01		·07	·35	—	—	—	—	15
16	·17	·17	—	·17	·29	·51	·01	·13	·17	—	—	—	16
17	·09	·01	—	·15	1·04	·01	—	—	—	—	·12	—	17
18	·02	—	—	·21	—	·22	·05	·15	—	—	·30	—	18
19	—	·02		·03	—	·19	·15	·24	·01	—	—	—	19
20	—	·10	·14	·01	—		—	·38		—	·05	·03	20
21	·35	—		—	·71	—	—	—		—	·08	—	21
22	·07	—	—	—	·02	—	—	·18		—	—	—	22
23	·26	—	—	—	·25	·32	·45	—		—	·11	·25	23
24	—	—	—	·10	·20	—	·11	—		—	—	—	24
25	·01	·03	—	1·04	·04	—	·02	—		·07	—	—	25
26	—	·02	—	·14	—	—	·05	—			·56	—	26
27	·11	·52	—	·08	·84	—	—	—		·02	·10	·02	27
28	·06		—	·04	·40	—	—	—		·22		·18	28
29	—		·07	—	·10	—	·26	—		—	·03	·04	29
30	—	×	—	·05	—	—	—	—	·08	—		·01	30
31	·20	×	—	×	·01	×	·01	—	×	—	×	—	31
TOTAL	1·42	1·87	·29	3·36	4·56	4·11	2·68	4·97	2·49	·66	3·45	1·13	YEAR'S TOTAL 30·99
*Days with ·01 in. or more.	~~13~~	~~16~~	~~3~~	~~20~~	~~11~~	~~14~~	~~19~~	~~15~~	~~12~~	~~7~~	~~18~~	~~11~~	~~165~~
*Days with ·04 in. or more.	10	9	3	16	11	11	14	15	11	5	16	7	129

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Wyndham Deedes

P.T.O.

2289

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Brynmore · Longden Road
in the County of Shropshire Shrewsbury
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 250 ft.

Station no 2289

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·04		·05	·38	·08	·12	·16	·11	·37	·01	·06	1
2	·05	—		·24	·43				·10	·04	·01	·14	2
3	—	—		·75	·05		·21			·10		·04	3
4	—	—		·13	—		·05				·35		4
5	1·46	—	·11		·08				·08				5
6	46	—	·11	·27	·04		~~·08~~		·12				6
7	—	—	·09	·11	—				·01	·82			7
8	—	—	·02	·07	—				·23	·40			8
9	·36	·05		·01	·05					·01	·01		9
10	·19	—	·06	·24	·04				·11	·20			10
11	·01	—		·25	·01	·10			·01	·21		·04	11
12	·17	—		—	·06		·38			·20	·03		12
13	·05	—		—	—		3·14	·12	·19	·10	·02	·07	13
14	·24	—		—	—			·13		·04	·08		14
15	—	—		—	·45					·03		·01	15
16	·40	—		·29	·01		·37						16
17	—	—		—	—		·14		·02				17
18	—	—		—	·01					·03	·11		18
19	—	·01		·08	·10					·03	·01		19
20	—	—		·26	1·50		·02	·57		·43	·09		20
21	—	—	·24	·29	·42		·01	·23		·40		·03	21
22	—	—	·21	·02	·14		·13		·40	·06	·16	·01	22
23	—	—		·01	·43		·14		·10	·19	·09	·04	23
24	·12	—			·02				·09		·13	—	24
25	—	·01				·22				·10		—	25
26	—	—	·06	·28	·15				·12	·03		—	26
27	—	—	·33	·07	·33	·06	·03				·09	·02	27
28	—	—	·15	·01	·21	·02	·10						28
29		—	·14	·07	·19	·30		·13	·16	·37	·08	·22	29
30		×	·27	·15	·04			·05		·03	·24	·12	30
31		×	·18	×		×	·31		×		×	·10	31
TOTAL	2.53	·11	1·97	3·65	4·14	·78	5·15	1·39	1·85	3·89	1·51	·90	YEAR'S TOTAL 27·87
*Days with ·01 in. or more.	~~12~~	~~4~~	~~15~~	~~21~~	~~23~~	~~6~~	~~14~~	~~7~~	~~14~~	~~22~~	~~16~~	~~12~~	~~165~~
*Days with ·04 in. or more.	10	2	13	17	19	5	11	7	11	17	10	9	130

40-9999

*See Instruction 2 (*f*) on other side.

18·33

(*Signed*)......................................

P.T.O.

21.57 25·46 26·97 27·87

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Brymore, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·13	·02	—				—	·01	—	—	—	1
2	·31		·18		·10			—		—	·01	—	2
3	·10	·15	·03		·08			—		—	—	—	3
4	·17	·01			·09			—		—	—	—	4
5	·12	—	·07					—		—	—	—	5
6		·43			·25			—		·01	—	—	6
7	·01	·09					·34	—		·51	—	—	7
8			·07		·01		·41	—		—	—	—	8
9		·01		·01	·02		·40	—		·55	·01	—	9
10	·07	·12				·01	·33	·05		1·84	·14	—	10
11					·08		·05	·01		·10	—	·11	Snow 11
12	·06			·02			·09	—			—	·05	12
13					·15		·29	·07		·15	·20	—	13
14	·06						·03	·12		·16	·07	—	14
15	·10		·01			·02	·43	·16		·10	·12	·01	15
16	} ·10	·03	·38		·03	·12		—		·30	·01	·01	16
17		·05	·42			·01		—		—			17
18	·08		·04			·28		—		—	·03		18
19			·33			·17			·32	—	·10	·01	19
20			·07			·07		·19	·34	—	·01		20
21		·03			·01	·25		·21		—	·02		21
22				·02	·18	·18		·23		·23	—		22
23				·08		·21			·16	·16	—		23
24	Snow	·30		·05	·09	·58			·16	·27	—		24
25	Snow	} 1·03		·08		·22			·06	·16	—	·17	25
26	"				·22	·25			·01	—	—	·01	26
27				·05	·11				·06	·18	—	·02	27
28		·04		·09		·01				·03	—	—	28
29	·05			·11			·02				—	—	29
30	·07	×	·04	·27			·06		·01	·01	—	·14	30
31	·08	×	·09	×		×		·04	×	·09	×	—	31
TOTAL	1·49	2·51	1·75	·78	1·42	2·38	2·45	1·08	1·13	4·85	·72	·53	YEAR'S TOTAL 21·09
*Days with ·01 in. or more.	15	13	13	10	14	14	11	9	9	17	11	9	145
*Days with .04 in. or more.	14	9	10	7	9	10	9	8	6	14	5	4	105
40-9999		4·00	5·75	6·53	7·95	10·33	12·78	13·86	14·99	19·84	20·56	21·09	

*See Instruction 2 (*f*) on other side. D

(Signed) Mary Beedes.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 'Brymore', Shrewsbury
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	–	–	–	–	–	–	·07	·06	[·49]	·04	·21		1
2	–	–	·04	–	–	–	–	·01	·21	·02	·01	·06		2
3	·02	–	–	–	–	–	–	·02	·01	–	–	·17		3
4	·12	–	·05	·01	·15	–	–	–	·11	·34	–	·20		4
5	–	–	·07	·05	·12	–	–	[·84]	–	–	·08	·04		5
6	–	–	·07	–	[·55]	–	–	–	–	·05	–	·23		6
7	·05	–	–	–	·01	·05	–	·04	–	·06	·02	·11		7
8	–	–	·01	–	·26	·01	–	·01	–	–	·21	·24		8
9	–	–	·08	·04	–	–	–	·06	–	–	[·63]	·06		9
10	·04	TR	·03	·33	–	–	–	·28	–	–	·05	–		10
11	·49	–	·12	·38	–	–	·01	·05	–	–	·02	·13		11
12	·11	·01	·01	·06	–	–	[·30]	·15	–	–	–	–		12
13	[·70]	–	–	·08	–	–	·11	–	–	·04	–	–		13
14	·01	–	[·27]	–	·01	·02	–	–	–	·20	·36	·01		14
15	·06	–	·07	–	·16	–	–	·07	–	·17	·23	·23		15
16	·22	–	·10	–	–	–	–	·06	–	–	·09	–		16
17	·16	–	–	–	·04	–	·21	·07	[·28]	·04	–	·17		17
18	·15	–	–	·16	–	·02	·05	–	–	–	–	·07		18
19	·04	–	·11	·09	–	·09	–	·03	·02	·09	–	·11		19
20	–	–	·07	·01	–	–	–	–	·04	·01	·03	–		20
21	–	–	–	–	·01	·19	–	·06	·02	·03	–	·01		21
22	·15	–	·11	–	·02	·04	–	·08	·23	·06	–	·28		22
23	–	TR	·07	·12	–	[·48]	–	–	–	·01	·02	·01		23
24	–	[·17]	·01	·04	–	·08	·08	–	·07	–	–	–		24
25	·03	–	–	·15	·04	·06		–	·05	·19	–	[·31]		25
26	·09	–	·01	[·40]	–	·12		–	·11	·11	–	·01		26
27	·01	–	–	·25	–	·02	·01	–	·02	·13	·03	·11		27
28	–	–	–	·19	–	·02		·20	·15	·01	·04	[·31]		28
29	TR		–	–	–	–	·18	–	·16		–	·05		29
30	·07	×	–	·01	–	–	10	·08	·02	}·34	–	·15		30
31		×	–	×	–	×		–	×	}snow	×	·16		31
TOTAL	2·62	·18	1·30	2·37	1·37	1·20	1·05	2·18	1·56	2·39	1·86	3·44	Year's Total 21.52	
*Days with ·01 in. or more.	19	2	18	17	11	13	9	18	16	20	15	25	183	
*Days with .04 in. or more.	15	1	13	14	7	8	7	14	11	15	9	21	135	

2.80 4.10 6.47 7.84

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) X Mary Deedes X

[P.T.O.

9·04 10·09 12·27 13·83 16·22 18·08 21·52

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Brymore Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·09	·01	–	·02	–	·15	–	·28	·15	—	·01		1
2	—	·01	·05	–	–	·03	–	–	–	·12	·10	·01		2
3	·01	·27	·09	–	–	·01	–	–	–	·09	·18	·35		3
4	·06	–	·02	snow ·20	–	·14	–	–	·07	·45	—	snow ·43		4
5	—	·40	[·28]	·01	–	–	·12	–	·12	–	·06	–		5
6	—	–	·02	·22	–	·09	–	–	–	·06	—	·06		6
7	—	–	–	·16	–	·24	–	–	–	·08	·06	·28		7
8	–	–	–	·25	–	·01	–	–	–	·13	·10	·14		8
9	–	–	–	·22	–	·25	–	–	–	[·79]	·07	–		9
10	·02	·01	–	·10	–	·01	–	·01	–	·01	—	–		10
11	snow [·26]	–	–	–	–	·10	–	·08	–	–	·11	·01		11
12	·14	·03	–	–	–	·12	–	·01	–	–	—	–		12
13	·08	–	–	·05	·10	·07	–	–	·11	–	·08	–		13
14	–	–	–	·15	·01	·01	–	–	—	–	·71	snow ·16		14
15	–	·10	–	·46	·10	·01	–	–	·21	–	·01	·20		15
16	–	·12	·14	·01	–	·02	·01	·01	·43	·26	·68	·06		16
17	–	—	–	·15	·02	·22	·09		·05	·01	[·83]	—		17
18	–	—	–	·30	·07	·03	—	·22	·27	·02	·02	—		18
19	–	—	–	·09	·35	·46	·08	–	–	·34	·20	—		19
20	·01	·42	–	·30	–	–	·10	–	–	·04	·80	–		20
21	–	snow [·77]	–	·03	–	–	–	–	·38	–	·02	–		21
22	·01	·01	·05	–	–	–	–	–	·03	–	–	–		22
23	—	–	·15	–	·02	·01	–	·08	·08	·71	–	snow ·10		23
24	·26	·30	·07	–	–	–	–	–	[·54]	·11	–	·22		24
25	·13	snow ·27	–	·02	–	·14	–	–	–	·03	–	·07		25
26	–	·14	–	–	–	–	–	·63	·26	–	·04	·27		26
27	–	·02	–	–	–	–	–	·03	·44	·02	·06	·04		27
28	–	·08	–	–	·13	–	–	·01	·22	·01	·01	—		28
29	–	×	·01	–	–	–	–	–	·10	·02	·16	·07		29
30	·03	×	–	·07	–	·06	–	·05	·12	·45	·22	·05		30
31	–	×	–	×	–	×	–	–	×	·27	×	[·49]		31
TOTAL	1·02	3·04	·89	2·79	·82	2·03	·55	1·13	3·71	4·17	4·52	3·02	Year's Total. 27·69	
* Days with .01 in. or more.	12	16	11	18	9	20	6	10	17	22	21	19	181	
* Days with .04 in. or more.	6	11	7	14	5	11	5	5	16	15	17	16	128	

40-9999

4·06 4·95 7·74 8·56 10·59 11·14 12·27 15·98 20·15 24·67

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) May Deedes.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Brymore, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35	.13	.12	[.54]	—	.23	—	[.26]	Tr	—	.08	—		1
2	.16	.07	.02	.10	—	.75	[.97]	.02	—	—	.25	.05		2
3	.04	—	—	—	—	.10	—	.07	.71	—	—	—		3
4	—	—	.06	—	—	.07	.01	—	.30	—	.33	.28		4
5	.15	—	.01	—	—	—	.03	.04	.02	—	.08	.19		5
6	.02	—	.02	—	.04	.09	.03	.06	.09	—	.05	.07		6
7	—	—	.01	—	—	—	.19	—	.24	—	.16	.04		7
8	.09	—	.22	—	—	—	—	—	.01	—	.57	.01		8
9	[.59]	—	.05	—	—	—	.77	—	.37	—	—	.01		9
10	.01	—	—	—	—	—	.08	—	.06	—	.01	—		10
11	—	—	.01	.03	.11	.10	.06	—	.01	—	[.69]	Snow .10		11
12	—	—	—	.01	.18	.29	.93	—	.54	.01	.16	Snow .29		12
13	—	—	—	.05	—	.16	—	—	.19	.05	.10	[.77]		13
14	—	—	—	.07	—	.01	.05	Tr	—	.02	.04	.27		14
15	snow .20	—	—	.02	.02	—	—	—	—	—	.21	.08		15
16	snow .11	.07	—	.05	[.49]	—	.06	—	.05	—	.21	.04		16
17	—	[.38]	—	—	—	—	.10	—	—	.07	.01	.06		17
18	—	.18	—	.01	.02	—	.22	.02	—	.07	—	.02		18
19	.43	.13	.01	.33	—	.05	—	.04	—	.02	—	—		19
20	.02	.13	.03	—	—	.05	.01	.01	—	.03	.01	—		20
21	—	—	.03	.24	—	[1.35]	.17	—	—	—	.01	—		21
22	—	.30	.05	.01	.04	.01	.25	—	—	—	.01	.13		22
23	.01	.03	.21	—	.03	—	.20	—	.01	.01	—	—		23
24	.18	.04	—	.01	.05	—	.01	—	.32	.26	.01	—		24
25	.11	.05	.11	.15	—	—	.11	—	[1.91]	—	.01	—		25
26	.03	—	[.24]	—	—	—	—	—	.15	.01	.01	—		26
27	.24	—	.02	—	—	—	—	—	—	.16	.01	—		27
28	.15	.14	.08	—	—	.13	.04	—	—	.06	.02	.05		28
29	.06	.26	.05	—	—	.14	.01	—	—	[.93]	.04	—		29
30	.05	✕		—	.13	.01	.21	—	—	—		.36		30
31	.39	✕	.16	✕	.01	✕	.01	—	✕	—	✕	.13		31
TOTAL	3.39	1.91	1.51	1.62	1.12	3.51	4.52	.52	4.99	1.70	3.08	2.95	Year's Total 30.85	✓
* Days with .01 in. or more.	21	13	20	14	11	16	23	8	16	13	24	19	198	✓
* Days with .04 in. or more.	16	12	11	8	7	13	16	5	12	7	14	16	137	✓

40-9999. 5·30 6·81 8·43 9·55 13·09 17·61 18·13

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Mary Deedes. [P.T.O.

23·12 24·82 27·90 30·85

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2289.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Brymore, Shrewsbury

in the County of Shropshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·10	·01	·05	—	—	—	—	·09	Tr	·06	·06		1
2	·02	·10	Tr	[·56]	—	—	—	—	—	·11	—	[1·18]		2
3	—	·09	—	·03	·07	·04	—	—	—	—	—	·02		3
4	·09	·10	Tr	—	—	·02	—	·09	—	—	—	·36		4
5	·18	—	·19	·02	—	—	—	—	—	—	—	—		5
6	·09	—	—	·06	·11	—	·01	—	—	—	—	·02		6
7	—	·46	·01	·08	—	·04	—	—	—	·01	·03	·01		7
8	—	·12	—	·01	·07	—	·04	—	—	—	·39	—		8
9	—	·02	—	·01	·09	·01	·24	·03	·25	—	—	—		9
10	—	·09	snow ·22	—	—	[·37]	—	—		—	—	·20		10
11	—	Tr	Snow ·10	—	[·45]	·14	—	—	—	—	·03	·22		11
12	·09	·14	·03	—	·02	·28	·01	[1·23]	·15	—	—	·09		12
13	·07	—	—	·04	·02	·04	—	·10	·03	—	—	—		13
14	—	—	·20	·13	—	—	—	·01	·01	—	—	·20		14
15	·07	·17	—	·20	—	—	[·67]	—	·08	—	·02	·12		15
16	—	·02	[·28]	·09	—	—	—	·06	·04	—	—	—		16
17	·19	·15	·08	·03	—	—	—	Tr	[·65]	—	—	—		17
18	[·76]	·05	·10	—	—	—	·05	—	·55	—	[·43]	·11		18
19	·06	·07	·16	·08	—	·16	·26	—	—	—	·09	—		19
20	·13	·07	—	·43	·07	—	—	—	—	—	—	·01		20
21	·10	·17	snow ·13	·01	—	—	·13	—	—	·03	—	—		21
22	·06	·06	snow ·23	—	·09	—	·38	—	—	·32	·31	—		22
23	·11	·01	—	—	·04	—	·01	—	—	·54	·27	·06		23
24	·18	·38	·06	—	—	—	—	—	·11	·64	—	·01		24
25	—	[·50]	—	—	—	—	—	—	·02	·33	·01	·02		25
26	—	·11	snow ·08	—	·38	—	—	—	—	—	·01	·01		26
27	—	Snow ·40 }	—	·14	—	—	—	—	Tr	[·74]	—	·01		27
28	—		·03	—	—	—	—	—	—	·18	·03	·02		28
29	·01		—	—	—	·06	—	—	—	·81	—	·01		29
30	Snow ·13	✕	—	—	—	·02	—	—	—	·03	·08	—		30
31	·16	✕	—	✕	—	✕	—	—	✕	·13	✕	—		31
TOTAL	2·65	3·38	1·91	1·97	1·41	1·18	1·80	1·52	1·98	3·87	1·76	2·74	Year's Total 26·17	✓
* Days with .01 in. or more.	19	24	16	17	11	11	10	6	11	12	13	20	170	✓
* Days with .04 in. or more.	17	20	12	11	9	8	7	4	8	9	7	10	122	✓

40-9999.

6·03 7·94 9·91 11·32 12·50

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

14·30 (*Signed*) Mary Deedes. [P.T.O.

15·82 17·80 21·67 23·43 26·17

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Brymore, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·01	·01	—	—	[·94]	—	·08	—	·16	·08	·19		1
2	—	·04	—	·03	·07	·02	—	—	—	·12	—	·04		2
3	—	—	—	—	·01	·05	·07	·01	·04	[·76]	·03	—		3
4	—	—	—	—	—	·02	·06	·09	—	·24	—	·11		4
5	·02	·03	—	—	—	—	·13	·30	·01	·01	—	·01		5
6	·19	Tr	—	—	—	·04	[·38]	—	·01	·14	—	·04		6
7	·01	—	—	—	—	—	·22	·28	·04	·10	—	·01		7
8	·28	—	—	—	—	·03	·05	·68	Tr	·26	—	·12		8
9	·03	·02	—	—	—	—	·04	·55	—	—	—	[·38]		9
10	·01	·03	·01	—	—	·24	·21	·01	—	—	—	[·38]		10
11	[·61]	·02	—	—	—	·04	·01	—	—	·02	·15	·07		11
12	·12	—	—	—	·03	·01	·06	—	—	·28	·44	Tr		12
13	·02	—	—	—	—	—	—	—	—	·01	·08	·12		13
14	·42	—	—	—	·01	—	·36	—	·12	—	—	Tr		14
15	·18	—	—	—	·04	—	·06	·03	—	·03	·01	·28		15
16	·44	—	—	—	·01	—	—	·04	—	·10	·11	·02		16
17	—	—	—	—		—	·01	—	·12	·02	—	·01		17
18	·01	—	—	—	·08	—	—	·28	[·63]	—	·20	—		18
19	·02	—	—	—	—	—	—	·09	·02	—	·04	—		19
20	·02	—	—	—	—	—	—	—	Tr	—	·33	—		20
21	—	—	Tr	—	—	—	—	—	·02	—	·04	snow ·13		21
22	—	—	—	[·06]	—	·02	—	·04	·03	—	·29	—		22
23	—	—	—	·03	·01	·01	—	—	·19	Tr	·03	—		23
24	·04	·03	[·16]	—	·14	—	—	[·79]	·03	—	·03	—		24
25	·02	·07	·06	—	·04	·01	·06	·Tr	TR	·40	[1·28]	·05		25
26	·03	[·18]	·10	—	·02	·05	Tr	—	·04	·43	·01	·02		26
27	·03	·02	·01	—	[·44]	·32	·04	·41	·05	·01	·27	—		27
28	·08	·04	Tr	—	·01	·05	·05	·06	·03	—	·01	·11		28
29	·41	·	—	Tr	·41	—	—	—	·01	·09	·04	·05		29
30	·01	✕	—	—	·01	·02	—	—	·28	—	·30	·26		30
31	·08	✕	—	✕	·17	✕	—	Tr	✕	·18	✕	·27		31
TOTAL	3·08	·49	·35	·12	1·50	1·87	1·81	3·74	1·67	3·36	3·77	2·67	Year's Total 24·43	✓
* Days with .01 in. or more.	23	11	6	3	16	16	16	16	17	19	20	21	184	* ✓
* Days with .04 in. or more.	11	4	3	1	8	8	14	13	9	13	14	16	114	* ✓

3·57 3·92 4·04 5·54 7·41 9·22 12·96 14·63 17·99 21·76 24·43

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Mary Deedes

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Brynmore Longden Rd. Shrewsbury
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	–	·02	[·32]	–	–	–	·07	–	–	–	–		1
2	·14	–	Tr	·08	–	–	–	·15	[·20]	–	·01	–		2
3	·49	–	·03	·22	–	–	–	·01	–	–	·05	·31		3
4	snow ·21	–	·08	·28	·06	–	·34	–	–	·16	·13	[·58]		4
5	–	–	–	·02	·12	–	·11	·01	–	·06	·25	·01		5
6	·48	–	–	–	–	–	·49	–	–	–	·04	–		6
7	·10	·04	·04	–	·07	–	·38	·10	–	–	·18	·47		7
8	–	·05	[·47]	–	–	–	·31	·06	–	·42	[·73]	·03		8
9	·07	·03	·01	–	–	–	·01	·20	–	·35	–	·11		9
10	[·67]		·03	–	–	–	–	·01	·03	·14	·01	·10		10
11	·09	·01	·15	–	–	·10	–	–	–	·12	–	–		11
12	Tr	·08	–	–	–	·06	–	–	·05	·02	–	–		12
13	–	–	·01	·13	·06	·08	·07	–	·09	·18	–	–		13
14	·40	–	–	·04	·21	·22	–	–	·14	·09	·16	–		14
15	·25	–	·01	–	·03	·24	·16	–	–	–	·13	–		15
16	·09	–	·08	–	[·35]	–	·11	–	–	·30	·09	–		16
17	·34	·02	–	–	–	–	·01	–	–	[·46]	·11	–		17
18	·19	·10	·05	–	–	·08	·04	–	–	·04	·63	–		18
19	·19	–	–	–	–	–	[·77]	–	–	–	·05	–		19
20	·26	–	–	–	·01	–	·19	·01	·02	–	–	·02		20
21	·20	·02	·14	–	·02	·07	·25	·01	[·20]	–	–	·01		21
22	·32	·24	·01	·07	–	–	·01	–	–	·01	·45	–		22
23	·25	·01	·07	·02	–	–	·03	–	–	·01	·35	–		23
24	snow ·57}	–	–	·09	–	–	·10	–	–	·12	–			24
25		·09	–	·10	–	·01	·12	–	–	·10	·22	·03		25
26	–	·02	–	·06	–	–	–	·04	–	–	·18	·05		26
27	–	[·46]	·23	–	–	·05	·07	·05	–	·01	·03	snow ·25		27
28	Tr	·07	·15	·05	–	·03	·37	[1·35]	–	–	·09	–		28
29	–		–	·16	–	–	·64	·01	–	·05	–	–		29
30	–	✕	–	·12	–	[·37]	·01	–	–	–	·08	·09		30
31	–	✕	–	✕	–	✕	–	·06	✕	·10	✕	·05		31
													Year's Total	
TOTAL	5·42	1·24	1·58	1·76	·93	1·31	4·59	2·14	·73	2·74	3·97	2·11	28·52	✓
* Days with .01 in. or more.	21	14	17	15	9	11	22	15	7	19	21	14	185	✓
* Days with .04 in. or more.	21	8	10	13	6	9	17	9	5	15	18	9	140	✓

6·66 8·24 10·00 10·93 12·24 16·83 18·[illegible] 1[illegible]·70 22·44 26·41 28·52

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Mary Deedes

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Brymore Longden Rd Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·03	–	·04	–	–	–	–	–	–	·39	–		1
2	–	–	–	·20	–	–	·03	–	–	–	·61	·15		2
3	–	·14	–	·03	–	–	·07	–	–	·18	·78	–		3
4	–	·01	–	·13	–	–	–	–	–	·04	·16	·01		4
5	–	–	–	–	·15	–	·12	–	·07	·06	·41	·07		5
6	·09	·35	–	–	–	–	·04	–	–	·40	·11	·01		6
7	–	·28	–	·05	Tr	–	·02	–	–	·11	–	·13		7
8	–	–	–	–	–	–	·07	–	·06	·09	–	·07		8
9	–	–	·21	·01	Tr	·02	·59	·02	·03	·06	·88	[·22]		9
10	–	–	·08	–	–	·53	·49	·03	–	Tr	·06	–		10
11	–	–	·01	·05	–	·55	[·64]	–	–	–	·58	·18		11
12	–	·08	·04	–	–	·07	·22	–	·07	–	·01	–		12
13	–	–	[·46]	Tr	–	–	–	·01	·10	–	–	·04		13
14	–	–	·01	·10	·12	–	–	·Tr	[·25]	·01	·03	·18		14
15	snow ·02	–	–	·04	[1·07]	[·75]	–	–	·11	·02	·10	–		15
16		·31	·32	–	–	–	·14	–	·19	·49	·84	–		16
17	snow ·08	–	·37	·01	·07	–	–	–	–	–	·80	–		17
18	–	[·72]	·22	·48	–	–	–	[·04]	·22	·04	·02	·07		18
19	–	·18	·12	·11	–	–	·15	–	·07	–	·12	·01		19
20	–	–	–	·08	–	–	·08	–	–	·27	·01	–		20
21	–	–	Tr	–	·18	·69	·11	·03	·02	–	[1·29]	–		21
22	–	–	·04	·02	·47	·08	–	–	·10	Tr	–	–		22
23	–	·04	·02	·32	·02	·01	–	–	–	–	·01	–		23
24	–	–	·12	–	·01	–	–	–	–	–		–		24
25	snow ·06	–	–	–	·10	–	·09	–	·02	–		·01		25
26	snow [·27]	·04	–	[·69]	·08	–	·04	–	·01	–		·01		26
27	snow 1·00	·01	·01	·16	·06	–	·06	–	·0	–		Tr		27
28	snow ·33	·45	–	·01	·70	–	–	–	–	–		–		28
29	–	–	·09	·49	·02	·09	·05	–	–	–		·01		29
30	·05	✕		·52	·07		–	–	–	·16		Tr		30
31	·20	✕	·12	✕	–	✕	–	–	✕	[·94]	✕	·05		31
TOTAL	3·10	2·64	2·24	3·54	3·12	2·79	3·01	·13	1·32	2·87	7·21	1·22	Year's Total 33·19	
* Days with .01 in. or more.	9	13	16	20	14	9	18	5	14	14	19	16	167	
* Days with .04 in. or more.	8	10	12	15	11	7	16	1	10	12	14	10	126	

5·74 7·98 11·52 14·64 17·43

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

10·44 (Signed) Mary Deedes [P.T.O.

20·57 21·89 24·76 31·97 33·

2290

Section **A** for the entr

AIR MINI

FORM 1090.

REG

FOR OFFICIAL USE.

L ORGANIZATION. 154

1 .

2290.

—

SHREWSBURY

MONKMOOR.

1931 – 40

Kept at Shrewsbur

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above G

,, Ground ,, S

THE MORNING ME

780404 !.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01		·06		·16			·11	·03			1
2		·05		·58	·41	·06	·01		·41	·06	·07	·08	2
3				·01			·01		·63		·85	·02	3
4			·01	·13			·12	·33	·38		·05		4
5		·01		·26	·08	1·29	·04	·04	·07			·36	5
6		·16		·04		·04	·03	·03	·06	·23	·11		6
7						·13		·58		·01	·09	·01	7
8	·06			·23		·25	·03	·82			·06		8
9	·09	·30		·04		·02		·16		·02	·17		9
10		·05	·01		·04	·01	·37	·11	·13		·30	·04	10
11	·03	·24			·02	·10	·04		·24		·05	·02	11
12		·13		·05			·41	·08	·10	·07			12
13		·03	·06		·04	·01	·12	·31					13
14		·07			·12	·51	·22	1·16	·08		·48		14
15	·02	·26		·06	·01		·07	·35				·18	15
16	·04	·12		·19	·30	·53	·03	·12	·19	·01			16
17	·06	·01		·16	1·07	·02	·01				·10		17
18	·06	·01		·24		·25	·06	·15			·39		18
19	·01	·05		·01		·23	·36	·54		·01	·01		19
20		·08	·12	·02				·16			·05	·05	20
21	·37	·01			·61						·10		21
22	·06			·01	·04			·27			·02		22
23	·24			·01	·28	·29	·42				·11	·24	23
24				·08	·21	·01	·12				·08		24
25	·02	·03		1·29	·04		·02				·01		25
26		·04		·18			·04			04	·58		26
27	·11	·39		·10	·75		·02			·03	·14	·01	27
28	·02	·07		·07	·36					·28		·17	28
29	·02	×	·05		·08		·24				04	·03	29
30		×		·05	·01		·04		·10			·01	30
31	·14	×		×	·07	×	·01		×		×		31 32·51
TOTAL	1·365	2·12	0·30	3·87	4·54	3·91	2·84	5·21	2·50	0·79	3·86	1·22	YEAR'S TOTAL ~~32·52~~
*Days with ·01 in. or more.	17	21	5	23	19	17	24	16	12	11	22	13	200
*Days with ·04 in. or more.	10	14	3	18	16	12	15	15	12	5	19	7	146
40-9999	34·5	53·8	7·6	98·3	115·3	99·3	72·1	132·3	63·5	20·1	98·0	31·0	825·8

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

2290

Section A for the ent FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 154

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Shrewsbury "Monkmoor"

in the County of Shropshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01		·06		·16			·11	·03			1
2		·05		·58	·41	·06	·01		·41	·06	·07	·08	2
3				·01			·01		·63		·85	·02	3
4			·01	·13			·12	·33	·38		·05		4
5		·01		·26	·08	1·29	·04	·04	·07			·36	5
6		·16		·04		·04	·03	·03	·06	·23	·11		6
7						·13		·58		·01	·09	·01	7
8	·06			·23		·25	·03	·82			·06		8
9	·09	·30		·04		·02		·16		·02	·17		9
10		·05	·01		·04	·01	·37	·11	·13		·30	·04	10
11	·03	·24			·02	·10	·04		·24		·05	·02	11
12		·13		·05			·41	·08	·10	·07			12
13		·03	·06		·04	·01	·12	·31					13
14		·07			·12	·51	·22	1·16	·08		·48		14
15	·02	·26		·06	·01		·07	·35				·18	15
16	·04	·12		·19	·30	·53	·03	·12	·19	·01			16
17	·06	·01		·16	1·07	·02	·01				·10		17
18	·06	·01		·24		·25	·06	·15			·39		18
19	·01	·05		·01		·23	·36	·54		·01	·01		19
20		·08	·17	·02				·16			·05	·05	20
21	·37	·01			·61						·10		21
22	·06			·01	·04			·27			·02		22
23	·24			·01	·28	·29	·42				·11	·24	23
24				·08	·21	·01	·12				·08		24
25	·02	·03		1·29	·04		·02				·01		25
26		·04		·18			·04			·04	·58		26
27	·11	·39		·10	·75		·02			·03	·14	·01	27
28	·02	·07		·07	·36					·28		·17	28
29	·02	×	·05		·08		·24				·04	·03	29
30		×		·05	·01		·04		·10			·01	30
31	·14	×		×	·07	×	·01		×		×		31 32·51
TOTAL	1·365	2·12	0·30	3·87	4·54	3·91	2·84	5·21	2·50	0·79	3·86	1·22	YEAR'S TOTAL 32·52
*Days with ·01 in. or more.	17	21	5	23	19	17	24	16	12	11	22	13	200
*Days with ·04 in. or more.	10	14	3	18	16	12	15	15	12	5	19	7	146
40-9999	34·5	53·8	7·6	98·3	115·3	99·3	72·1	132·3	63·5	20·1	98·0	31·0	825·8

(Signed) .... P.T.O.

*See Instruction 2 (*f*) on other side.

2290

154

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

Kept at Shrewsbury "Monkmoor"

in the County of Shropshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.......ft.......in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·03		·06	·48	·04	·14	·17	·10		·01	·10	1
2	·07	[illegible]		·10	·28				·07	·03	·01	·08	2
3		·01		·83	·04		·21		·02	·08	·01	·02	3
4	·04			·14			·03				·32	·	4
5	·38		·12	·01	·06		·01		·10		·		5
6	·57		·05	·21			·01		·12				6
7			·10	·09					·08	·84		·01	7
8			·01	·04					·01	·31			8
9	·29	·05		·01	·04								9
10	·21		·06	·15	·04	·07			·14	·26			10
11	·02			·20	·03		·04			·15	·01	·01	11
12	·13			·01	·09		·76		·16	·19	·03	·	12
13	·04			·03			1·85	·11		·13	·03	·07	13
14	·26			·01			·01	·14		·06	·09	·02	14
15	·				·33		·01			·03		·01	15
16	·42			·21	·02		·25						16
17				·02	·03		·19			·02			17
18					·02					·02	·09		18
19				·09	·13		·01			·03	·01		19
20				·04	·48		·09	·56		·41	·08		20
21			·25	·52	·45			·13		·40	·01	·03	21
22			·26	·04	·12		·18		~~·04~~	·06	·16	·01	22
23				·05	·43		·03		·03	·24	·05	·03	23
24	·10				·01		·12		·08		·07		24
25	·01	·01				·20				·04			25
26		·01	·07	·34	·20				·12	·04			26
27			·36	·10	·28		·06				·04	·03	27
28			·15	·09	·18		·09				·		28
29		×	·11	·08	·18	·04	·03	·12	·11	·37	·09	·22	29
30		×	·26	·21	·01	·25	·02	·04	·05	·04	·22	·12	30
31		×	·13	×		×	·27	·02	×		×	·16	31
TOTAL	2·56	0·11	1·93	3·68	3·93	·60	4·41	1·29	1·63	3·75	1·33	0·92	YEAR'S TOTAL 26·114
*Days with ·01 in. or more.	14	5	13	26	23	5	22	8	18	21	18	15	185
*Days with ·04 in. or more.	11	1	12	20	17	5	13	7	12	16	10	6	130
40-9999	65·0	2·8	49·0	93·5	99·8	15·2	112·0	32·8	41·4	95·3	33·8	23·4	

*See Instruction 2 (*f*) on other side.

(Signed)..........

[P.T.O.

2290

154

Section A for the entry of Daily Observations. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. ...... in.

,, Ground ,, Sea Level 184 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·14	·02						·01	·01			1
2	·29		·18	4	·11	·01					·03		2
3	·12	·11	·05		·10						·03		3
4	·15	·01			·06								4
5	·12		·04										5
6		·46			·09					·01			6
7		·07	·01				·03			·45		·02	7
8			·10	·02	·02		·40						8
9					·04	·02	·38			·51	·02		9
10	·07	·12				·01	·21	·06		1·81	·18		10
11	·06				·10		·07			·04		·07	11
12				·02	·03		·17					·06	12
13					·13		·22	·04		·18	·19		13
14	·03						·04	·43		·12	·07		14
15	·09		·01			·01	·17	·12		·09	·09		15
16	·05		·41		·05	·15				·21	·02	·01	16
17	·04	·04	·42			·04	·01					·02	17
18	·06		·06			·20					·02		18
19			·36			·35	·12		·34		·14		19
20		·05	·08			·21		·23	·31				20
21		·02			·01	·33		·16		·01	·01		21
22				·03	·14	·51		·22		·45			22
23		·03		·12		·25			·09	·11			23
24		·39		·05	·03	·58			·19	·19			24
25		·24		·09		·12						·15	25
26		·58		·07	·16				·01	·13		·01	26
27		·02		·03	·03				·06	·17		·02	27
28		·02		·08						·02		·01	28
29	·05	×		·09			·04						29
30	·06	×	·05	·25	·02		·08			·02		·16	30
31	·06	×	·15	×		×		·06	×	·16	×		31
TOTAL	1·32	2·30	1·94	0·85	1·12	2·79	1·94	1·32	1·01	4·69	0·77	0·53	YEAR'S TOTAL 20·58
*Days with ·01 in. or more.	15	15	14	11	16	14	13	8	7	19	10	10	148
*Days with ·04 in. or more.	14	10	11	7	10	10	11	8	5	14	6	4	109
40-9999	33·5	58·4				70·9	49·3		25·7	119·1	19·6		

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 184 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08							·07	·07	·39	·07	·32		1
2			·01					·10	·20		·03	·09		2
3	·03							·09	·01	·06		·09		3
4	·12		·04	·04	·12				·15	·24		·25		4
5			·06	·05	·11			·71			·06	·02		5
6	·01		·06		·43					·07		·24		6
7	·05					·10		·04		·06	·03	·08		7
8			·01		·23	·08		·01			·22	·14		8
9			·09	·01				·11			·65	·07		9
10	·03		·03	·29				·28			·05			10
11	·57		·11	·38			·01	·16			·01	·11		11
12	·03	·01	·01	·07			·24	·24						12
13	·77			·07			·36			·06				13
14	·03		·21		·04	·02				·16	·36	·01		14
15	·03		·05		·13			·06		·20	·23	·20		15
16	·17		·10		·04			·17	·03		·10			16
17	·12			·01	·03	[illegible]	·31	·03	·23			·16		17
18	·13		·01	·08		·083						·07		18
19	·04		·08	·10		·06		·02		·08		·12		19
20			·09		·01	·04			·06	·01	·01			20
21	·01					·17		·07	·03	·06				21
22	·08		·08	·01		·05		·11	·19	·05		·26		22
23	·01		·05	·16	·08	·42			·01	·01	·02	·05		23
24		·16		·02	·01	·04	·15		·09			·01		24
25	·03	·02		·10	·02	·05			·04	·18		·31		25
26	·08		·02	·47		·14	·02		·08	·07	·01	·01		26
27	·01			·23		·08	·03		·04	·12	·02	·11		27
28				·18			·02	·25	·11		·01	·26		28
29		x					·17	·02	·16	·02		·03		29
30	·08	x					·01	·07	·01	·15		·17		30
31		x		x		x	·11	·02	x	·17	x	·20		31
TOTAL	2·51	·19	1·11	3·27	1·25	1·28	1·43	2·63	1·51	2·16	1·88	3·38	Year's Total 21·60	
*Days with ·01 in. or more.	22	3	18	17	12	13	11	20	17	19	16	25	193	
*Days with ·04 in. or more.	12	1	12	13	8	11	6	15	12	16	8	20	134	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

154

Kept at Shrewsbury

in the County of Salop

Diameter of Funnel of Gauge ______ in.

Height of top of Gauge above Ground 1 ft ______ in.

,, Ground ,, Sea Level 184 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05		·03		·02		0.18		·24	·22	·01	·02		1
2		·05	·08			·07			·01	·11	·11	·01		2
3	·01	·32	·11	·08		·09				·15	·24	·47		3
4	·02		·01	·15		·04				·40		·25		4
5		·41	0.25	·03			·12		·12		·06	·01		5
6			·04	·22		·07				·09		·06		6
7				·23		·27				·07	·06	·21		7
8				·19		·01		·06		·09	·08	·20		8
9	·03			·22		·25				0.78	·07			9
10		·01		·08		·01		·01		·01	·02			10
11	0.18	·01				·07		·13		·01	·10	·01		11
12	·14	·04				·07		·01						12
13	·08			·06	·11	·07			·18		·07			13
14	·01			·08	·02	·02			·11		·78	·15		14
15		·06		0.44	·07			·01	·10		·01	·13		15
16		·09	·13	·09			0.13		·35	·26	·63	·03		16
17				·10	·03	·20	·07		·06		·91			17
18				·32	·10	·02	·01	·61	·25	·03	·04			18
19				·09	0.29	0·41	·08			·45	·12			19
20		·22		·26		·01	·11			·04	·71			20
21		0·76		·01					·37	·01	·03			21
22		·03	·02	·09					·04					22
23			·11		·03			·08	·09	·62		·05		23
24	0.18	·29	·05						0·56	·07	·01	·19		24
25	·13	·21		·05		·13				·03		·02		25
26		·12						0.67	·23		·03	·35		26
27		·05			·01			·01	·42	·02	·07	·11		27
28		·03			·16				·20	·03				28
29		×	·03						·10	·03	·15	·05		29
30	·03	×		·07		·07		·06	·12	·42	·18	·04		30
31		×		×		×			×	·26	×	·36		31
TOTAL	0.86	2·70	0·86	2·66	0.84	1.88	0.65	1.65	3·55	4·20	4·49	2·72	Year's Total 27·26	
*Days with ·01 in. or more.	11	16	11	20	10	18	7	10	18	28	23	20	187	
*Days with ·04 in. or more.	6	12	7	18	5	13	6	8	17	15	17	14	138	

40-9999

*See Instruction 2/(f) on other side.

† Spare column, no entries required.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2290

154

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at SHREWSBURY

in the County of SALOP

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 184 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·13	·12	0·47		·29		0·23			·12	·05		1
2	·25	·08		·09		·46	0·75	·02	·03		·21	·01		2
3	·01					·08		·02	·88					3
4			·08			·12	·01	·04	·18		·32	·25		4
5	·14		·03		·02		·03	·06	·02		·06	·16		5
6	·01		·04		·02	·06	·04	·06	·08		·05	·11		6
7			·02				·17		·26		·15	·02		7
8	·05		·24								·48	·06		8
9	0·43		·06			·01	·12		·37	·01	·01			9
10	·04						·04		·03					10
11			·01	·03		·09	·21		·02		·64	·03		11
12					·15	·25	·68	·01	·56		·18	·29		12
13				·04			·01			·06	·01	·54		13
14				·07		·13	·01	·05	·16		·12	·26		14
15	·17			·01	·03	·01	·03		·06		·25	·04		15
16	·16	·06		·05	0·56		·05		·01		·21	·04		16
17	·01	0·32					·16			·07	·03	·05		17
18		·21				·03	·21	·02		·28		·04		18
19	·37	·13	·01	·32		·01		·04		·04				19
20	·01	·11	·05			·11	·01							20
21			·02	·23		0·95	·03							21
22	·02	·25	·03	·01	·04	·01	·26		·01			·12		22
23	·02	·04	0·44	·01	·03		·21			·02				23
24	·14	·03		·01	·03		·02		·22	·25	·01			24
25	·20		·08	·14			·12		1·08	·02				25
26	·02	·05	·17						·01	·04				26
27	·19								·04	·21	·02			27
28	·16	·12	·08	·02		·04	·05			·05	·02	·03		28
29	·06	·26	·07			·14				·01	·06	·33		29
30	·03	×			·12		·24			0·81	·01			30
31	0·43	×	·13	×	·03	×	·01		×		×	·10		31
TOTAL	3·13	1·79	1·68	1·50	1·03	2·79	3·47	0·55	4·02	1·87	2·96	2·53	Year's Total 27·32	
* Days with .01 in. or more.	23	13	18	14	10	17	24	10	18	13	20	19	199	
* Days with .04 in. or more.	15	12	12	8	4	12	15	6	11	9	13	15	132	

40-9999

† Spare column, no entries required. 75·2

(*Signed*) .... [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

1514

Kept at Shrewsbury (Monkmoor)

in the County of Salop

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 184 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·13	·09	·02	·02		·01			·09	·07	·05	·07		1
2		·08	·03	·54		·01	·01				·01	1·12		2
3		·06		·02	·10	·04	·01					·01		3
4	·09	·11				·03		·07				·43		4
5	·16		·15	·01										5
6	·12		·01	·06	·16		·02					·02		6
7		·51		·09		·03				[illegible]	·01	·01		7
8		·14		·02	·07	·01	·07		·05	[illegible]	·42			8
9		·02		·01	·12		·25	·04	·15					9
10		·07	·12			·06						·15		10
11		·01	·16		·49	·05	·01			[illegible]	·01	·19		11
12	·16	·16	·04		·02	·31	·01	1·14	·16			·06		12
13	·05		·02	·05	·02	·09		·23	·09			·01		13
14			·21	·05			·01	·01	·01	[illegible]	·01	·21		14
15	·06	·16		·21			·79		·05			·03		15
16		·04	·24	·19				·08	·04					16
17	·08	·09	·17	·02		·02			·52					17
18	·95	·06	·15				·05		·34	·01	·38	·09		18
19	·05	·11	·07	·05		·11	·27				·09			19
20	·11	·05		·29	·15		·03					·01		20
21	·06	·15	·13	·01	·02		·10			·03		·01		21
22	·04	·06	·16		·06		·32			·28	·31	·07		22
23	·08	·05	·02		·05		·01			·39	·24			23
24	·24	·33	·03						·07	·46				24
25		·46	·01		·05				·02	·28		·02		25
26		·18	·06		·37							·01		26
27		·25		·13						·71				27
28		·11	·01							·18		·03		28
29	·01	×				·06				·55	·03	·01		29
30	·08	×				·02		·08	·01	·03	·10			30
31	·13	×		×		×			×	·12	×			31
TOTAL	2·60	3·35	1·75	1·77	1·68	·85	1·96	1·65	1·60	3·11 ~~3·12~~	1·66	2·56	Year's Total ~~24·55~~	24·54
*Days with ·01 in. or more.	18	24	20	17	13	14	15	7	13	13	12	20	186	
*Days with ·04 in. or more.	17	22	12	10	10	7	7	6	10	9	7	9	126	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

154

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Shrewsbury (Monkmoor)
in the County of Salop
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 184 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01				·91	·	·04		·09	·09	·19		1
2		·02	~~1·09~~	·05	·07	·04				·14	·	·06		2
3	·01				·01	·05	·10		·02	·75	·01			3
4						·01	·08	·09		·19		·11		4
5	·01	·02					·	·95	·03	·04		·01		5
6	·14	·01				·03	·36	·	·02	·12		·05		6
7	·03						·16	·36	·06	·16		·02		7
8	·30						·01	·78		·19		·12		8
9	·06	·03				·07	·04	·25		·		·29		9
10	·02	·02				·19	·33	·01				·29		10
11	·47	·03				·03	·04	·01		·02	·13	·07		11
12	·09				·05		·04			·26	·25	·02		12
13	·03									·01	·11	·10		13
14	·35				·01		·35		·11					14
15	·14				·05		·07	·02			·01	·37		15
16	·42				·08			·01		·16	·15	·03		16
17							·04		·11	·06				17
18	·02				·06	·01		·31	·27		·18			18
19	·01					·03		·02	·02		·04			19
20	·01										·31			20
21								·02	·01		·04	·03		21
22				·07		·01		·01	·08		·31	·07		22
23				·02	·01			·	·16		·01			23
24	·02	·04			·10	·02		1·03	·04		·05			24
25	·06	·08	·04		·08		·04	·01		·41	1·24	·07		25
26	·03	·10	·12		·01	·33	·01	·	·03	·41		·02		26
27	·04	·02	·01		·43	·04	·03	·37	·04	·02	·20			27
28	·14	·04			·03	·07	·05	·06	·01			·12		28
29	·38	×			·45	·02	·01			·12	·03	·06		29
30	·01	×			·03				·31		·26	·18		30
31	·07	×		×	·13	×			×	·15	×	·30		31
TOTAL	2·86	·42	·17	·14	1·60	1·86	1·76	4·35	1·32	3·30	3·42	2·58	Year's Total 23·48	✓
* Days with .01 in. or more.	24	12	3	3	16	16	17	18	16	18	18	22	183	✓
* Days with .04 in. or more.	13	4	2	2	10	8	13	10	9	15	14	16	116	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

~~154~~

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Shrewsbury (Monkmoor)

in the County of Salop

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 184 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19		·02	·23				·10		·		·01		1
2	·13		·01	·08				·19	·21	·02	·01	· ·		2
3	·26		·02	·17				·03			·05	·31		3
4	·18		·11	·25	·09		·51		·04	·16	·13	·45		4
5				·01	·08		·09	·02		·04	·21	·02		5
6	·46						·42	·03			·09			6
7	·12	·07	·06		·02		·38	·12			·17	·52		7
8		·05	·51				·27	·16		·43	·73	·06		8
9		·02					·05	·23		·34		·12		9
10	·65		·03			·		·06	·03	·14		·13		10
11	·10	·02	·16			·09				·17				11
12	·	·08				·10			·04	·01				12
13				·21	·05	·07	·07		·07	·18				13
14	·42			·06	·28	·25				·08	·18			14
15	·23		·06	·01	·05	·27	·25				·14			15
16	·07		·05		·25	·01	·23			·29	·07			16
17	·34	·03				·01	·13			·65	·14			17
18	·20	·07	·06			·19	·07			·03	·75			18
19	·27						·75				·06	·03		19
20	·23				·01	·06	·09	·06	·02			·01		20
21	·16	·02	·12		·02		·12	·16	·18					21
22	·27	·21	·01	·10		·01	·07	·06		·03	·42			22
23	·16		·01	·07			·03	·01		·08	·37			23
24	·07			·09		·01	·09			·13	·04			24
25	·51	·07		·07			·15			·12	·17			25
26		·04		·03				·03			·15	·07		26
27		·41	·24	·02		·04	·09	·05		·04	·03	·27		27
28		·05	·12	·07		·03	·34	1·07			·12	·03		28
29		×		·16		·03	·65	·11		·05				29
30		×		·09		·25	·01				·09	·03		30
31		×		×		×		·06	×	·07	×	·08		31
TOTAL	5·02	1·14	1·59	1·72	·85	1·42	4·86	2·55	·59	3·06	4·07	2·14	Year's Total 29·00	✓
* Days with .01 in. or more.	20	13	16	17	9	15	22	18	7	20	21	15	193	✓
* Days with .04 in. or more.	20	9	10	13	6	9	20	13	5	16	19	9	149	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

154

Section **A** for the entry of Daily Observations

Station No. 2290

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Shrewsbury (Monkmoor).
in the County of Salop
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 184 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02		·04							·27	·02		1
2		·02		·19			·04				·59	·21		2
3		·12		·02			·04			·14	·70	·03		3
4		·03		·28			·05			·04	·15	·01		4
5					·13		·17		·02	·05	·40	·07		5
6	·11	·37					·05			·57	·12	·02		6
7		·24		·03	·02		·06			·09		·03		7
8				·01			·01		·10	·10		·05		8
9			·17	·03		·23	·54	·04	·02	·11	·86	·22		9
10			·08			·21	·56	·07		·01	·07	·19		10
11			·01	·04		·16	·16				·58	·15		11
12		·02	·03			·14	·19		·08		·03			12
13		·07	·41	·01				·01	·09			·02		13
14			·01	·07	·13			·01	·24	·03	·04	·16		14
15			·03	·03	·82	·43			·12	·01	·08	·01		15
16		·16	·28				·15		·19	·55	·82	·01		16
17			·36	·01	·15						·95			17
18	·10	·72	·21	·47				·03	·41	·05	·02	·07		18
19		·30	·18	·06			·15		·15		·12	·01		19
20				·05			·11		·02	·27	·01			20
21					·15	·65	·03	·03	[illegible]	·01	1·21			21
22			·04	·03	·45	·05			·22	·01				22
23		·05	·02	·19	·03				·06		·02			23
24			·09		·02		·03		-	·01		·05		24
25	·05				·06		·10		·01	[illegible]				25
26	1·27	·05	·01	·38	·15	·02	·04				·01	·01		26
27	·83	·01	·01	·71	·05		·09				·07			27
28	·24	·35			·53									28
29	·03		·06	·48		·10	·05					·02		29
30		✕		·72	·09					·11		·01		30
31	·17	✕	·10	✕		✕			✕	·95	✕	·03	Year's Total	31
TOTAL	2·80	2·53	2·10	3·85 ~~3·75~~	2·78	1·99	2·62	·19	1·73	3·11	7·12	1·40	~~32·12~~	32·22
* Days with .01 in. or more.	8	15	13	21	14	9	20	6	14	18	21	22	186	
* Days with .04 in. or more.	7	10	11	13	11	8	17	2	10 ~~8~~	12	16	9	126	

† Spare column, no entries required.

(*Signed*) ....

* See Instruction 3 (f) on other side.

[P.T.O.

FORM 1090. **B** Mont
Sum

—

2291

BRIDGNORTH, COTTON HALL GDNS.

1931–39

7/04 04

2291

, The following register of monthly … nd also the space for
&c., is NOT required if daily or …
values are given on the other side …

RAINFALL IN 1931

At Colton Hall …

In the County of Salop…

… ster should be sent:— … Gardens.
… p.

… in Summer 9·a.m

Rain Gauge
Diameter of Funnel 5…
Height of Top above Ground 1 *ft.* …
Height of Ground above Sea Level 4…

… Direction from gauge West
… 1½ m. Direction from gauge S West

Month.	Total Depth.	Greatest Fall in 24 hours.		Num Day ·01 in or mo…	
	Inches.	Inches.	Date.	*	*
JAN.	1.67	0.30	31	16	11
FEB.	2.26	0·64	27	18	14
MAR.	0·19	0·17	20	2	1
APRIL	4·19	1·08	2	19	16
MAY	4·77	1·11	17	18	14
JUNE	4·33	1·75	5	16	14
JULY	4·28	1·12	7	17	16
AUG.	5·00	1·04	8	19	17
SEPT.	3·00	1·30	3	16	9
OCT.	0·50	0·27	29	10	3
NOV.	3·83	0·62	3	20	16
DEC.	1·29	0·26	23	14	7
Total	35·31			185	138

Directions from gauge ..	South			

If gauge has been moved during the year state—

Date of move……… Distance……… Direction………

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



E. Pattern

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

July 1½" [illegible] cf [illegible]

Signature J Corfield
The Gardens
Colton Hall

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Mont
Sum

2291

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Coton Hall Gardens

In the County of Salop

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level 460 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1.67	0.30	31	16	11
FEB.	2.26	0.64	27	18	14
MAR.	0.19	0.17	20	2	1
APRIL	4.19	1.08	2	19	16
MAY	4.77	1.11	17	18	14
JUNE	4.33	1.75	5	16	14
JULY	4.28	1.12	7	17	16
AUG.	5.00	1.04	8	19	17
SEPT.	3.00	1.30	3	16	9
OCT.	0.50	0.27	29	10	3
NOV.	3.83	0.62	3	20	16
DEC.	1.29	0.26	23	14	7
Total	35.31			185	138

Signature J Corfield
The Gardens
Coton Hall

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
J. Corfield. Coton Hall Gardens.
Bridgnorth, Salop.

Hour of observation by the clock—in Winter 9.a.m in Summer 9.a.m

Nearest Railway Station Hampton G.W Distance 2.m Direction from gauge West

Nearest Parish Church at Alveley Distance 1½ m. Direction from gauge S West

Nature of objects nearest to gauge	Trees			
Heights of objects	15 ft			
Distances	21 ft			
Directions from gauge	South			

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



E. Pattern

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

July 1½" [illegible] cf [illegible]

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

2291

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1932

At Coton Hall, Gardens

In the County of Shropshire

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level 460 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2.32	0.42	5th	19	10
FEB.	0.26	0.05	13th	11	2
MAR.	1.51	0.39	27th	12	10
APRIL	4.08	0.78	4th	23	20
MAY	5.87	1.07	20th	24	19
JUNE	1.14	0.62	16th 30th	6	5
JULY	3.90	1.08	13th	19	16
AUG.	2.29	1.68	20	6	6
SEPT.	3.02	0.93	8th	16	12
OCT.	3.77	0.81	7th	23	17
NOV.	1.81	0.40	4th	20	12
DEC.	1.03	0.26	31st	15	6
Total	31.00			194	135

Signature J. Corfield

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Mr. J Corfield
Coton Hall Gardens. Bridgnorth

Hour of observation by the clock—in Winter 9 AM in Summer 9. A M

Nearest Railway Station Hampton Distance 2 M Direction from gauge S. W.

Nearest Parish Church at Alveley 2 miles Distance Direction from gauge South

Nature of objects nearest to gauge	Tree			
Heights of objects	15 ft			
Distances ..	15 ft			
Directions from gauge ..	South			

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M
4 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | } ·14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

2291

FORM 1090. **B** **Monthly Summary.**

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Coton Hall Gardens

In the County of Shropshire

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level 460 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·09	0·50	15	17	15
FEB.	3·53	0·83	26	10	9
MAR.	1·95	0·46	16	11	7
APRIL	1·04	0·22	28	8	7
MAY	1·50	0·22	27	15	12
JUNE	2·63	1·06	24	15	13
JULY	2·38	0.98	8	11	8
AUG.	0·64	0.36	29	8	4
0·87 SEPT.	0 87	0.38	19	10	6
OCT.	541	2·55	10	17	14
NOV.	0·81	0.21	13	12	4
DEC.	0·46	0·16	30	8	6
Total	23.31			142	105

Signature J. Corfield
for Captn Colville

*See Instruction 2 (*f*) below.

C **Particulars of Station.** ~~No 2291~~

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
J. Corfield Coton Hall Gardens
Bridgnorth Shropshire

Hour of observation by the clock—in Winter 9. a.m. in Summer 9. a.m

Nearest Railway Station Hampton Loade Distance 2 miles Direction from gauge S W

Nearest Parish Church at Alveley Distance 1½ m Direction from gauge SW

Nature of objects nearest to gauge	Tree			
Heights of objects	15 ft			
Distances ..	15 ft			
Directions from gauge ..	West			

If gauge has been moved during the year state— Not moved

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O. 7
5 JAN 1934

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

D

2291

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193....

At Coton Hall Gardens

In the County of Shropshire

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* 6 *in.*

Height of Ground above Sea Level 460 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2.68	0.52	11	19	14
FEB.	0.38	0.24	24	4	2
MAR.	2.04	0.28	14	20	17
APRIL	2.77	0.51	28	14	12
MAY	1.33	0.39	6	10	8
JUNE	1.54	0.47	23	11	8
JULY	0.68	0.26	29	9	6
AUG.	2.60	0.73	5	21	17
SEPT.	1.27	0.31	29	12	7
OCT.	1.52	0.30	15	20	15
NOV.	2.15	0.71	9	17	11
DEC.	4.45	0.48	28	23	23
Total	2341			180	140

Signature..

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mr. J. Corfield, The Gardens
Coton Hall, Bridgnorth, Shrops

Hour of observation by the clock—in Winter 9.a.m in Summer 9.a.m

Nearest Railway Station Hampton Loade Distance 2.ms Direction from gauge W.

Nearest Parish Church at Alveley Distance 1½m. Direction from gauge S.W

Nature of objects nearest to gauge	Tree			
Heights of objects	15 ft			
Distances ..	15 ft			
Directions from gauge ..	South			

If gauge has been moved during the year state— Not moved

Date of move.................... Distance.............. Direction..............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

FORM 1090.

2291

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Coton Hall Gardens

In the County of Shropshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 6 *in.*
- *Height of Ground above Sea Level* 460 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1.07	0.26	12	11	
FEB.	2.64	0.50	5	12	
MAR.	0.70	0.19	23	7	
APRIL	3.54	0.60	15	21	
MAY	1.33	0.54	19	9	
JUNE	3.25	0.80	25	22	
JULY	0.62	0.20	20	7	
AUG.	1.37	0.63	26	6	
SEPT.	3.77	0.90	24	20	
OCT.	3.26	0.54	23	17	
NOV.	5.91	1.20	14	23	
DEC.	2.57	0.48	26	18	
Total	30.03			173	

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Mr J Corfield, Coton Hall, Gardens
Bridgnorth Shropshire

Hour of observation by the clock—in Winter 9.a.m in Summer 9.a.m

Nearest Railway Station Hampton Loade Distance 2 ms Direction from gauge W

Nearest Parish Church at Alveley Distance 1½ m Direction from gauge S.W.

Nature of objects nearest to gauge	Tree			
Height of objects	15 ft			
Distances	15 ft			
Directions from gauge	South			

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O.
8 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

Station No 2291

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Coton Hall Gardens

In the County of Shropshire

Rain Gauge
- Diameter of Funnel 9 5 in.
- *Height of Top above Ground* 1 *ft.* 6 *in.*
- *Height of Ground above Sea Level* ~~168~~ 460 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.81	0.52	31st	20	
FEB.	2.46	0.70	17th	14	
MAR.	3.32	1.46	23rd	14	
APRIL	2.23	0.51	1st	14	
MAY	1.51	0.51	16th	8	
JUNE	2.91	0.75	4th	16	
JULY	6.64	1.65	9th	26	
AUG.	0.69	0.27	1st	7	
SEPT.	3.62	0.77	3rd	18	
OCT.	1.88	0.52	30th	15	
NOV.	2.98	0.80	11th	16	
DEC.	3.21	0.57	13th	21	
TOTAL	35.26			189	

Signature J. Corfield

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :— Mr J. Corfield The Gardens Coton Hall
Bridgnorth Shropshire

Hour of observation by the clock—in Winter 9.a.m in Summer 9.a.m

Nearest Railway Station Hampton Loade Distance 2 ms Direction from gauge S.W.

Nearest Parish Church at Alveley Distance 1½ m Direction from gauge S

Nature of objects nearest to gauge	Tree			
Height of objects	15 ft			
Distances ...	15 ft			
Directions from gauge ...	South			

If gauge has been moved during the year state –

Date of move Not moved Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (a) It is known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

M.O. 7
-16 JAN 1937

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

2291.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Coton Hall Gardens

In the County of Shropshire

Rain Gauge
- Diameter of Funnel five in.
- *Height of Top above Ground* 1 *ft.* 6 *in.*
- *Height of Ground above Sea Level* 460 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.49	0.79	18	19	
FEB.	4.55	0.80	7	26	
MAR.	2.51	0.70	16	19	
APRIL	2.04	0.52	20	15	
MAY	2.38	0.57	26	14	
JUNE	1.51	0.50	13	11	
JULY	2.99	1.62	15	13	
AUG.	1.35	0.92	13	7	
SEPT.	2.84	0.96	18	12	
OCT.	3.09	0.60	26	10	
NOV.	1.51	0.41	18	10	
DEC.	1.96	0.32	2nd	16	
TOTAL	30.02 ✓			172 ✓	

Signature ....

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
J. Corfield. The Gardens. Coton Hall
Bridgnorth. Shrops

Hour of observation by the clock—in Winter 9. a.m. in Summer 9. a.m

Nearest Railway Station Hampton Loade Distance 2 m Direction from gauge S.W.

Nearest Parish Church at alveley 1½. M. Distance 1½ m Direction from gauge S

Nature of objects nearest to gauge	Tree			
Height of objects	15 ft			
Distances ...	15 ft			
Directions from gauge ...	South			

If gauge has been moved during the year state— No

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
~~*9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*~~

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005 : this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1938

At Coton Hall Gardens

In the County of Shropshire

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level 460 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·41	0.68	11	22	18
FEB.	0 48	0·25	26	8	3
MAR.	0.33	0.16	24	3	3
APRIL	0.08	0.08	2	1	1
MAY	1.93	0.53	28	16	12
JUNE	1.50	0.34	1	14	9
JULY	2.79	0·67	6	17	11
AUG.	4 07	0·80	5	20	14
SEPT.	2.00	0.90	18	17	13
OCT.	2·40	0 47	3	16	14
NOV.	3·29	0.60	25	15	13
DEC.	3.86	0·40	15	22	19
TOTAL	26·14 ✓			~~[illegible]~~ 171	130

Signature J. Corfield

* See Instruction 3 (*f*) below.

C Particulars of Station. 2291

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Mr J Corfield The Gardens.
Coton Hall, Bridgnorth. Salop

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 : a.m.

Nearest Railway Station Hampton Loade Distance 2 m Direction from gauge S. W

Nearest Parish Church at 1½ m Alveley Distance Direction from gauge S

Nature of objects nearest to gauge	Tree			
Height of objects	15 ft			
Distances ...	15 ft			
Directions from gauge ...	S. W.			

If gauge has been moved during the year state—

Date of move Not moved Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall, please** give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
-4 JAN. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91 S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

C Particulars of Station.

Stn Number
No. 2291

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Colton Hall, Gardens Bridgnorth

In the County of Shropshire

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level 460 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN. 5	2.17	0.72	10	21	
FEB.	1.08	0.27	22	13	
MAR.	1.61	0.32	8	16	
APRIL	2.08	0.60	4	14	
MAY	1.26	0.33	14	8	
JUNE	2.06	0.40	15	16	
JULY	4.92	0.63	19	24	
AUG.	1.34	0.25	2	12	
SEPT.	0.46	0.29	2	5	
OCT.	3.55	1.05	17	17	
NOV.	5.04	0.72	23	20	
DEC.	1.86	0.56	3	12	
TOTAL	30.43			178	

Signature J. Corfield

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
J. Corfield, The Gardens
Colton Hall, Bridgnorth. Salop

Hour of observation by the clock—in Winter 9 a.m. in Summer 9.a.m

Nearest Railway Station Hampton Loade Distance 2.m Direction from gauge S.W.

Nearest Parish Church at Alveley Distance 1½ m Direction from gauge S

Nature of objects nearest to gauge	Tree			
Height of objects	15 ft			
Distances ...	15 ft			
Directions from gauge ...	S			

If gauge has been moved during the year state—

Date of move........ Distance........ Direction........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Wr. for north.

M.O. 7
10 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A). When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

2292

Section **A** for the entry of

AIR MINISTRY

FORM 1090.

REGIST

Kept at Quatt. Bri

in the County of Salop.

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of thi

—

2292

BRIDGNORTH, QUATT

1931

780404

OPY FOR OFFICIAL USE.

ORGANIZATION.

ll readings omitted
owing to illness

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·12	—	·42	—	—	·26	·03	—	—	1
2	—	·03	—	·95	·02	·05	—	·02	·31	—	·09	—	2
3	·06	—	—	·02	—	—	·07	—	·66	·02	·96	·13	3
4	—	—	—	·11	·15	—	·33	·25	·22	—	·09	·15	4
5	—	·05	—	·19	—	1·58	·21	·05	—	—	—	·32	5
6	·06	·14	—	·10	—	—	—	·02	—	·28	·12	·03	6
7	—	·02	—	—	·11	·09	1·03	1·05	—	·03	·31	—	7
8	—	·04	—	·10	—	·04	—	1·08	—	·01	·10	—	8
9	·10	·28	—	—	·03	·08	—	·04	—	—	·35	—	9
10	—	·02	—	—	—	·07	·01	·08	—	—	·24	—	10
11	·05	·33	—	—	—	·03	—	—	·18	—	·12	—	11
12	·03	·06	—	—	—	—	·30	·10	·12	·04	—	—	12
13	—	·04	·01	—	·03	·02	·06	·28	—	—	—	—	13
14	—	·08	·05	—	·03	·78	·30	1·02	·13	—	·35	—	14
15	—	·13	—	·17	—	—	·23	·25	·03	—	·10	—	15
16	·04	·15	—	·15	·28	·82	—	·12	·03	—	—	·09	16
17	·02	·04	—	·16	1·13	·08	·04	·14	·17	—	—	—	17
18	·06	·02	—	·30	—	·15	·14	·23	—	—	·40	—	18
19	·02	·04	—	—	—	·05	·78	·14	—	—	·05	—	19
20	·01	·04	·14	·02	—	—	·01	·13	—	—	—	—	20
21	·26	—	—	—	·58	—	—	·11	—	—	—	·05	21
22	·14	—	—	—	·16	—	—	—	—	—	·30	—	22
23	·19	—	—	·32	·40	·06	·04	—	—	—	·10	—	23
24	·04	—	—	·30	·31	—	·14	—	—	—	·01	·19	24
25	·02	—	—	·71	—	—	·20	—	—	—	·04	·03	25
26	—	·03	—	·20	—	—	·06	—	—	—	·38	—	26
27	·10	·57	—	·05	·64	—	·03	—	—	—	·10	—	27
28	·06	·09	—	·03	·47	—	—	—	—	·09	—	·19	28
29	·02	—	—	—	·13	—	·19	—	—	·26	—	—	29
30	—	×	—	—	—	—	—	—	·03	—	—	·10	30
31	·29	×	—	×	·03	×	—	—	×	—	×	—	31
TOTAL	1·57	2·20	·20	4·00	4·50	4·32	4·17	5·11	2·14	·76	4·21	1·28	YEAR'S TOTAL 34·46
*Days with ·01 in. or more.	19	20	3	18	16	15	19	18	11	8	19	10	176
*Days with ·04 in. or more.	13	15	2	15	11	13	16	16	8	4	18	8	139

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. Garbett

P.T.O.

2292

Section **A** for the entry of … OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Quatt. Bridgnorth

in the County of Salop.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 220 ft.

Obsr says two small readings omitted in November owing to illness

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·12	—	·42	—	—	·26	·03	—	—	1
2	—	·03	—	·95	·02	·05	—	·02	·31	—	·09	—	2
3	·06	—	—	·02	—	—	·07	—	·66	·02	·96	·13	3
4	—	—	—	·11	·15	—	·33	·25	·22	—	·09	·15	4
5	—	·05	—	·19	—	1·58	·21	·05	—	—	—	·32	5
6	·06	·14	—	·10	—	—	—	·02	—	·28	·12	·03	6
7	—	·02	—	—	·11	·09	1·03	1·05	—	·03	·31	—	7
8	—	·04	—	·10	—	·04	—	1·08	—	·01	·10	—	8
9	·10	·28	—	—	·03	·08	—	·04	—	—	·35	—	9
10	—	·02	—	—	—	·07	·01	·08	—	—	·24	—	10
11	·05	·33	—	—	—	·03	—	—	·18	—	·12	—	11
12	·03	·06	—	—	—	—	·30	·10	·12	·04	—	—	12
13	—	·04	·01	—	·03	·02	·06	·28	—	—	—	—	13
14	—	·08	·05	—	·03	·78	·30	1·02	·13	—	·35	—	14
15	—	·13	—	·17	—	—	·23	·25	·03	—	·10	—	15
16	·04	·15	—	·15	·28	·82	—	·12	·03	—	—	·09	16
17	·02	·04	—	·16	1·13	·08	·04	·14	·17	—	—	—	17
18	·06	·02	—	·30	—	·15	·14	·23	—	—	·40	—	18
19	·02	·04	—	—	—	·05	·78	·14	—	—	·05	—	19
20	·01	·04	·14	·02	—	—	·01	·13	—	—	—	—	20
21	·26	—	—	—	·58	—	—	·11	—	—	—	·05	21
22	·14	—	—	—	·16	—	—	—	—	—	·30	—	22
23	·19	—	—	·32	·40	·06	·04	—	—	—	·10	—	23
24	·04	—	—	·30	·31	—	·14	—	—	—	·01	·19	24
25	·02	—	—	·71	—	—	·20	—	—	—	·04	·03	25
26	—	·03	—	·20	—	—	·06	—	—	—	·38	—	26
27	·10	·57	—	·05	·64	—	·03	—	—	—	·10	—	27
28	·06	·09	—	·03	·47	—	—	—	—	·09	—	·19	28
29	·02	—	—	—	·13	—	·19	—	—	·26	—	—	29
30	—	×	—	—	—	—	—	—	·03	—	—	·10	30
31	·29	×	—	×	·03	×	—	—	×	—	×	—	31
TOTAL	1·57	2·20	·20	4·00	4·50	4·32	4·17	5·11	2·14	·76	4·21	1·28	YEAR'S TOTAL 34·46
*Days with ·01 in. or more.	19	20	3	18	16	15	19	18	11	8	19	10	176
*Days with ·04 in. or more.	13	15	2	15	11	13	16	16	8	4	18	8	139

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. Garbett

[P.T.O.

2292/5 —— 436339

STANMORE HALL
BRIDGNORTH
SHROPS

1935 — 40

780404

Secti

FORM

Kı

in

Di
He

Aı
ye

~~L USE.~~

Station No. 2292/5

BRITISH RAINFALL ORGANIZATION.

ALL IN 1935.

~~Salop~~/4

Rain days + Totals

on file

names given in file 764413/27

PREVIOUS DAY.

ade on January 1st of the following

uctions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·03	—	·04	—	·07	—	·10	·06	·01	·06		1
2	—	Trace	Trace	—	Trace	·25	—	—	·09	·15	·05	·01		2
3	—	·16	·05	—	—	·49	·01	—	·22	·27	·27	·24		3
4	—	Trace	Trace	·15	—	·06	—	—	·05	·11	—	·10		4
5	—	·47	·18	Trace	—	—	·04	—	Trace	·02	·08	·01		5
6	—	Trace	Trace	·23	—	·71	—	—	—	—	—	·02		6
7	—	—	—	·22	—	·15	—	—	—	·08	·17	·24		7
8	Trace	—	—	·18	—	Trace	—	—	—	·17	·17	·20		8
9	·02	—	—	·31	—	·26	—	—	—	·32	·14	·01		9
10	Trace	—	—	·17	—	Trace	—	—	—	·01	·09	—		10
11	Trace	·01	—	—	—	·07	—	Trace	·01	Trace	·16	·01		11
12	·20	·03	—	—	—	·11	—	·06	·01	—	·01	—		12
13	·38	·02	—	·07	·14	·02	—	—	·28	—	·03	—		13
14	—	—	—	·05	·04	·07	—	—	·16	—	·94	·11		14
15	Trace	·04	Trace	·47	·15	·03	—	—	·11	—	·03	·13		15
16	Trace	·03	·12	·38	—	·06	—	—	·53	·36	·71	·10		16
17	—	—	Trace	·04	·04	·06	·20	—	·02	—	·50	—		17
18	—	—	—	·38	·08	·04	·03	·01	·21	·10	·05	—		18
19	Trace	—	—	·16	·59	·28	·12	—	·02	·27	·17	—		19
20	Trace	Trace	—	·18	Trace	·01	·20	—	·02	—	·60	—		20
21	—	·69	—	Trace	—	—	—	—	·32	Trace	·05	—		21
22	—	·01	—	·14	—	—	—	—	Trace	—	—	—		22
23	·01	—	·15	·10	·08	—	—	·14	·16	·55	—	—		23
24	—	·32	—	—	—	—	—	Trace	·90	·06	—	·36		24
25	·09	·31	—	·06	—	·72	—	—	—	—	—	·22		25
26	·10	·18	—	—	—	—	—	·50	·14	—	—	·32		26
27	—	·03	—	—	·01	—	—	—	·08	Trace	·12	·12		27
28	·03	·01	—	—	·19	—	—	·53	·22	·02	·01	—		28
29	Trace	X	·05	—	—	—	—	·01	·08	·04	·09	·13		29
30	·02	X	—	·10	—	·04	—	·09	·04	·21	·34	·11		30
31	—	X	—	X	—	X	—	Trace	X	·23	X	·18		31 Print
TOTAL	·86	2·31	·58	3·39	1·36	3·43	·67	1·34	3·77	3·03	4·79	2·68	Year's Total. 28·21	
* Days with .01 in. or more.	~~12~~ 9	~~11~~ 14	6 ✓	~~21~~ 18	10 X	18 ~~8~~	~~2~~ 7	~~1~~ 7	22 ~~5~~	~~3~~ 18	23 ~~5~~	~~5~~ 20	~~58~~	172
* Days with .04 in. or more.	4 ✓	~~7~~ 7	5 ✓	~~16~~ 18	9 ✓	15 ✓	5 ✓	5 ✓	17 ✓	15 ✓	18	15 ✓	133 ✓	

40-9999 ~~The Hon. E. HAMILTON-RUSSELL~~ N

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) E. S. Hamilton Russell

[P.T.O.

L USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2292/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Stanmore

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 296.9 ft.

[illegible] | 4

Rain day + Totals

no file

name given in file 764413/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	—	·03	—	·04	—	·07	—	·10	·06	·01	·06		1
2	—	Trace	Trace	—	Trace	·25	—	—	·09	·15	·05	·01		2
3	—	·16	·05	—	—	·49	·01	—	·22	·27	·27	·24		3
4	—	Trace	Trace	·15	—	·06	—	—	·05	·11	—	·10		4
5	—	·47	·18	Trace	—	—	·04	—	Trace	·02	·08	·01		5
6	—	Trace	Trace	·23	—	·71	—	—	—	—	—	·02		6
7	—	—	—	·22	—	·15	—	—	—	·08	·17	·24		7
8	Trace	—	—	·18	—	Trace	—	—	—	·17	·17	·20		8
9	·02	—	—	·31	—	·26	—	—	—	·32	·14	·01		9
10	Trace	—	—	·17	—	Trace	—	—	—	·01	·09	—		10
11	Trace	·01	—	—	—	·07	—	Trace	·01	Trace	·16	·01		11
12	·20	·03	—	—	—	·11	—	·06	·01	—	·01	—		12
13	·38	·02	—	·07	·14	·02	—	—	·28	—	·03	—		13
14	—	—	—	·05	·04	·97	—	—	·16	—	·94	·11		14
15	Trace	·04	Trace	·47	·15	·03	—	—	·11	—	·03	·13		15
16	Trace	·03	·12	·38	—	·06	—	—	·53	·36	·71	·10		16
17	—	—	Trace	·04	·04	·06	·20	—	·02	—	·50	—		17
18	—	—	—	·38	·08	·04	·03	·01	·21	·10	·05	—		18
19	Trace	—	—	·16	·59	·28	·12	—	·02	·27	·17	—		19
20	Trace	Trace	—	·18	Trace	·01	·20	—	·02	—	·60	—		20
21	—	·69	—	Trace	—	—	—	—	·32	Trace	·05	—		21
22	—	·01	—	·14	—	—	—	—	Trace	—	—	—		22
23	·01	—	·15	·10	·08	—	—	·14	·16	·55	—	—		23
24	—	·32	—	—	—	—	—	Trace	·90	·06	—	·36		24
25	·09	·31	—	·06	—	·72	—	—	—	—	—	·22		25
26	·10	·18	—	—	—	—	—	·50	·14	—	—	·32		26
27	—	·03	—		·01	—	—	—	·08	Trace	·12	·12		27
28	·03	·01	—	—	·19	—	—	·53	·22	·02	·01	—		28
29	Trace	✕	·05	—	—	—	—	·01	·08	·04	·09	·13		29
30	·02	✕	—	·10	—	·04	—	·09	·04	·21	·34	·11		30
31	—	✕	—	✕	—	✕	—	Trace	✕	·23	✕	·18		31 Print
TOTAL	·86	2·31	·58	3·39	1·36	3·43	·67	1·34	3·77	3·03	4·79	2·68	Year's Total. 28·21	
* Days with .01 in. or more.	~~12~~ 9	~~11~~ 14	6 ✓	~~7~~ 18	10 ✓	18 ~~8~~	~~2~~ 7	~~4~~ 7	22 ~~5~~	~~3~~ 18	23 ~~5~~	~~5~~ 20	~~58~~	172
* Days with .04 in. or more.	4 ✓	~~7~~ 7	5 ✓	~~16~~ 18	9 ✓	15 ✓	5 ✓	5 ✓	17 ✓	15 ✓	18 ✓	15 ✓	133 ✓	

40-9999 The Hon. E. HAMILTON-RUSSELL

N

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) E. S. Hamilton Russell

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2292/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Stanmore

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 296.9 ft.

~~D~~ Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·14	·06	·58	–	·31	·02	·18	Trace	–	·08	·02		1
2	·06	·03	–	·10	–	·20	1·53	Trace	–	–	·12	–		2
3	·02	–	–	–	–	·04	·03	Trace	·55	–	Trace	·01		3
4	·01	–	·09	–	–	·57	–	–	·57	–	·17	·13		4
5	·37	·01	·01	–	·02	·01	·03	·08	·07	–	Trace	·27		5
6	·13	–	·01	–	·01	·09	·18	·18	·07	–	·10	·08		6
7	·02	–	·04	–	Trace	–	·44	–	·24	–	·20	·04		7
8	·21	–	·12	–	–	–	·09	–	·03	–	·45	·02		8
9	·37	–	·40	–	–	·01	1·29	–	·10	Trace	·01	Trace		9
10	·01	–	·01	–	–	–	·27	–	·04	–	·01	–		10
11	–	–	–	Trace	–	·07	·06	–	·07	–	·52	Trace		11
12	–	–	–	·02	·15	·25	·64	–	·11	–	·10	·13		12
13	–	–	–	·04	Trace	·14	Trace	·01	–	·04	–	·65		13
14	–	–	–	·16	–	·09	·10	·06	·09	·03	·06	·33		14
15	–	Trace	–	·14	·17	·01	·01	–	Trace	–	·12	·09		15
16	·12	·15	–	·06	·50	–	·03	–	–	–	·24	·04		16
17	–	·58	–	–	–	–	·28	–	–	·06	·03	·47		17
18	–	·08	–	·01	·01	·01	·38	·02	–	·12	–	·03		18
19	·47	·09	·03	·19	–	·03	–	·01	–	·29	–	Trace		19
20	·01	·13	·01	Trace	–	·05	Trace	–	–	·01	–	Trace		20
21	–	–	–	·26	–	–	·05	–	–	–	Trace	–		21
22	–	·35	·02	Trace	·03	–	·21	–	Trace	–	Trace	·07		22
23	–	·04	1·80	·03	·01	–	·40	–	–	·02	–	–		23
24	·21	·01	·01	·01	·01	–	–	–	·22	·28	–	–		24
25	·08	–	·09	·31	–	–	·04	–	·41	·02	·01	–		25
26	·06	·03	·24	Trace	–	Trace	·07	–	Trace	·03	·02	–		26
27	·15	·09	·03	–	–	–	Trace	–	·19	·14	–	–		27
28	·33	·16	·18	·02	–	–	·02	–	–	·03	·02	·03		28
29	·02	·19	·08	–	·03	·58	–	–	–	·05	·03	·17		29
30	·07	×	Trace	–	·11	·02	·27	–	–	·54	–	–		30
31	·42	×	·16	×	·01	×	·01	–	×	·01	×	·41		31
TOTAL	3·32	2·08	3·39	1·93	1·06	2·48	6·45	·54	2·76	1·67	2·29	2·99	Year's Total. 30·96	✓
* Days with .01 in. or more.	21 6	15 4	19 8	14 5	12 8	17 6	24 7	7 3	14 1	15 7	18 7	18 5	194 67	✓
* Days with .04 in. or more.	15	11	11	9	4	11	17	4	13	8	11	13	127	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) E. S. Hamilton-Russell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2292/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at STANMORE

in the County of SHROPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 296.9 ft.

Days 5

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·02	·02	·12	–	–	–	–	·04	Trace	·04	·42		1
2	·01	·15	Trace	·48	–	–	–	–	–	–	·01	·30		2
3	Trace	·12	Trace	–	·22	·02	·04	–	Trace	–	–	·03		3
4	·06	·12	·03	–	Trace	·01	–	·05	–	–	–	·40		4
5	·11	–	·14	Trace	–	–	–	–	–	–	–	–		5
6	·06	·02	·03	·13	·15	–	·14	–	–	·01	–	–		6
7	–	·78	Trace	·10	–	·09	–	–	–	·04	Trace	Trace		7
8	–	·14	–	·02	·09	Trace	·03	–	·01	–	·25	Trace		8
9	–	·01	–	·03	·13	–	·35	–	·20	–	–	–		9
10	·02	·04	·25	–	–	·05	Trace	–	–	–	–	·20		10
11	·01	·02	·23	–	·45	·03	·04	Trace	–	–	Trace	·10		11
12	·12	·23	·03	–	·11	·74	·01	·02	·22	–	–	·18		12
13	·12	·02	·03	·11	·01	–	–	·20	·21	–	–	·02		13
14	–	Trace	·15	·01	–	–	–	·44	·01	–	Trace	·15		14
15	·05	·04	Trace	·18	–	–	1·80	–	·06	–	–	·02		15
16	·01	·04	·65	·27	–	–	–	·08	·12	–	–	–		16
17	·20	·18	·14	·11	–	·13	–	–	·50	–	–	–		17
18	·65	·05	·08	Trace	–	–	·01	–	·90	·01	·42	·03		18
19	·01	·01	·06	·05	·01	·28	·11	–	Trace	–	·03	–		19
20	·25	·11	–	·46	·12	Trace	–	–	–	–	–	·03		20
21	·12	·21	·08	·02	·05	–	·16	–	–	·04	–	·07		21
22	·04	·05	·1[illegible]	–	·03	·05	·34	–	–	·61	·34	·06		22
23	·17	·08	–	–	·05	–	·01	–	–	·39	·16	Trace		23
24	·39	·30	·03	–	·03	–	·03	–	·06	·42	–	·01		24
25	–	·42	–	–	·12	–	–	–	·03	·19	–	·02		25
26	–	·13	·07	–	·48	–	–	–	–	–	Trace	·04		26
27	–	·36	Trace	·18	Trace	–	–	–	–	·44	–	·01		27
28	Trace	·08	–	–	–	–	–	–	–	·13	–	·02		28
29	·02	✕	–	–	–	·02	–	–	–	·18	·04	·02		29
30	·30	✕	–	–	–	Trace	–	·18	·01	·01	·03	·01		30
31	·27	✕	–	✕	–	✕	–	–	✕	·19	✕	–		31
TOTAL	3·02	3·68	2·21	2·27	2·05	1·42	3·07	·97	2·37	2·66	1·32	2·14	Year's Total 27·18	✓ ✓
* Days with .01 in. or more.	22 ~~7~~	26 ~~7~~	17 ~~6~~	15 ~~4~~	15 ~~1~~	10 ~~4~~	13 ~~3~~	6 ~~1~~	13 ~~4~~	13 ~~3~~	9 ~~3~~	21 ~~11~~	180 ~~89~~	✓ ✓
* Days with .04 in. or more.	15	19	11	11	11	6	8	5	9	10	6	10	121	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. S. Hamilton Russell [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2292/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at STANMORE

in the County of SHROPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 296.9 ft.

June, Sept. + Ann. Total corr. for Arith. Err. 2.3.39.

Days W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Trace	·01	Trace	–	·01	·53	Trace	·06	·01	·18	·08	·22		1
2	–	Trace	–	·08	·02	·18	Trace	Trace	–	·09	–	·02		2
3	Trace	–	–	–	·12	·03	·10	–	Trace	·57	–	–		3
4	·01	–	Trace	–	–	·01	·07	·35	Trace	·05	–	·17		4
5	–	–	–	–	–	Trace	·01	1·68	·03	·02	Trace	·01		5
6	·12	–	–	–	–	·01	·75	·03	·03	·11	–	·04		6
7	·02	–	–	–	–	–	·50	·28	·01	·07	–	·14		7
8	·30	Trace	–	–	–	–	·24	·48	–	·34	–	·02		8
9	·07	·01	–	–	–	·02	·05	·54	–	–	–	·34		9
10	·03	·01	–	–	–	·09	·10	·03	–	–	Trace	·19		10
11	·60	·01	–	–	–	·01	·01	Trace	–	·01	·16	·15		11
12	·16	·01	–	–	·08	–	·02	·01	–	·20	·43	–		12
13	Trace	Trace	–	–	Trace	–	Trace	Trace	–	–	·22	·20		13
14	·30	–	–	–	·05	–	·40	–	·01	–	–	–		14
15	·16	–	–	–	·11	–	·14	Trace	–	–	·02	·30		15
16	·21	–	–	–	–	–	Trace	·03	–	·07	·05	·14		16
17	–	·01	–	–	–	–	·01	–	·06	·05	Trace	·01		17
18	·03	–	–	–	·14	·02	–	·14	·71	·05	·23	–		18
19	–	–	–	–	–	–	–	·14	Trace	–	·02	Trace		19
20	·01	–	–	–	–	–	Trace	Trace	–	–	·37	Trace		20
21	·01	–	–	–	–	–	–	·13	22	–	·09	·13		21
22	Trace	–	–	Trace	–	·05	–	·02	·08	–	·40	·05		22
23	–	–	–	–	·01	–	–	–	·09	–	·01	–		23
24	·05	Trace	·12	–	·10	Trace	–	·50	·03	–	·02	Trace		24
25	·01	·06	·01	–	·02	–	·01	·02	–	·27	·82	·03		25
26	·04	·30	·13	–	·02	·05	–	–	·01	·27	–	·10		26
27	·04	·01	Trace	–	·29	·17	·18	·66	·02	·01	·24	·01		27
28	·10	·04	–	–	·01	·22	·07	·09	·03	Trace	·03	·09		28
29	·50	×	–	Trace	·39	·16	Trace	–	Trace	·09	·06	·09		29
30	·05	×	–	–	·01	·15	–	–	·19	–	·20	·14		30
31	·10	×	–	×	·16	×	–	–	×	·15	×	·42		31
TOTAL	2·92	·47	·26	·08	1·54	1·~~69~~ 70	2·66	5·19	1·~~6~~ 5 3	2·60	3·45	3·01	Year's Total 25·46	✓
* Days with .01 in. or more.	22	10	3	1	16	15	16	18	15	18	18	23		175 ✓
* Days with .04 in. or more.	15	3	2	1	9	9	11	12	6	15	13	17	113	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. S. Hamilton Russell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2292/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at STANMORE

in the County of SHROPSHIRE

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 296·9 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·38	–	·01	·11	·02	–	–	·06	·01	–	Trace	·01		1
2	·22	–	·01	·02	Trace	–	–	·23	·41	Trace	·01	–		2
3	·21	–	·03	·26	–	–	–	·10	·01	–	·09	·42		3
4	·13	–	·17	·35	·15	–	·50	·05	·09	·42	·05	·24		4
5	–	–	–	·07	·23	–	·10	·01	–	·08	·48	·02		5
6	·68	–	Trace	Trace	–	–	·54	–	–	–	·23	–		6
7	·01	·02	–	–	·23	–	·36	·04	–	Trace	·44	·46		7
8	Trace	·12	·40	–	Trace	–	·29	·09	–	·43	·33	·04		8
9	·02	·03	·01	–	–	–	·01	·29	–	·44	·01	·12		9
10	·65	–	·03	–	–	Trace	–	·01	·07	·20	Trace	·02		10
11	·03	·07	·16	–	–	·22	–	·01	–	·01	–	Trace		11
12	–	·05	–	–	–	·02	–	–	–	Trace	–	–		12
13	–	–	Trace	·07	·07	·06	·11	–	·03	·06	–	–		13
14	·49	–	Trace	·01	·33	·07	·11	–	·01	·10	·25	–		14
15	·43	–	·02	·06	·11	·26	·34	–	–	·01	·22	–		15
16	·02	–	·04	Trace	·18	–	·02	–	–	·17	·19	–		16
17	·42	·03	Trace	·01	Trace	·10	·03	–	–	1·01	·13	–		17
18	·14	·04	·05	–	–	·19	·19	–	–	·02	·68	Trace		18
19	·19	–	Trace	–	–	–	·68	–	–	Trace	·02	·01		19
20	·21	–	–	–	·05	·02	·01	·01	–	–	–	Trace		20
21	·25	·08	·18	Trace	·05	·03	·08	Trace	·06	–	–	–		21
22	·26	·24	·03	·05	–	·02	·02	–	–	·02	·42	–		22
23	·08	Trace	·02	·08	–	–	·04	–	–	·04	·73	–		23
24	·22	·02	·01	·08	Trace	·01	·22	·02	–	·12	·01	–		24
25	1·16	·03	Trace	·02	–	–	·11	–	–	·06	·13	Trace		25
26	–	–	Trace	·03	–	–	–	–	–	Trace	·26	·07		26
27	Trace	·08	·24	·04	–	·03	·06	–	–	·04	Trace	·17		27
28	Trace	·03	·13	·01	–	·05	·30	·01	–	–	·07	·05		28
29	–	×	Trace	·17	–	Trace	·33	·07	–	·12	·01	·01		29
30	–	×	–	·06	–	·07	Trace	–	–	Trace	·03	·01		30
31	–	×	–	×	–	×	Trace	·20	×	·04	×	·04		31
TOTAL	6.20	·84	1·54	1·50	1·42	1·15	4·45	1·20	·69	3·39	4·79	1·69	Year's Total 28·86	
* Days with .01 in. or more.	21 ~~4~~	13 ~~6~~	17 ~~9~~	18 ~~6~~	10 ~~1~~	14 ~~6~~	22 ~~5~~	15 ~~6~~	8 ~~5~~	19 ~~4~~	22 ~~6~~	15 ~~6~~	194 ~~64~~	
* Days with .04 in. or more.	17	7	8	12	9	8	17	9	4 ~~3~~	15	16 ~~15~~	9	131 ~~130~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. S. Hamilton Russell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2292/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Snow [illegible] sent 3/3/41

Jan corr'd by ref. to nearby station

Kept at STANMORE nr BRIDGNORTH

in the County of SHROPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 296·9 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	–	·02	Trace	–	–	–	–	–	·54	–		1
2	–	·04	–	·19	–	–	·07	–	–	–	·75	·12		2
3	–	·13	–	·01	–	–	–	–	–	·19	·72	·05		3
4	–	·03	–	·10	–	–	·05	–	–	·08	·17	·06		4
5	Trace	·01	–	–	·04	–	·09	–	·01	·05	·35	·08		5
6	·07	·30	–	–	–	–	Trace	–	–	·37	·16	Trace		6
7	·01	·22	–	·01	·02	–	·05	Trace	·01	·02	Trace	·01		7
8	·01	–	–	·03	Trace	–	Trace	Trace	–	·31	·02	·14		8
9	–	–	·02	–	–	Trace	·24	·07	·01	·04	·43	·12		9
10	–	–	·03	–	–	·03	·59	Trace	–	·05	·07	·24		10
11	–	·01	·01	·02	–	·01	·01	–	–	Trace	·47	·25		11
12	–	·01	·05	–	–	·08	·49	Trace	·05	–	·03	Trace		12
13	–	–	·30	Trace	–	–	Trace	Trace	·05	–	Trace	·02		13
14	–	–	·01	·06	·34	–	–	–	·26	·10	·03	·27		14
15	–	–	·03	·07	·52	·03	–	–	·10	·02	·10	·01		15
16	Trace	·20	·32	–	–	–	·06	–	·17	·56	·67	·01		16
17	–	–	·24	–	–	–	–	–	Trace	Trace	·14	–		17
18	·19	·61	·14	·52	–	–	–	·04	·10	·01	·01	·06		18
19	–	·26	·09	·26	–	–	·13	–	·08	·01	·13	·02		19
20	–	·01	–	·02	–	–	·29	Trace	–	·36	·01	Trace		20
21	–	·01	–	Trace	·25	·54	·07	·04	–	Trace	1·24	Trace		21
22	–	·01	·01	·04	·50	·02	–	–	·08	–	·01	–		22
23	–	·09	·05	·14	·15	·01	Trace	–	Trace	Trace	–	·01		23
24	·01	Trace	–	·02	Trace	–	–	–	Trace	Trace	–	·01		24
25	·01	–	–	·07	·02	–	–	–	–	Trace	–	Trace		25
26	1·21	·15	·07	·05	·03	–	·30	·02	–	Trace	·01	–		26
27	·81 ~~1·31~~	·08	·01	·08	Trace	–	·25	·02	–	–	·05	–		27
2.66 28	·38 ~~·88~~	·27	–	·02	·49	–	–	–	–	–	Trace	–		28
29	·01	–	·05	·70	–	·06	·02	–	–	–	–	·08		29
30	·05	✕	–	·49	·08	–	–	–	–	·39	–	·02		30
31	·20	✕	·04	✕	Trace	✕	–	–	✕	1·23	✕	·01		31
TOTAL	2·96 ~~3·96~~	2·45	1·47	2·92	2·44	·78	2·71	·19	·92	3·79	6·11	1·59	Year's Total ~~29·33~~	28·33
* Days with .01 in. or more.	12	19	17	21	11	8	15	5	11	16	22	20	177	✓
* Days with .04 in. or more.	7	11	10	13	8	3	13	3	8	12	15	11	114	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. S. Hamilton Russell

P.T.O.

2293.

2293

STABLEFORD, THE FOLLEY

1931—40

7P0404

Section A for the entry of

AIR MINISTRY

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

Kept at The Folley - Sta

in the County of Shropsh

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this

P

owing

Jan. 1, following
·01

Date	Jan.	Feb.	March	A						Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	·25	Snow ·06	—	·03	—	—	—	TR	·03	—	—	1
2	—	·02	—	·11	·01	·32	—	—	·26	·01	—	—	2
3	—	·06	—	·78	·14	·08	·02	—	·30	·02	·04	·07	3
4	Snow ·05	—	—	·02	—	—	·06	—	·44	·03	·83	·08	4
5	—	—	—	·17	—	—	·41	·58	·21	—	·07	—	5
6	—	·05	—	·21	·08	1·80	·12	·04	·03	—	—	·19	6
7	—	·16	—	·06	—	·02	—	·05	·02	·28	·09	·03	7
8	—	·02	—	·01	·02	·04	·48	·77	—	·01	·21	·01	8
9	Snow ·09	·03	Snow TR	·22	—	·07	·03	·91	—	—	·11	—	9
10	·12	·27	—	·04	—	·13	—	·05	—	—	·45	—	10
11	—	—	Snow ·01	—	·02	·03	·01	·21	·08	—	·32	·03	11
12	·06	·18	—	—	·03	·02	·02	—	·22	—	·06	·04	12
13	·04	·06	·01	·01	—	—	·49	·12	·30	·09	—	—	13
14	—	—	—	—	—	·02	·10	·33	—	—	—	—	14
15	—	·11	—	—	·07	·54	·34	1·14	·05	—	·41	—	15
16	·02	·21	·01	·14	·02	—	·36	·24	—	—	·02	·06	16
17	·09	·11	—	·21	·35	1·08	—	·45	·19	·01	—	—	17
18	·05	·02	—	·20	1·30	·02	·04	—	·02	—	·10	—	18
19	·09	·01	—	·39	—	·21	·06	·18	·02	—	·36	—	19
20	·02	·05	—	·01	—	·21	·35	·25	TR	·01	—	—	20
21	·01	·03	·13	TR	—	—	—	·35	—	~~·01~~	·05	·04	21
22	·22	—	—	·01	·68	—	—	—	—	—	·16	—	22
23	·09	—	—	—	·16	—	—	·11	—	—	—	—	23
24	·12	·02	—	·37	·35	·13	·03	·02	—	—	·13	·30	24
25	—	—	—	·30	·33	—	·10	—	—	·01	—	—	25
26	·03	TR	—	·76	—	—	·27	—	—	—	·02	—	26
27	—	·03	—	·18	—	—	·05	—	—	—	·45	—	27
28	·09	·54	—	·06	·60	—	TR	—	—	·03	·11	·01	28
29	·13	×	·01	·19	·52	—	—	—	—	·07	—	part snow ·10	29
30	·02	×	—	—	·12	—	·28	—	—	·35	·01	—	30
31	—	×	—	×	·02	×	·03	—	×	—	×	Snow ·02	31
TOTAL	·25 ~~1·50~~ 1·59	·06 ~~2·23~~ 2·04	– ~~·23~~ ·17	·03 ~~4·45~~ 4·48	– ~~4·85~~ 4·82	– 4·72	– 3·65	tr 5·80	·03 ~~2·14~~ 2·17	– ~~·94~~ ·92	– 4·00	·01 ~~·98~~ ·99	YEAR'S TOTAL 35·35 ~~35·50~~
*Days with ·01 in. or more.	19	20	~~6~~5	~~23~~ 22	~~19~~ 18	16	21	17	~~13~~ 14	~~13~~ 12	20	~~13~~ 14	199
*Days with ·04 in. or more.	14	12	8	17	12	11	15	16	9	4	17	8	~~137~~ 136

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. J. Bath.

P.T.O.

2293.

Section **A** for the entry of [redacted] PY FOR OFFICIAL USE.
AIR MINISTRY ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Folley - Stableford
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 230 ft.

WD

corr. for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·01

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	·25	Snow ·06	—	·03	—	—	—	TR	·03	—	—	1
2	—	·02	—	·11	·01	·32	—	—	·26	·01	—	—	2
3	—	·06	—	·78	·14	·08	·02	—	·30	·02	·04	·07	3
4	Snow ·05	—	—	·02	—	—	·06	—	·44	·03	·83	·08	4
5	—	—	—	·17	—	—	·41	·58	·21	—	·07	—	5
6	—	·05	—	·21	·08	1·80	·12	·04	·03	—	—	·19	6
7	—	·16	—	·06	—	·02	—	·05	·02	·28	·09	·03	7
8	—	·02	—	·01	·02	·04	·48	·77	—	·01	·21	·01	8
9	Snow ·09	·03	Snow TR	·22	—	·07	·03	·91	—	—	·11	—	9
10	·12	·27	—	·04	—	·13	—	·05	—	—	·45	—	10
11	—	—	Snow ·01	—	·02	·03	·01	·21	·08	—	·32	·03	11
12	·06	·18	—	—	·03	·02	·02	—	·22	—	·06	·04	12
13	·04	·06	·01	·01	—	—	·49	·12	·30	·09	—	—	13
14	—	—	—	—	—	·02	·10	·33	—	—	—	—	14
15	—	·11	—	—	·07	·54	·34	1·14	·05	—	·41	—	15
16	·02	·21	·01	·14	·02	—	·36	·24	—	—	·02	·06	16
17	·09	·11	—	·21	·35	1·08	—	·45	·19	·01	—	—	17
18	·05	·02	—	·20	1·30	·02	·04	—	·02	—	·10	—	18
19	·09	·01	—	·39	—	·21	·06	·18	·02	—	·36	—	19
20	·02	·05	—	·01	—	·21	·35	·25	TR	·01	—	—	20
21	·01	·03	·13	TR	—	—	—	·35	—	~~·01~~	·05	·04	21
22	·22	—	—	·01	·68	—	—	—	—	—	·16	—	22
23	·09	—	—	—	·16	—	—	·11	—	—	—	—	23
24	·12	·02	—	·37	·35	·13	·03	·02	—	—	·13	·30	24
25	—	—	—	·30	·33	—	·10	—	—	·01	—	—	25
26	·03	TR	—	·76	—	—	·27	—	—	—	·02	—	26
27	—	·03	—	·18	—	—	·05	—	—	—	·45	—	27
28	·09	·54	—	·06	·60	—	TR	—	—	·03	·11	·01	28
29	·13	×	·01	·19	·52	—	—	—	—	·07	—	part snow ·10	29
30	·02	×	—	—	·12	—	·28	—	—	·35	·01	—	30
31	—	×	—	×	·02	×	·03	—	×	—	×	snow ·02	31
TOTAL	·25 ~~1·50~~ 1·59	·06 ~~2·23~~ 2·04	– ~~·23~~ ·17	·03 ~~4·45~~ 4·48	– ~~4·85~~ 4·82	– 4·72	– 3·65	tr 5·80	·03 ~~2·14~~ 2·17	– ~~·94~~ ·92	– 4·00	·01 ~~·98~~ ·99	YEAR'S TOTAL 35·35 ~~35·50~~
*Days with ·01 in. or more.	19	20	~~6~~ 5	~~23~~ 22	~~19~~ 18	16	21	17	~~13~~ 14	~~13~~ 12	20	~~13~~ 14	199
*Days with ·04 in. or more.	14	12	8 1	17	12	11	15	16	9	4	17	8	~~137~~ 136

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. J. Bath.

P.T.O.

2293

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Folley Stableford

in the County of Shropshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·23

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	—	·02	·25	TR	·48	·34	—	·03	·01	·25	1
2	·02	·03	—	·10	·69	·08	·19	·60	·04	·07	·03	·01	2
3	·05	—	—	·18	·23	—	—	—	·13	·02	—	·12	3
4	—	·01	—	·29	·04	—	·17	·02	—	·04	—	·02	4
5	·10	—	—	·54	—	—	—	·04	—	—	·37	—	5
6	·31	—	·14	·02	·19	—	·01	—	·13	—	—	·02	6
7	·28	—	·05	·19	·02	—	TR	—	·25	·02	—	—	7
8	—	—	·13	·16	·04	—	—	—	·03	·83	—	—	8
9	—	·01	—	·03	—	—	—	—	·14	·33	—	—	9
10	·25	Snow ·02	—	·02	·03	—	—	—	·03	Fog TR	Fog ·01	·02	10
11	·38	Snow ·02	·04	·12	·05	—	—	mist ·02	·10	·22	Fog TR	Fog ·01	11
12	·06	Snow TR	—	·13	·09	·03	1·53	—	·02	·04	Fog TR	·01	12
13	·22	—	Fog ·01	·02	·10	—	·04	—	·13	·32	·02	·02	13
14	·05	—	—	·06	·02	—	1·28	·10	TR	·02	·02	·09	14
15	·19	—	—	·06	—	—	·15	·07	—	·02	·12	—	15
16	—	—	—	·05	·54	—	·04	—	—	·02	—	·02	16
17	·27	—	—	·05	·06	—	·10	—	TR	—	—	—	17
18	—	—	—	—	·01	—	·24	—	·04	·03	—	—	18
19	—	—	—	—	·07	—	—	—	—	·02	·12	—	19
20	—	—	—	·04	·04	—	—	TR	—	·09	·01	—	20
21	—	—	—	·01	·85	—	·05	1·55	—	·36	·08	—	21
22	—	Fog ·02	·31	·20	·47	—	—	·06	—	·27	·11	·10	22
23	·02	—	·25	·03	·18	—	·11	—	·49	·11	·14	·01	23
24	—	·02	—	·01	·41	—	·02	—	·14	·12	·05	·02	24
25	·08	—	—	—	·04	·02	·18	—	·10	·03	·32	—	25
26	·02	·02	—	—	TR	·13	·03	—	·12	·09	·04	—	26
27	—	·01	·10	·43	·14	—	—	—		·04	·06	Fog ·02	27
28	—	—	·38	·13	·40	—	—	—	—	—	·06	·02	28
29	—	—	·29	·12	·29	·19	·13	—	—	—	—	—	29
30	—	×	·13	·12	·08	·08	·02	·09	·10	·44	·02	·18	30
31	—	×	·12	×	·09	×	·08	·08	×	·17	×	·08	31
TOTAL	2·31	·18	1·95	3·12	5·42	·53	4·85	2·97	1·99	3·75	1·59	1·02	YEAR'S TOTAL 29·68
*Days with ·01 in. or more.	16	9	12	26	27	6	19	11	16	25	18	18	203
*Days with .04 in. or more.	12	—	11	18	23	4	15	9	13	16	11	6	138

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) H. J. Bath.

P.T.O.

2293

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2293~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Folly - Stableford - Bridgnorth
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

~~*An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.*~~ Kept as above

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	·14	·03	—	—	—	—	—	TR	—	·04	—		1
2	·22	—	·20	—	·18	·11	—	—	—	—	—	—		2
3	·04	·12	·10	—	·16	—	—	—	—	—	—	—		3
4	·07	—	·03	—	·16	—	—	·01	—	—	—	—		4
5	·12	·03	·34	—	·04	—	—	—	—	TR	·02	—		5
6	—	·52	·01	—	·20	—	—	—	—	·05	—	—		6
7	·02	·12	·02	—	—	—	·03	—	—	·23	—	·03		7
8	·02	—	·23	—	·07	—	·76	—	—	·01	—	—		8
9	—	—	—	·04	·02	·02	·25	·05	—	·76	·03	—		9
10	·08	·39	—	—	·01	·01	·11	·01	—	2·09	·21	—		10
11	—	—	—	—	·12	·01	·44	·01	—	·06	—	—		11
12	·02	—	—	—	—	·03	·12	—	—	·02	—	·07		12
13	—	·01	—	—	·12	—	·20	—	—	·06	·22	—		13
14	·04	—	·01	—	—	—	·03	·15	—	·15	·13	—		14
15	·39	—	·02	—	—	·03	·07	TR	—	·02	·06	·01		15
16	snow ·06	·01	·41	—	·02	·10	·02	·01	—	·16	·02	—		16
17	·08	snow ·06	·28	—	·03	·09	—	·02	·05	—	·02	·01		17
18	·05	snow ·02	·03	—	—	·19	—	—	—	—	·02	—		18
19	—	—	·25	—	—	·19	·20	—	·24	—	·18	—		19
20	—	·02	·02	—	—	·13	—	·15	·06	—	—	—		20
21	—	—	—	—	—	·24	—	·20	—	·01	·02	—		21
22	—	—	—	·02	—	·02	—	·39	—	·35	—	—		22
23	—	—	—	·17	—	·03	—	—	·02	·14	·01	—		23
24	—	snow ·67	—	·09	·06	·64	—	—	·11	·06	·02	—		24
25	—	snow ·50	—	·12	·01	·15	—	—	·05	—	TR	·10		25
26	—	·80	—	·14	·21	—	—	—	·06	·24	—	·02		26
27	—	·03	—	—	·08	—	—	—	·11	·13	—	·02		27
28	snow ·02	·14	—	·28	—	—	·02	—	·02	·06	—	·03		28
29	·14	×	·03	·01	—	—	·08	—	TR	—	—	·06		29
30	·05	×	·06	·03	—	—	·05	-	·01	·09	—	·13		30
31	·15	×	·26	×	—	×	·02	·10	×	·16	×	—		31
													Year's Total	
TOTAL	1·88	3·58	2·33	·90	1·49	1·99	2·40	1·10	·73	4·85	1·00	·48	22·73	
*Days with ·01 in. or more.	18	16	18	9	16	16	15	11	10	20	14	10	173	
*Days with .04 in. or more.	14	10	9	6	11	9	10	6	7	16	6	4	108	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) H. J. Bath

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Folley Stableford Bridgnorth
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	-	—	—	—	—	—	·13	·03	·14	·07	·33		1
2	·01	·01	·05	—	·02	—	—	·04	·12	-	·08	·06		2
3	·07	·02	—	—	—	—	—	·03	—	·05	—	·15		3
4	·08	—	·03	·07	·03	—	—	—	·12	·14	·02	·17		4
5	—	—	·06	·02	·24	—	—	·62	—	—	·15	·04		5
6	·01	—	·11	—	·30	·02	—	·02	—	·12	·01	·40		6
7	·03	·01	—	—	—	·12	—	·04	—	·11	·05	·20		7
8	—	—	·01	—	·14	—	—	·02	·05	·02	·28	·11		8
9	·01	—	·19	·03	—	—	—	·12	—	—	·54	·09		9
10	·06	—	·12	·32	—	—	—	·23	—	·01	·06	·02		10
11	·49	—	·06	·26	—	—	·02	·09	—	—	·02	·14		11
12	·02	fog ·02	·10	·04	—	—	·39	·08	—	—	fog ·01	·01		12
13	·36	—	·02	·06	·01	—	·29	·01	—	·03	—	·09		13
14	·08	fog ·01	·29	—	·08	—	—	—	·01	·14	·34	·11		14
15	·07	—	·09	—	·08	—	·01	—	—	·28	·33	·15		15
16	·17	fog ·01	·15	—	·01	—	—	—	—	·02	·08	—		16
17	·05	—	·12	·04	·02	—	·22	·09	·11	·03	·02	·27		17
18	·24	—	—	·18	—	·03	—	·02	·02	—	—	·10		18
19	·01	—	·16	·04	—	·06	—	·02	·03	·05	—	·15		19
20	—	—	·16	·05	—	·03	—	—	·04	·01	fog ·02	fog ·01		20
21	·02	—	·03	—	—	·18	·03	TR	·02	·05	—	fog ·01		21
22	·01	—	·03	·08	—	·40	—	·17	·15	·03	—	·18		22
23	—	fog ·01	·07	·25	·05	·05	·03	—	·01	—	·05	·05		23
24	-	·22	·04	·04	·02	·22	·03	—	·18	·02	·02	·01		24
25	·20	·03	—	·05	·06	·10	—	—	·01	·24	—	·31		25
26	·15	—	·14	·39	—	·03	—	—	·05	·03	—	·05		26
27	·02	—	—	·21	—	·20	—	—	·01	·04	·03	·17		27
28	—	—	—	·35	—	—	—	·14	·04	·02	·04	·45		28
29	—	×	—	—	—	—	·31	·03	·35	·05	fog ·01	·05		29
30	·03	×	—	—	—	—	·02	·25	·02	·04	—	·28		30
31	·02	×	—	×	—	×	—	·13	×	snow ·20	×	·13		31
TOTAL	2·28	·34	2·03	2·48	1·06	1·44	1·35	2·30	1·37	1·87	2·23	4·29	Year's Total. 23·04	
* Days with .01 in. or more	24	9	21	18	13	12	10	20	19	24	21	30	221	
* Days with .04 in. or more.	13	1	16	16	7	8	8	13	10	14	12	25	139	

40-9999

† Spare column, no entries required.

(*Signed*) H. J. Bath.

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Folley Stableford Bridgnorth
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	·01	·05	·04	·02	·03	·11	—	·13	·07	·02	·01		1
2	—	—	—	—	—	·16	·04	—	·12	·18	·05	·03		2
3	·01	·20	·10	·04	—	·45	·02	—	·32	·10	·27	·26		3
4	—	—	—	·12	—	·04	—	—	—	·23	·02	·15		4
5	—	·56	·19	·04	—	—	·07	—	—	—	·13	·02		5
6	—	—	—	·26	—	·46	—	—	— ~~[illegible]~~	—	·01	—		6
7	—	—	—	·24	—	·18	—	—	— ~~·18~~	·08	·21	·23		7
8	—	—	—	·16	—	·05	—	—	— ~~·28~~	·18	·17	·20		8
9	snow ·06	—	—	·37	—	·25	—	—	— ~~·02~~	·28	·16	—		9
10	·01	—	—	·13	—	TR	—	—	—	·02	·17	—		10
11	·18	—	—	TR	—	·04	—	·02	·02	—	·14	·02		11
12	snow ·20	·03	—	—	—	·07	—	·09	·02	—	·02	—		12
13	·13	·03	—	·05	·20	·03	—	—	·10	—	·02	—		13
14	—	—	TR	·11	·04	·08	—	—	·27	—	1·05	snow ·16		14
15	—	·03	—	·47	·11	·04	—	—	·14	—	·04	·11		15
16	—	·08	·14	·30	—	·02	—	—	·55	·32	·54	·07		16
17	—	—	—	·10	·01	·10	·22	—	·02	·04	·57	—		17
18	—	—	—	·34	·10	·08	·04	—	·21	·03	·02	—		18
19	—	—	—	·18	·62	·26	·06	—	·02	·24	·18	snow ·02		19
20	·02	·17	fog ·02	·26	TR	·07	·17	—	·02	—	·61	—		20
21	—	·30	—	—	—	—	—	—	·45	·04	·04	—		21
22	—	·14	·03	·08	—	—	—	—	·04	fog ·01	—	—		22
23	·02	—	·11	·06	·02	—	—	·15	·16	·58	—	snow ·10		23
24	·08	·36	·04	—	—	—	—	·01	·92	·07	—	·28		24
25	·09	·33	—	·09	—	·61	—	—	—	fog ·02	—	·04		25
26	—	·16	—	—	—	TR	—	·60	·21	—	·02	·36		26
27	—	·08	—	—	—	—	—	·05	·09	·03	·19	·25		27
28	·04	·03	—	—	·28	—	—	1·27	·18	·02	·02	·01		28
29	—	×	·06	—	—	—	—	·02	·08	·03	·09	·12		29
30	·02	×	—	·10	—	·07	—	·09	·04	·16	·31	·08		30
31	—	×	—	×	—	×	—	—	×	·20	×	·16		31
													Year's Total	
TOTAL	·89	2·51	·74	3·54	1·40	3·09	·73	2·30	4·11	2·93	5·07	2·68	29·99	
* Days with .01 in. or more.	13	15	9	21	9	20	8	9	22	22	26	21	195	
* Days with .04 in. or more.	7	10	7	21	6	17	7	6	17	15	18	15	146	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. J. Bath.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The Folly Stableford Bridgnorth

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.15	.06	.58	–	.26	.03	.22	TR	–	.10	.05		1
2	.11	.08	–	.11	–	.51	1.55	.01	–	–	.12	–		2
3	.02	–	–	–	–	.04	.01	.02	.56	–	–	TR		3
4	.01	snow .01	.10	–	–	.36	–	–	.39	–	.29	.08		4
5	.35	.17	–	–	–	.01	.01	.06	.09	TR	TR	.12		5
6	.11	–	–	–	.13	.06	.19	.13	.08	–	.07	.14		6
7	TR	–	.02	TR	–	–	.44	–	.21	–	.15	.03		7
8	.15	–	.14	–	–	–	.06	–	.09	–	.37	.04		8
9	.40	–	.41	–	–	.03	1.19	–	.14	.02	.01	.01		9
10	TR	–	–	–	–	–	.25	TR	.05	–	–	–		10
11	–	–	–	TR	–	.08	.09	–	.04	–	.59	–		11
12	–	–	–	snow .03	.16	.22	.51	.01	.51	TR	.15	snow .12		12
13	–	–	–	.05	–	.13	–	–	–	.05	–	.53		13
14	–	–	–	.14	–	.17	.15	.07	.12	.04	.04	.28		14
15	snow .10	–	–	.15	.23	.02	.09	–	TR	–	.10	.06		15
16	snow .09	.13	–	.10	.46	–	.03	–	–	–	.32	.01		16
17	–	.56	Fog TR	–	–	Fog TR	.12	.01	–	.08	.03	.34		17
18	–	.06	–	–	.09	.36	.36	.04	–	.12	–	.01		18
19	.43	.14	.02	–	–	.06	–	.07	–	.10	–	–		19
20	.02	.12	.03	.30	–	.05	TR	–	–	TR	–	–		20
21	–	–	–	.03	–	1.24	TR	–	–	–	–	–		21
22	–	.37	.04	.19	.09	.03	.22	–	Fog TR	–	–	–		22
23	Fog .01	.10	1.03	–	.01	–	.32	–	–	.03	Fog .01	.12		23
24	.24	.02	–	.04	.04	–	~~[illegible]~~	–	.25	.22	Fog .01	–		24
25	.09	–	.07	.02	–	–	–	–	.56	TR	–	–		25
26	.07	.07	.19	.36	–	–	.03	–	–	.04	.02	–		26
27	.15	.03	.04	–	–	–	–	–	.09	.15	–	–		27
28	.20	.18	.15	–	–	–	.03	–	–	.03	.03	.03		28
29	.02	.24	.09	.04	–	.32	–	–	–	.04	.03	.19		29
30	.07	✕	–	–	.15	.01	.24	–	–	.54	–	–		30
31	.47	✕	.13	✕	.01	✕	.02	–	✕	.03	✕	.38		31
													Year's Total	
TOTAL	3.31	2.43	2.52	2.14	1.37	3.96	5.94	.64	3.18	1.49	2.44	2.54	31.96	✓
* Days with .01 in. or more.	21	16	15	14	10	19	22	10	14	14	18	18	191	✓
* Days with .04 in. or more.	16	13	12	11	8	14	15	6	14	10	11	13	143	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. J. Bath.

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** Station No. 2293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Folley Stableford

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·03	–	·08	–	–	–	–	·03	·01	·03	·10		1
2	·01	·12	·01	·60	–	–	–	–	–	–	·02	·60		2
3	–	·10	–	TR	·27	·06	·03	–	–	–	–	·02		3
4	·06	·10	–	–	·02	–	–	·06	–	–	–	·50		4
5	·10	–	·17	–	–	–	TR	TR	–	–	–	–		5
6	·06	·01	·02	·11	·13	–	·33	–	–	·01	–	TR		6
7	–	·72	–	·17	–	·15	–	–	TR	TR	–	–		7
8	–	·17	–	·03	–	TR	·07	–	·02	–	·29	TR		8
9	–	–	–	·03	·06	TR	·36	–	·21	–	–	–		9
10	·03	·07	snow ·12	TR	·15	·04	–	–	–	–	–	·19		10
11	–	·05	·27	–	·36	·07	·03	–	–	–	TR	·12		11
12	·10	·33	·06	–	·17	·16	–	·05	·22	–	–	·18		12
13	·09	–	–	·07	TR	–	–	·08	·28	–	–	·01		13
14	–	·02	·22	–	–	–	–	·24	·02	–	·02	·19		14
15	·05	·05	–	·20	–	–	1·87	·20	·12	–	–	·02		15
16	–	·10	·60	·21	–	–	–	·11	·08	–	TR	–		16
17	·13	·13	·11	·08	–	·15	–	–	·46	–	–	–		17
18	·67	·04	·04	TR	–	–	·03	–	1·03	TR	·43	snow ·04		18
19	·03	·02	·06	·07	TR	·20	·05	–	–	TR	·06	–		19
20	·22	·02	–	·35	·21	–	–	–	–	TR	–	·01		20
21	·08	·22	·08	·05	–	–	·22	–	–	·03	–	·08		21
22	·08	·09	snow ·15	–	·05	·01	·27	–	–	·45	·32	·07		22
23	·18	·05	–	–	·04	–	·04	–	TR	·36	·17	–		23
24	·44	·26	·05	–	–	–	–	–	·08	·43	–	·01		24
25	–	·40	–	–	·03	–	–	–	·02	·27	–	·01		25
26	–	·21	·03	–	·63	–	–	–	–	–	–	·01		26
27	–	snow ·63 ×	TR	·16	–	–	–	–	TR	·44	–	–		27
28	–		·01	–	–	–	–	–	–	·10	–	·04		28
29	·01	✕	–	–	–	·02	–	–	–	·20	·03	·02		29
30	·24	✕	–	–	–	·01	TR	·21	–	·02	·03	–		30
31	·24	✕	–	✕	–	✕	–	–	✕	·16	✕	–		31
TOTAL	2·85	3·94	2·00	2·21	2·12	·87	3·30	·95	2·57	2·48	1·40	2·22	Year's Total 26·91	✓ ✓
* Days with .01 in. or more.	20	25	16	14	12	10	11	7	12	12	10	19	168	✓ ✓
* Days with .04 in. or more.	15	20	12	12	10	7	8	7	8	8	5	11	123	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. J. Bath [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~4~~8

Kept at The Folley Stableford Bridgnorth

in the County of Shropshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 230 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	TR	–	–	–	–	·03	·02	·13	·06	·23		1
2	–	–	–	·12	·03	·48	TR	–	–	·14	–	·05		2
3	·01	–	–	–	·09	·07	·01	–	–	·48	–	TR		3
4	·02	–	Fog TR	–	–	·04	·07	·35	–	·04	–	·17		4
5	–	–	–	–	–	·02	·04	1·02	·04	·02	–	–		5
6	·15	–	–	–	–	TR	·71	–	·08	·11	–	·03		6
7	·01	–	–	–	–	TR	·53	·35	·02	·12	–	·12		7
8	·31	–	–	–	–	–	·22	·41	–	·28	–	·03		8
9	·06	·02	–	–	–	·03	·05	·63	–	–	–	·30		9
10	·02	·04	–	–	–	·11	·18	·04	–	–	–	·20		10
11	·67	–	TR	–	–	·01	–	–	·01	·02	·15	·14		11
12	·12	–	–	–	·08	–	·06	·03	–	·22	·30	–		12
13	–	–	–	–	–	–	–	–	–	–	·28	·23		13
14	·25	–	–	–	·04	–	·38	–	·02	–	·01	·01		14
15	·06	–	–	–	·05	–	·26	TR	–	–	·01	·31		15
16	·31	–	–	–	–	–	–	·03	–	TR	·06	·08		16
17	–	·01	–	–	–	–	·03	–	·05	·06	TR	·01		17
18	·03	–	–	–	·11	·06	–	·07	·44	·04	·18	snow ·02		18
19	–	–	–	–	–	–	–	·22	TR	–	·02	–		19
20	·02	–	–	–	–	–	–	–	–	–	·34	snow ·09		20
21	·01	–	–	–	–	–	–	·09	·19	–	·07	–		21
22	–	–	–	·01	–	·22	–	·04	·12	–	·39	–		22
23	–	–	–	–	TR	–	–	–	·11	·01	·01	–		23
24	·01	·01	·14	–	·11	–	–	·44	·03	–	·01	–		24
25	·03	·05	·04	–	·02	–	·02	·10	·03	·31	·88	–		25
26	·07	·26	·17	–	·03	·06	–	–	·02	·37	–	·24		26
27	·04	·01	–	–	·18	·22	·18	·42	·04	·01	·16	–		27
28	·08	·11	–	–	–	·22	·05	·05	·06	·03	·02	·11		28
29	·40	✗	–	–	·39	·18	–	–	·01	·10	·06	·12		29
30	·05	✗	–	–	–	·05	–	–	·26	–	·18	·25		30
31	·04	✗	–	✗	·15	✗	–	–	✗	·17	✗	·25		31
													Year's Total	
TOTAL	2·77	·51	·35	·13	1·28	1·77	2·79	4·32	1·55	2·66	3·19	2·99	24·31	✓
* Days with .01 in. or more.	23	8	3	2	12	14	15	17	18	19	19	21	171	✓
* Days with .04 in. or more.	14	4	3	1	9	11	12	14	10	14	13	16	121	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. J. Bath

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 2293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Folley Stableford Bridgnorth

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·43	–	–	·10	·02	–	TR	–	TR	–	–	·01		1
2	·10	–	–	·02	–	–	TR	·29	·30	TR	·02	·01		2
3	snow ·12	–	–	·31	–	–	–	·17	·09	–	·10	·40		3
4	snow ·18	–	·20	·36	·12	–	·52	·08	–	·33	·09	·20		4
5	–	–	TR	·07	·20	–	·10	·02	–	·12	·40	·02		5
6	·65	–	–	–	–	–	·47	–	–	TR	·17	–		6
7	–	·03	–	–	·27	–	·31	·04	–	·01	·46	·52		7
8	·02	·07	·42	–	–	–	·28	·45	–	·37	·17	·07		8
9	·05	·03	TR	–	–	–	·07	·37	–	·48	fog TR	·17		9
10	·62	–	·03	–	–	–	–	–	·11	·21	–	·02		10
11	·03	·02	·13	–	–	·17	–	–	–	·02	–	–		11
12	–	·04	–	–	–	·03	–	–	·01	·02	–	–		12
13	–	–	TR	·08	·06	·09	·06	–	·03	·08	–	–		13
14	·43	–	·02	·07	·23	·12	·16	–	–	·14	·22	–		14
15	·37	–	·03	·04	·13	·27	·19	–	–	–	·17	–		15
16	·02	–	·05	–	·26	–	·01	–	–	·04	·17	–		16
17	·33	·03	–	–	–	·07	·08	–	–	1·15	·09	–		17
18	·16	·05	·07	–	–	·17	·16	–	–	·03	·71	–		18
19	·22	–	–	–	–	–	·82	–	–	–	·02	–		19
20	·21	TR	–	–	·02	·06	–	·03	–	–	–	·02		20
21	·29	·12	·13	TR	·11	–	·39	·05	·08	–	–	–		21
22	·20	·24	–	·03	–	–	·09	–	·01	·05	·30	–		22
23	·13	·01	–	·05	–	·01	·07	fog TR	–	·07	·70	–		23
24	snow ·27	–	·02	·10	–	·02	·32	TR	–	·09	–	–		24
25	·42	·06	–	·02	–	–	·13	–	–	·04	·10	–		25
26	·02	–	TR	·03	–	–	–	·02	·01	–	·25	·12		26
27	–	·08	·25	·04	–	·02	·12	–	–	·05	–	snow ·19		27
28	–	·07	·17	·02	–	·03	·25	TR	–	–	·12	–		28
29	–	✕	–	·15	–	–	·36	·25	–	·15	–	–		29
30	–	✕	–	·05	–	·14	TR	TR	–	–	·05	–		30
31	–	✕	–	✕	–	✕	TR	·14	✕	·02	✕	·08		31
TOTAL	5·27	·85	1·52	1·54	1·42	1·20	4·96	1·91	·64	3·47	4·31	1·83	Year's Total 28·92	
* Days with .01 in. or more.	22	13	12	17	10	13	21	12	8	20	19	13	180	
* Days with .04 in. or more.	18	8	8	12	8	8	20	9	4	15	17	8	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. J. Bath

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at The Folley Stableford Bridgnorth

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	–	TR	·01	–	–	–	–	–	·48	–		1
2	–	TR	–	·25	–	–	·06	–	–	–	·61	·10		2
3	–	·15	–	·01	–	–	–	–	–	·19	·55	·14		3
4	–	·05	–	·15	–	–	·03	–	–	·13	·36	·05		4
5	–	Fog ·01	–	–	·04	–	·05	–	·02	·04	·34	·05		5
6	·06	·28	–	–	–	–	·06	–	–	·36	·21	–		6
7	–	·23	–	TR	·03	–	·13	–	·04	·01	–	·02		7
8	·01	–	–	–	–	–	–	–	–	·29	·01	·17		8
9	–	–	·03	–	–	·05	·24	·06	·02	·05	·42	·23		9
10	–	–	·07	–	–	·12	·59	–	–	·03	·11	·28		10
11	–	–	·06	·01	–	–	–	–	–	–	·48	·23		11
12	–	Snow ·02	·02	–	–	·05	·33	TR	·05	–	·02	–		12
13	–	Snow TR	Snow ·32	·02	–	–	–	·06	·04	–	–	·01		13
14	–	–	·01	·10	·23	–	–	·03	·18	·08	·01	·30		14
15	–	–	TR	·01	·62	·03	–	–	·07	·04	·14	–		15
16	–	Snow ·24	·39	TR	–	–	·05	–	·15	·80	·61	–		16
17	–	–	·29	–	–	–	·02	–	–	–	·37	–		17
18	Snow ·20	·67	·14	·45	–	–	–	·04	·06	·05	·02	·06		18
19	–	·29	·09	·29	–	–	·18	–	·12	–	·08	·01		19
20	–	–	–	·02	–	–	·24	TR	–	·34	–	–		20
21	–	Fog ·01	–	–	·23	·34	·04	·02	–	Fog TR	1·33	–		21
22	–	–	·01	·04	·48	·17	–	–	·07	Fog ·01	–	–		22
23	–	·06	·05	·25	·07	·02	–	–	·01	–	–	–		23
24	–	–	–	–	–	–	·02	TR	–	TR	–	·01		24
25	·03	–	–	·06	·02	TR	·04	–	–	–	–	–		25
26	Snow 1·23	·11	·05	·06	·03	·01	·16	TR	–	–	·06	–		26
27	Snow ·55	·02	–	·77	–	–	·12	–	·01	–	·08	–		27
28	Snow ·27	·30	–	·02	·39	–	–	–	–	–	–	–		28
29	–	–	·06	·53	–	·05	·02	–	–	–	–	·12		29
30	–	✕	–	·70	·03	–	–	–	–	·27	Fog TR	–		30
31	·15	✕	·06	✕	–	✕	–	–	✕	1·05	✕	·02		31
TOTAL	2·50	2·45	1·65	3·74	2·18	·84	2·38	·21	·84	3·74	6·29	1·80	Year's Total 28·62	
* Days with .01 in. or more.	8	15	15	18	12	9	18	5	13	16	20	16	165	
* Days with .04 in. or more.	6	10	11	12	7	6	14	3	9	13	16	11	118	

† Spare column, no entries required.

(*Signed*) H. J. Bath.

* See Instruction 3 (f) on other side.

[P.T.O.

2294

To be filled and returned
to Dr. H. R. MILL, *Director*,
British Rainfall Organization,
62 Camden Square, London, N.W.
Copies of this form will be supplied with pleasur

2294

SALOP, ACKLETON HOUSE
1931 — 35

780404

and also the space for
gister should be sent:—

...in Summer
Direction from gauge
3 Direction from gauge

RAINFALL IN 193

At Ackleton Hous
In the County of Shropshi

Rain Gauge
Diameter of Funnel 8
Height of Top *Above Ground* 1
Above Sea Level 2

Month.	Total Depth.	Greatest Fall in 24 hours.		Nu D ·01 re
	Inches.	Inches.	Date.	
JAN.	1·43	·25	31	21
FEB.	2·07	·49	27	23
MAR.	·17	·67	20	1
APR.	4·51	·96	3	18
MAY	4·74	1·31	17	16
JUNE	4·72	1·80	5	14
JULY	3·85	·55	19	21
AUG.	5·70	1·14	14	17
SEPT.	2·06	·41	3	11
OCT.	·93	·37	29	9
NOV.	3·81	·77	3	19
DEC.	1·02	·33	23	11
Total	35·01			181

Signed F. J. Neale

W. 16,000. XI.13.

[*Please fill in the other side also.*

Directions from gauge ..

If gauge has been moved during the year state—

Date of move.................... Distance.................... Direction....................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

Negretti & Zambra.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* *9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

2294

To be filled and returned
to Dr. H. R. MILL, *Director*,
British Rainfall Organization,
62 Camden Square, London, N.W.
Copies of this form will be supplied with pleasure.

B. RAINFALL

RAINFALL IN 1931

At Ackleton House

In the County of Shropshire

Rain Gauge
Diameter of Funnel 8 in.
Height of Top — *Above Ground* 1 3 in.
Height of Top — *Above Sea Level* 270 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	1·43	·25	31	21
FEB.	2·07	·49	27	23
MAR.	·17	·57	20	1
APR.	4·51	·96	3	18
MAY	4·74	1·31	17	16
JUNE	4·72	1·80	5	14
JULY	3·85	·55	19	21
AUG.	5·70	1·14	14	17
SEPT.	2·06	·41	3	11
OCT.	·93	·37	29	9
NOV.	3·81	·77	3	19
DEC.	1·02	·33	23	11
Total	35·01			181

Signed F. J. Neale

W. 16,000. XI.13. [*Please fill in the other side also.*

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter............ in Summer............

Nearest Railway Station............ Distance............ Direction from gauge............

Nearest Parish Church at Worfield Distance 3 miles Direction from gauge............

Nature of objects nearest to gauge				
Heights of objects	In Garden			
Distances ..	Open space.			
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

Negretti & Zambra.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

2294

FORM 1090. **D** Monthly

It is requested that this form be filled and returned as soon as possible to G. J. SYMONS, Esq., F.R.S.,
62, Camden Square, London, N.W.
Additional Copies of this form will be supp'ied with pleasure.

RAINFALL IN 1932

At Ashlelei House

In the County of Shropshire

Rain Gauge: Diameter of Funnel 8 in.

Height of Top: Above Ground 1 ft. 3 in.

Above Sea Level 270 ft.

Month.	Total Depth.	Greatest fall in 24 Hours.		Number of Days on which ·01 or more fell
	Inches.	Depth.	Date.	
Jan.	2·23	·40	10	16
Feb.	·07	·08	10	3
March	1·95	·37	27	11
April	3·33	·47	26	23
May	5·05	·87	20	23
June	·74	·46	30	7
July	4·63	1·38	11	15
Aug.	2·62	1·[illegible]	20	10
Sept.	2·02	·57	22	17
Oct.	3·66	·75	7	24
Nov.	1·75	·35	4	16
Dec.	·84	·22	31	15
Total	28·89	—		183

Signed F. L. Neale

Please write any remarks on the other side.

S. 4,000 11/93.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

dop

M. [illegible]. 7
JAN1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

2294

To be filled and returned
to Dr. H. R. MILL, *Director*,
British Rainfall Organization,
62 Camden Square, London, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

RAINFALL IN 1933

At Ackleton House

In the County of Shropshire

Rain Gauge Diameter of Funnel 8 in.

Height of Top Above Ground 1 ft. 3 in.

Above Sea Level 270 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	1·75	·38	15	17
FEB.	3·53	·84	26	15
MAR.	2·36	·38	16	16
APR.	·85	·28	28	9
MAY	1·35	·20	26	15
JUNE	2·07	·69	24	13
JULY	2·28	·77	8	14
AUG.	1·09	·36	22	7
SEPT.	·50	·23	19	6
OCT.	4·52	2·16	13	10
NOV.	·82	·24	7	7
DEC.	·42	·11 ·11	25 30	8
Total	21·54			137

Signed F. J. Neale

W. 16,000. XI.13. [*Please fill in the other side also.*

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O. 12 JAN 1934

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2294

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Ackleton House

in the County of Shropshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 270 ft.

~~Totals~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	-	-	-	-	-	·11	·13	·03	·21	·05	·34		1
2	·01	-	·04	-	-	-	-	·05	·11	-	·09	·04		2
3	·07	·02	-	-	-	-	-	·02	-	·05	-	·15		3
4	·08	-	·03	·02	·15	-	-	-	·11	·13	·01	·15		4
5	·01	-	·05	·05	·10	-	-	·55	-	-	·13	·03		5
6	-	-	·06	-	·30	-	-	·01	-	·11	-	·38		6
7	·03	·01	-	-	·01	·13	-	·04	-	·09	·04	·18		7
8	-	-	·18	-	·02	-	-	·01	·04	·01	·28	·09		8
9	·01	-	-	·01	-	-	-	·11	-	-	·52	·09		9
10	·04	-	·10	·27	-	-	-	·22	-	·01	·06	·01		10
11	·51	-	·14	·24	-	-	-	·05	-	-	·01	·12		11
12	-	-	·10	·04	-	-	·31	·10	-	-	-	·01		12
13	·35	-	·01	·05	·07	-	·40	-	-	·02	-	·07		13
14	·08	-	·28	-	-	-	-	-	·02	·15	·32	·09		14
15	·05	-	·07	-	·09	-	·01	-		·22	·32	·15		15
16	·16	-	·14	-	·01	-	-	-	-	-	·08	-		16
17	·05	-	·15	·03	·01	-	·21	·08	·11	·03	·01	·26		17
18	·26	-	-	·20	-	-	-	-	-	-	-	·07		18
19	-	-	·17	·02	-	·09	-	·01	·03	·05	-	·15		19
20	·01	-	·15	·06	-	-	-	-	·05	·01	·01	·01		20
21	-	-	·03	-	-	·19	·02	-	·02	·07	-	-		21
22	-	-	·03	·07	-	-	-	·16	·14	·03	-	·17		22
23	·06	-	·06	·31	·03	-	·01	-	-	-	·04	·03		23
24	·29	·21	·04	·03	-	·40	·05	-	·19	·01	·01	·01		24
25	-	·02	-	·05	·06	·01	-	-	-	·26	-	·30		25
26	-	-	·17	·48	-	·38	-	-	·05	·02	·01	·05		26
27	-	-	-	·17	-	-	-	-	·01	·04	·04	·16		27
28	-	-	-	·34	-	·01	-	·11	·04	-	·01	·41		28
29	-		-	-	-	·16	·25	·04	·35	·04	-	·02		29
30	·03	×	-	-	-	-	-	·22	·01	·03	-	·28		30
31	·01	×	-	×		×	-	·13	×	·20	×	·13		31
TOTAL	2·18	·26	2·00	2·44	·95	1·37	1·37	1·94	1·31	1·79	2·07	3·95	Year's Total 21.63	
*Days with ·01 in. or more.	20	4	20	18	11	8	29	18	16	22	19	29	194	
*Days with .04 in. or more.	13	1	16	13	7	6	~~8~~ 6	14	10	13	12	22	~~48~~ 133	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) T. J. Neale

P.T.O.

2294

FORM 1090.

B Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Ackleton Grange
In the County of Shropshire
Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 1 *ft* 3 *in.*
Height of Ground above Sea Level 270 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·98	·23	12	13	6
FEB.	1·76	·52	5	12	7
MAR.	·81	·28	5	9	5
APRIL	3·26	·45	15	21	18
MAY	1·24	·55	19	8	5
JUNE	3·06	·59	25	21	16
JULY					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					
Total					

Carried to another form & change of address

Signature S. J. Neale

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— S. J. Neale, Ackleton Grange nr Wolverhampton

Hour of observation by the clock—in Winter 9·0 a.m. in Summer 9·0 a.m.

Nearest Railway Station Albrighton Distance 5½ Direction from gauge N

Nearest Parish Church at Worfield Distance 3 Direction from gauge S.S.W.

Nature of objects nearest to gauge
Height of objects
Distances ..
Directions from gauge ..

Away from everything

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

moved to Stourport (Astley Town House)

M.O.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

File No. A 200 648/40

Section **A** for the entry of D
AIR MINISTRY

tion No. 2294/3
ORGANIZATION

FORM 1090

REGIST

—

2294/3

KINGSLOW HALL GARDENS

1940

780404

now.

648/40

Kept at KINGSLOW HALL
in the County of SALOP
Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea L

THE MORNING MEASUREM … **DAY**

An observer who does not conform to … *lowing*
year in the space on the right of this
Pleas

Jan. 1, following

Date	Jan.	Feb.	Mar.	Ap								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	-	·02	-	-	-	-	-	·50	-		1
2	-	·02	-	·27	-	-	·07	-	-	-	·55	·15		2
3	-	·07	-	·07	-	-	-	-	-	·24	·74	·10		3
4	-	·07	-	·25	-	-	·06	-	-	·06	·13	·04		4
5	-	·01	-	-	·05	-	·05	-	·02	·03	·41	·08		5
6	(·10)	·24	-	-	-	-	·02	-	-	·35	·15	-		6
7	-	·20	-	·03	·04	-	·15	-	·03	·02	-	-		7
8	-	-	-	·01	-	-	-	-	-	·22	·02	·21		8
9	-	-	·06	-	-	·02	·28	·06	·03	·03	·35	·25		9
10	-	-	·09	-	-	-	·54	-	-	·03	·09	·23		10
11	-	-	·08	·02	-	-	·04	-	-	-	·46	-		11
12	-	·03	·02	-	-	·03	·40	-	-	-	-	·17		12
13	-	-	·24	·05	-	-	-	·05	-	·01	-	~~[illegible]~~		13
14	-	-	·03	·13	·28	-	·05	·03	·19	·07	·02	·25		14
15	-	-	·02	·03	·68	·02	-	-	·06	·04	·10	·01		15
16	·03	(·27) ~~·07~~	·37	-	-	-	·07	-	·08	·82	·62	·02		16
17	-	-	·26	-	-	-	·08	·06	-	-	·47	-		17
18	-	·63	·16	·52	-	-	-	-	·09	·07	·01	·06		18
19	(·16) ~~·06~~	·24	·10	·26	-	-	·17	-	-	-	·09	·02		19
20	-	-	-	-	-	-	·24	-	-	·36	-	-		20
21	-	-	-	-	·30	·50	·02	·01	-	-	1·16	-		21
22	-	-	·02	·01	·38	·02	-	-	-	-	-	-		22
23	-	·05	·04	·35	·10	·02	-	-	-	-	-	-		23
24	-	-	-	-	-	-	·02	-	·06	·02	·02	-		24
25	-	-	-	·05	-	-	-	-	-	-	-	-		25
26	(1·00)	·09	·04	·07	·03	-	·30	-	-	-	·02	·02		26
27	~~[illegible]~~	·04	-	·05	·05	·02	·06	-	·01	~~·01~~	·13	-		27
28		·21	-	·22	·37	-	-	-	-	-	-	-		28
29	·26	-	·05	·36	·02	-	·01	·02	-	-	-	·05		29
30	·03	✗	-	·57	-	·05	-	-	-	·25	-	-		30
31	·11	✗	·07	✗	-	✗	-	-	✗	·98	✗	·03		31
TOTAL	2.69 ~~1.69~~	2.18 ~~1.98~~	1·65	3·32	2·32	·68	2·63	·23	·57	3·60	6·04	1·69	Year's Total ~~26.40~~	27.60
* Days with .01 in. or more.	~~8~~ 9	15	16	19	12	8	19	6	9	17	20	16	~~167~~	166
* Days with .04 in. or more.	~~4~~ 6	11	12	14	9	2	15	3	5	11	15	11	~~112~~	114

Put wet

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(Signed) Geo Taylor H. Gardener

[P.T.O.

le No. A 200648/40

Section **A** for the entry of Daily Observations — Station No. 22943

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at KINGSLOW HALL GARDENS

in the County of SALOP

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Le app. 300 ft.

Jan & Feb ·16 corr for snow.

200648/40

Snow corr: [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	-	·02	-	-	-	-	-	·50	-		1
2	-	·02	-	·27	-	-	·07	-	-	-	·55	·15		2
3	-	·07	-	·07	-	-	-	-	-	·24	·74	·10		3
4	-	·07	-	·25	-	-	·06	-	-	·06	·13	·04		4
5	-	·01	-	-	·05	-	·05	-	·02	·03	·41	·08		5
6	(·10)	·24	-	-	-	-	·02	-	-	·35	·15	-		6
7	-	·20	-	·03	·04	-	·15	-	·03	·02	-	-		7
8	-	-	-	·01	-	-	-	-	-	·22	·02	·21		8
9	-	-	·06	-	-	·02	·28	·06	·03	·03	·35	·25		9
10	-	-	·09	-	-	-	·54	-	-	·03	·09	·23		10
11	-	-	·08	·02	-	-	·04	-	-	-	·46	-		11
12	-	·03	·02	-	-	·03	·40	-	-	-	-	·17		12
13	-	-	·24	·05	-	-	-	·05	-	·01	-	[illegible]		13
14	-	-	·03	·13	·28	-	·05	·03	·19	·07	·02	·25		14
15	-	-	·02	·03	·68	·02	-	-	·06	·04	·10	·01		15
16	·03	(·27) ~~·07~~	·37	-	-	-	·07	-	·08	·82	·62	·02		16
17	-	-	·26	-	-	-	·08	·06	-	-	·47	-		17
18	-	·63	·16	·52	-	-	-	-	·09	·07	·01	·06		18
19	(·16) ~~·06~~	·24	·10	·26	-	-	·17	-	-	-	·09	·02		19
20	-	-	-	-	-	-	·24	-	-	·36	-	-		20
21	-	-	-	-	·30	·50	·02	·01	-	-	1·16	-		21
22	-	-	·02	·01	·38	·02	-	-	-	-	-	-		22
23	-	·05	·04	·35	·10	·02	-	-	-	-	-	-		23
24	-	-	-	-	-	-	·02	-	·06	·02	·02	-		24
25	✓	-	-	·05	-	-	-	-	-	-	-	-		25
26	(2·00) ✓	·09	·04	·07	·03	-	·30	-	-	-	·02	·02		26
27	4 ~~·20~~	·04	-	·05	·05	·02	·06	-	·01	~~·01~~	·13	-		27
28	-	·21	-	·22	·37	-	-	-	-	-	-	-		28
29	·26	-	·05	·36	·02	-	·01	·02	-	-	-	·05		29
30	·03	✕	-	·57	-	·05	-	-	-	·25	-	-		30
31	·11	✕	·07	✕	-	✕	-	-	✕	·98	✕	·03		31
TOTAL	2·69 ~~1·69~~	2.18 ~~1·98~~	1·65	3·32	2·32	·68	2·63	·23	·57	3·60	6·04	1·69	Year's Total ~~26·40~~	27·60
* Days with .01 in. or more.	~~X6~~ 9	15	16	19	12	8	19	6	9	17	20	16	~~162~~	166
* Days with .04 in. or more.	~~X~~ 6	11	12	14	9	2	15	3	5	11	15	11	~~112~~	114

Put wt

N

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Geo Taylor H. Gardener

[P.T.O.

SHIFNAL (RYTON R

FORM 1090. **B**

2204/7

2294/7

SHIFNAL RYTON RECTORY

1938-40

780404

** The following register of m … &c., is NOT required if d … values are given on the o … on and also the space for … his register should be sent :—

RAINFALL IN 1

At ....Ryton.................. Ryton .... Salop..........

In the County of ....Shrop

……o.......in Summer......................

Rain Gauge
- Diameter of Funnel........
- *Height of Top above Ground*....
- *Height of Ground above Sea Lev*

…nce...3¾ m.....Direction from gauge....N.....

…ance...⅓ m.....Direction from gauge.....W..

Month	Total Depth	Greatest Fa in 24 hour		or more	or more
	Inches	Inches	Date	*	*
JAN.	3·21				
FEB.	·64				
MAR.	·36				
APRIL	·08				
MAY	1·16				
JUNE	1·68				
JULY	2·47				
AUG.	4·33				
SEPT.	1·36				
OCT.	2·74				
NOV.	3·32				
DEC.	2·31				
TOTAL	23·~~70~~ 66 ✓				

Print

Directions from gauge ...	E r W	

If gauge has been moved during the year state—

Date of move.........—.............. Distance.....—...... Direction.........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

f898908/29

M.
-5 JAN. 1939

Signature Rev. C. F. Ford..........

Print
GB
17/3/39

N.

* See Instruction 3 (*f*) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91 S.O. Code No. 40-9999

REV. C. F. FORD.

SHIFNAL (RYTON R

2204/7

FORM 1090.

B Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193....

At ....Ryton....

In the County of ....Shropshire....

Rain Gauge
- Diameter of Funnel ....5.... in.
- *Height of Top above Ground* ....1.... *ft.* ....1.... *in.*
- *Height of Ground above Sea Level* ....270.... *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·21				
FEB.	·64				
MAR.	·36				
APRIL	·08				
MAY	1·16				
JUNE	1·68				
JULY	2·47				
AUG.	4·33				
SEPT.	1·36				
OCT.	2·74				
NOV.	3·32				
DEC.	2·31				
Print TOTAL	23·~~70~~ 66 ✓				

Signature ....Rev. C. F. Ford....

Print
GB
17/3/39

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Rev. C. F. Ford
Ryton Rectory, Shifnal, Salop

Hour of observation by the clock—in Winter ....9.30.... in Summer ....

Nearest Railway Station ....Albrighton.... Distance ....3¾ m.... Direction from gauge ....N....

Nearest Parish Church at ....Ryton.... Distance ....⅓ m.... Direction from gauge ....W....

Nature of objects nearest to gauge	Hedges			
Height of objects	10 ft			
Distances ...	10 yards			
Directions from gauge ...	E & W			

If gauge has been moved during the year state—

Date of move ....—.... Distance ....—.... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

f 898908/29

M.
-5 JAN. 1939

N.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

REV. C. F. FORD.

File No 898908/29.

2294/7

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193....

At ......Ryton......

In the County of ....Shropshire......

Rain Gauge { Diameter of Funnel.........5...........in.

Height of Top above Ground...1....*ft*....1.......*in.*

Height of Ground above Sea Level....270....*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·38				
FEB.	·54				
MAR.	1·71				
APRIL	1·62				
MAY	1·36				
JUNE	1·87				
JULY	6·15				
AUG.	1·88				
SEPT.	·21				
OCT.	3·40				
NOV.	4·77				
DEC.	1·68				
TOTAL	30·57	✓			

Signature ......C. F. Ford.........

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.........9.30.....in Summer.....—.......

Nearest Railway Station.....Albrighton.... Distance...3 3/4 m....Direction from gauge.......N..

Nearest Parish Church at.....Ryton............ Distance..1/3 m......Direction from gauge.....W.

Nature of objects nearest to gauge	Hedges			
Height of objects	10 ft			
Distances ...	10 yds			
Directions from gauge ...	E & W.			

If gauge has been moved during the year state—

Date of move.............................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
-8 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked* ·005; *this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this* ·005 *mark or between this* ·005 *and the* ·01 *mark are to be entered as* ·01 *even though they may be nearer to the* ·005 *mark than the* ·01 *mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

File No 898908/29.

2294/7

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~3~~40

At ......Rytn......

In the County of ......Shropshire......

Rain Gauge:
- Diameter of Funnel......5......in.
- *Height of Top above Ground*......1......*ft*......1......*in.*
- *Height of Ground above Sea Level*......270......*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	(3·10)				
FEB.	2·18				
MAR.	1·54				
APRIL	3·31				
MAY	2·32				
JUNE	·88				
JULY	2·37				
AUG.	·20				
SEPT.	·74				
OCT.	3·76				
NOV.	6·44				
DEC.	1·46				
Stet TOTAL	~~27·00~~ ~~28·30~~ ~~30·10~~				

28·30

Signature ......C. F. Fox......

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter......9·30......in Summer......-......

Nearest Railway Station......Albrighton...... Distance......3¾ m...... Direction from gauge......N......

Nearest Parish Church at......Rytn...... Distance......⅓ m...... Direction from gauge......W......

Nature of objects nearest to gauge	hedges			
Height of objects	10 ft			
Distances ...	10 yds			
Directions from gauge ...	E & W			

If gauge has been moved during the year state—

Date of move...... Distance...... Direction......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan ests from nearby stns.

M. O. 3
13 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

2295

Section **A** for
Al

FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

31 .

Kept at Hatton

in the County of

Diameter of Funnel

Height of top of Gau

,, Ground

Mav. corr. by observer

THE MORN … **DAY.**

An observer who does … *the following*
year in the space on

Jan. 1, following

2295 — 435528

SHIFNAL - HATTON GRANGE

1931 - 1940

780404

Date	Jan.	F								ct.	Nov.	Dec.	Date
	in.	in.								in.	in.	in.	
1			02	05		26			27	03			1
2		08		82	14	13			25	05	02	02	2
3	02			02	01		05		33		57	10	3
4		01		17			30	21	40	01	14		4
5				20	01	166		03	05			18	5
6		17	01	05		32		05	04	29	17	02	6
7				01		08	26	51			18	01	7
8	09	04	02	22		01	10	104			13		8
9	09	24		15		12	02	05		04	36		9
10		01			02	01		19	15		35	02	10
11	09	22				01		01	15		03	03	11
12	04	13		01			45	05	47	04	01		12
13			03		01		11	18					13
14	01	11			05	45	32	115	05		41	—	14
15	05	18		17	06		29	34	01		01	10	15
16	07	15		19	48	73	03	17	14		05		16
17	12	02		20	104		01	01	02				17
18	13	01		27		23	12	17	01		32		18
19	04	14		01		73	17	10			01		19
20		02	18					48			04	03	20
21	23			01	61			01			17		21
22	08			01	17	01		17			01		22
23	12			27	31	10	09	01		03	08	23	23
24				25	31		09				01	01	24
25	04			25			31				01		25
26	03	05		86			09				45		26
27	12	48		14	64		01			05	15		27
28	~~13~~	05	02	07	30		c			06	01	15	28
29	05	×		68	13		32			38		03	29
30		×		04	01		05		04			03	30
31	17	×		×	·06	×			×		×	01	31 ✓
TOTAL	17~~3~~2	211	28	452	436	485	319	493	238	98	369	97	YEAR'S TOTAL 3398 ~~3419~~
*Days with ·01 in. or more.	20	18	6	25	18	15	20	20	15	10	24	15	296
*Days with ·04 in. or more.	17	13	1	19	13	11	16	15	12	7	15	5	144

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) G Ribbrow

[P.T.O.

2295

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hatton Grange, Shifnal

in the County of Salop

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Circ E sent 1.2.'32

100

Mar. corr. by observer

Corr forwarded

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			02	05		26			27	03			1
2		08		82	14	13			25	05	02	02	2
3	02			02	01		05		33		57	10	3
4		01		17			30	21	40	01	14		4
5				20	01	166		03	05			18	5
6		17	01	05		32		05	04	29	17	02	6
7				01		08	26	51			18	01	7
8	09	04	02	22		01	10	104			13		8
9	09	24		15		12	02	05		04	36		9
10		01			02	01		19	15		35	02	10
11	09	22				01		01	15		03	03	11
12	04	13		01			45	05	47	04	01		12
13			03		01		11	18					13
14	01	11			05	48	32	115	05		41		14
15	05	18		17	06		29	34	01		01	10	15
16	07	15		19	48	73	03	17	14		05		16
17	12	02		20	104		01	01	02				17
18	13	01		27		23	12	17	01		32		18
19	04	14		01		73	17	10			01		19
20		02	18					48			04	03	20
21	23			01	61			01			17		21
22	08			01	17	01		17			01		22
23	12			27	31	10	09	01		03	08	23	23
24				25	31		09				01	01	24
25	04			25			31				01		25
26	03	05		86			09				45		26
27	12	48		14	64		01			05	15		27
28	13	05	02	07	30		c			06	01	15	28
29	05	×		68	13		32			38		03	29
30		×		04	01		05		04			03	30
31	17	×		×	·06	×			×		×	01	31
TOTAL	173 2	211	28	452	436	485	319	493	238	98	369	97	YEAR'S TOTAL 3398 ~~3419~~
*Days with ·01 in. or more.	20	18	6	25	18	15	20	20	15	10	24	15	296
*Days with ·04 in. or more.	17	13	1	19	13	11	16	15	12	7	15	5	144

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) G Riseborow [P.T.O.

✓ J ✓ CK

2295

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~2~~32

Kept at Hatton Grange Shifnal
in the County of Salop
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
„ Ground „ Sea Level .... ft.

~~Station~~ Number 2295

100

2295

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	02		03	43	05	10	34	05	15	04		1
2	06			12	33			02	05	07	02	13	2
3				18	04		24	02	01	05		04	3
4	08	01		35							29	01	4
5	27		04	27	19				16			03	5
6	35		01	01			02		24	02			6
7	04		18	27	03				05	56			7
8		01		19					09	46			8
9	20	04		08	01				01		01		9
10	40	02		04	04				13	30			10
11	11			10	14	01	74		04	11		04	11
12	15			12	09		03		12	28	03	02	12
13	08	02		02	02		122	10	01	08	03	09	13
14	02			03			13	14		07	08	01	14
15	02			04	41		03			02		04	15
16	22			02	04		06						16
17	01			03			30		03	05			17
18					05		02		01	06	14		18
19				02	01		09			20	01		19
20				05	73			157		32	11		20
21		01	20	35	42		01	08		27	06	05	21
22			25	04	12		23		48	12	16	01	22
23		03	01	04	71		05		13	07	09	02	23
24	10				02	02 ~~02~~	09		10	06	40		24
25		03				~~09~~	02			19	13		25
26		01	09	46	10	a	01		02	04	04		26
27			33	13	43		02		14		07	02	27
28			30	09	39	09	19						28
29	01		14	18	05	06	06	08	13	51	03	17	29
30		×	16	20	02	40	05	11	01	37	25	08	30
31		×		×	01	×	27		×	02	×	19	31
TOTAL	215	20	171	346	483	72	398	246	201	445	199	95	YEAR'S TOTAL 28-91
Days with ·01 in. or more.	17	10	11	27	25	7	23	9	21	25	19	16	210
Days with ·04 in. or more.	12	1	9	20	18	5	15	7	14	22	13	9	145

40-9999

(Signed) G. Reselrowe [P.T.O.

2295

Section **A** for the entry of Daily Observations. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Shifnal, Hatton Grange

in the County of Shropshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·02		·03	·43	·05	·10	·34	·05	·15	·04		1
2	·06			·12	·33			·02	·05	07	·02	·13	2
3				·18	·04		·24	·02	·01	·05		·04	3
4	·08	·01		·35							·29	·01	4
5	·27		·04	·27	·19				·16			·03	5
6	·35		·01	·01			·02		·24	·02			6
7	·04		·18	·27	03				·05	·56			7
8		·01		·19					·09	·46			8
9	·20	·04		·08	·01				·01		·01		9
10	·40	·02		·04	·04				·13	·30			10
11	·11			·10	·14	·01	·74		·04	·11		·04	11
12	·15			·12	·09		·03		·12	·28	03	·02	12
13	·08	·02		·02	·02		1·22	·10	·01	·08	·03	·09	13
14	·02			·03			·13	·14		·07	08	·01	14
15	·02			·04	·41		·03			·02		·04	15
16	·22			·02	·04		·06						16
17	·01			·03			·30		·03	·05			17
18					·05		·02		·01	·06	·14		18
19				·02	·01		·09			·20	·01		19
20				·05	·73			1·57		·32	·11		20
21		·01	·20	·35	·42		·01	·08		·27	·06	·05	21
22			·25	·04	·12		·23		·48	·12	·16	·01	22
23		·03	·01	·04	·71		·05		·13	·07	·09	·02	23
24	·10				·02	·02	·09		·10	·06	·40		24
25		·03				·09	·02			·19	·13		25
26		·01	·09	·46	·10		·01		·02	·04	·04		26
27			·33	·13	·43		·02		·14		·07	·02	27
28			·30	·09	·39	·09	·19			·51			28
29	·01		·14	·18	·05	·06	·06	08	·13	·37	·03	·17	29
30		X	·16	·20	·02	·40	·05	·11	·01	·02	·25	·08	30
31		X		X	·01	X	·27		X		X	·19	31
TOTAL	2·15	·20	1·71	3·46	4·83	·72	3·98	2·46	2·01	4·45	1·99	·95	YEAR'S TOTAL 28·91
*Days with ·01 in. or more.	17	10	11	27	25	7	23	9	21	25	19	16	210
*Days with ·04 in. or more.	12	1	9	20	18	5	15	7	14	22	13	9	145

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. Risebrow [P.T.O.

2295

COPY FOR OFFICIAL USE. ✓179

Section **A** for the entry of Daily Observations. Station No. ~~2295~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

File No. 879023/28

Kept at Hatton Grange Shifnal

in the County of Salop

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

100

24

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	28	13	04		14					01	03			1
2	19		14		23	13					01			2
3	04	19	10		12									3
4	12	01			15			01						4
5	15	03	20		09						02			5
6		43	02		21					04	02			6
7	01	28	03		02		07			14		04		7
8	04	01	22		06		109	01		02				8
9				04	09	03	28			70	04			9
10	08	39			04		24	03		219	32			10
11	02				09	01	05	02		08				11
12				01	01		11			02		08		12
13					10		39			08	30			13
14	04				01		05	15		18	10			14
15	35		03			02	01	11		04	10	03		15
16	10	01	35		04	13	02		01	08		01		16
17	07		33		05	14	01	02	01		02			17
18	03	01	06			15			10		02			18
19		01	29			19	50		12		13			19
20		03	02		01	47		16			01			20
21						39		16	02		01			21
22						52		32		27				22
23				14		05			01	10	02			23
24		60		10	04	53			08	04	02			24
25		40		11	01	06			11			12		25
26		62		14	19	01			05	16		02		26
27		07			15				13	15		02		27
28		08		27			02		01	07		04		28
29	02	×	03	23			17					04		29
30	13	×	11				03			09		12		30
31	10	×	27	×		×		08	×	25	×			31
TOTAL	177	330	224	104	185	283	304	107	65	471	117	52	Year's Total 24.19 ✓	
*Days with ·01 in. or more.	17	17	16	8	21	15	16	11	11	20	16	10	177	
*Days with ·04 in. or more.	13	10	11	7	16	11	10	6	6	17	6	6	119	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. Riselerowe

[P.T.O.

covd. by cards 82 Exe.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hatton Grange, Shifnal

in the County of Salop

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

TL

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	06							11	15	44	13	35		1
2	04		03					05	13		12	12		2
3	08	03						03	01	20	02	02		3
4	09	01	04	08	03				15	18	02	31		4
5	01		09	03	20			62		01	19	06		5
6	01		05	01	28	01		02		10		45		6
7	08		01		04	10		05		13		17		7
8					13			01	05		33	09		8
9	02		17	03				03	01		46	05		9
10	04		18	26				16		02	14	02		10
11	58		25	21			02	09			03	13		11
12	01		07	04			16	34						12
13	30		01	07			89	01		01		10		13
14	09		20	01					01	22	35	08		14
15	04		12		10		02	01		33	29	16		15
16	17		09		05			01		03	10	01		16
17	05		19		04		18	07	12	02	01	22		17
18	21		01	17	03	01	04	02	01			09		18
19			09	12	01	08			04	07		13		19
20			06	08	01	01		03	04	02				20
21	03		09			30			03	03				21
22	01		03	06				19	18	05		22		22
23			05	24	03	27	06	04		01	05	08		23
24		23	06	03		09	03		23	01	03	04		24
25	03	04		09	04	20			03	15		28		25
26	25		11	60		11			07	01		03		26
27	02			26		15	01			14	03	15		27
28				28		10		09			02	40		28
29		×					22	10	47	03	01	04		29
30	06	×					03	14	02	05		24		30
31	04	×		×		×		15	×	25	×	18		31
TOTAL	232	31	200	268	99	143	166	237	175	251	233	422	2456	
* Days with .01 in. or more.	24	4	22	19	13	12	11	23	18	24	18	28	216	
* Days with .04 in. or more.	16	2	17	14	8	9	6	14	11	13	10	24	144	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) G. Riseborough

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Shifnal, Hatton Grange
in the County of Shropshire

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

100
400
24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06							·11	·15	44	·13	·35		1
2	·04		·03					·05	·13		·12	·12		2
3	·08	·03						·03	·01	·20	·02	·02		3
4	09	·01	·04	·08	·03				·15	·18	·02	·31		4
5	·01		·09	·03	·20			62		·01	·19	·06		5
6	·01		·05	·01	·28	·01		·02		·10		·45		6
7	·08		·01		·04	·10		·05		·13		·17		7
8					·13			·01	·05		·33	·09		8
9	·02		·17	03				·03	·01		·46	·05		9
10	·04		·18	·26				·16		·02	·14	·02		10
11	·58		25	·21			·02	·09			·03	·13		11
12	·01		·07	·04			·16	·34						12
13	·30		·01	·07			·89	·01		·01		·10		13
14	·09		·20	·01					·01	·22	35	·08		14
15	·04		12		·10		02	01		·33	·29	·16		15
16	·17		09		·05			·01		·03	·10	·01		16
17	05		·19		·04		·18	·07	·12	·02	01	·22		17
18	21		·01	17	03	·01	·04	·02	·01			·09		18
19			09	·12	·01	·08			·04	·07		·13		19
20			06	·08	·01	·01		·03	·04	·02				20
21	·03		·09			·30			·03	·03				21
22	·01		03	·06				·19	·18	·05		·22		22
23			·05	·24	·03	·27	·06	·04		·01	·05	·08		23
24		23	·06	03		·09	03		·23	·01	·03	·04		24
25	03	·04		·09	·04	·20			·03	·15		·28		25
26	·25		11	·60		·11			·07	·01		·03		26
27	·02			·26		·15	·01			·14	·03	·15		27
28				·28		·10		·09			·02	·40		28
29		×					·22	10	·47	·03	·01	·04		29
30	·06	×					·03	·14	·02	·05		·24		30
31	·04	×		×		×		·15	×	·25	×	18		31
TOTAL	2·32	·31	2·00	7 2·68	·99	1·43	1·66	2·37	1·75	2·51	2·33	4·22	Year's Total 24·56	
*Days with ·01 in. or more.	24	4	22	19	13	12	11	23	18	24	18	28	216	
*Days with ·04 in. or more.	16	2	17	14	8	9	6	14	11	13	10	24	144	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. Ruscbrow

[P.T.O.

COPY FOR OFFICIAL ~~USE.~~ ~~4~~ ✓ ✓ ½

Section **A** for the entry of Daily Observations.

Station No. 2295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hatton Grange

in the County of Shifnal Salop

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	05	02	07		03	01	12		08	18	07	01		1
2	01	02	02			20	01		03	16	12	06		2
3	02	21	16	03		04			05	05	19	28		3
4			02	18		09				29	01	20		4
5		47	22	06			07		09	02	09	02		5
6			01	19		13					02	01		6
7				22		20				05	17	16		7
8				20		02				13	11	23		8
9	05			24		21				32	22	01		9
10				04		04					15	01		10
11	01	01				03		05			15	02		11
12	30	03				09		12	01		03	02		12
13	16	03		03	19				04		03	11		13
14	03	01	03	02	02	02			15		98	12		14
15		03		47	07	02			13		15			15
16	01	10	13	13		10			43	27	49	10		16
17				16		12	16		03		75			17
18				34	02	03	07		19	05	07			18
19				19	32	37	05		02	36	17			19
20	02	17		25	01	09	08				62			20
21		35		02		01			50		05			21
22		25	02						05					22
23	02	02	09	24	02			14	10	50		02		23
24	10	32	04	01					112	09				24
25	15	30		07		57			23	02		12		25
26		06						63	07	02	05	03		26
27		14						01	20	03	20	31		27
28	03	01			25			14	05	04	06	19		28
29		×	06		01				05		~~52~~ 05	04		29
30	03	×		08		~~67~~ 06		10		15	46	09		30
31		×		×		×			×	17	×	11	26·97	31
TOTAL	99	255	87	317	94	~~3.04~~ ~~[illegible]~~	56	119	362	290	~~45~~ 546	227	Year's Total ~~26.97~~ ~~28·08~~	
* Days with .01 in. or more.	15 ✓	19 ✓	12 ✓	21 ✓	10 ✓	21 ✓	7 ✓	7 ✓	21 ✓	19 ✓	26 ✓	23 ✓	201 ✓	
* Days with .04 in. or more.	6 ✓	10 ✓	7 ✓	16 ✓	4 ✓	14 ✓	6 ✓	6 ✓	17 ✓	15 ✓	22 ✓	14 ✓	137 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Ruscheroux [P.T.O.

M

Diary used for Spread 9·35
Good copy

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Shifnal, Hatton Grange
in the County of Shropshire

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·02	·07		·03	·01	·12		·08	·18	·07	·01		1
2	·01	·02	·02			·20	·01		·03	·16	·12	·06		2
3	·02	·21	16	·03		·04			·05	·05	·19	·28		3
4			·02	·18		·09				·29	·01	·20		4
5		·47	·22	·06			·07			·02	09	·02		5
6			·01	·19		·13			·09		·02	·01		6
7				·22		·20				·05	·17	16		7
8				·20		·02				·13	·11	·23		8
9	·05			·24		·21				·32	22	·01		9
10				·04		·04					·15	·01		10
11	·01	·01				·03		·05			·15	02		11
12	·30	·03				·09		·12	·01		·03	·02		12
13	·16	·03		·03	·19				·04		·03	·11		13
14	·03	·01	·03	·02	·02	·02			·15		·98	·12		14
15		·03		·47	·07	·02			·13		·15			15
16	·01	·10	·13	·13		·10			·43	·27	·49	·10		16
17				·1~~4~~6		·12	·16		·03		·75			17
18				·34	·02	·03	·07		·19	·05	·07			18
19				·19	·32	·37	·05		·02	·36	·17			19
20	·02	·17		·25	·01	·09	·08				·62			20
21		·35		·02		·01			·50		·05			21
22		·25	·02						·05					22
23	·02	·02	·09	·24	·02			·14	·10	·50		·02		23
24	·10	·32	·04	·01					1·12	·09				24
25	·15	·30		·07		·57				·02		·03		25
26		·06						·63	·23	·02	·05	·31		26
27		·14	·06					·01	·07	·03	·20	·19		27
28	·03	·01			·25			·14	·20	·04	·06	·04		28
29		X			·01				·05		·05	·09		29
30	·03	X		·08		·06		·10	·05	·15	·46	·11		30
31		X		X		X			X	·17	X	·12		31
TOTAL	·99	2·55	·87	3·17	·94	2·45	·56	1·19	3·62	2·90	5·46	2·27	Year's Total 26·97	
*Days with ·01 in. or more.	15	19	12	21	10	21	7	7	21	19	26	23	201	
*Days with ·04 in. or more.	6	10	7	16	4	14	6	6	17	15	22	14	137	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. Ruscrow

[P.T.O.

Query sent for Jan [illegible]
See file. Total adopted.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Shifnal, Hatton Grange
in the County of Shropshire

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·16	·07	·57		·20	·03	·31		–	·07	·09		1
2	·32	·04		·09		·23	·92	·02		–	·15	–		2
3	·03			·01		·07	·08	·02	·55	–	·02	–		3
4	·01	·01	·11			·28	·01	·03	·20	–	·22	·08		4
5	·25	·16					·02	·09	·19	–	·04	·14		5
6	·06		·02		·15	·08	·17	·14	·12	–	·06	·13		6
7			·03			·02	·28		·39	–	·20	·05		7
8	·10		·14				·12		·09	–	·39	·06		8
9	·35		·42			·03	1·90	·02	·10	–	·02	·01		9
10	·02		·01				·33		·07	–	·07	–		10
11			·01			·06	·20		·04	–	·54	–		11
12				·02	·09	·20	·67		·71	·04	·38	·18		12
13				·06	·01	·19	·01			·09	—	·36		13
14				·10		·09	·07	·09	·20	·05	·07	·19		14
15	·16	·02		·16	·70	·06	·04	·04	·03	–	·15	·07		15
16	·12	·10		·11		·01	·03			–	·34	–		16
17		·41		·01	·35		·11	·02		·09	·07	·19		17
18		·07			·01	·14	·35	·04		·28	—	·09		18
19	·25	·13	·02	·37	·02	·17		·05		·14	—	–		19
20	·05	·12	·01	·04		·03	·01	·03		·03	—	·01		20
21		–		·20		1·29	·02			–	—	–		21
22		·32	·03		·04	·06	·21		·02	–	—	·10		22
23		·06	·62	·06	·03		·23			·05	—	–		23
24	·23	·04	·01	·02	·05		·02		·37	·30	·03	·		24
25	·12		·01	·43			·02		·75	·03	—	·		25
26	·04	·07	·25	·01			·07		·02	·02	·07	·		26
27	·27		·10						·13	·14	—	·		27
28	·15	·17	·13	·02			·04			·05	·03	·04		28
29	·03	·23	·07			·15	·02			·05	·03	·14		29
30	·05	×			·23	·01	·24			·40	—	·01		30
31	·35	×	·09	×	·02	×	·02		×	·09	×	·40		31
TOTAL	3·06	2·11	2·15	2·28	1·70	3·37	6·24	·90	3·98	1·85	2·83 ~~2·85~~	2·34 ~~2·33~~	Year's Total. 32·81	
* Days with .01 in. or more.	21	16	19	17	12	20	29	13	17	16	20	19	219	
* Days with .04 in. or more.	17	14	10	11	7	15	18	7	14	13	13	16	155	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) G. Risebrow

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Shifnal, Hatton Grange

in the County of Shropshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·09	·05	·03		–	–	–	·02	·02	·03	·09		1
2	·02	·10	·04	·51		–	–	–	–	·01	·01	·82		2
3	–	·08	·01	·01	·41	·07	·04	–	–		·01	·03		3
4	·10	·09	–	·01	·04	·02	–	·04	·01		·02	·56		4
5	·10	–	·17	–		–	–	–	–					5
6	·09	·02	·01	·05	·14	–	·27	–	–		·01			6
7	–	·72	·03	·13		·11	–	–	–		·02	·01		7
8	·01	·20	–	·05	·04	·02	·09	–	–		·26			8
9	–	·03	–	·03	·17	–	·37	–	·16					9
10	·02	·06	·15	–		·03	·02	–	–			·15		10
11	–	·05	·40	–	·35	·11	·02	–	–		·02	·26		11
12	·07	·35	·11	–	·25	·16	–	✓·05	·28			·15		12
13	·08	·02	·02	·04	·02	·01	–	✓·02	·20			·04		13
14	–	·01	·23	·01		–	–	✓·18	·04			·19		14
15	·10	·05	–	·17		–	1·93	·23	·04		·03	·04		15
16	·01	·10	·52	·35	·01	–	–	·15	·33		·03			16
17	·08	·10	·15	·13	·01	·12	–	·01	·58					17
18	·84	·08	·05	·04		–	·03	–	1·13		·40	·02		18
19	·03	·09	·05	·08		·10	·07	–	·01	·04	·06			19
20	·19	·04	·08	·34	·23	–	–	–	·01	·02				20
21	·10	·20	–	·07	·03	–	·21	–	–	·02		·11		21
22	·05	·09	·17	·02	·07	·06	·18	–	–	·37	·32	·10		22
23	·15	·04	·01	–	·07	–	·21	–	–	·40	·19	·02		23
24	·33	·26	·07	–	·01	–	–	–	·07	·31	·02	·01		24
25	–	·36	–	–	·04	–	·01	–	·03	·25	·01	·05		25
26	·01	·17	·09	–	·78	–	–	–	–	·35		·04		26
27	–	·64	·02	·22		–	–	–	–			·01		27
28	·01	·40	–	–		–	–	–	–	·11		·05		28
29	·02	–	–	–		·06	–	–	–	·11	·09	·03		29
30	·21	✕	–	–		·01	–	·05	·01	·09	·03	·01		30
31	·26	✕	–	✕		✕	–	–	✕	·10	✕			31
TOTAL	2·97	4·44	2·43	2·29	2·67	·88	3·45	·73	2·92	2·20	1·56	2·79	Year's Total 29·33	
* Days with .01 in. or more.	24	27	21	19	17	13	13	8	15	14	18	22	211	
* Days with .04 in. or more.	16	23	15	13	12	8	9	6	9	10	6	14	141	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Give 7 read for Jan.
corrd. by Chief.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ~~ORGANIZATION~~

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Shifnal, Hatton Grange

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 262 ft.

400

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·01			·46	·01	·01	–	·12	·04	·22		1
2	–	–	–	12	·06	·14	–	–	–	·11	–	–		2
3	·03	–	–		·08	·05	–	–	·02	·38	–	·03		3
4	·06	–	·01			·02	·02	·22	·01	·02	·02	–		4
5	–	–	–			·02	–	·52	·03	·11	–	·15		5
6	·22	–	–				·63	·01	·12	·11	–	–		6
7	·05	–	–				·57	·30	·03	·09	–	·02		7
8	·32	–	·03				·40	·77	–	·24	–	·08		8
9	·0~~8~~7	·02	–		·01	·07	·08	·38	–	·01	–	·05		9
10	·04	·09	–			·10	·25	·28	–	–	–	·25		10
11	·64	·03	–			·02	·01	·01	·02	·02	·13	·17		11
12	·11	–	–		·05		·03	–	–	·21	·19	·12		12
13	·01	–	–				–	–	–	·02	·25	–		13
14	·26	–	–		·03		·30	–	·01	–	–	·21		14
15	·10	–	–		·08		·29	·03	–	–	·03	–		15
16	·32	–	–		·01		·01	·04	–	–	·05	·16		16
17	–	·01	–				·03	–	·09	·07	–	·11		17
18	·04	–	–		·09	·05	·01	·02	·17	·04	·23	–		18
19	·01	–	–				–	·19	·01	–	·03	–		19
20	·01	–	–				–	–	–	–	·36	–		20
21	·07	–	–				–	·01	·20	–	·06	–		21
22	–	–	–	·01		·08	–	–	·05	–	·34	·15		22
23	–	–	–				–	–	·08	–	·01	·04		23
24	–	–	·10		·11		·01	·32	·07	–	·01	–		24
25	·06	·06	·10		·03		·03	·20	·05	·32	1·05	–		25
26	·05	·11	·18		·02	·07	–	–	·03	·46	–	·10		26
27	·05	·01	·01		·18	·19	·15	·34	·03	–	·23	·06		27
28	·20	·04	–		·01	·09	·06	·05	·05	·02	·03	–		28
29	·49	✕	–		·43		·03	–	·04	·09	·06	·16		29
30	·05	✕	–			·09	·02	–	·28	–	·23	·13		30
31	·04	✕	–	✕	·13	✕	–	–	✕	·16	✕	·15		31
TOTAL	3·30 2	·37	·44	·13	1·32	1·45	2·94	3·70	1·39	2·60	3·35	2·36	Year's Total 23·35	✓
* Days with .01 in. or more.	24	8	7	2	15	14	20	18	20	19	19	19	185	✓
* Days with .04 in. or more.	20	4	3	1	9	11	9	12	11	14	13	17	124	✓

3·30/

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Riseleson [P.T.O.

94

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Shifnal Hatton Grange
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 262 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·44	—	—	·08	·02	-	-	·08	·05	·01	·01	-		1
2	·28	—	—	·03	-	-	·02	·29	28"		·01	-		2
3	·25	—	—	·23	-	-	-	·18	-		·06	·30		3
4	·09	—	·11	·21	·03	-	30	·03	·01	·19	·13	·21		4
5	—	—	—	·06	·27	-	·08	·04	-	·07	·31	·04		5
6	·52	—	—	-	·01	-	·42	—	-		·13	-		6
7	·06	·02	—	-	·21	-	·31	·04	-		·53	·47		7
8	—	·04	·51	-	—	-	·29	·24	-	·45	·16	·11		8
9	—	·03	·01	-	—	-	·07	·23	-	·47	—	·18		9
10	·48	—	·01	-	—	-	-	·11	·11	21	-	·03		10
11	·06	·03	·13	-	—	·41	-	·02	-	01	—	-		11
12	—	·05	—	-	—	·10	-	—	·01		—	-		12
13	—	—	·02	·07	·05	·03	·04	—	·02	·06	·01	-		13
14	·36	—	·01	·11	·22	·13	·05	—	-	·26	·09	-		14
15	·27	—	—	·06	·12	·23	·23	—	-		·13	-		15
16	·05	—	·07	-	27	·02	·02	—	-	·03	·14	-		16
17	·24	·02	—	·01	—	·07	·03	—	-	1·05	·08	-		17
18	·19	·07	·04	-	—	·18	·10	—	-	·04	·62	-		18
19	·19	—	—	-	—	-	1·07	-	-		·02	-		19
20	·16	—	—	-	—	·27	·05	·01	-		—	·01		20
21	·34	·09	·18	·03	03	-	·30	·08	·06		—	-		21
22	·20	·20	—	·02	—	·01	·12	—	·01	·04	·32	-		22
23	·13	·01	·01	·07	—	-	·07	—	-	21	·63	-		23
24	·03	·02	·05	·26	—	·02	·48	—	-	17	·02	-		24
25	·49	·06	—	·03	—	-	·19	—	-	03	·08	·01		25
26	·05	—	tr	·03	—	-	·01	—	-	01	·22	·19		26
27	—	·04	·17	·02	—	·03	·06	—	-	06	·03	·11		27
28	—	·07	·17	·01	—	·09	·20	—	-		·13	-		28
29	—	X	—	·12	—	-	·75	·27	-	13	·01	-		29
30	—	✕	—	·08	—	·10	·01	—	-		·07	-		30
31	—	✕	—	✕	—	✕	·03	·03	✕	·01	✕	-		31
TOTAL	4·88	·75	1·49	1·53	1·23	1·69	5·30	1·65	·55	3·51	3·94	1·66	Year's Total 28·18	
* Days with .01 in. or more.	21	14	14	19	10	14	26	14	8	20	24	11	195	
* Days with .04 in. or more.	20	8	9	11	6	9	20	10	4	14	17	8	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2295

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Shifnal, Hatton Grange

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 262 ft.

BRITISH RAINFALL ORGANIZATION.

180

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		-		·02	·01	-	-	-	-	-	·34	·02		1
2		·02		·23	-	-	·06	-	-	-	·52	·15		2
3		·04		·04	-	-	·01	-	-	·16	·36	·13		3
4		-		·20	-	-	·05	-	-	·10	·46	·02		4
5		-		-	·03	-	·11	-	·01	·06	·32	·10		5
6	·16	·32		-	-	-	·05	-	-	·50	·18	·02		6
7		·20		-	·03	-	·08	-	-	·02	-	·01		7
8	·03	-		·02	-	-	-	-	-	·22	·01	·13		8
9		-	·05	-	-	-	·16	·09	·04	·03	·36	·29		9
10		-	·09	-	-	·10	·57	·03	-	·02	·20	·13		10
11		-	·04	·03	-	-	·01	-	-	-	·39	·22		11
12		·12	-	-	-	·07	·45	·01	·07	·01	·03	-		12
13		·01	·23	·04	-	-	-	·01	·10	-	-	·01		13
14		-	-	·10	·11	-	·01	·06	·14	·07	·02	·23		14
15		-	·09	·03	·78	·04	-	-	·07	·02	·09	-		15
16		·51	·26	·07	-	-	·06	-	·14	·57	·54	-		16
17		-	·33	·01	·01	-	·03	-	·01	-	·57	-		17
18	·27	sn. ·18	·08	·50	-	-	-	·04	·03	·03	·05	·05		18
19		·36	·05	·27	-	-	·22	-	·12	·01	·09	-		19
20		-	-	·03	-	-	·08	·01	-	·31	·01	-		20
21		·02	-	-	·15	·22	·08	·02	-	-	1·07	-		21
22		-	-	·03	·44	·21	-	-	·02	·02	·01	-		22
23		·09	·03	·32	·07	·02	-	-	·01	-	-	-		23
24		-	-	·01	-	-	·06	-	-	-	-	·02		24
25		-	-	·01	·02	·03	-	-	-	-	-	-		25
26	·63	·07	·06	·01	·03	-	·21	-	-	-	·04	-		26
27	(·40)	·02	-	·12	-	-	·11	·03	-	-	·18	·01		27
28	(·50)	·28	-	·01	·40	-	-	-	-	-	-	-		28
29		-	·05	·36	·03	-	·02	-	-	-	-	·14		29
30		✕	-	·52	·02	-	-	-	-	·19	-	·01		30
31		✕	·08	✕	-	✕	-	-	✕	·97	✕	·01		31
TOTAL	1·99	2·24	1·44	2·98	2·13	·69	2·43	·30	·76	3·31	5·84	1·70	Year's Total 25·81	✓ ✓
* Days with .01 in. or more.	6	14	13	23	14	7	20	9	12	18	22	19	177	✓ ✓
* Days with .04 in. or more.	5	10	12	12	6	5	15	3	7	10	17	10	112	✓ ✓

† Spare column, no entries required.

(Signed) C. Smith

* See Instruction 3 (f) on other side.

[P.T.O.

Section **A** for the entry   Station No. 2295/5

AIR MINIST   H RAINFALL ORGANIZATION.

FORM 1090.

REGI   N 1933.

Shropshire /4

Kept at MADELEY C

in the County of SHR

Diameter of Funnel of Gauge E

Height of top of Gauge above Grou

,, Ground ,, Sea

2295/5

MADELEY C.E. SCHOOL

1933-40

780404

THE MORNING MEAS   **IOUS DAY.**

An observer who does not conform t   *y 1st of the following year in the space on the right of t*

rleaf.

Jan. 1, following
·10

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	–	·06	–	–	–	–	–	–	–	–	–		1
2	·34	–	·26	–	·11	·12	–	–	–	–	·03	–		2
3	·05	·21	·11	–	·14	–	–	–	–	–	–	–		3
4	·16	–	·04	–	·22	–	–	·12	–	–	–	–		4
5	·15	·02	·15	–	·18	–	–	–	–	–	tr:	–		5
6	·01	tr:	tr:	–	·23	–	–	–	–	·05	·05	–		6
7	tr:	–	–	–	–	–	·01	–	–	·24	–	–		7
8	·07	–	·23	·05	·06	–	·52	–	–	tr:	–	–		8
9	–	–	–	–	tr:	·02	·15	–	–	·63	·05	–		9
10	–	–	–	–	–	·05	·04	–	–	2·25	·29	–		10
11	·11	–	–	–	–	–	·04	·04	–	·12	–	–		11
12	–	–	–	–	–	–	·13	·01	–	·03	–	–		12
13	tr:	–	–	–	–	–	·67	–	–	·05	·25	–		13
14	·05	–	–	–	–	–	·10	–	–	·15	·13	–		14
15	·40	–	–	–	–	·15	·29	·35	–	·03	·12	·08		15
16	·07	·03	·43	–	·05	·13	–	–	–	·10	–	·01		16
17	·10	–	·61	–	–	·18	·02	–	·03	–	·02	–		17
18	·06	–	·04	–	–	·16	–	·02	–	–	–	–		18
19	–	tr:	·28	–	–	·18	·12	–	·07	–	–	–		19
20	–	·04	–	–	–	·84	–	·15	·18	–	}·24	–		20
21	–	·08	tr:	–	–	·16	–	·25	–	–	–	–		21
22	–	–	–	–	–	·05	–	·30	–	·27	–	–		22
23	–	–	–	·15	–	·11	–	–	–	·12	–	–		23
24	–	·49	–	·14	–	·80	–	–	·12	·06	·02	–		24
25	–	·56	–	·08	–	·13	–	–	·06	–	–	·15		25
26	–	1·05	–	·15	–	tr:	–	–	·08	·47	–	–		26
27	–	·01	–	–	·18	–	–	–	·13	·09	–	·03		27
28	–	·04	–	·20	–	–	–	–	tr:	·03	–	·03		28
29	–	×	–	·19	–	–	·05	–	–	–	–	–		29
30	·11	×	·04	·13	–	–	·04	–	–	·14	–	·19		30 OK
31	·11	×	·27	×	–	×	–	·12	×	·23	×	–		31 Print
TOTAL	2·10	2·53	2·52	1·09	1·17	3·08	2·18	1·36	0·67	5·06	1·20	0·49	Year's Total 23·45	Print
*Days with ·01 in. or more.	15	10	12	8	8	14	13	9	7	18	10	6	180	
*Days with .04 in. or more.	14	7	12	8	8	13	11	7	6	15	8	3	112	

40-9999

*See Instruction 2 (*f*) on other side.

D N

† Spare column, no entries required.

(*Signed*) H R Shaw.

X THE HEADMASTER X

[P.T.O.

Section **A** for the entry of Daily Observations. Station No. 2295|5

AIR MINISTRY~~.—~~METEOROLOGICAL ~~OFFICE~~.—~~BRITISH~~ RAINFALL ORGANIZATION.

Shropshire /4

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at MADELEY CE SCHOOLS ×
in the County of SHROPSHIRE.

Diameter of Funnel of Gauge Eight (8) in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 373· ft.

OK

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·10

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	–	·06	–	–	–	–	–	–	–	–	–		1
2	·34	–	·26	–	·11	·12	–	–	–	–	·03	–		2
3	·05	·21	·11	–	·14	–	–	–	–	–	–	–		3
4	·16	–	·04	–	·22	–	–	·12	–	–	–	–		4
5	·15	·02	·15	–	·18	–	–	–	–	–	tr:	–		5
6	·01	tr:	tr:	–	·23	–	–	–	–	·05	·05	–		6
7	tr:	–	–	–	–	–	·01	–	–	·24	–	–		7
8	·07	–	·23	·05	·06	–	·52	–	–	tr:	–	–		8
9	–	–	–	–	tr:	·02	·15	–	–	·63	·05	–		9
10	–	–	–	–	–	·05	·04	–	–	2·25	·29	–		10
11	·11	–	–	–	–	–	·04	·04	–	·12	–	–		11
12	–	–	–	–	–	–	·13	·01	–	·03	–	–		12
13	tr:	–	–	–	–	–	·67	–	–	·05	·25	–		13
14	·05	–	–	–	–	–	·10	–	–	·15	·13	–		14
15	·40	–	–	–	–	·15	·29	·35	–	·03	·12	·08		15
16	·07	·03	·43	–	·05	·13	–	–	–	·10	–	·01		16
17	·10	–	·61	–	–	·18	·02	–	·03	–	·02	–		17
18	·06	–	·04	–	–	·16	–	·02	–	–	–	–		18
19	–	tr:	·28	–	–	·18	·12	–	·07	–	–	–		19
20	–	·04	–	–	–	·84	–	·15	·18	–	}·24	–		20
21	–	·08	tr:	–	–	·16	–	·25	–	–	–	–		21
22	–	–	–	–	–	·05	–	·30	–	·27	–	–		22
23	–	–	–	·15	–	·11	–	–	–	·12	–	–		23
24	–	·49	–	·14	–	·80	–	–	·12	·06	·02	–		24
25	–	·56	–	·08	–	·13	–	–	·06	–	–	·15		25
26	–	1·05	–	·15	–	tr:	–	–	·08	·47	–	–		26
27	–	·01	–	–	·18	–	–	–	·13	·09	–	·03		27
28	–	·04	–	·20	–	–	–	–	tr:	·03	–	·03		28
29	–	×	–	·19	–	–	·05	–	–	–	–	–		29
30	·11	×	·04	·13	–	–	·04	–	–	·14	–	·19		30 OK
31	·11	×	·27	×	–	×	–	·12	×	·23	×	–		31 print
TOTAL	2·10	2·53	2·52	1·09	1·17	3·08	2·18	1·36	0·67	5·06	1·20	0·49	Year's Total 23·45	Print ✓
*Days with ·01 in. or more.	15	10	12	8	8	14	13	9	7	18	10	6	180	
*Days with .04 in. or more.	14	7	12	8	8	13	11	7	6	15	8	3	112	

40-9999
*See Instruction 2 (*f*) on other side.

D N

† Spare column, no entries required.

(*Signed*) H R Shaw.
× THE HEADMASTER ×

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at MADELEY C E SCHOOLS

in the County of SHROPSHIRE.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 373 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	—	—	—	—	—	—	·11	·32	·23	·14	·36		1
2	·01	—	·05	—	—	—	—	—	·19	·02	·10	·05		2
3	·10	·01	—	—	—	—	—	·06	—	·12	·01	·07		3
4	·08	—	·03	·05	·17	—	—	·13	·20	·16	tr:	·39		4
5	·01	—	·10	·05	·09	—	—	—	—	·10	·17	·03		5
6	—	—	·07	—	·34	·02	—	·87	—	·01	—	·46		6
7	·05	·03	—	—	tr:	·07	—	—	—	·12	·07	·17		7
8	—	—	·02	—	·18	—	—	—	·06	tr:	·30	·27		8
9	tr:	—	·16	·02	—	—	—	·05	—	—	·59	·18		9
10	·08	—	·16	·37	—	—	—	·02	—	·01	·10	·02		10
11	·60	—	·07	·37	—	—	·06	·08	—	—	·01	·21		11
12	·03	—	·10	·08	—	—	—	·21	—	—	tr:	·01		12
13	·63	·02	—	·10	—	—	·25	·06	—	·05	·01	·02		13
14	·03	—	·32	—	·08	—	—	·17	—	·29	·42	·16		14
15	·05	—	·09	—	·17	—	·04	·04	—	·27	—	·16		15
16	·17	—	·15	—	·02	—	·17	—	—	·03	·37	tr:		16
17	·11	·01	·10	·08	·05	—	·04	—	·09	·07	·10	·24		17
18	·25	—	·03	·12	—	·02	—	·09	tr:	—	tr:	·12		18
19	·17	—	·15	·03	—	·09	—	—	—	·09	—	·12		19
20	—	—	·10	·06	—	·01	—	·02	·07	·03	·02	tr:		20
21	·15	—	—	—	—	·26	—	·02	·04	·06	tr:	·03		21
22	·02	—	·05	·11	—	—	·03	·02	·15	·06	·01	·26		22
23	—	—	·11	·24	·05	·40	·06	·02	·06	tr:	·09	·05		23
24	—	·25	·01	tr:	—	·07	·04	·20	·22	·02	—	·02		24
25	·09	·10×	—	·10	·08	·09	tr:	—	·01	·27	—	·52		25
26	·12	—	·09	·37	—	·19	—	—	·07	·01	—	·05		26
27	—	—	—	·23	—	·03	—	—	·02	·22	·03	·22		27
28	·03	—	—	·24	—	—	·06	·14	·21	·01	·01	·53		28
29	—	—	—	—	—	—	·27	·06	·29	·05	·02	·06		29
30	·04	×	—	—	—	—	·02	·14	tr:	·09	tr:	·37		30
31	—	×	—	×	—	×	·12	·13	×	·50	×	·22		31
TOTAL	2·92	0·42	1·96	2·62	1·23	1·25	1·16	2·64 2·84	2·00	2·89	2·57	5·37	Year's Total 27·03	
*Days with ·01 in. or more.	22.	6.	20.	17.	10.	11.	12.	21.	15.	25.	19.	29.	207.	
*Days with .04 in. or more.	16.	2.	16.	15.	9.	7.	10.	16.	13.	17.	10.	23.	154.	

NINE

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H R Shaw.
(Headteacher)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at MADELEY.

in the County of SHROPSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 373·2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	-	·10	-	·03	·04	·05	-	·09	·16	·01	Tr		1
2	-	·01	·01	-	-	·01	-	-	·01	·15	·06	·04		2
3	·02	·23	·13	·06	-	-	·01	-	·01	·17	·29	·42		3
4	-	-	·01	·23	-	·08	-	-	·10	·38	·03	·25		4
5	-	·53	·17	·09	-	-	·09	-	-	Tr	·15	·05		5
6	-	-	Tr.	·28	-	·20	-	-	-	·01	·04	·03		6
7	-	-	Tr.	·21	-	·28	-	-	-	·10	·11	·19		7
8	-	-	T	·22	-	-	-	-	-	·22	·17	·26		8
9	·07	-	-	·31	tr.	·02	-	·01	-	·35	·13	·02		9
10	-	-	-	·07	-	·25	-	-	-	·01	·15	-		10
11	·41	-	-	-	-	·27	-	-	Tr.	Tr	·25	·02		11
12	·10		-	-	-	·12	-	·06	-	-	·02	-		12
13	·13	·04	-	·05	·18	·01	-	·09	·28	-	·02	-		13
14	·01	-	·01	·08	·02	·04	-	-	·19	-	1·02	·22		14
15	·01	·03	-	·51	·12	·09	-	-	·02	-	·05	·13		15
16	·01	·13	·15	·06	-	·04	-	-	·52	·31	·66	·14		16
17	Tr.	-	-	·19	·01	·20	·25	-	·02	·01	1·00	-		17
18	-	-	-	·38	·14	Tr	·02	-	·23	·08	·04	Tr		18
19	-	-	-	·15	·23	·42	·10	-	·01	·33	·27	·03		19
20	·01	·32	-	·32	-	·11	·27	-	-	-	·78	-		20
21	-	·48	-	Tr.	-	-	-	-	·55	·05	·04	-		21
22	·01	-	·01	·11	-	-	-	-	·05	·01	Tr.	-		22
23	·02	tr.	·08	·01	·09	-	-	·11	·12	·61	-	·27		23
24	·14	·40	·05	-	-	-	-	·01	·95	·10	-	·23		24
25	·14	·46	-	·09	-	·51	-	-	-	·01	·01	·11		25
26	-	·20	-	-	-	-	-	·64	·29	-	·04	·35		26
27	-	·02	-	-	-	-	-	-	·09	·03	·17	·24		27
28	-	·03	-	-	·24	-	-	·37	·18	·03	·02	·01		28
29	·03	-	·07	-	-	-	-	-	·06	Tr	·04	·15		29
30	·03	×	-	·10	-	·08	-	·05	·03	·26	·45	·12		30
31	-	×	-	×	-	×	-	-	×	·25	×	·19		31
TOTAL	1·17	2·88	0·79	3·52	1·06	2·77	0·79	1·34	3·80	3·63	6·02	3·47	Year's Total. 31·24	
* Days with .01 in. or more.	16	13	11	20	9	18	7	8	20	22	27	22	193	
* Days with .04 in. or more.	6	9	7	19	6	15	5	6	14	15	21	17	140	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H R Shaw

[P.T.O.

CROWN COPYRIGHT RESERVED.

Section **A** **for the entry of Daily Observations.**

Station No. 2295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at MADELEY,
in the County of SHROPSHIRE
Diameter of Funnel of Gauge 6 5 in. 8 in: changed in Oct:
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 372 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·41	0·24	0·10	0·63	–	0·30	–	0·32	0·01	–	0·18	0·08		1
2	0·17	0·04	T	0·09	–	0·78	0·95	0·01	–	–	0·20	T		2
3	0·01	–	–	–	–	0·08	0·01	0·01	0·38	–	T	–		3
4	T	0·11	0·12	–	–	0·36	–	–	0·31	–	0·22	0·09		4
5	0·31	–	T	–	–	–	0·08	0·08	0·03	–	0·09	0·23		5
6	0·07	–	0·02	–	0·04	0·07	0·10	0·12	0·13	–	0·11	0·10		6
7	T	–	0·03	–	–	–	0·36	–	0·32	–	0·20	0·04		7
8	0·10	–	0·15	–	–	–	–	–	0·05	–	0·40	0·05		8
9	0·36	–	0·33	–	–	–	1·05	–	0·30	0·01	T	0·01		9
10	–	–	0·01	–	–	0·02	0·25	–	0·06	–	–	–		10
11	–	–	T	0·01	–	0·08	0·24	–	0·08	–	0·75	0·06		11
12	–	–	–	0·01	0·17	0·25	0·69	–	0·46	–	0·15	0·15		12
13	–	–	–	0·15	–	0·05	–	–	–	0·10	T	0·50		13
14	–	–	–	0·11	–	0·08	0·03	0·08	0·47	0·02	0·06	0·35		14
15	0·20	–	–	0·01	0·22	0·05	0·01	0·09	0·02	–	0·15	0·05		15
16	0·09	0·15	–	0·30	0·59	–	0·05	–	–	–	0·28	–		16
17	–	0·53	–	–	–	–	0·27	0·02	–	0·06	0·05	0·19		17
18	0·09	0·11	–	–	0·02	–	0·39	0·03	–	0·24	–	0·03		18
19	0·51	0·11	0·02	0·45	–	0·27	T	0·03	–	0·13	–	–		19
20	0·06	0·15	0·01	–	–	0·03	0·01	–	–	0·01	–	0·02		20
21	–	T	T	0·25	–	1·14	0·01	–	–	–	–	0·03		21
22	–	0·36	0·04	–	0·04	–	0·24	–	T	–	–	0·06		22
23	0·02	0·16	0·19	0·06	–	–	0·18	–	–	0·03	–	0·01		23
24	0·28	0·16	–	T	0·08	–	–	–	0·39	0·31	0·02	–		24
25	0·16	–	0·05	0·64	–	–	0·02	–	0·84	T	–	–		25
26	0·10	0·11	0·26	T	–	–	0·10	–	–	0·02	T	–		26
27	0·14	0·13	0·03	–	–	–	–	–	0·23	0·14	0·01	–		27
28	0·22	0·29	0·23	0·02	–	–	0·01	–	–	0·02	0·03	0·08		28
29	0·01	0·22	–	–	–	0·36	0·01	–	–	0·04	0·05	0·16		29
30	0·07	×	T	–	0·27	0·01	0·30	–	–	0·71	–	T		30
31	0·49	×	0·13	×	–	×	0·05	–	×	T	×	0·30		31
TOTAL	3·87	2·87	1·72	2·73	1·41	3·93	5·41	0·79	4·08	1·84	2·95	2·59	Year's Total. 34·19	✓
* Days with .01 in. or more.	21.	15	16	13	8	16	24	10	16	14	17	21	191	✓
* Days with .04 in. or more.	18.	15	10	9	7	13	16	5	13	8	14	16	144	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Harold R Shaw.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at MADELEY,
in the County of SHROPSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 372·3 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·10	·01	·04	-	-	-	-	·02	·01	·04	·29		1
2	†	·04	·03	·55	-	-	-	-	-	-	·01	1·06		2
3	-	·08	†	·01	·34	·09	-	-	·02	-	-	·02		3
4	·10	·15	-	-	-	-	-	-	-	-	-	·45		4
5	·09	†	·16	-	-	-	·01	·05	-	-	-	·01		5
6	·06	·01	-	·10	·14	-	·52	-	-	-	†	-		6
7	-	·72	·01	·07	-	·11	-	-	-	-	·01	-		7
8	†	·21	-	·02	·10	†	·12	-	·02	-	·42	-		8
9	-	·01	-	·04	·11	-	·44	·01	·17	-	·01	-		9
10	·02	·07	·41	-	-	·03	-	-	-	-	-	·19		10
11	-	·05	·05	-	·50	·06	·02	-	-	-	·01	·15		11
12	·08	·33	·12	-	·10	·70	·01	·08	·24	-	†	·15		12
13	·12	·01	†	·03	·01	·08	-	·59	·15	-	-	·05		13
14	-	-	·25	-	-	-	-	·04	·04	-	·01	·19		14
15	·10	·10	-	·19	-	-	1·88	·16	·18	-	-	-		15
16	-	·12	·59	·36	-	-	-	·11	·07	-	-	-		16
17	·12	·13	·12	·17	-	·27	-	-	·32	-	-	-		17
18	·98	·06	·05	-	-	-	·03	-	·93	-	·34	·04		18
19	·03	·11	·13	·07	-	·12	·10	-	-	-	·08	·02		19
20	·23	·04	-	·45	·13	-	-	-	-	-	-	-		20
21	·19	·24	·11	·06	·01	-	·14	-	-	·06	-	·10		21
22	·09	·11	·21	-	·07	·06	·32	-	-	·59	·46	·12		22
23	·14	·12	-	-	·07	-	·06	-	-	·27	·23	†		23
24	·37	·47	·09	-	·01	-	·01	-	·06	·42	-	-		24
25	-	·43	†	-	·09	-	-	-	·03	·23	·01	·04		25
26	-	·17	·09	-	·64	-	-	-	-	†	†	·03		26
27	-	·30	†	·22	-	-	-	-	-	·51	-	·01		27
28	-	·69	-	-	-	-	-	-	-	·18	-	·02		28
29	·02	×	-	-	-	·04	-	-	-	·28	·07	·01		29
30	·21	×	-	-	-	·02	-	·02	·02	·01	·03	·01		30
31	·22	×	-	×	-	×	-	-	×	·16	×	-		31
TOTAL	3·23	4·87	2·43	2·38	2·32	1·58	3·66	1·06	2·27	2·72	1·73	2·96	Year's Total 31·21	✓ ✓
* Days with .01 in. or more.	19	26	16	15	14	11	13	8	14	11	14	20	181	✓ ✓
* Days with .04 in. or more.	16	23	13	12	11	9	8	6	9	9	7	12	135	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Harold R Shaw. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Madeley,
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ Ground „ Sea Level 373 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	-	†	·77	-	·03	-	·27	·11	·23		1
2	-	·01	-	·18	·05	·06	-	-	-	·10	†	·04		2
3	·01	-	-	-	·04	·06	-	-	·01	·70	·01	-		3
4	·01	-	·01	·01	-	·01	·02	·26	·01	·12	-	·17		4
5	-	-	-	-	-	-	·05	1·32	·04	·07	-	·01		5
6	·15	-	-	-	-	·01	·68	-	·02	·15	†	·04		6
7	·01	-	-	-	-	-	·48	·72	·03	·11	†	·04		7
8	·25	-	-	-	-	-	·36	-	-	·25	-	·05		8
9	·05	·03	-	-	-	·10	·11	·48	-	†	-	·40		9
10	-	·07	-	-	-	·25	·23	·18	-	†	-	·18		10
11	·68	·04	-	-	-	†	-	·01	·02	·05	·21	·17		11
12	·11	·01	-	-	·05	-	·08	-	-	·25	·27	†		12
13	-	-	-	-	·01	-	†	-	-	†	·39	·27		13
14	·33	-	-	-	·07	-	·35	-	·04	-	†	·01		14
15	·12	-	-	-	·12	-	·19	·02	-	-	·04	·20		15
16	·29	-	-	-	-	-	-	·03	-	·07	·06	·10		16
17	-	·01	-	-	-	-	·03	-	·05	·05	†	·03		17
18	·02	-	-	-	·11	·04	-	·10	·19	·02	·31	-		18
19	†	-	-	-	-	-	-	·05	-	-	·08	-		19
20	·01	-	-	-	-	-	-	-	·01	-	·32	-		20
21	·03	-	-	†	-	-	-	-	·20	-	·06	·24		21
22	-	-	-	·02	-	·09	-	·01	·04	-	·41	-		22
23	-	-	-	·01	-	·02	-	-	·10	-	·03	-		23
24	-	-	·12	-	·17	-	-	·57	·03	-	·02	·02		24
25	·06	·05	·05	-	·05	-	·03	†	·01	·37	1·16	·11		25
26	·06	·36	·21	-	·03	·10	·08	-	·04	·47	-	·04		26
27	·04	·01	†	-	·58	·19	·12	·46	·04	·02	·27	†		27
28	·13	·03	-	-	·01	·13	·06	·14	·09	-	·03	·13		28
29	·42	■	-	-	·57	-	·01	-	·02	·12	·06	·14		29
30	·04	✕	-	-	-	·04	-	-	·25	·01	·29	·29		30
31	·09	✕	-	✕	·17	✕	-	-	✕	·09	✕	·28		31
TOTAL	2·91	0·63	0·39	0·22	2·03	1·87	2·88	4·38	1·24	3·29	4·13	3·19	Year's Total 27·16	✓
* Days with .01 in. or more.	21	11	4	4	14	14	16	15	20	19	19	23	180	✓
* Days with .04 in. or more.	15	4	3	1	11	11	12	10	11	16	15	19	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Harold R Shaw [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Madeley.

in the County of Shropshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 373 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·66	–	T	·12	·01	–	–	·04	·01	–	–	·01		1
2	·10	–	–	·28	–	–	–	·3[illegible]	·17	–	·03	·01		2
3	·33	–	–	·35	–	–	–	·08	·12	–	·10	·30		3
4	·19	–	·15	·09	·09	–	·53	·05	–	–	·09	·22		4
5	–	–	–	–	·17	–	–	·13	–	·40	·37	·06		5
6	·64	–	T	–	–	–	·50	–	–	·06	·13	T		6
7	·03	–	·02	–	·02	–	·43	·14	–	·09	·41	·60		7
8	–	·08	–	–	–	–	·14	·18	–	·40	·24	·08		8
9	·03	·03	·01	–	–	–	·11	·33	–	·53	·01	·20		9
10	·79	–	·02	–	–	–	–	–	·09	·18	–	·06		10
11	·09	·03	·17	–	–	·21	–	·01	–	·01	·01	–		11
12	–	·05	–	–	–	·04	–	·01	·01	–	T	–		12
13	–	–	–	·20	·04	–	·12	–	·04	·14	·01	–		13
14	·39	–	–	·15	·35	·15	·01	–	·02	·18	·18	–		14
15	·48	–	·01	·05	·14	·25	·34	–	–	T	·15	–		15
16	·08	–	·07	–	·34	–	–	–	–	·09	·17	·01		16
17	·48	·05	–	–	–	·05	·08	–	–	1·07	·11	–		17
18	·31	·07	·05	–	–	·09	·04	–	–	·02	·66	–		18
19	·21	–	·01	–	–	–	·52	–	–	T	·03	–		19
20	·29	T	–	–	–	·30	·13	–	–	–	T	–		20
21	·35	·10	·20	–	·05	–	·06	·01	·09	–	T	·02		21
22	·25	·23	–	·09	–	–	·19	·03	·01	·01	·29	T		22
23	·15	·04	·01	·07	–	–	·10	–	–	·11	·64	–		23
24	·04	T	·05	·17	–	·05	·30	–	–	·14	·01	–		24
25	·66	·04	–	–	–	–	·29	–	–	·08	·11	–		25
26	·01	T	–	·04	–	–	–	·01	–	·01	·23	·11		26
27	–	·17	·29	·05	–	–	·10	–	–	·08	·02	·21		27
28	–	·13	·17	·03	–	·11	·37	–	–	–	·13	·03		28
29	–	×	–	·17	–	–	·93	·12	–	–	–	T		29
30	–	✕	–	·05	–	·20	·01	·12	–	·12	·06	·03		30
31	–	✕	–	✕	–	✕	·02	–	✕	·03	✕	·03		31
TOTAL	6·56	1·02	1·23	1·91	1·21	1·45	5·32	1·58	0·56	3·75	4·19	1·98	Year's Total 30·76	
* Days with .01 in. or more.	22	12	14	15	9	10	22	15	9	20	24	16	188	
* Days with .04 in. or more.	19	10	8	14	7	10	19	10	5	15	17	9	143	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H R Shaw.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 2295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340.

Kept at Madeley

in the County of Shropshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 373 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·02	·01	–	–	–	–	–	·44	–		1
2	–	–	–	·26	–	–	·06	–	–	–	·65	·17		2
3	–	·21	–	·03	–	–	–	–	–	·20	·43	·28		3
4	–	·06	–	·33	·30	–	·12	–	–	·08	·44	·01		4
5	–	·01	–	·01	–	–	·04	–	·03	·10	·34	·15		5
6	·06	·26	–	·04	·04	–	·19	–	–	·62	·19	·02		6
7	·02	·42	–	–	·05	–	·13	–	·01	·03	·01	·02		7
8	·01	·01	–	·02	–	–	·01	–	–	·30	·04	·12		8
9	–	–	·13	–	–	–	·25	·13	·02	–	·55	·34		9
10	–	–	·10	–	–	·32	–	·02	T	·02	·11	·22		10
11	–	–	·03	·05	–	·01	·06	–	–	T	·48	·22		11
12	–	·02	–	T	–	·12	·43	·08	·08	–	·04	T		12
13	–	–	·43	·02	–	–	–	·04	–	·02	–	·05		13
14	–	–	–	·11	·12	–	–	–	·22	·08	·03	·20		14
15	–	–	·01	·02	·73	·06	·39	–	·08	·04	·09	·01		15
16	–	·38	·34	·06	·01	·01	·07	–	·20	·59	·67	·01		16
17	–	–	·35	–	·07	–	·02	–	–	·01	·86	–		17
18	·16	·67	·25	·62	–	–	–	·05	·04	·04	·01	·11		18
19	–	·28	·06	·30	–	–	·10	–	·05	–	·16	·02		19
20	–	·01	–	·03	–	–	·08	–	–	·32	·01	–		20
21	–	·01	·02	–	·18	·43	·09	·06	–	·02	1·46	–		21
22	–	T	·01	·05	·56	·03	–	–	·05	–	x·01	–		22
23	–	·14	·04	·20	·05	·01	–	–	·02	–	T	·01		23
24	–	–	–	–	·01	–	·08	–	·01	–	–	–		24
25	·02	–	–	·03	·04	–	·02	–	·01	–	–	–		25
26	1·37	·08	·13	·12	·01	–	·25	–	–	–	·06	–		26
27	1·11	·06	·02	·05	·04	–	·04	–	T	–	·07	T		27
28	·75	·39	–	·02	·62	–	–	–	–	–	·01	–		28
29	–	·01	·08	·59	·01	·09	·04	–	–	–	–	·14		29
30	–	✕	–	·70	–	–	–	–	–	·07	–	·02		30
31	·17	✕	·11	✕	·04	✕	–	–	✕	1·09	✕	·03		31
TOTAL	3·67	3·02	2·11	3·68	2·86	1·08	2·47	0·38	0·82	3·63	7·16	2·15	Year's Total 33·03	
* Days with .01 in. or more.	9	17	16	23	18	9	20	6	13	17	24	20	192	
* Days with .04 in. or more.	6	11	11	14	12	5	17	5	7	12	18	11	129	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H R Shaw [P.T.O.

2296

Section **A** for the entry of D

AIR MINISTRY.-

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

Kept at Cosford Water Wo

Wolverha

in the County of Shrop

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASURI

An observer who does not conform to thi

year in the space on the right of this

Pl

wing

Jan. 1, following

2296

COSFORD W.W

1931—40

7P0404

Date	Jan.	Feb.	March	A							Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	·01	Trace	–	·09	–	·46	–	–	·30	·01	–	–	1
2	·01	·06	–	·78	·12	·11	Trace	–	·31	·04	·04	·04	2
3	·03	–	–	·01	–	–	·05	–	·44	·01	·68	·08	3
4	–	–	–	·16	–	–	·33	·16	·20	–	·04	–	4
5	–	·04	–	·18	·01	1·62	·06	·02	·05	–	–	·18	5
6	–	·15	Trace	·06	–	·17	–	·04	–	·31	·10	·01	6
7	–	·02	–	·01	–	·07	·50	·54	–	–	·17	–	7
8	·09	·02	·01	·28	–	·03	·09	·96	–	Trace	·15	–	8
9	·08	·27	Trace	·07	–	·10	–	·07	·11	·02	·32	–	9
10	Trace	·01	–	·01	·03	·02	–	·13	·22	–	·32	·02	10
11	·09	·21	–	–	–	·01	–	–	·36	–	·02	·03	11
12	·03	·11	–	Trace	–	–	·47	·07	–	·03	·01	–	12
13	–	–	·01	–	Trace	Trace	·10	·13	·04	–	–	–	13
14	–	·10	–	–	·12	·44	·31	1·02	Trace	–	·41	–	14
15	·03	·15	–	·14	·04	Trace	·16	·34	·13	–	·01	·07	15
16	·06	·13	–	·16	·38	·80	·02	·16	·03	–	–	–	16
17	·09	·01	–	·20	1·03	–	Trace	–	·01	–	·10	–	17
18	·13	Trace	–	·15	·01	·23	·09	·16	–	–	·30	–	18
19	·03	·15	–	Trace	–	·42	·14	·23	–	–	·01	Trace	19
20	Trace	·03	·16	Trace	–	–	–	·40	–	·01	·03	·02	20
21	·25	–	Trace	Trace	·62	–	–	·03	–	–	·18	–	21
22	·05	Trace	–	–	·17	–	Trace	·15	–	–	Trace	–	22
23	·10	·03	–	·22	·36	·10	·05	–	–	–	·09	·23	23
24	–	Trace	–	·48	·30	–	·11	–	–	–	·01	·01	24
25	·03	·01	–	·87	Trace	–	·31	–	–	–	·02	Trace	25
26	·02	·02	–	·12	–	–	·07	–	–	–	·47	–	26
27	·10	·44	–	·05	·53	–	·01	–	–	·09	·15	·03	27
28	·11	·08	–	·11	·27	–	–	–	–	·02	Trace	·13	28
29	·02	✕	–	–	·14	–	·28	–	–	·38	·01	·02	29
30	–	✕	–	·04	·01	–	·02	–	·04	–	–	·01	30
31	·20	✕	–	✕	·02	✕	–	–	✕	–	✕	·02	31
TOTAL	1·56	2·04	·18	4·19	4·16	4·58	3·17	4·61	2·24	·92	3·64	·90	YEAR'S TOTAL 32·19
*Days with ·01 in. or more.	21	20	3	21	17	14	19	17	13	10	23	15	193
*Days with ·04 in. or more.	12	12	1	18	12	11	16	15	11	4	15	6	133

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

Water Engineer & Manager

[P.T.O.

2296

Section **A** for the entry of D PY FOR OFFICIAL USE.
AIR MINISTRY.— OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Cosford Water Works
Wolverhampton Corporation Water Undertaking
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft 11 in.
,, Ground ,, Sea Level 222 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	Trace	–	.09	–	.46	–	–	.30	.01	–	–	1
2	.01	.06	–	.78	.12	.11	Trace	–	.31	.04	.04	.04	2
3	.03	–	–	.01	–	–	.05	–	.44	.01	.68	.08	3
4	–	–	–	.16	–	–	.33	.16	.20	–	.04	–	4
5	–	.04	–	.18	.01	1.62	.06	.02	.05	–	–	.18	5
6	–	.15	Trace	.06	–	.17	–	.04	–	.31	.10	.01	6
7	–	.02	–	.01	–	.07	.50	.54	–	–	.17	–	7
8	.09	.02	.01	.28	–	.03	.09	.96	–	Trace	.15	–	8
9	.08	.27	Trace	.07	–	.10	–	.07	.11	.02	.32	–	9
10	Trace	.01	–	.01	.03	.02	–	.13	.22	–	.32	.02	10
11	.09	.21	–	–	–	.01	–	–	.36	–	.02	.03	11
12	.03	.11	–	Trace	–	–	.47	.07	–	.03	.01	–	12
13	–	–	.01	–	Trace	Trace	.10	.13	.04	–	–	–	13
14	–	.10	–	–	.12	.44	.31	1.02	Trace	–	.41	–	14
15	.03	.15	–	.14	.04	Trace	.16	.34	.13	–	.01	.07	15
16	.06	.13	–	.16	.38	.80	.02	.16	.03	–	–	–	16
17	.09	.01	–	.20	1.03	–	Trace	–	.01	–	.10	–	17
18	.13	Trace	–	.15	.01	.23	.09	.16	–	–	.30	–	18
19	.03	.15	–	Trace	–	.42	.14	.23	–	–	.01	Trace	19
20	Trace	.03	.16	Trace	–	–	–	.40	–	.01	.03	.02	20
21	.25	–	Trace	Trace	.62	–	–	.03	–	–	.18	–	21
22	.05	Trace	–	–	.17	–	Trace	.15	–	–	Trace	–	22
23	.10	.03	–	.22	.36	.10	.05	–	–	–	.09	.23	23
24	–	Trace	–	.48	.30	–	.11	–	–	–	.01	.01	24
25	.03	.01	–	.87	Trace	–	.31	–	–	–	.02	Trace	25
26	.02	.02	–	.12	–	–	.07	–	–	–	.47	–	26
27	.10	.44	–	.05	.53	–	.01	–	–	.09	.15	.03	27
28	.11	.08	–	.11	.27	–	–	–	–	.02	Trace	.13	28
29	.02	X	–	–	.14	–	.28	–	–	.38	.01	.02	29
30	–	X	–	.04	.01	–	.02	–	.04	–	–	.01	30
31	.20	X	–	X	.02	X	–	–	X	–	X	.02	31
TOTAL	1.56	2.04	.18	4.19	4.16	4.58	3.17	4.61	2.24	.92	3.64	.90	YEAR'S TOTAL 32.19
*Days with ·01 in. or more.	21	20	3	21	17	14	19	17	13	10	23	15	193
*Days with ·04 in. or more.	12	12	1	18	12	11	16	15	11	4	15	6	133

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) [illegible]
Water Engineer & Manager

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 2296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Cosford Waterworks Wolverhampton Corporation Water Undertaking

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 222 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·02	—	·13	·51	·03	·08	·39	·04	·05	·03	·01	1
2	·05	Trace	—	·19	·20	—	—	·02	·05	·07	Trace	·12	2
3	Trace	·01	—	·28	·03	—	·22	Trace	Trace	·04	Trace	·04	3
4	·05	·01	—	·23	—	—	—	—	—	—	·28	Trace	4
5	·37	—	·03	·02	·11	—	—	—	·15	—	Trace	·03	5
6	·27	—	·02	·20	—	—	·02	—	·23	·02	—	Trace	6
7	·01	—	·14	·16	—	—	·01	—	·06	·79	—	—	7
8	—	Trace	—	·12	—	—	—	—	·07	·35	—	—	8
9	·22	SNOW ·03	—	·02	·03	—	—	—	Trace	Trace	·02	·01	9
10	·51	Trace	·01	·09	·06	—	—	—	·12	·33	Trace	—	10
11	·09	—	—	·10	·14	·01	·64	—	Trace	·12	·03	·01	11
12	·17	—	—	·03	·10	—	·01	—	·13	·30	·02	·01	12
13	·06	·01	—	·03	Trace	—	·90	·09	Trace	·03	·01	·09	13
14	·20	—	—	·07	—	—	·11	·14	·01	·09	·06	·01	14
15	·01	—	—	·02	·44	—	·09	Trace	—	·01	—	·02	15
16	·23	—	Trace	·03	·04	—	·04	—	—	Trace	Trace	·01	16
17	·01	—	—	Trace	·02	—	·27	—	·03	·04	Trace	Trace	17
18	—	—	—	—	·04	—	Trace	—	—	·03	·12	—	18
19	—	·01	—	·04	·02	—	—	—	—	·21	·01	Trace	19
20	—	—	—	·05	·68	—	·08	1·41	—	·31	·10	—	20
21	—	Trace	·23	·36	·44	—	Trace	·03	—	·25	·11	·05	21
22	·01	—	·17	·02	·21	—	·17	—	·47	·13	·11	·01	22
23	—	·01	·01	·03	·44	—	·06	—	·11	·09	·04	·02	23
24	·10	Trace	—	—	·01	·06	·08	—	·12	·01	·44	—	24
25	·01	·03	—	Trace	—	·04	·01	—	·02	·23	·09	·01	25
26	Trace	—	·08	·45	·14	—	Trace	—	·13	·03	·04	Trace	26
27	—	—	·35	·13	·33	—	—	—	—	Trace	·04	Trace	27
28	—	—	·35	·09	·25	·07	·20	—	—	—	·02	Trace	28
29	—	—	·16	·25	·05	·05	·04	·08	·11	·51	·03	·17	29
30	Trace	×	·11	·20	Trace	·46	·06	·10	·07	·36	·26	·06	30
31	·01	×	·02	×	Trace	×	·29	—	×	—	×	·19	31
TOTAL	2·40	·13	1·68	3·34	4·29	·72	3·38	2·26	1·92	4·40	1·86	·87	YEAR'S TOTAL 27·25
*Days with ·01 in. or more.	19	8	13	26	22	7	20	8	17	24	20	18	202
*Days with ·04 in. or more.	12	—	8	18	17	5	16	6	14	18	12	7	133

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) B W McMillan

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No 2296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at COSFORD WATERWORKS
WOLVERHAMPTON CORPORATION WATER UNDERTAKING.
in the County of SHROPSHIRE

Rejected because of [illegible]. Values O.K

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground - ft 11 in.
,, Ground ,, Sea Level 222 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·13	·02	Trace	–	–	–	–	Trace	–	·01	–		1
2	·22	–	·19	–	·07	·23	–	Trace	–	–	·02	–		2
3	·01	·20	·12	–	·12	–	–	–	–	–	–	–		3
4	·13	·02	·01	–	·19	–	–	·02	–	–	–	–		4
5	·13	·02	·23	–	·02	–	–	–	–	–	·02	–		5
6	–	·59	·02	–	·20	–	–	–	–	·04	·01	–		6
7	·02	·12	·03	–	Trace	–	·03	–	–	·11	–	·01		7
8	·03	·02	·22	·03	·06	–	1·09	–	–	Trace	Trace	–		8
9	–	Trace	–	·02	·06	–	·40	–	–	·67	·03	–		9
10	·07	·40	–	–	·01	·03	·06	·03	–	2·21	·21	–		10
11	–	–	–	–	·07	Trace	·06	·01	–	·05	Trace	–		11
12	·02	·01	–	–	–	·01	·24	–	–	·02	–	–		12
13	–	–	Trace	–	·09	Trace	·27	–	–	·08	·30	–		13
14	·04	–	·01	–	–	–	·03	·20	–	·16	·12	–		14
15	·36	–	·32	–	–	Trace	Trace	Trace	–	·04	·11	Trace		15
16	·10	Trace	·24	–	·01	·12	·01	Trace	–	·09	Trace	·01		16
17	·06	·01	·07	–	·03	·16	Trace	–	·02	Trace	Trace	–		17
18	·04	Trace	·26	–	–	·08	–	–	–	–	·02	–		18
19	–	Trace	·02	–	–	·16	·48	–	·16	–	·07	–		19
20	–	·01	–	–	–	·52	Trace	·17	·08	–	–	–		20
21	–	–	–	–	–	·33	–	·11	Trace	–	–	–		21
22	–	–	–	·01	–	·61	–	·32	–	·24	–	–		22
23	–	·02	–	·17	–	·03	–	–	·02	·08	–	–		23
24	–	·79	–	·10	·04	·49	–	–	·13	·03	Trace	–		24
25	–	·45	–	·11	–	·03	–	–	·02	–	–	·09		25
26	–	·63	–	·14	·20	Trace	–	–	·05	·19	–	·01		26
27	–	·01	–	Trace	·08	–	–	–	·11	·05	–	·02		27
28	–	·09	–	·26	·01	–	·01	–	·01	·03	–	·02		28
29	·07	×	·03	·18	–	–	·16	–	–	–	–	·04		29
30	·04	×	·10	·04	–	–	·04	–	Trace	·08	–	·09		30
31	·09	×	·28	×	–	×	–	·07	×	·22	×	–		31
TOTAL	1·73	3·52	2·17	1·06	1·26	2·80	2·88	·93	·60	4·39	·92	·29	Year's Total 22·55	
*Days with ·01 in. or more.	17	17	17	10	16	13	13	8	9	18	11	8	157	
*Days with ·04 in. or more.	13	9	10	7	11	9	9	5	5	15	5	3	101	

40-9999
*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.
(*Signed*) R McMillan [P.T.O.

CROWN COPYRIGHT RESERVED.

Section **A** for the entry of Daily Observations. Station No. 2296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at COSFORD WATERWORKS
(WOLVERHAMPTON CORPN WATER UNDERTAKING)
in the County of SHROPSHIRE

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground - ft. 11 in.
,, Ground ,, Sea Level 222 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	-	-	-	-	-	-	-	·10	·34	·12	·39		1
2	·01	Tr.	·02	-	-	-	-	·02	·11	Tr	·12	·07		2
3	·06	·01	-	-	-	-	-	·01	Tr.	·22	-	·07		3
4	·09	-	·03	·06	·17	-	-	-	·10	·12	-	·25		4
5	Tr.	-	·07	·01	·06	-	-	·63	Tr.	-	·12	·05		5
6	-	-	·04	-	·33	·01	-	·01	-	·09	-	·44		6
7	·04	-	Tr.	-	·01	·10	-	·06	-	·11	·03	·17		7
8	-	-	-	-	·10	-	-	·01	·04	Tr.	·30	·08		8
9	-	-	·21	Tr.	-	-	-	·08	-	-	·42	·05		9
10	·03	-	·12	·27	-	-	-	·12	-	-	·14	·01		10
11	·54	-	·15	·24	-	-	·02	·05	-	-	·01	·12		11
12	Tr	-	·08	·04	-	-	·10	·27	-	-	-	-		12
13	·36	-	Tr.	·07	-	-	·44	Tr.	-	Tr.	-	·10		13
14	·04	-	·26	-	·03	-	-	-	Tr.	·22	·33	·07		14
15	·02	-	·10	-	·10	-	Tr.	Tr.	-	·34	·28	·12		15
16	·18	-	·09	-	·01	-	-	·02	-	·02	·09	-		16
17	·05	-	·16	·01	·03	-	·21	·05	·14	·01	·01	·22		17
18	·20	-	Tr.	·13	-	·02	-	Tr.	-	-	-	·08		18
19	-	-	·15	·09	-	·07	-	·02	·03	·06	-	·16		19
20	-	-	·18	·09	-	·01	-	-	·03	·01	-	-		20
21	Tr.	-	·01	-	-	·30	-	-	·04	·02	-	·02		21
22	Tr.	-	·02	·09	-	-	-	·18	·16	·03	-	·23		22
23	-	-	·06	·22	·04	·22	·04	·03	Tr.	-	·03	·02		23
24	-	·21	·04	·02	-	·11	Tr	-	·20	Tr.	·02	·01		24
25	·11	·02	-	·06	·04	·24	-	-	·02	·17	-	·28		25
26	·20	-	·11	·70	-	·23	-	-	·06	Tr.	-	·02		26
27	Tr	-	-	·27	-	·02	Tr.	-	·01	·11	·01	·14		27
28	-	-	-	·18	-	·09	·02	·14	·09	Tr.	·01	·42		28
29	-	×	-	-	-	-	·21	·11	·35	·01	-	·03		29
30	·02	×	-	-	-	-	Tr.	·18	·01	·02	-	·25		30
31	·01	×	-	×	-	×	-	·10	×	·20	×	·15		31
TOTAL	2·04	0·24	1·90	2·55	0·92	1·42	1·04	2·23	1·49	2·10	2·04	4·02	Year's Total. 21·99	
* Days with .01 in. or more.	17	3	19	17	11	12	7	20	16	18	16	28	184	
* Days with .04 in. or more.	12	1	15	14	7	8	5	13	11	11	9	22	128	

③ ackd 25.1.35 cly

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at COSFORD WATERWORKS
(WOLVERHAMPTON CORPORATION WATER UNDERTAKING)
in the County of SALOP
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" Ground " Sea Level 222 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·01	·06	—	—	TR	·11	—	·09	·19	TR	—		1
2	—	—	·01	—	—	·15	—	—	·01	·15	·07	·07		2
3	·02	·18	·17	·07	—	·10	TR	—	·03	·22	·20	·28		3
4	—	—	TR	·09	—	·04	—	—	·01	·11	—	·15		4
5	—	·46	·22	·04	—	—	·05	—	·05	TR	·09	TR		5
6	—	—	TR	·22	—	·24	—	—	—	—	·01	—		6
7	—	—	—	·19	—	·16	—	—	—	·06	·16	·16		7
8	—	—	—	·20	—	TR	—	—	—	·12	·15	·22		8
9	·03	—	—	·28	—	·22	—	—	—	·30	·18	—		9
10	TR	—	—	·03	—	TR	—	—	—	TR	·17	—		10
11	·14	TR	—	—	—	·02	—	·03	TR	—	·18	·01		11
12	·20	·03	—	—	—	·05	—	·09	—	—	·01	—		12
13	·14	·01	—	·03	·18	—	—	—	·18	—	·02	—		13
14	TR	—	TR	·03	TR	·05	—	—	·07	—	1·09	·16		14
15	TR	·03	—	·48	·06	·08	—	—	·07	—	·03	·13		15
16	—	·08	·13	·14	TR	·03	TR	—	·51	·26	·49	·05		16
17	—	TR	—	·15	—	·12	·21	—	TR	—	·69	—		17
18	—	—	—	·35	·15	·04	—	·01	·20	·04	·03	—		18
19	—	—	—	·14	·19	·49	·04	—	·02	·29	·17	TR		19
20	TR	·19	—	·32	—	·01	·04	—	—	·03	·62	—		20
21	—	·37	—	TR	—	—	—	—	·41	·02	·04	—		21
22	TR	·11	·02	TR	—	—	—	—	·02	—	—	—		22
23	TR	TR	·10	·02	TR	—	—	·14	·15	·58	—	·07		23
24	·07	·34	·02	—	—	—	—	TR	1·26	·04	—	·26		24
25	·11	·31	—	·05	—	·66	—	—	TR	TR	—	·06		25
26	—	·15	—	—	—	—	—	·65	·25	TR	·04	·30		26
27	—	·08	—	—	·01	—	—	—	·05	·01	·19	·22		27
28	·02	·01	—	—	·22	—	—	·09	·19	·03	·06	·01		28
29	—	×	·06	—	—	—	—	—	·07	TR	·05	·11		29
30	TR	×	—	·11	—	·06	—	·07	·05	·15	·44	·10		30
31	—	×	—	×	—	×	—	—	×	·23	×	·13		31
TOTAL	·77	2·36	·79	2·94	·81	2·52	·45	1·08	3·69	2·83	5·18	2·49	Year's Total 25·91	
* Days with .01 in. or more.	9	15	9	19	6	17	5	7	20	18	24	18	167	
* Days with .04 in. or more.	6	10	6	15	5	14	5	5	15	14	19	16	130	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) B.W. Findlay [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at COSFORD WATERWORKS
WOLVERHAMPTON CORPORATION WATER UNDERTAKING
in the County of SALOP

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground - ft. 10 in.
,, Ground ,, Sea Level 222 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·18	·04	·51	–	·16	·04	·31	–	–	·11	·08		1
2	·20	SNOW ·01	–	·07	–	·18	·85	TR	–	–	·15	–		2
3	·02	–	–	–	–	·09	·15	·01	·68	–	TR	–		3
4	TR	SNOW ·01	·12	–	–	·17	–	·02	·22	–	·22	·07		4
5	·31	·15	TR	–	·01	TR	·04	·11	·06	–	·02	·15		5
6	·05	–	–	–	·12	·07	·13	·09	·13	–	·07	·08		6
7	–	–	·01	–	–	–	·30	–	·39	–	·20	·02		7
8	·11	–	·13	–	–	–	·08	–	·06	–	·39	·05		8
9	·43	–	·42	–	–	·03	1·78	–	·15	–	TR	·01		9
10	–	–	TR	–	–	–	·33	–	·02	–	–	–		10
11	–	–	–	–	–	·07	·19	–	·03	–	·67	–		11
12	–	–	–	–	·07	·31	·66	·01	·74	–	·25	·15		12
13	–	–	–	·04	–	·08	–	TR	–	·09	–	·41		13
14	–	–	–	·10	–	·11	·03	·08	·18	·01	·05	·18		14
15	SNOW ·11	–	–	·16	·30	·06	·04	·03	·02	–	·15	·09		15
16	SNOW ·08	·10	–	·07	·27	TR	·02	–	–	–	·38	TR		16
17	–	·46	–	–	–	–	·13	TR	–	·09	·06	·29		17
18	–	·06	–	–	·02	·25	·33	·02	–	·27	–	·02		18
19	·36	·14	–	·38	–	·03	–	·04	–	·12	–	–		19
20	TR	·11	·02	TR	–	·02	–	·01	–	·01	–	–		20
21	–	–	–	·23	–	1·21	·02	–	–	–	–	–		21
22	–	·30	·03	TR	·04	·07	·21	–	–	–	–	·10		22
23	–	·07	·59	·04	·01	–	·25	–	–	·05	–	–		23
24	·27	·02	TR	·02	·05	–	–	–	·32	·29	TR	–		24
25	·14	–	·06	·43	–	–	TR	–	·67	·01	–	–		25
26	·09	·06	·22	TR	–	–	·04	–	TR	–	–	–		26
27	·15	·03	·15	–	–	–	–	–	·26	·09	–	–		27
28	·16	·15	·16	·01	–	–	·03	–	–	·07	·03	·03		28
29	TR	·22	·05	–	–	·16	–	–	–	·04	·02	·12		29
30	·04	×	TR	–	·22	·01	·25	–	–	·44	TR	–		30
31	·36	×	·12	×	·01	×	·02	–	×	·03	×	·42		31
TOTAL	3·11	2·07	2·12	2·06	1·12	3·08	5·92	·73	3·93	1·61	2·77	2·27	Year's Total 30·79	✓
* Days with .01 in. or more.	17	16	14	12	11	18	23	11	15	14	15	17	183	✓
* Days with .04 in. or more.	16	12	11	10	7	14	18	5	12	10	12	13	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at COSFORD WATERWORKS
WOLVERHAMPTON CORPORATION WATER UNDERTAKING
in the County of SALOP
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground - ft. 10 in.
,, Ground ,, Sea Level 222 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·08	·01	·03	-	-	TR	-	·01	·01	·02	·07		1
2	·01	·09	·02	·55	-	-	-	-	-	-	TR	·76		2
3	-	·06	-	TR	·62	·07	·02	-	-	-	-	·01		3
4	·09	·09	·01	-	·02	-	-	·04	-	-	-	·65		4
5	·13	-	·17	-	-	-	-	-	-	-	-	-		5
6	·06	TR	·01	·09	·17	-	·21	-	-	-	TR	-		6
7	-	·69	-	·10	-	·12	-	-	-	-	TR	·01		7
8	-	·19	-	·06	·07	-	·18	-	·02	-	·27	-		8
9	-	·01	-	·03	·09	-	·35	-	·13	-	-	-		9
10	·01	·06	Snow ·22	-	-	·04	-	-	-	-	-	·17		10
11	-	-	·14	-	·33	·14	·01	-	-	-	-	Snow ·19		11
12	·08	·35	·13	-	·27	TR	-	·07	·25	-	-	·15		12
13	·07	·02	TR	·02	TR	·01	-	·19	·26	-	-	·04		13
14	-	TR	·23	-	-	-	-	·08	·04	-	·02	·15		14
15	·08	·06	-	·17	-	-	1·97	·09	·23	-	-	·01		15
16	TR	·08	·54	·38	·05	-	-	·16	·09	-	-	-		16
17	·11	·10	·13	·13	-	·09	-	-	·53	-	-	-		17
18	·75	·06	·02	TR	-	-	·02	-	1·12	-	·43	Snow ·04		18
19	·03	·07	·05	·08	-	·09	·03	-	-	-	·06	-		19
20	·19	·02	-	·33	·35	-	·01	-	-	-	-	-		20
21	·09	·19	·06	·09	-	-	·19	-	-	TR	-	·07		21
22	·06	·14	·16	-	·06	·02	·29	-	-	·40	·32	·09		22
23	·15	·02	TR	-	·05	-	·01	-	-	·38	·15	-		23
24	·36	·29	·05	-	TR	-	-	-	·06	·38	-	·01		24
25	TR	·35	-	-	·07	-	-	-	·02	·21	TR	·03		25
26	-	·17	·07	-	·66	-	-	-	-	-	-	·02		26
27	-	·52	-	·21	-	-	-	-	-	·34	-	·01		27
28	-	Snow ·24	-	-	-	-	-	-	-	·12	-	·04		28
29	-	✕	-	-	-	·03	-	-	-	·10	·08	·02		29
30	Snow ·25	✕	-	-	-	·01	-	·05	-	·06	·03	TR		30
31	·26	✕	-	✕	-	✕	-	-	✕	·11	✕	-		31
TOTAL	2·85	3·95	2·02	2·27	2·81	·62	3·29	·68	2·76	2·11	1·38	2·54	Year's Total 27·28	✓
* Days with .01 in. or more.	19	24	17	14	13	10	12	7	12	10	9	20	167	✓
* Days with .04 in. or more.	16	20	12	11	12	6	6	7	9	9	6	12	126.	✓

† Spare column, no entries required.

(*Signed*) B. H. McMillan [P.T.O.

* See Instruction 3 (f) on other side.

Section **A** for the entry of Daily Observations

Station No. 2296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at COSFORD WATERWORKS
WOLVERHAMPTON CORPORATION WATER UNDERTAKING
in the County of SALOP

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 222 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	—	·02	—	TR.	·41	·05	—	—	·11	·02	·20		1
2	—	—	—	·12	·04	·19	—	—	—	·12	—	·03		2
3	—	—	—	—	·02	·07	—	—	TR.	·44	—	—		3
4	·01	—	—	—	—	TR.	·03	·20	—	·40	—	·16		4
5	—	—	—	—	—	·02	—	·65	·06	·07	—	—		5
6	·18	—	—	—	—	TR.	·67	TR.	·05	·10	—	·02		6
7	·01	—	—	—	—	—	·69	·18	·03	·07	—	·09		7
8	·33	—	—	—	—	—	·29	1·06	—	·29	—	·03		8
9	·08	·03	—	—	TR.	·07	·08	·45	—	—	—	·26		9
10	TR.	·08	—	—	—	·06	·26	·29	—	·02	—	·17		10
11	·65	·03	—	—	—	TR.	·01	—	TR.	·18	·14	·11		11
12	·11	—	—	—	·06	—	TR.	—	—	—	·22	—		12
13	—	—	—	—	—	—	—	—	—	—	·23	·22		13
14	·29	—	—	—	·04	—	·43	~~TR.~~	—	—	~~·02~~	TR.		14
15	·08	—	—	—	·06	—	·19	TR.	—	—	·02	·19		15
16	·31	—	—	—	·03	—	—	·04	—	·02	·06	·12		16
17	—	·01	—	—	—	—	—	—	·09	·03	—	·01		17
18	·04	—	—	—	·10	·03	—	·13	·26	·03	·19	—		18
19	—	—	—	—	—	—	—	·12	TR.	—	—	—		19
20	·01	—	—	—	—	—	—	—	—	—	·36	—		20
21	·04	—	—	—	—	—	—	·02	·18	—	·05	SNOW ·09		21
22	—	—	—	TR.	—	·06	—	—	·12	—	·36	·03		22
23	—	—	—	—	TR.	—	—	—	·12	—	—	—		23
24	—	—	·18	—	·18	—	TR.	·47	·02	—	—	—		24
25	·04	·07	·02	—	·04	—	·03	·02	·04	·32	1·07	—		25
26	·04	·31	·16	—	·06	·21	—	—	·02	·37	—	·17		26
27	·05	TR.	—	—	·18	·06	·17	·33	·03	—	·25	TR.		27
28	·20	·03	—	—	TR.	·07	·08	·04	·01	—	·02	·19		28
29	·49	×	—	—	·45	—	·01	—	·02	·09	·06	·14		29
30	·04	×	—	—	·01	·14	—	—	·30	—	·23	·13		30
31	·05	×	—	×	·14	×	—	—	×	·17	×	·28		31
TOTAL	3·07	0·56	0·38	0·12	1·41	1·39	2·99	4·00	1·35	2·83	3·28	2·64	Year's Total 24·02	✓
* Days with .01 in. or more.	21	7	4	1	14	12	14	14	15	17	15	20	154	✓
* Days with .04 in. or more.	17	3	2	1	11	10	10	12	9	13	12	15	115	✓

† Spare column, no entries required.

(*Signed*) B. H. McMillan

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at COSFORD WATERWORKS
WOLVERHAMPTON CORPORATION WATER UNDERTAKING
in the County of SALOP

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

„ Ground „ Sea Level 222 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·47	—	—	·09	·02	—	→	·14	TR.	TR.	—	·01		1
2	SNOW ·18	—	—	·03	—	—	TR.	·31	·22	—	·01	TR.		2
3	SNOW ·33	—	—	·25	—	—	—	·25	—	—	·11	·34		3
4	SNOW ·14	—	·14	·16	·16	—	·30	·04	—	·20	·12	·24		4
5	—	—	—	·05	·23	—	·11	·03	—	·03	·35	·01		5
6	·59	—	—	—	—	—	·56	—	—	—	·14	—		6
7	·02	·03	—	—	·23	—	·41	·14	—	·11	·52	·54		7
8	—	·05	·43	—	TR.	—	·20	·18	—	·44	·14	·08		8
9	·02	·04	TR.	—	—	—	·02	·36	—	·38	—	·22		9
10	·46	—	·01	—	—	—	—	TR.	·11	·26	—	·01		10
11	·05	·03	·15	—	—	·38	—	—	—	·01	—	—		11
12	—	·04	—	—	—	·10	—	—	—	TR.	TR.	—		12
13	—	—	·02	·08	·07	·04	·05	—	·02	·08	—	—		13
14	·41	—	—	·15	·22	·15	·20	—	—	·19	·12	—		14
15	·29	—	TR.	·04	·12	·34	·27	—	—	TR.	·19	—		15
16	·06	—	·08	—	·26	—	·01	—	—	·08	·13	—		16
17	·27	·01	—	—	—	·15	·03	—	—	1·08	·09	—		17
18	·22	·11	·06	—	—	·10	·11	—	—	TR.	·67	—		18
19	·22	—	—	—	—	·01	·78	—	—	—	·01	·01		19
20	·25	—	—	—	—	·22	·01	TR.	—	—	—	—		20
21	·30	·10	·16	—	·05	TR.	·56	·13	·06	—	—	—		21
22	·21	·24	—	·06	—	—	·09	—	·01	·03	·40	—		22
23	·11	·03	TR.	·10	—	—	·07	—	—	·12	·61	—		23
24	SNOW ·09	—	·05	·14	—	·02	·36	—	—	·16	·01	—		24
25	SNOW ·60	·08	—	·04	—	—	·22	—	—	·03	·10	—		25
26	TR.	—	—	TR.	—	—	—	—	—	—	·28	·19		26
27	—	·04	·17	} ·03	—	·03	·06	·01	—	·04	·01	SNOW ·17		27
28	—	·05	·16	—	—	·08	·28	—	—	—	·15	SNOW ·08		28
29	—	X	—	·10	—	·02	·65	·29	—	·14	·01	—		29
30	—	X	—	·06	—	·10	·01	TR.	—	—	·07	·01		30
31	—	X	—	X	—	X	·01	·07	X	·01	X	·02		31
TOTAL	5·29	0·85	1·43	1·38	1·36	1·74	5·37	1·95	0·42	3·39	4·24	1·93	Year's Total 29·35	
* Days with .01 in. or more.	21	13	11	15	9	14	24	12	5	18	22	14	178	
* Days with .04 in. or more.	19	9	9	13	8	10	18	10	3	13	17	8	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B. L. C. Mullan

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 2296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19X40

Kept at COSFORD WATERWORKS
WOLVERHAMPTON CORPN. WATER UNDERTAKING
in the County of SALOP

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 222 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	TR.	—	—	·01	—	—	—	—	—	·36	—		1
2	—	·02	—	·25	—	—	·07	—	—	—	·56	·17		2
3	—	·12	—	·03	—	—	—	—	—	·20	·68	·16		3
4	—	·01	—	·19	—	—	·04	—	—	·09	·21	·02		4
5	—	—	—	—	—	—	·09	—	TR.	·06	·40	·12		5
6	·06	·26	—	—	·03	—	·04	—	—	·52	·17	·01		6
7	·01	·16	—	·02	—	—	·11	—	—	·03	—	·01		7
8	—	TR.	—	TR.	·01	—	—	—	—	·23	·01	·16		8
9	—	—	·05	—	—	·02	·21	·10	·04	·05	·46	·30		9
10	—	—	·12	—	—	·05	·53	·04	—	·01	·10	·12		10
11	—	—	·02	·02	—	·02	·08	—	—	—	·43	·17		11
12	—	·01	·01	—	—	·05	·34	TR.	·08	—	·03	—		12
13	—	TR.	·28	·04	—	—	—	·06	·09	—	—	TR.		13
14	—	—	—	·18	·23	—	—	·01	·17	·06	·02	·26		14
15	—	—	·02	·02	·98	—	—	—	·13	·03	·09	TR.		15
16	—	SNOW ·30	·30	·04	—	—	·07	—	·12	·57	·65	—		16
17	—	—	·37	—	—	—	·04	—	TR.	—	·57	—		17
18	SNOW 2½" ·16	·63	·11	·46	—	—	—	·05	·07	·03	·02	·06		18
19	—	·30	·06	·28	—	—	·27	—	·07	—	·10	·01		19
20	—	·01	TR.	·03	—	—	·10	·03	—	·36	—	—		20
21	—	—	—	—	·29	·44	·10	TR.	—	—	1·15	—		21
22	—	—	—	·04	·33	·02	—	—	·03	—	—	—		22
23	—	·08	·03	·33	·10	·02	—	—	—	—	—	—		23
24	—	—	—	—	TR.	—	·05	—	—	—	—	—		24
25	·02	—	—	TR.	·01	·01	—	—	—	—	—	—		25
26	1·11	·10	·04	TR.	·03	—	·36	—	—	—	·04	—		26
27	SNOW 1·04	·02	—	·22	·05	—	·19	·02	—	—	·18	—		27
28	SNOW ·81	·29	—	·01	·38	—	—	—	—	—	—	—		28
29	—	—	·06	·39	TR.	·07	TR.	—	—	—	—	·16		29
30	·02	×	—	·52	·03	—	—	—	—	·22	—	—		30
31	·09	×	·07	×	—	×	—	—	×	1·06	×	·02		31
TOTAL	3·32	2·31	1·54	3·07	2·46	0·70	2·69	0·31	0·80	3·52	6·23	1·75	Year's Total 28·72	
* Days with .01 in. or more.	9	14	14	18	13	9	17	7	9	15	20	15	160	
* Days with .04 in. or more.	6	9	10	12	7	4	17	4	8	11	16	10	114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

2297

2297

SHIFNAL SCHOOL

1931–38

780404

Section **A** for the entry

AIR MINIST

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGI

1.

Kept at Shifna

in the County of St

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA

AY.

An observer who does not conform

year in the space on the right of

following

Jan. 1, following

Date	Jan.	Feb.	March							t.	Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·05	—	—	·11	—	·24	—	—	·20	·01	—	—	1
2	—	·08	—	·02	~~·14~~	·13	—	—	·29	·03	·05	·06	2
3	—	—	—	·05	—	—	·02	—	·80	·01	·80	·12	3
4	—	—	—	·17	—	—	·26	·21	·35	—	·06	—	4
5	—	·03	—	·20	—	1·72	·19	·03	·02	—	—	·19	5
6	—	·05	—	·05	—	·10	—	·04	·05	·28	·13	—	6
7	—	·07	—	·01	—	·06	·15	·43	—	—	·16	—	7
8	—	·06	—	·22	—	·02	·10	1·10	—	—	·15	—	8
9	·14	·23	—	·15	—	·11	—	·09	—	·01	·49	—	9
10	—	—	—	—	—	—	·01	·17	·16	—	·41	·03	10
11	·16	·22	—	—	—	·01	—	·01	·29	—	·06	·02	11
12	·02	·10	—	—	—	—	·64	·06	·37	·01	·02	—	12
13	—	·06	—	—	·01	·01	·27	·26	—	—	—	—	13
14	—	·08	—	—	·2	·36	·36	1·02	·07	—	·41	—	14
15	·04	·14	—	·18	·06	—	—	·41	·01	—	—	·14	15
16	·05	·16	—	·20	·56	·70	·01	·09	·16	—	—	—	16
17	·10	·02	—	·30	1·29	—	—	1·00	—	—	·01	—	17
18	·13	—	—	·27	—	·17	·08	·16	·01	—	·35	—	18
19	·04	—	·19	—	—	·79	·20	·25	·01	—	—	—	19
20	—	·16	—	—	—	—	—	·25	—	—	·05	·55	20
21	·28	—	—	·01	·67	—	—	·34	—	—	·15	—	21
22	·07	·02	—	—	·26	—	—	·01	—	—	—	—	22
23	·10	·04	—	·37	·34	·09	·17	·16	—	—	·10	·44	23
24	—	—	—	·20	·45	—	·08	—	—	—	—	·01	24
25	·03	·02	—	1·05	—	—	·36	—	—	—	—	—	25
26	—	—	—	·17	—	—	·06	—	—	—	·58	—	26
27	·12	·44	—	·07	·62	—	·02	—	—	·09	·15	—	27
28	·10	·11	—	·15	·33	—	—	—	—	·02	—	—	28
29	·01	×	—	·1	·10	—	·29	—	—	·41	—	—	29
30	·18	×	—	·05	—	·01	—	—	·06	—	—	—	30
31	—	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1·57	2·09	·19	4·10	4·85	4·53	3·27	6·09	2·85	·87	4·13	1·56	YEAR'S TOTAL 36·10
*Days with ·01 in. or more.	17	19	1	22	13	15	18	20	15	9	18	9	176
*Days with ·04 in. or more.	14	15	1	19	11	11	14	17	11	3	16	6	138

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) ~~A J Morris~~ [P.T.O.

X The Head Master

2297

Section **A** for the entry COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Shifnal School

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 283 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·11	—	·24	—	—	·20	·01	—	—	1
2	—	·08	—	·02	·14	·13	—	—	·29	·03	·05	·06	2
3	—	—	—	·05	—	—	·02	—	·80	·01	·80	·12	3
4	—	—	—	·17	—	—	·26	·21	·35	—	·06	—	4
5	—	·03	—	·20	—	1·72	·19	·03	·02	—	—	·19	5
6	—	·05	—	·05	—	·10	—	·04	·05	·28	·13	—	6
7	—	·07	—	·01	—	·06	·15	·43	—	—	·16	—	7
8	—	·06	—	·22	—	·02	·10	1·10	—	—	·15	—	8
9	·14	·23	—	·15	—	·11	—	·09	—	·01	·49	—	9
10	—	—	—	—	—	—	·01	·17	·16	—	·41	·03	10
11	·16	·22	—	—	—	·01	—	·01	·29	—	·06	·02	11
12	·02	·10	—	—	—	—	·64	·06	·37	·01	·02	—	12
13	—	·06	—	—	·01	·01	·27	·26	—	—	—	—	13
14	—	·08	—	—	·0[illegible]	·36	·36	1·02	·07	—	·41	—	14
15	·04	·14	—	·18	·06	—	—	·41	·01	—	—	·14	15
16	·05	·16	—	·20	·56	·70	·01	·09	·16	—	—	—	16
17	·10	·02	—	·30	1·29	—	—	1·00	—	—	·01	—	17
18	·13	—	—	·27	—	·17	·08	·16	·01	—	·35	—	18
19	·04	—	·19	—	—	·79	·20	·25	·01	—	—	—	19
20	—	·16	—	—	—	—	—	·25	—	—	·05	·55	20
21	·28	—	—	·01	·67	—	—	34	—	—	·15	—	21
22	·07	·02	—	—	·26	—	—	·01	—	—	—	—	22
23	·10	·04	—	·37	·31	·09	·17	·16	—	—	·10	·44	23
24	—	—	—	·20	·45	—	·08	—	—	—	—	·01	24
25	·03	·02	—	1·05	—	—	·36	—	—	—	—	—	25
26	—	—	—	·17	—	—	·06	—	—	—	·58	—	26
27	·12	·44	—	·07	·62	—	·02	—	—	·09	·15	—	27
28	·10	·11	—	·15	·33	—	—	—	—	·02	—	—	28
29	·01	×	—	·1	·10	—	·29	—	—	·41	—	—	29
30	·18	×	—	·05	—	·01	—	—	·06	—	—	—	30
31	—	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1·57	2·09	·19	4·10	4·85	4·53	3·27	6·09	2·85	·87	4·13	1·56	YEAR'S TOTAL 36·10
*Days with ·01 in. or more.	17	19	1	22	13	15	18	20	15	9	18	9	176
*Days with ·04 in. or more.	14	15	1	19	11	11	14	17	11	3	16	6	138

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) ~~[illegible] Morris~~ P.T.O.

X The Head Master

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

File No. 774854/27

Kept at Shifnal School

in the County of Shropshire

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 287 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·11	·24	·02	·10	·37	—	—	·84	·24	1
2	—	·03	—	·37	·77	·05	·05	·05	·05	—	·03	—	2
3	—	—	—	·40	·45	—	—	—	·19	·09	—	·09	3
4	·26	T	—	·44	·06	—	·33	—	—	·03	—	—	4
5	·05	—	—	·20	—	—	—	—	—	—	·25	—	5
6	·37	—	—	·19	T	—	—	—	·15	—	—	—	6
7	·32	—	·06	·24	—	—	·11	—	18	1·00	—	—	7
8	—	—	·22	·14	—	—	·06	—	·06	—	—	—	8
9	—	T	—	·10	—	—	—	—	·18	—	—	—	9
10	·19	—	—	·06	·02	—	—	—	12	—	—	·06	10
11	·45	—	—	·08	·03	·04	—	—	—	—	—	—	11
12	·06	—	—	·13	·17	—	·64	—	—	·10	·01	—	12
13	·13	—	—	·01	·10	—	—	—	·13	·32	·01	—	13
14	·06	—	—	T	—	—	·88	·11	—	·04	—	·10	14
15	·22	·05	—	·05	—	—	·11	·14	—	·07	·40	—	15
16	—	—	—	·03	—	—	·45	·14	—	·01	—	·03	16
17	·25	—	—	—	·56	—	·07	—	—	—	—	—	17
18	—	—	—	·T	—	—	·28	—	—	·01	—	—	18
19	—	—	—	—	·04	—	—	—	—	·06	·14	—	19
20	—	—	—	T	·10	—	—	—	—	·23	·11	—	20
21	—	—	·28	·05	·49	—	·02	·03	—	·31	·16	—	21
22	—	—	—	·19	·24	—	—	1·16	—	·44	·12	·07	22
23	—	—		—	·55	—	·36	—	·50	·05	·13	—	23
24	·01	T	—	—	·65	—	·01	—	—	05	·45	—	24
25	·01	—	—	—	·15	—	—	—	·05	—	—	—	25
26	—	·12	T	—	—	·05	·02	—	·15	·27	—	—	26
27	—	—	·12	·34	·16	—	·16	—	·14	—	07	—	27
28	—	—	·40	·16	·50	—	—	·16	—	—	—	·03	28
29	—	—	·29	·05	·21	·03	—	·14	—	—	·03	—	29
30	—	×	·22	·19	·11	·09	·03	—	·11	18	·01	·20	30
31	—	×	·21	×	·05	×	·03	—	×	·84	×	·13	31
TOTAL	2·38	·152	1·81	3·53	5·65	·28	3·33	2·30	2·01	4·10	2·76	·95	YEAR'S TOTAL 30·62
*Days with ·01 in. or more.	~~13~~	~~4~~	~~8~~	~~21~~	~~21~~	~~6~~	~~18~~	~~9~~	~~13~~	~~18~~	~~15~~	~~9~~	~~155~~
*Days with ·04 in. or more.	11	2	8	19	18	3	13	8	13	15	10	7	127

d

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W J Morris

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2277~~ 2297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

774854/27

Kept at SHIFNAL C. E School

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 287 ft.

90b sent suggesting amendments to February, March and November as shown in red ink.

These months adjusted by near stations 4/7/34 J.W.O.

P. DJ

W.D

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·14	·08	·05	·19	·21	—	—	—	·08	—	—	—		1
2	·48	·16	—	—	—	—	—	—	—	—	(·33) ~~·27~~	—		2
3	—	—	·22	—	·09	·11	—	—	—	—	—	—		3
4	—	—	—	—	·16	—	—	—	—	—	—	—		4
5	—	·22	·24	—	·17	—	—	—	—	—	—	—		5
6	—	—	—	—	·15	—	—	—	—	—	·02	—		6
7	·1	·52	—	—	·14	—	—	—	—	·04	·01	—		7
8	·15	·18	·03	—	—	—	—	·01	—	·24	—	—		8
9	·65	—	(·20)	·02	·06	—	·66	—	—	—	—	—		9
10	—	—	—	·02	·09	—	·18	—	—	·58	·03	—		10
11	·09	(·40)	—	—	—	·035	·06	—	—	2·16	·41	—		11
12	—	—	—	—	·09	—	—	—	—	·20	—	—		12
13	—	—	—	—	—	—	·16	—	—	·01	—	·35		13
14	—	—	—	—	·09	·005	·79	—	—	·12	·35	—		14
15	—	—	—	—	—	—	·005	·27	—	·14	·11	—		15
16	·37	—	—	—	—	·02	·79	—	—	·05	(·89) ~~·48~~	—		16
17	—	—	·16	—	·04	·15	—	—	—	·1	—	—		17
18	—	snow blizzard	(·90) ·02	—	·02	·17	—	—	·08	—	·005	·005		18
19	—	—	·25	—	—	·26	—	—	—	—	·08	—		19
20	—	—	—	—	—	·26	·17	—	·11	—	·09	—		20
21	—	—	—	—	—	·45	—	·32	·14	—	—	—		21
22	—	—	·08	—	—	·22	—	·14	—	—	—	—		22
23	—	—	—	·07	—	·27	—	·29	—	·19	—	—		23
24	—	·06	—	·07	—	·04	—	—	·005	·1	—	—		24
25	—	(·70)	—	·05	·06	·84	—	—	·11	·03	—	—		25
26	—	(·40)	—	·12	—	·32	—	—	·025	—	—	·11		26
27	—	(·65) —	—	·13	·14	—	—	—	·05	·24	—	·008		27
28	—	(·05) —	—	—	·11	—	L	—	·08	·02	—	·01		28
29	—	—	—	·19	—	—	·005	—	—	·07	—	·02		29
30	·11	×	(·05) —	·12	—	—	·17	—	—	—	—	·04		30
31	·08	×	(·10) —	×	—	×	·02	—	×	·06	×	·11		31 "d"
	·08	·05	·19	·21	—	—	—	·08	—	—	—	—	Year's Total	
TOTAL	~~2·17~~	~~1·22~~	~~1·05~~	~~·98~~	~~1·52~~	~~2·89~~	~~2·99~~	~~1·03~~	~~·52~~	~~4·25~~	~~3·885~~	~~·65~~	~~25·125~~	
*Days with ·01 in. or more.	9	6	8	10	15	14	11	5	9	17	11	8	~~26~~ 123	..
*Days with .04 in. or more.	9	6	6	8	14	11	8	4	8	12	7	4	~~94~~	..
40-9999	2·11	(3·39)	(2·01)	1·00	1·41	3·15	3·0	1·11	·60	4·35	(1·21)	·65	(24·00)	

*See Instruction 2 (*f*) on other side.

† Third column, no entries required.

(*Signed*) S. Morris

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

File No. 774854/27

Kept at Shifnal C of E School

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 287 ft.

D gauge ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1934

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	–	–	–	·33	·02	·24	·13		1
2	·07	–	–	–	–	–	–	·12	·29	·33	·03	·4		2
3	·3	–	·04	–	–	–	–	·04	·16	·01	·3	·09		3
4	·5	–	–	–	–	–	–	·09	–	·19	–	·16		4
5	·7	–	·09	·1	·18	–	–	–	·12	·18	–	·36		5
6	–	–	·09	·02	·05	–	–	·71	–	–	·22	·02		6
7	–	–	·045	–	·31	·02	–	·01	–	·09	–	·39		7
8	·5	–	–	–	·01	·04	–	·06	–	·09	·04	·05		8
9	–	–	–	–	·13	–	–	·005	·11	–	·33	·23		9
10	–	–	·18	·01	–	–	–	·06	–	–	·5	·05		10
11	·07	–	·1	·3	–	–	–	·12	–	·005	·08	·005		11
12	·04	–	·1	·38	–	–	·02	·23	–	–	·01	·15		12
13	·88	–	·09	·05	–	–	·64	·16	–	·01	–	·005		13
14	~~·04~~	–	–	·88	–	–	·49	·01	–	·26	–	·06		14
15	·01	–	·21	–	–	–	–	–	·1	·31	·42	·07		15
16	–	–	·09	–	–	–	·02	·01	–	·25	·26	·25		16
17	·1	–	·7	–	–	–	–	–	–	·03	·11	–		17
18	·04	–	·16	·03	·19	–	·22	·03	·14	·01	·01	·20		18
19	·19	–	–	·21	–	·02	·02	·01	·05	–	–	·11		19
20	–	–	·11	·15	–	·04	–	·02	·01	·05	–	·06		20
21	–	–	·18	·09	–	–	–	–	·03	·005	–	·02		21
22	–	–		–	–	·26	–	–	·05	·06	–	–		22
23	·01	–	·03	·17	–	·02	–	·22	·15	·04	–	·26		23
24	·001	–	·02	–	·02	·28	·04	–	–	–	·05	·05		24
25	·12	·23	·04	·21	–	·06	–	–	·26	–	·005	–		25
26	–	·09	·02	·08	·04	·16	–	–	·01	·17	–	·5		26
27	–	–	·04	·49	–	·16	–	–	·055	–	–	·08		27
28	–	–	–	·37	–	·02	·01	–	·17	·12	·005	·17		28
29	–	–	–	·43	–	·12	·03	·1	·33	–	·02	·40		29
30	–	×	–	–	–	·02	·18	·03	–	–	–	·04		30
31	·04	×	–	×	–	×	·04	·29	×	·07	×	·02		31
TOTAL	3·701	·32	2·315	3·17	·93	1·22	1·71	2·225	2·365	2·300	2·430	4·310	Year's Total. 27·~~16~~	20
* Days with .01 in. or more.	~~2~~15	~~0~~2	~~3~~19	~~3~~17	~~2~~8	~~4~~13	11	19	~~16~~14	~~19~~19	15	~~28~~26	~~122~~	181
* Days with .04 in. or more.	~~13~~13	2	16	14	6	8	6	12	~~12~~14	14	~~16~~11	23	~~136~~	139

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. J. Morris

[P.T.O.

2297

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

774854/27

Kept at SHIFNAL
in the County of SALOP
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft " in.
,, Ground ,, Sea Level 289 ft.

[illegible] other reported in words

See file 774854/27.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	–	·14	–	~~·53~~	–	–	–		1
2	–	–	·08	–	–	·18	–	–	~~·20~~	·30	·12	·06		2
3	·05	·25	–	·08	–	–	–	–	–	·06	·35	·46		3
4	–	·01	·25	·30	–	·11	–	–	–	·35	–	·19		4
5	–	·22	–	·03	–	–	·08	–	–	–	·08	–		5
6	–	–	·30	·40	–	·22	–	–	–	–	·01	–		6
7	–	–	–	·30	–	·20	–	–	–	·06	·15	–		7
8	–	–	–	·19	–	–	–	–	–	·20	·29	·37		8
9	–	–	–	·22	–	·21	–	–	–	·06	·21	–		9
10	·08	–	–	–	–	–	–	–	–	–	·23	–		10
11	·15	–	–	–	–	–	–	·10	–	–	·20	–		11
12	·28	·17	–	–	–	·16	/	/	/	/	/	/		12
13	·06	–	–	–	·19	·10	–	–	~~·19~~	–	·11	–		13
14	·18	–	–	–	–	–	–	–	·19	–	1·0	·20		14
15	–	·005	–	·8	·08	–	–	–	–	–	·10	·21		15
16	–	·05	–	–	–	–	·08 ~~·20~~	–	·45	·50	·65	–		16
17	–	–	·20	·25	–	·03	·15	–	–	–	·40	–		17
18	–	–	–	·40	·20	·10	·01	–	·18	–	–	–		18
19	–	–	–	·20	·34	·49	·21	–	·23	·50	·06	–		19
20	–	–	–	·21	–	·13	·10	–	·75	–	·81	–		20
21	–	1·00	–	–	–	–	–	–	–	–	–	–		21
22	–	·30	–	–	–	–	–	–	·09	–	–	–		22
23	–	–	–	·40	~~·20~~	–	–	·7	1·10	–	–	–		23
24	·11	·49	·15	–	–	–	–	–	–	–	–	–		24
25	·2	·5	–	·06	–	·45	–	–	·25	·65	–	·23		25
26	–	·09	–	–	–	–	–	·11	·12	–	·08	·24		26
27	–	·11	–	–	–	–	–	–	·13	–	–	·14		27
28	–	–	–	–	·21	–	–	·26	·06	–	·25	–		28
29	–		·18	–	–	–	–	–	–	–	·35	·09		29
30	·03	×	–	·04	–	–	–	·03	–	·35	·15	·06		30
31	–	×	–	×	–	×	–	–	×	·22	×	–		31
TOTAL	1·14	3·195	1·16	3·88	1·02	2·38	(·77 ~~·69~~) ~~[illegible]~~	1·40	(3·55) ~~[illegible]~~	3·25	6·10	2·27	Year's Total. ~~30·275~~	~~31·855~~ (~~29·83~~ 29·91)
* Days with .01 in. or more.	9	11	6	15	5	12	7	5	14	11	20	11	~~126~~	
* Days with .04 in. or more.	8	10	6	14	5	11	6	4	14	11	19	11	~~112~~	

Seen

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

(national Schools)

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2297

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

774854/27.

Kept at SHIFNAL C.E SCHOOL

in the County of SALOP 14

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" Ground " Sea Level 289 ft.

N.R. 36 137

Ave. 28·2

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·08	·06	–	–	·15	·08	–	–	·31	·14	·27		1
2	–	–	·03	–	–	·62	–	–	–	·18	·07	·25		2
3	·03	–	–	·14	·05	·14	–	–	–	·11	–	·05		3
4	–	–	–	–	·02	·06	–	–	–	·46	–	–		4
5	–	–	–	–	–	–	·02	·21	·01	·17	–	·19		5
6	·21	–	–	–	–	·01	–	·46	·04	–	–	–		6
7	·05	–	–	–	–	–	·66	–	·05	·13	–	·03		7
8	·32	–	–	–	–	–	·48	·32	·04	·09	–	·07		8
9	·07	–	–	–	–	–	·19	1·23	–	·19	–	·04		9
10	·43	·04	–	–	–	·09	·63	·25	–	–	–	·35		10
11	–	·11	–	–	–	·05	·08	·08	–	–	–	·18		11
12	·61	·03	–	–	–	–	·01	–	–	·04	·24	·15		12
13	·09	–	–	–	·06	–	·04	–	–	·21	·22	–		13
14	–	–	–	–	·01	–	–	–	–	·01	·31	·26		14
15	·32	–	–	–	·06	–	·36	–	–	–	–	–		15
16	·1	–	–	–	·15	–	·31	·25	–	–	·05	·17		16
17	·28	–	–	–	·02	–	–	·45	–	·04	·06	–		17
18	–	–	–	–	–	–	·01	–	·05	·07	–	·21		18
19	–	–	–	–	·09	·04	–	·09	·68	–	·32	–		19
20	·03	–	–	–	–	–	–	·1	–	–	·01	–		20
21	–	–	–	–	–	–	–	–	–	·02	·33	–		21
22	·07	–	–	–	–	–	–	·01	·19	–	·05	–		22
23	–	–	–	–	–	·03	–	–	·35	–	·35	·14		23
24	–	–	–	–	·02	–	–	–	·1	–	·02	–		24
25	–	–	·17	–	·14	–	–	·49	·03	–	–	·01		25
26	·08	·07	·06	–	·01	–	·01	·01	·02	·37	·89	·3		26
27	–	·27	·15	–	·01	·1	·09	–	·02	·52	–	–		27
28	·06	–	–	–	·26	·16	·1	·44	·03	·01	·31	·25		28
29	·18	–	–	–	–	·08	·11	·1	·05	–	·02	·45		29
30	·56	✕	–	–	·58	–	–	–	·07	·11	·08	–		30
31	·05	✕	–	✕	–	✕	–	–	✕	–	✕	·15	27·19	31
TOTAL	3·54	·60	·47	·14	1·48	1·53	3·18	4·49 ~~3·49~~	1·73	3·04	3·47	3·52	Year's Total ~~24·19~~	
* Days with .01 in. or more.	18	6	5	1	14	12	16	15	15	18	17	19	156	
* Days with .04 in. or more.	16	5	4	1	8	10	12	13	10	15	14	17	125	

Pmt 58 13/4/39

† Spare column, no entries required.

(Signed) ....

* See Instruction 3 (f) on other side.

[P.T.O.

2298

Section **A** for the e
AIR M

Y FOR OFFICIAL USE.
RGANIZATION.

FORM 1090.

RE

2298

WREKIN RESERVOIR
SHROPSHIRE

1931-40

780404

Kept at Wrekin
in the County of S

Diameter of Funnel of Ga
Height of top of Gauge abo
,, Ground ,,

THE MORNING

An observer who does not co
year in the space on the rig

ing

Jan. 1, following
NIL.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·15	·24	–	·10	–	–	–	–	·14	–	–	1
2	·02	–	–	–	–	·32	–	–	·16	–	–	–	2
3	–	·04	–	·75	·31	·12	–	–	·30	·08	·10	–	3
4	–	–	–	–	–	–	·12	–	·80	–	1·08	·14	4
5	–	–	–	·16	–	–	·16	·44	·36	–	–	–	5
6	–	–	–	·23	–	1·32	–	·12	–	–	–	·25	6
7	–	·21	–	·07	–	·10	·08	–	–	·40	·26	–	7
8	–	·22	–	–	–	·21	·83	·40	·07	–		–	8
9	·08	–	–	·26	–	–	·08	·93	–	–		–	9
10	·10	·14	–	·10	–	·33	–	·12	–	–		–	10
11	–	–	–	–	–	–	·16	·23	·22	–		–	11
12	·10	–	–	–	–	·08	·41	–	·26	–		·10	12
13	–	–	–	–	–	–	·05	·20	·33	–		–	13
14	–	–	·07	–	·06	–	·50	·45	–	·08	1·36	–	14
15	–	·14	–	–	–	1·07	·17	1·34	·08	–	·40	–	15
16	–	·13	–	·09	–	–	·28	·26	–	–	–	·15	16
17	·03	·06	–	·15	·65	·96	–	·08	·20	–	–	–	17
18	·05	–	–	·05	1·35	–	–	–	–	–	·12	–	18
19	·05	–	–	·16	–	·15	·18	·17	·08	–	·57	–	19
20	–	·12	–	–	–	·30	·46	·18	·08	–	–	–	20
21	–	·03	·14	–	–	–	–	·20	–	–	·09	·09	21
22	·26	–	–	–	·61	–	–	–	–	–	·20	–	22
23	·12	–	–	–	·07	–	–	·10	–	–	–	–	23
24	·12	–	–	·23	·42	·32	·26	–	–	–	·10	·29	24
25	–	–	–	·14	·23	–	·12	–	–	–	–	–	25
26	–	·04	–	1·22	·07	–	·18	–	–	–	–	–	26
27	–	–	–	·10	–	–	·07	–	–	–	·66	–	27
28	·12	·20	–	·05	·73	–	–	–	–	–	·10	–	28
29	·03	×	–	·38	·42	–	–	–	–	·09	–	–	29
30	–	×	–	–	·16	–	·45	–	–	·40	–	·15	30
31	–	×	–	×	–	×	·14	–	×	–	×	–	31 37·87
TOTAL	·15 ~~1·20~~ 1·23	·24 ~~1·48~~ 1·57	– ~~·45~~ ·21	·10 ~~4·14~~ 4·24	– ~~5·18~~ 5·08	– 5·28	– 4·70	– 5·22	·14 ~~2·94~~ 3·08	– ~~1·19~~ 1·05	– 5·04	– 1·17	YEAR'S TOTAL ~~34·99~~
*Days with ·01 in. or more.	13	12	3	16	13	12	19	15	12	6		7	
*Days with ·04 in. or more.	10	11	3	16	13	12	19	15	12	6		7	

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) William Walker
Surveyor

P.T.O.

2298

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Wrekin Reservoir

in the County of Shropshire

? WD

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 2 ft 6 in.

,, Ground ,, Sea Level 478·40 ft.

corr. for WD.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

NIL.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·15	·24	–	·10	–	–	–	–	·14	–	–	1
2	·02	–	–	–	–	·32	–	–	·16	–	–	–	2
3	–	·04	–	·75	·31	·12	–	–	·30	·08	·10	–	3
4	–	–	–	–	–	–	·12	–	·80	–	1·08	·14	4
5	–	–	–	·16	–	–	·16	·44	·36	–	–	–	5
6	–	–	–	·23	–	1·32	–	·12	–	–	–	·25	6
7	–	·21	–	·07	–	·10	·08	–	–	·40	·26	–	7
8	–	·22	–	–	–	·21	·83	·40	·07	–		–	8
9	·08	–	–	·26	–	–	·08	·93	–	–		–	9
10	·10	·14	–	·10	–	·33	–	·12	–	–		–	10
11	–	–	–	–	–	–	·16	·23	·22	–		–	11
12	·10	–	–	–	–	·08	·41	–	·26	–		·10	12
13	–	–	–	–	–	–	·05	·20	·33	–		–	13
14	–	–	·07	–	·06	–	·50	·45	–	·08	1·36	–	14
15	–	·14	–	–	–	1·07	·17	1·34	·08	–	·40	–	15
16	–	·13	–	·09	–	–	·28	·26	–	–	–	·15	16
17	·03	·06	–	·15	·65	·96	–	·08	·20	–	–	–	17
18	·05	–	–	·05	1·35	–	–	–	–	–	·12	–	18
19	·05	–	–	·16	–	·15	·18	·17	·08	–	·57	–	19
20	–	·12	–	–	–	·30	·46	·18	·08	–	–	–	20
21	–	·03	·14	–	–	–	–	·20	–	–	·09	·09	21
22	·26	–	–	–	·61	–	–	–	–	–	·20	–	22
23	·12	–	–	–	·07	–	–	·10	–	–	–	–	23
24	·12	–	–	·23	·42	·32	·26	–	–	–	·10	·29	24
25	–	–	–	·14	·23	–	·12	–	–	–	–	–	25
26	–	·04	–	1·22	·07	–	·18	–	–	–	–	–	26
27	–	–	–	·10	–	–	·07	–	–	–	·66	–	27
28	·12	·20	–	·05	·73	–	–	–	–	–	·10	–	28
29	·03	×	–	·38	·42	–	–	–	–	·09	–	–	29
30	–	×	–	–	·16	–	·45	–	–	·40	–	·15	30
31	–	×	–	×	–	×	·14	–	×	–	×	–	31 37·87
	·15	·24	–	·10	–	–	–	–	·14	–	–	–	YEAR'S TOTAL
TOTAL	~~1·20~~ 1·23	~~1·48~~ 1·57	~~·45~~ 21	~~4·14~~ 4·24	~~5·18~~ 5·08	5·28	4·70	5·22	~~2·94~~ 3·08	~~1·19~~ 1·05	5·04	1·17	~~37·99~~
*Days with ·01 in. or more.	13	12	3	16	13	12	·19	15	12	6		7	
*Days with ·04 in. or more.	10	11	3	16	13	12	·19	15	12	6		7	

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) William Walker

Surveyor

P.T.O.

2298

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2298.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wrekin Reservoir, Wellington

in the County of Shropshire

Diameter of Funnel of Gauge 6" in.

Height of top of Gauge above Ground 2 ft 6 in.

,, Ground ,, Sea Level 478·40 ft.

WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·16.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·10	·20	-	·65	·33	-	-	-	·25	1
2	-	-	-	·10	·70	·10	-	·70	-	·10	-	-	2
3	·09	-	-	-	·34	-	·17	-	·10	-	-	·16	3
4	-	·10	-	-	-	-	·55	-	-	-	-	-	4
5	-	-	-	-	-	-	-	-	-	-	·36	-	5
6	·54	-	·10	-	·15	-	-	-	·12	-	-	-	6
7	·40	-	-	-	-	-	-	-	·13	-	-	-	7
8	-	-	·15	-	-	-	·04	-	·15	·38	-	-	8
9	-	-	-	-	-	-	-	-	-	·44	-	-	9
10	·54	-	-	·10	-	-	-	-	·09	-	-	-	10
11	·26	-	-	·10	-	-	-	-	·13	·30	-	-	11
12	-	-	-	·12	·15	-	·20	-	-	-	-	-	12
13	·25	-	-	-	·10	-	·10	-	·12	·36	-	-	13
14	-	-	-	-	-	-	1·12	·29	-	-	·10	·12	14
15	·27	-	-	·18	-	-	·20	·07	-	-	·20	-	15
16	-	-	-	-	·30	-	·18	-	-	-	-	-	16
17	·40	-	-	-	·05	-	·22	-	-	-	-	-	17
18	-	-	-	-	-	-	·18	-	-	-	-	-	18
19	-	-	-	-	-	-	-	-	-	-	·13	-	19
20	-	-	-	·14	·24	-	-	-	-	·10	-	-	20
21	-	-	-	-	·50	-	·10	·86	-	·40	·20	-	21
22	-	-	·30	·23	·48	-	-	-	-	·34	·10	-	22
23	-	-	·13	-	·30	-	·46	-	·50	·27	·14	-	23
24	-	·12	-	-	·70	-	-	-	·10	·09	-	-	24
25	·14	-	-	-	-	-	·22	-	·13	-	·35	-	25
26	-	-	-	-	-	·15	-	-	-	·17	-	-	26
27	-	-	·09	·35	·28	-	-	-	-	-	-	-	27
28	-	-	·37	·12	·47	-	-	-	-	·10	-	-	28
29	-	-	·27	-	·27	-	·15	-	-	-	-	-	29
30	-	X	·14	·28	-	·15	-	·08	·35	·34	·12	·38	30
31	-	X	·20 ·10	·20 X	-	·65 X	·15 ·33	·10	X	·10	·25 X	·11	31
TOTAL	✓ 2·89	✓ ·22	8 1·~~7~~5	9 1·~~8~~2	0 5·~~2~~3	1·05 ~~·40~~	4·37 ~~4·69~~	2·10 ~~2·43~~	✓ 1·92	✓ 3·49	1·95 ~~1·79~~	·93 ~~1·02~~	27·72 YEAR'S TOTAL ~~27·56~~
*Days with ·01 in. or more.	9 ✓	[illegible] ✓	~~9~~ 10	11 ✓	~~16~~ 15	~~3~~ 4	16 ✓	~~7~~ 6	11 ✓	14 ✓	~~9~~ 10	5 ✓	~~112~~ 113
*Days with ·04 in. or more.	9 ✓	2 ✓	~~9~~ 10	11 ✓	~~16~~ 15	~~3~~ 4	16 ✓	~~7~~ 6	11 ✓	14 ✓	~~9~~ 10	5 ✓	~~112~~ 113

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) William Walker

Engineer & Surveyor

P.T.O.

2298

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 2298.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wrekin Reservoir Wellington
in the County of Shropshire
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 2 ft 6 in.
,, Ground ,, Sea Level 478·40 ft.

File Ref. 78226/30

J.W.V. 30/1/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·05

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	·11	/	·40	·20	·10	/	/	·09	/	·30	/	1
2	·17	·40	·08	/	/	/	/	/	/	/	/	/	2
3	·38	/	·27	/	·06	·19	/	/	/	/	/	/	3
4	/	·20	·10	/	·20	/	/	/	/	/	/	/	4
5	·15	/	/	/	·21	/	/	/	/	/	/	/	5
6	·14	/	·05	/	·06	/	/	/	/	/	/	/	6
7	/	·50	/	/	·13	/	/	/	/	/	/	/	7
8	/	·25	·04	/	/	/	/	/	/	·45	/	/	8
9	/	/	·19	/	·04	/	·26	/	/	·68	/	/	9
10	/	/	/	/	/	·45	·18	/	/	1·76	·06	/	10
11	·08	·27	/	/	/	/	·38	/	/	/	·20	/	11
12	/	/	/	/	·13	/	·14	/	/	·05	/	/	12
13	·02	/	/	/	/	/	/	/	/	/	/	/	13
14	/	/	/	/	·12	/	·70	·06	/	·08	·32	/	14
15	/	/	/	/	/	/	/	·22	/	·08	·04	/	15
16	·29	/	/	/	/	·10	·12	·08	/	·05	·09	/	16
17	/	/	·56	/	·08	·13	/	/	/	·04	/	/	17
18	/	/	·50	/	/	/	/	/	·03	/	/	/	18
19	·21	/	/	/	·26	·13	·05	/	/	/	·04	/	19
20	/	/	·28	/	/	·19	·20	·11	/	/	·15	/	20
21	/	/	/	/	/	·19	/	·11	·25	/	/	/	21
22	/	/	/	/	/	·56	/	·21	/	/	/	/	22
23	/	/	/	/	/	·10	/	·23	/	·35	/	/	23
24	/	/	/	·12	·12	·09	/	/	·02	·11	/	/	24
25	/	·51	/	·06	·10	·81	/	/	·13	·08	/	/	25
26	/	/	/	·06	/	·48	/	/	·14	/	/	·20	26
27	/	1·24	/	·18	·19	/	/	/	·04	·18	/	·05	27
28	/	/	/	·01	/	/	/	/	·06	·08	/	/	28
29	/	/	/	·18	/	/	/	/	/	/	/	·07	29
30	/	×	/	·22	/	/	·08	/	/	·03	/	/	30
31	/	×	/	×	·12	×	/	/	×	/	×	·10	31
TOTAL	1·60	3·48	2·07	1·23	1·96	3·52	2·11	1·02	·76	4·02	1·20	·42	YEAR'S TOTAL 23·39
*Days with ·01 in. or more.	9	8	9	8	15	13	9	7	8	14	8	4	112
*Days with .04 in. or more.	8	8	9	7	15	13	9	7	6	13	8	4	107

40-9999

*See Instruction 2 (*f*) on other side.

D

(Signed) William Walker

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2298

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wrekin Reservoir. Wellington
in the County of Shropshire.
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 2 ft. 6 in.
,, Ground ,, Sea Level 478·40 ft.

78226/30.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·18

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	/	/	/	/	/	/	·02	·02	/	·26	/		1
2	·06	/	/	/	/	/	/	·16	·04	·45	·12	·62		2
3	/	/	·05	/	/	/	/	·04	·12	/	·18	/		3
4	·11	/	/	/	·02	/	/	·10	·02	·02	·04	/		4
5	·09	/	·08	/	·14	/	/	·02	/	·22	/	·47		5
6	/	/	·06	·04	·03	/	/	·60	/	·22	·02	/		6
7	/	/	/	/	·41	/	/	·02	/	·13	/	·39		7
8	·06	/	/	/	/	·02	/	·02	/	·19	/	·11		8
9	/	/	·07	/	·17	/	/	/	/	/	·43	·20		9
10	/	/	·17	/	/	/	/	/	/	/	·80	·08		10
11	·09	/	·19	·50	/	/	/	·37	/	/	·03	·18		11
12	·52	/	·44	·39	/	/	/	·18	/	/	/	·20		12
13	/	/	·06	·07	/	/	·50	·25	/	/	/	/		13
14	·62	/	/	·11	/	/	·13	/	/	·02	/	·02		14
15	/	/	·38	/	/	/	/	/	/	·09	·38	·08		15
16	·03	/	·05	/	·13	/	/	/	/	·29	·28	·19		16
17	·19	/	·09	/	·02	/	/	·02	/	/	·20	/		17
18	·15	/	·05	/	/	/	·08	·08	·39	·03	/	·18		18
19	·11	/	/	·21	/	/	·14	/	/	/	/	·02		19
20	/	/	·20	·02	/	·13	/	/	/	·02	/	·14		20
21	/	/	·05	/	/	/	/	/	·04	/	/	/		21
22	/	/	/	/	/	·20	/	·02	/	·03	/	/		22
23	·03	/	·05	·12	/	·02	/	·14	·23	/	/	·25		23
24	·07	/	·06	·14	·08	·34	·02	/	/	/	·10	·04		24
25	/	·26	·04	/	/	·10	·02	/	·22	/	/	/		25
26	·10	·05	/	·14	·02	·11	/	/	/	·24	/	·53		26
27	·06	/	·11	·32	/	·23	/	/	·10	/	/	/		27
28	/	/	/	·15	/	·02	/	/	/	·09	·07	·16		28
29	/	X	/	·15	/	·13	·04	·21	/	/	·06	·38		29
30	/	X	/	/	/	/	·23	·04	·44	/	/	·03		30
31	·09	X	/	X	/	X	/	·02	X	·10	X	·10		31
TOTAL	2·43	·31	2·20	2·36	1·02	1·30	1·16	2·31	1·62	2·14	2·97	4·37	Year's Total. 24·19	
* Days with .01 in. or more.	17	2	18	13	9	10	8	18	10	15	14	21	155	
* Days with .04 in. or more.	15	2	18	12	5	7	6	11	8	10	12	18	124	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) William Walker
Engineer + Surveyor

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 2298.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wrekin Reservoir Wellington

in the County of Shropshire.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 2 ft 6 in.

,, Ground ,, Sea Level 478·40 ft.

File Ref. 78226/30.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·32.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·02	·04	/	·02	/	·02	/	·11	·02	·37	·27		1
2	·02	/	·08	/	·09	/	·02	/	/	·09	·02	/		2
3	/	·36	/	/	/	·38	/	/	/	·05	·03	·02		3
4	/	/	·14	/	/	/	/	/	/	·36	·21	·35		4
5	/	·86	/	·19	/	·40	/	/	·05	·25	/	·20		5
6	/	/	·17	·02	/	/	·10	/	·08	·08	·12	/		6
7	/	/	/	·32	/	·14	/	/	/	/	/	/		7
8	/	/	/	·17	/	·32	/	/	/	·05	·11	·21		8
9	/	/	/	·22	/	/	/	·19	/	·10	·04	·15		9
10	/	/	/	·25	/	·26	/	/	/	·38	·17	/		10
11	/	/	/	·09	/	/	/	/	/	/	·09	/		11
12	·14	/	/	/	/	·04	/	/	/	/	·18	/		12
13	·18	/	/	/	/	·13	/	·09	/	/	/	/		13
14	·12	/	/	·02	·13	/	/	/	/	/	·02	/		14
15	/	/	/	·12	·10	/	/	/	·16	/	1·08	·11		15
16	/	·02	/	·52	·02	/	/	/	·11	/	·05	/		16
17	/	·03	·13	·08	/	·02	/	/	·44	·43	·78	/		17
18	/	/	/	·12	/	·30	·26	/	·02	/	·72	/		18
19	/	/	/	·62	·10	/	/	·02	·28	/	/	/		19
20	/	/	/	·14	·50	·50	·12	/	/	·38	·30	/		20
21	/	·30	/	·38	/	·07	/	/	/	/	·82	/		21
22	/	·46	/	/	/	/	/	/	·39	·02	·03	/		22
23	/	·17	/	·02	/	/	/	/	·02	/	/	/		23
24	/	/	·10	/	·02	/	/	·10	·09	·67	/	/		24
25	·12	·38	·05	/	/	/	/	/	·80	·20	/	·34		25
26	·10	·38	/	·08	/	·49	/	/	/	/	/	·09		26
27	/	·11	/	/	/	/	/	·92	·35	/	·02	·29		27
28	/	·17	/	/	/	/	/	/	·09	·02	·15	·30		28
29	/	X	/	/	·18	/	/	1·05	·29	/	/	·02		29
30	/	X	/	/	/	/	/	/	·05	/	·05	·13		30
31	/	X	/	X	/	X	/	/	X	·62	X	·02		31
TOTAL	·86	3·26	·71	3·36	1·16	3·05	·52	2·37	3·33	3·72	5·36	2·50	Year's Total. 30·20	
* Days with .01 in. or more.	7	12	7	17	9	12	5	6	16	16	21	14	142	
* Days with .04 in. or more.	6	9	7	14	6	11	3	5	14	13	16	11	115	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) William Walker

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2298.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Wrekin Reservoir, Wellington

in the County of Shropshire

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 478.40 ft.

File Ref. 78226/30.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·43

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·38	·29	/	/	/	/	/	/	/	/	/		1
2	·11	·18	/	·83	/	·29	/	·39	/	/	·18	·07		2
3	·41	/	/	·05	/	·65	·73	/	·23	/	·27	/		3
4	/	/	/	/	/	·11	/	·03	·32	/	/	/		4
5	/	/	·19	/	/	·17	/	/	/	/	·28	·21		5
6	·35	/	/	/	/	/	/	·14	·11	/	·03	·21		6
7	/	/	/	/	/	·04	·09	·15	·22	/	·13	·02		7
8	/	/	·02	/	/	/	·25	/	/	/	·10	·03		8
9	·04	/	·28	/	/	/	/	/	·47	/	·30	·04		9
10	·42	/	·30	/	/	/	1·27	/	·03	·05	/	/		10
11	/	/	/	/	/	/	·35	/	/	/	/	/		11
12	/	/	/	/	/	·09	·16	/	·42	/	·64	/		12
13	/	/	/	/	·15	·34	·81	/	·04	/	·27	·23		13
14	/	/	/	·05	/	·12	/	/	·37	·07	/	·66		14
15	/	/	/	·14	·05	·11	·03	·08	/	/	·08	·52		15
16	/	/	/	/	/	·02	·11	·06	/	/	·14	·02		16
17	/	/	/	·19	·81	/	·04	/	/	/	·26	·02		17
18	/	·80	/	/	/	/	·13	·02	/	·07	·02	·08		18
19	/	·14	/	/	/	·05	·34	·03	/	·19	/	·02		19
20	·70	·14	/	·39	/	·16	/	·03	/	·16	/	/		20
21	~~·70~~	·04	·09	/	/	·02	/	·01	/	/	/	·02		21
22	/	/	/	·37	/	1·27	·02	/	/	/	/	/		22
23	/	·28	·05	·02	·07	/	·19	/	/	/	/	·12		23
24	/	·02	·28	/	·09	/	·28	/	/	·03	/	/		24
25	·36	·04	/	/	/	/	/	/	·26	·33	·04	/		25
26	·26	·02	/	/	/	/	·10	/	·69	/	/	/		26
27	·02	·02	·40	·40	/	/	/	/	/	/	·02	/		27
28	·18	·22	·02	/	/	/	/	/	·18	·15	/	/		28
29	·23	/	·20	/	/	/	/	/	/	·05	/	·14		29
30	·02	×	/	/	/	·41	·17	/	/	/	·07	·29		30
31	·05	×	·03	×	·27	×	·30	/	×	·75	×	/		31 d
													Year's Total	
TOTAL	3·47	2·28	2·15	2·44	1·44	3·85	5·37	·94	3·34	1·85	2·83	2·70	32·66	✓
* Days with .01 in. or more.	14	12	12	9	6	15	18	10	12	10	16	17	151	✓
* Days with .04 in. or more.	12	9	9	8	6	13	16	5	11	9	13	11	122	✓

† Spare column, no entries required.

(Signed) ....

Engineer & Surveyor

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2298.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

[illegible] 3/38

Kept at Wrekin Reservoir. Wellington.
in the County of Shropshire
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground ~~2~~ ft. ~~6~~* in.
,, Ground ,, Sea Level 478.40 ft.

File Ref. 78226/30.

*G. at 1'4" see letter in file 78226/30 Encl 12A

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: Nil.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·43	·28	/	/	/	/	·02	/	/	/	·20	·05		1
2	·07	·08	·11	/	/	/	/	/	·11	·03	·02	·19		2
3	/	·08	·05	·60	/	/	/	/	/	/	/	1·10		3
4	/	·06	/	/	·42	·08	/	/	/	/	/	/		4
5	·07	·12	/	/	·02	·02	/	/	/	/	/	·74		5
6	·11	/	·16	/	/	/	/	·02	/	/	/	/		6
7	·08	·21	·08	·15	·14	/	·32	/	/	/	/	/		7
8	/	1·14	/	·04	/	·10	/	/	/	/	/	/		8
9	/	·24	/	/	·03	/	/	/	/	·04	·48	/		9
10	/	/	/	·09	·13	/	·58	/	·19	/	/	/		10
11	/	·05	/	/	/	/	/	/	/	/	/	·25		11
12	/	·05	·49	/	·65	/	/	/	/	/	·02	·21		12
13	·14	·36	·13	/	·04	1·60	·02	·91	·27	/	/	·08		13
14	·07	/	·13	·05	·02	·15	/	·19	·16	/	/	·02		14
15	/	/	·08	·11	/	/	/	·09	/	/	/	·15		15
16	·09	·13	/	·18	/	/	1·78	·08	·26	/	/	·02		16
17	·01	·05	·58	·23	/	/	/	·19	·03	/	/	/		17
18	·11	·17	·16	·09	/	·15	/	/	·38	/	/	/		18
19	·96	·06	·13	/	/	/	/	/	·84	/	·26	·08		19
20	·06	·07	·12	·12	/	·10	·30	/	/	/	·10	/		20
21	·25	/	/	·38	·21	/	/	/	/	/	/	·02		21
22	·11	·20	·18	·05	·02	/	·27	/	/	/	/	/		22
23	·05	·04	·02	/	·31	·20	·32	/	/	·61	·37	·19		23
24	·26	·10	·16	/	/	/	·07	/	/	·38	·25	/		24
25	·25	·51	·04	/	/	/	/	/	·14	·57	/	/		25
26	/	·53	/	/	/	/	/	/	·02	·23	/	·06		26
27	/	·17	·05	/	·78	/	/	/	/	/	·02	·01		27
28	/	·09	/	·22	/	/	/	/	/	·77	/	/		28
29	/	×	/	/	/	/	/	/	/	·22	/	·04		29
30	/		/	/	/	·01	/	/	/	·35	·04	·02		30
31	·17		/		/		/	·17		·02		/		31
TOTAL	3·29	4·82	2·67	2·25	2·77	2·41	3·68	1·65	2·40	3·22	1·76	3·23	Year's Total 34·15	✓
* Days with .01 in. or more.	18	23	17	13	12	9	9	7	10	10	10	17	~~155~~	✓
* Days with .04 in. or more.	17	23	16	12	8	7	7	6	8	8	7	12	131	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) William Walker [P.T.O.
Engineer & Surveyor

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2298.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Wrekin Reservoir, Wellington.

in the County of Shropshire.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 478.40 ft.

W/D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·48.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	/	·04	·04	/	/	·19	·03	/	/	·31	·18	·18		1
2	/	·02	/	/	/	·73	/	·06	/	·12	·08	·22		2
3	/	/	/	·15	·05	·13	/	/	/	·32	/	·05		3
4	/	/	/	/	·02	·10	/	/	·02	·87	/	/		4
5	·01	/	/	/	/	/	·09	·18	/	·13	/	·15		5
6	/	·01	/	/	/	/	·02	·87	·03	·11	/	/		6
7	·18	/	/	/	/	/	·73	/	·08	/	/	·04		7
8	·02	/	/	/	/	/	·58	·44	·02	·12	/	·01		8
9	·46	/	/	/	/	/	·22	·80	/	·25	/	·08		9
10	·06	·02	/	/	/	·09	·06	·39	/	/	/	·38		10
11	·03	·07	/	/	/	·41	·40	·02	/	/	/	·48		11
12	·71	/	/	/	/	/	/	·02	·02	·03	·28	·19		12
13	·12	/	/	/	·13	/	·08	·09	/	·41	·26	/		13
14	/	/	/	/	/	/	/	/	/	·04	·20	·19		14
15	·43	/	/	/	·05	/	·58	/	·17	/	/	/		15
16	·19	/	/	/	·10	/	·29	·01	/	/	·03	·22		16
17	·42	/	/	/	/	/	/	·04	/	·10	·11	·07		17
18	/	/	/	/	/	/	·03	/	·15	·08	/	·03		18
19	·02	/	/	/	·09	/	/	·11	·14	/	·33	/		19
20	·01	/	/	/	/	/	/	·15	/	/	·01	/		20
21	/	/	/	/	/	/	/	/	·04	/	·42	/		21
22	·06	/	/	/	/	/	/	·06	·07	/	·08	/		22
23	/	/	/	·13	/	·20	/	·01	·05	/	·45	·07		23
24	/	/	/	/	/	·01	/	/	·10	·02	·01	·09		24
25	/	/	·10	/	·11	/	/	·80	·07	/	/	/		25
26	·06	·06	·16	/	·05	·02	·02	·02	/	·55	1·07	·04		26
27	·08	·38	·25	/	·04	·10	·20	/	·05	·36	/	·08		27
28	·04	/	/	/	·61	·29	·10	·51	·05	/	·17	/		28
29	·21	×	/	/	/	·11	·08	·11	·09	/	·04	·17		29
30	·48	✕	·01	/	·62	/	/	/	/	·26	·04	·14		30
31	·05	✕	/	✕	/	✕	/	/	✕	/	✕	·07		31
	·04	·04	–	–	·19	·03	–	–	·31	·18	·18	·48	Year's Total	
TOTAL	~~3·64~~ 3·68	·60	~~·56~~ ·52	·28	~~1·87~~ 2·06	~~2·38~~ 2·22	~~3·51~~ 3·48	4·68	~~1·15~~ 1·46	~~4·08~~ 3·95	3·76	~~2·95~~ 3·25	~~29·46~~	✓29·94
* Days with .01 in. or more.	~~20~~21	7	~~5~~4	2	~~11~~12	12	~~14~~15	19	~~16~~17	17	17	21	16~~3~~4	✓
* Days with .04 in. or more.	~~15~~16	4	4 3	2	~~10~~11	~~10~~9	12	14	~~12~~13	15	14	19	13~~1~~2	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) William Walker

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2298.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Wrekin Reservoir, Wellington

in the County of Shropshire

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" Ground " Sea Level 478·40 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·05

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·48	/	·24	/	·12	/	·11	·01	·06	/	·06	·11		1
2	·31	/	/	·19	/	/	/	/	·05	/	/	·04		2
3	·08	/	/	·11	/	/	·01	·37	·25	/	·01	/		3
4	·04	/	/	·32	/	/	/	·04	/	/	·12	·27		4
5	·39	/	·12	·53	·08	/	·66	/	·05	·55	·17	·29		5
6	/	/	/	·07	·16	/	·27	·06	/	·09	·32	·13		6
7	·54	/	/	/	/	/	·66	/	/	/	·02	·01		7
8	·16	/	·03	/	·31	/	·47	·03	/	/	·56	·87		8
9	/	·08	·38	/	/	/	·32	·39	/	·62	·59	·12		9
10	·06	·03	/	/	/	/	·15	·34	/	·47	/	·26		10
11	·74	/	·03	/	/	/	/	·02	·10	·12	/	·11		11
12	·12	/	·18	/	/	·27	/	/	/	/	/	/		12
13	/	·05	/	/	/	·02	/	/	/	·05	/	/		13
14	/	/	·02	·24	·07	·04	·10	/	·02	·19	/	/		14
15	·46	/	/	·05	·48	·24	/	/	·12	·33	·19	/		15
16	·32	/	/	·03	·12	·33	·45	/	/	/	·18	/		16
17	·08	/	·05	/	·43	/	/	/	/	·14	·15	/		17
18	·39	·05	/	/	/	/	·06	/	/	1·42	·19	/		18
19	·34	·05	·04	/	/	·21	·08	/	/	·14	1·02	/		19
20	·21	/	/	/	/	/	·60	/	/	/	·04	/		20
21	·26	/	/	/	/	·30	·05	/	·05	/	/	·05		21
22	·30	·03	·16	·02	·04	/	·07	·14	·24	/	/	/		22
23	·31	·32	/	·05	/	/	·30	/	/	·02	·48	/		23
24	·07	·02	/	·03	/	/	·15	/	/	·20	·74	/		24
25	/	/	·07	·28	/	·07	·12	/	/	·15	/	/		25
26	·40	·08	/	·02	/	/	·17	/	/	·08	·13	/		26
27	·12	/	/	·08	/	/	/	·01	/	/	·27	·26		27
28	/	·17	·27	·02	/	·03	·09	/	/	·11	·06	/		28
29	/	×	·32	·04	/	·05	·41	·05	/	/	·13	·14		29
30	/	·24 ×	/	·24	/	/	1·45	·16	/	·13	/	/		30
31	/	×	/	·12 ×	/	·11 ×	·01 /	·06 /	×	·06 /	·11 ×	·04/05		31
TOTAL	5·70 ~~6·18~~	1·12 ~~·88~~	1·67 ~~1·91~~	2·44 2·32	1·69 ~~1·81~~	1·67 ~~1·56~~	6·65 ~~6·45~~	1·67 ~~1·62~~	·88 ~~·94~~	4·87 ~~4·81~~	5·48 ~~5·43~~	2·64 ~~2·70~~	Year's Total ~~36·91~~	36·48 36·48
* Days with .01 in. or more.	~~22~~ 21	~~10~~ 11	~~13~~ 12	~~17~~ 18	~~9~~ 8	~~10~~ 11	22	12	~~9~~ 8	~~17~~ 18	20	14	175	
* Days with .04 in. or more.	~~22~~ 21	~~7~~ 8	~~10~~ 9	~~12~~ 13	~~9~~ 8	~~8~~ 9	~~21~~ 20	~~8~~ 9	~~8~~ 7	~~16~~ 17	18	13	152	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) William Walker
Engineer + Surveyor

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2298 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Wrekin Reservoir, Wellington,

in the County of Shropshire

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 478·40 ft.

Corrd. for W.D.

Jan & Feb apportioned?

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·04

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	/	/	·17	·91	/	/	/	/	/	1·23	/		1
2	/	/	/	·02	/	/	/	/	/	/	·52	/		2
3	/	(~~1·38~~)	/	·26	/	/	·07	/	/	/	·72	·42		3
4	/	·18	/	·02	/	/	·02	/	/	·27	·67	·33		4
5	/	·12	/	·38	/	/	·04	/	/	·13	·33	·02		5
6	/	/	/	/	·11	/	·03	/	·17	·03	·47	·09		6
7	·11	·34	/	/	/	/	·29	/	/	·71	·32	·01		7
8	/	·30	/	·01	/	/	·19	/	·01	·04	/	/		8
9	/	/	/	·03	/	/	/	/	·02	·39	/	·15		9
10	/	/	·11	/	/	·06	·48	·14	·03	·07	·94	·33		10
11	/	/	·11	/	/	·47	·98	·04	/	·01	·12	·14		11
12	/	/	·03	·10	/	·15	·06	/	/	/	·58	·15		12
13	/	/	/	/	/	·06	·50	/	·17	/	·01	/		13
14	/	/	·22	·03	/	/	/	·07	·07	/	/	/		14
15	/	/	·26	·07	/	/	/	·02	·28	·14	·08	·39		15
16	/	/	·04	·05	1·22	·08	/	/	·09	·03	·13	/		16
17	/	·17	·47	/	/	/	·10	/	·34	·99	1·04	/		17
18	/	/	·65	/	·01	/	/	/	/	·01	1·23	/		18
19	/	·82	·21	·47	/	/	/	·02	·07	·04	·01	·09		19
20	/	·59	·08	·18	/	/	·24	/	·25	/	·11	·02		20
21	/	/	/	·04	/	/	·40	/	·01	·34	/	/		21
22	/	/	/	·06	·26	·54	·18	·05	/	·01	1·56	/		22
23	/	/	·01	/	·72	·27	/	/	·08	·01	/	/		23
24	/	·05	·04	·18	·04	·01	/	/	·02	/	·01	/		24
25	/	/	/	/	/	/	·06	·01	/	/	/	/		25
26	/	/	/	/	·09	/	/	/	·03	/	/	/		26
27	1·38	·13	·10	·09	·01	·03	·11	/	/	/	·09	/		27
28	/	·04	/	·26	/	/	·01	/	/	/	·07	/		28
29	(1·38)	·84	/	/	·68	/	/	·01	/	/	/	/		29
30	/	×	·04	·61	/	·16	·06	/	/	/	/	·13		30
31	/	×	/	×	·10	×	/	/	×	·24	×	/		31
TOTAL	2·87 ~~1·64~~ ~~1·49~~	3·58 ~~4·96~~	·17 ~~2·37~~ 2·54	·91 ~~3·03~~ 3·77	– ~~4·15~~ 3·24	– 1·83	– 3·82	– ·36	– 1·64	1·23 ~~3·46~~ 4·69	– ~~10·24~~ 9·01	·04 ~~2·27~~ 2·31	Year's Total ~~39·67~~	39·66
* Days with .01 in. or more.	3	12	~~14~~ 15	19	11	10	18	8	15	~~17~~ 18	~~21~~ 20	~~13~~ 14	161	
* Days with .04 in. or more.	3	12	~~12~~ 13	14	9	8	15	4	9	~~11~~ 12	~~18~~ 17	~~10~~ 11	125	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) William Walker

[P.T.O.

2299

Section **A** for the entry of D

AIR MINISTRY.-

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

Kept at The Hawthornes, C

in the County of Salop.

Diameter of Funnel of Gauge 8"

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th

year in the space on the right of this

Pl

wing

Jan. 1, following

—

2299

COPTHORNE, THE HAWTHORNES

1931–37

780404

Date	**Jan.**	**Feb.**	**March**	**A**							**Nov.**	**Dec.**	*Date*
	in.	in.	in.								in.	in.	
1	-	-	-	·05	-	·16	-	-	·10	·04	-	-	1
2	-	·08	-	·53	·40	·05	·02	-	·50	·05	·07	·07	2
3	-	-	-	-	-	-	-	-	·58	-	·87	·02	3
4	-	-	·01	·09	-	-	·08	·25	·41	-	·06	-	4
5	-	-	-	·21	·07	1·09	·04	·07	·08	-	-	·39	5
6	-	·16	-	·04	-	·03	-	-	·02	·24	·14	-	6
7	-	-	-	-	-	·17	-	·58	-	·01	·08	·01	7
8	·08	-	-	·19	-	·19	·03	·81	-	-	·06	-	8
9	·08	·31	-	·04	-	·02	-	·11	-	·01	·15	-	9
10	-	·04	·01	-	·03	·01	·35	·02	·10	-	·23	·04	10
11	·03	·21	-	-	·02	·09	·04	-	·18	-	·07	·01	11
12	-	·13	-	·03	-	-	·54	·03	·09	-	-	-	12
13	-	·05	·09	-	·05	·01	·01	·23	-	·03	-	-	13
14	-	·08	-	-	·11	·72	·13	1·50	·06	-	·48	-	14
15	·02	·25	-	·07	·01	-	·06	·32	-	-	-	·17	15
16	·09	·18	-	·16	·29	·48	·01	·15	·16	-	-	-	16
17	·10	-	-	·21	1·10	·02	-	-	-	-	·12	-	17
18	·03	·01	-	·23	-	·23	·07	·13	-	-	·32	-	18
19	·01	·03	-	·04	-	·18	·22	·47	-	·02	·01	-	19
20	-	·08	·16	-	-	-	-	·14	-	-	·03	·04	20
21	·38	·01	-	-	·70	-	-	-	-	-	·12	-	21
22	·06	-	-	-	·04	-	-	·26	-	-	·03	-	22
23	·24	-	-	·01	·30	·42	·47	-	-	·01	·10	·23	23
24	-	-	-	·06	·28	-	·12	-	-	-	·12	-	24
25	·01	·05	-	1·23	·03	-	·02	-	-	-	·01	-	25
26	-	·03	-	·19	-	-	·03	-	-	-	·56	-	26
27	·10	·38	-	·09	·72	-	·03	-	-	·09	·15	·02	27
28	·05	·08	-	·06	·40	-	-	-	-	·01	-	·20	28
29	·01	-	·08	-	·09	-	·24	-	-	·26	·02	·04	29
30	-	×	-	·06	·01	-	·02	-	·09	-	-	·01	30
31	·19	×	-	×	·08	×	·01	-	×	-	×	-	31
TOTAL	1·48	2·16	·35	3·59	4·73	3·87	2·54	5·07	2·37	·77	3·80	1·25	YEAR'S TOTAL 31·98
*Days with ·01 in. or more.	16	18	5	20	19	16	21	15	12	11	22	13	188
*Days with ·04 in. or more.	10	14	3	18	14	11	12	13	11	5	18	8	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. H. Purslow

[P.T.O.

2299

Section **A** for the entry of D[redacted]PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at The Hawthornes, Copthorne Shrewsbury.
in the County of Salop.
Diameter of Funnel of Gauge 8" in.
Height of top of Gauge above Ground ft 12" in.
,, Ground ,, Sea Level 252' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·05	-	·16	-	-	·10	·04	-	-	1
2	-	·08	-	·53	·40	·05	·02	-	·50	·05	·07	·07	2
3	-	-	-	-	-	-	-	-	·58	-	·87	·02	3
4	-	-	·01	·09	-	-	·08	·25	·41	-	·06	-	4
5	-	-	-	·21	·07	1·09	·04	·07	·08	-	-	·39	5
6	-	·16	-	·04	-	·03	-	-	·02	·24	·14	-	6
7	-	-	-	-	-	·17	-	·58	-	·01	·08	·01	7
8	·08	-	-	·19	-	·19	·03	·81	-	-	·06	-	8
9	·08	·31	-	·04	-	·02	-	·11	-	·01	·15	-	9
10	-	·04	·01	-	·03	·01	·35	·02	·10	-	·23	·04	10
11	·03	·21	-	-	·02	·09	·04	-	·18	-	·07	·01	11
12	-	·13	-	·03	-	-	·54	·03	·09	-	-	-	12
13	-	·05	·09	-	·05	·01	·01	·23	-	·03	-	-	13
14	-	·08	-	-	·11	·72	·13	1·50	·06	-	·48	-	14
15	·02	·25	-	·07	·01	-	·06	·32	-	-	-	·17	15
16	·09	·18	-	·16	·29	·48	·01	·15	·16	-	-	-	16
17	·10	-	-	·21	1·10	·02	-	-	-	-	·12	-	17
18	·03	·01	-	·23	-	·23	·07	·13	-	-	·32	-	18
19	·01	·03	-	·04	-	·18	·22	·47	-	·02	·01	-	19
20	-	·08	·16	-	-	-	-	·14	-	-	·03	·04	20
21	·38	·01	-	-	·70	-	-	-	-	-	·12	-	21
22	·06	-	-	-	·04	-	-	·26	-	-	·03	-	22
23	·24	-	-	·01	·30	·42	·47	-	-	·01	·10	·23	23
24	-	-	-	·06	·28	-	·12	-	-	-	·12	-	24
25	·01	·05	-	1·23	·03	-	·02	-	-	-	·01	-	25
26	-	·03	-	·19	-	-	·03	-	-	-	·56	-	26
27	·10	·38	-	·09	·72	-	·03	-	-	·09	·15	·02	27
28	·05	·08	-	·06	·40	-	-	-	-	·01	-	·20	28
29	·01	-	·08	-	·09	-	·24	-	-	·26	·02	·04	29
30	-	×	-	·06	·01	-	·02	-	·09	-	-	·01	30
31	·19	×	-	×	·08	×	·01	-	×	-	×	-	31
TOTAL	1·48	2·16	·35	3·59	4·73	3·87	2·54	5·07	2·37	·77	3·80	1·25	YEAR'S TOTAL 31·98
*Days with ·01 in. or more.	16	18	5	20	19	16	21	15	12	11	22	13	188
*Days with ·04 in. or more.	10	14	3	18	14	11	12	13	11	5	18	8	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. H. Purslow

[P.T.O.

File NO. 905311/29

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No.** 2299

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Hawthornes, Copthorne, Shrewsbury

in the County of Salop

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 252 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·03	-	·05	·43	·07	·11	·18	·15	-	·02	·11	1
2	·10	-	-	·12	·31	-	-	-	·11	·03	·01	·09	2
3	-	·01	-	·90	·04	-	·35	-	·02	·08	·01	·01	3
4	·04	-	-	·12	-	-	·04	-	-	-	·01	-	4
5	·52	-	·11	·01	·09	-	·01	-	·07	-	-	-	5
6	·55	-	·10	·28	-	-	·01	-	·09	-	-	-	6
7	-	-	·09	·11	-	-	-	-	·07	·85	-	·02	7
8	-	-	·03	·10	-	-	-	-	·10	·33	-	-	8
9	·29	·05^s^	-	·01	·08	-	-	-	-	-	-	-	9
10	·16	-	·04	·26	·05	·04	-	-	·11	·23	-	-	10
11	·01	·01^s^	-	·23	·03	·08	·02	-	-	·17	·01	·01	11
12	·20	-	-	·01	·07	-	·40	-	·19	·18	·04	-	12
13	·05	-	-	·04	-	-	2·44	·11	-	·11	·07	·09	13
14	·27	-	-	·01	-	-	·02	·11	-	·09	·08	·02	14
15	-	-	-	-	·36	-	-	-	-	·03	-	·01	15
16	·51	-	-	·32	·03	-	·26	-	-	-	-	-	16
17	-	-	-	·01	·02	-	·16	-	-	·03	-	-	17
18	-	-	-	-	·02	-	-	-	·03	·02	·11	-	18
19	-	-	-	·07	·15	-	-	-	-	·03	·01	-	19
20	-	-	-	·05	·39	-	·04	·56	-	·41	·08	-	20
21	-	-	·43	·35	·47	-	-	·14	-	·40	·01	·03	21
22	-	-	·16	·04	·13	-	·14	-	·40	·04	·14	·01	22
23	-	-	-	-	·54	-	·04	-	·05	·23	·07	·02	23
24	·11	-	-	·02	·06	-	·12	-	·08	-	·05	-	24
25	·01	·01	-	-	-	·31	-	-	-	·02	-	-	25
26	-	·01	·08	·31	·18	-	-	-	·14	·05	-	-	26
27	-	-	·36	·08	·27	-	·04	-	-	-	·05	·02	27
28	-	-	·15	·02	·19	·06	·09	-	-	-	-	-	28
29	-	-	·16	·08	·14	·04	·01	·15	·14	·39	·09	·24	29
30	·01	×	·30	·15	·01	·33	·01	·03	-	·03	·23	-	30
31	-	×	·15	×	-	×	·27	·01	×	-	×	·12	31
TOTAL	2·83	·12	2·16	3·75	4·06	·93	4·58	1·29	1·75	3·75	1·09	·80	YEAR'S TOTAL 27·11
*Days with ·01 in. or more.	14	6	13	26	23	7	20	8	15	21	18	14	185
*Days with .04 in. or more.	11	1	12	19	18	7	14	6	13	14	11	5	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

File No. 905311/29.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2299.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Hawthornes, Copthorne, Shrewsbury

in the County of Salop.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1' ft – in.

,, Ground ,, Sea Level 252. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·11	·06	·	·	·	·	·	·01	·01	·02	·		1
2	·31	·	·17	·	·10	·03	·	·	·01	·	·02	·		2
3	·11	·17	·03	·	·09	·	·	·	·	·	·	·		3
4	·13	·01	·	·	·10	·	·	·	·	·	·	·		4
5	·11	·	·08	·	·	·	·	·	·	·	·	·		5
6	·	·45	·	·	·08	·	·	·	·	·01	·	·		6
7	·	·03	·02	·	·	·	·44	·	·	·56	·	·02		7
8	·	·	·07	·02	·03	·	·40	·	·	·	·	·01		8
9	·	·	·	·	·02	·01	·39	·	·	·59	·01	·		9
10	·06	·11	·	·	·	·01	·15	·06	·	1·76	·17	·		10
11	·09	·	·	·	·09	·	·05	·	·	·06	·	·07		11
12	·	·	·	·	·05	·	·15	·	·	·	·	·08		12
13	·	·	·	·	·14	·	·21	·06	·	·16	·18	·		13
14	·03	·	·	·	·	·	·01	·20	·	·25	·05	·		14
15	·07	·	·	·	·	·01	·28	·12	·	·09	·09	·		15
16	·05	·	·36	·	·07	·12	·	·	·	·29	·01	·02		16
17	·05	·04	·44	·	·	·04	·	·	·	·	·	·		17
18	·08	·	·07	·	·	·22	·	·	·	·	·03	·		18
19	·	·	·	·	·	·37	·	·	·34	·	·09	·		19
20	·	·09	·	·	·	·25	·	·	·31	·	-	·		20
21	·	·01	·	·	·01	·26	·	·24	·	·01	·03	·		21
22	·	·	·	·03	·18	·07	·	·28	·	·21	·	·		22
23	·	·02	·	·13	·	·26	·	·18	·09	·16	·	·		23
24	·	·27 s.	·	·04	·03	·60	·	-	·19	·27	·	·		24
25	·	·26	·	·08	-	·19	·	-	·01	·	·	·16		25
26	·	·60 s	·	·07	·13	·39	·	-	·01	·20	·	·01		26
27	·	·03	·	·03	·06	·	·	-	·06	·12	·	·01		27
28	·	·01	·	·09	-	·01	·01	-	·	·	·	·01		28
29	·07	-	·	·08	·	-	·04	-	·	·01	·	·		29
30	·06	×	·05	·28	·03	-	·08	·01	·	·16	·	·16		30
31	·07	×	·19	×	·	×	·	·04	×	·	×	-		31
TOTAL	1·37	2·21	1·94	·85	1·21	2·84	2·18	1·19	1·03	4·92	·70	·55	Year's Total	20·99
*Days with ·01 in. or more.	15	15	13	10	16	16	12	9	9	18	11	10		154
*Days with ·04 in. or more.	14	9.	11	7	11	11	10	8	5	14	5	4		109

40-9999

*See Instruction 2 (*f*) on other side. -D

† Spare column, no entries required

(*Signed*) W. H. Pinslow

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2299

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193

. File No. 905311/29

Kept at The Hawthornes, Copthorne, Shrewsbury

in the County of Salop.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 252 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	-	-	-	-	-	-	·08	·05	·42	-	·26		1
2	-	-	·03	-	-	-	-	·01	·13	-	·03	·04		2
3	·02	-	-	-	-	-	-	·10	·01	·07	-	·09		3
4	·12	-	·06	·02	·14	-	-	-	·12	·14	·06	·23		4
5	-	-	·07	·05	·11	-	-	·76	-	-	·07	·02		5
6	·01	-	·06	-	·48	-	-	-	-	·03	-	·22		6
7	·05	-	-	-	-	·10	-	·02	-	·05	·01	·08		7
8	-	-	-	-	·25	·09	-	·01	-	-	·19	·17		8
9	-	-	·09	·02	-	-	-	·03	-	-	·54	·05		9
10	·03	-	·03	·32	-	-	-	·17	-	-	·03	-		10
11	·49	-	·12	·37	-	-	·02	·08	-	-	·01	·12		11
12	·02	-	·01	·07	-	-	·89	·28	-	-	-	-		12
13	·80	-	-	·08	-	-	·10	-	-	·06	-	-		13
14	·01	-	·26	-	·02	·03	-	-	·01	·10	·28	·01		14
15	·05	-	·06	-	·14	-	-	·05	-	·15	·26	·17		15
16	·19	-	·09	-	·04	-	·22	·05	·02	·01	·09	-		16
17	·14	-	-	·03	·04	-	-	·03	·17	·01	-	·14		17
18	·14	-	-	·08	-	·03	-	-	·01	-	-	·05		18
19	·03	-	·06	·15	-	·07	-	·06	-	·09	-	·11		19
20	-	-	·09	-	-	·01	-	-	·02	·01	·02	-		20
21	-	-	-	-	·02	·18	-	·04	·07	·07	-	-		21
22	·17	-	·08	·01	-	·06	-	·07	·17	·06	-	·29		22
23	·01	-	·05	·11	·08	·50	·06	-	-	·01	·02	·02		23
24	-	·17	-	·01	·01	·04	·10	-	·09	-	-	·01		24
25	·02	-	-	·11	·03	·08	-	-	·04	-	-	·29		25
26	·09	-	·02	·43	-	·13	·02	-	·05	·08	·01	·01		26
27	·01	-	-	·24	-	·04	·04	-	·03	·07	·02	·12		27
28	-	-	-	·15	-	-	·03	·15	·09	·02	·02	·30		28
29	-	-	-	-	-	-	·18	·01	·17	·03	·01	·07		29
30	·07	×	-	-	-	-	·02	·23	·01	·15	-	·15		30
31	-	×	-	×	-	×	·01	·03	×	·25	×	·17		31
TOTAL	2·57	·17	1·18	2·25	1·36	1·36	1·69	2·26	1·26	1·88	1·67	3·19	Year's Total. 20·84	
* Days with .01 in. or more.	21	1	16	17	12	13	12	20	18	21	17	25	193	
* Days with .04 in. or more.	12	1	12	12	8	10	7	13	11	14	7	20	127	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. H. Purslow.

[P.T.O.

COPY FOR OFFICIAL ~~USE~~.

Section **A** for the entry of Daily Observations. Station No. 2299

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935. Fic No.

905311/29

Kept at The Hawthornes Copthorne Shrewsbury

in the County of Salop

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft = in.

,, Ground ,, Sea Level 252 ft.

Dec, Leys

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	·02	-	·02	-	·12	-	·22	·19	·01	-		1
2	-	·06	·08	-	-	·02	-	-	·01	·09	·07	·01		2
3	-	·31	·11	·05	-	·09	-	-	-	·13	·25	·36		3
4	·07	-	·01	·17	-	·04	-	-	·01	·52	·03	·24		4
5	-	·39	·26	·01	-	-	·12	-	·09	·02	·07	-		5
6	-	-	·02	·22	-	·05	-	-	-	·26	-	·07		6
7	-	-	-	·25	-	·17	-	-	-	·06	·06	·23		7
8	-	-	-	·21	-	-	-	·03	-	·09	·09	·17		8
9	·03	-	-	·15	-	·23	-	-	-	·75	·03	-		9
10	-	·005	-	·11	-	-	-	·01	-	·01	·01	-		10
11	·18s.	·01	-	-	-	·07	·03	·07	-		·07	-		11
12	·20s	·04	-	-	-	·04	-	-	-		-	-		12
13	·08	-	-	·05	·09	·09	-	-	·11		·07	-		13
14	·01	-	-	·09	·02	·02	-	-	·07		·69	·09		14
15	-	·07	-	·44	·09	-	-	-	·12		·02	·17		15
16	-	·06	·14	·06	-	-	·05	·02	·31	·25	·63	·03		16
17	-	-	-	·14	·02	·21	·04	·01	·06	-	·93	-		17
18	-	-	-	·28	·07	·01	·01	·64	·23	·03	·04	-		18
19	-	-	-	·09	·25	·38	·09	-	-	·33	·16	-		19
20	-	·34	-	·27		-	·09	-	-	·05	·67	-		20
21	-	·66	-	·01	-	-	-	-	·33	·01	·02	-		21
22	·01	·03	·01	·09	-	-	-	-	·05	-	-	-		22
23	-	·005	·09	-	·03	-	-	·06	·07	·67	-	·06		23
24	·21	·29	·06	-	-	-	-		·53	·05	-	·21		24
25	·16	·21	-	·05	-	·12	-		-	·03	-	-		25
26	-	·12	-	-	-	-	-	·50	·19	-	·04	·34		26
27	-	·05	-	-	·01	-	-	·03	·47	·02	·05	·05		27
28	-	·04	-	-	·15	-	-		·23	·02	-	T		28
29	-	-	·03	-	-	-	-		·07	·03	·17	·04		29
30	·03	×	-	·06	-	·07	-	·07	·12	·37	·16	·04		30
31	-	×	-	×	-	×	-		×	·29	×	·36		31
TOTAL	·99	2·69	·83	2·80	·75	1·61	·55	1·44	3·29	4·27	4·34	2.47 ✓	Year's Total. ~~23·56~~	26.03 ✓
* Days with .01 in. or more.	11	15	11	20	10	15	8	10	19	23	23	16 ✓	~~165~~	181 ✓
* Days with .04 in. or more.	6	13	6	18	5	12	6	5	17	15	16	14 ✓	~~149~~	133 ✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) W. H. Purslow

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2299.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

File No.
905311/29

Kept at The Hawthorns, Copthorne, Shrewsbury
in the County of Salop.
Diameter of Funnel of Gauge 8" in.
Height of top of Gauge above Ground – ft. 12 in.
,, Ground ,, Sea Level 262 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·09	·11	·53	·	·22	·	·23	·	·	·09	·05		1
2	·23	·06	·01	·08	·	·61	·83	·03	·02	-	·20	-		2
3	·01	-	-	-	-	·07	-	·05	·77	-	-	-		3
4	-	-	·07	-	-	·08	·02	·01	·19	-	·29	·28		4
5	·13	-	·05	·	·01	-	·05	·06	·02	-	·07	·07		5
6	·01	-	·05	·	·03	·07	·03	·03	·07	·	·05	·09		6
7	·	·	-	·	-	-	·17	-	·21	-	·07	·01		7
8	·09	·	·20	·	·	·	·03	-	·01	·	·49	·05		8
9	·37	·	·09	·	·	·	·79	·	·43	-	-	-		9
10	·04	·	-	-	-	-	·05	·	·09	·	·	-		10
11	·	·	·	·05	·04	·08	·06	·	·02	·	·	·07		11
12	·	·	·	·	·17	·30	·63	-	·81	·01	·	·27		12
13	·	·	·	·03	-	-	·	·	·	·05	·01	·53		13
14	-	-	-	·07	·	·09	·02	·02	·17	-	·14	·25		14
15	·16 s	·01	·	·03	·03	·02	-	-	·09	-	·17	·05		15
16	·12 s	·07	·	·05	·49	·	·03	·	·	·	·23	·05		16
17	-	·30	·03	-	-	·04	·14	-	-	·06	·01	·03		17
18	·	·18	·	·02	-	-	·17	·02	·	·27	-	·05		18
19	·35	·09	·02	·30	·	·01	-	·04	·	·04	·	-		19
20	·02	·09	·04	-	·	·07	·	-	-	·03	-	-		20
21	·	-	·	·19	-	·89	·03	·	-	-	·	-		21
22	·02	·27	·05	·01	·04	·02	·35	·	·02	·	·	·11		22
23	·02	·02	·27	·	·03	-	·07	-	-	·01	-	-		23
24	·19	·04	-	·01	·04	-	·01	·	·22	-	·02	-		24
25	·07	·	·08	·09	-	-	·09	·	1·42	-	·01	-		25
26	·01	·06	·16	-	-	-	-	·	·01	·04	-	-		26
27	·16	-	·02	-	·	-	-	-	·12	·13	·02	·04		27
28	·18	·14	·09	·02	-	·19	·05	-	-	·05	·03	-		28
29	·01	·28	·06	-	·	·13	-	-	·	·91	·04	·36		29
30	·03	×	-	·	·16	·	·22	-	-	-	-	-		30
31	·39	×	·13	×	·01	×	·01	-	×	-	×	·10		31
TOTAL	22	14	18	14	11	16	22	9	18	11	17	18	Year's Total 190	
* Days with .01 in. or more.	14	12	14	8	6	13	14	4	12	8	11	16	132	
* Days with .04 in. or more.	2·94	1·70	1·53	1·48	1·05	2·89	3·85	·49	4·69	1·60	1·94	2·46	26·62	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. H. Linskin

[P.T.O.

COPY FOR OFFICIAL USE File No. 905311/29

Section **A** for the entry of Daily Observations

Station No. 2299

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Hawthorns Copthorne Shrewsbury.
in the County of Salop
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground ft. 12" in.
,, Ground ,, Sea Level 252 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·08	-	·03	-	-	-	-	·01	·10	·03	·07		1
2	-	·10	·01	·56	-	·02	-	-	·05	-	-	1·01		2
3	-	·07	-	·07	·07	·03	-	-	-	-	·01	·02		3
4	·09	·13	-	-	-	·02	-	·07	-	-	-	-		4
5	·15	-	·16	·03	-	-	-	-	-	-	-	·37		5
6	·12	-	·01	·04	·14	-	-	-	-	-	-	·02		6
7	-	·49	-	·06	-	·05	-	-	-	·02	·01	-		7
8	-	·18	-	·01	·05	·01	·07	·01	·08	-	·36	-		8
9	-	·04	-	-	·11	-	·28	·03	·13	-	-	-		9
10	-	·09	·09	-	-	·08	-	-	-	-	-	·13		10
11	-	-	·17	-	·47	·13	·01	-		-	·01	·19		11
12	·09	·11	·05	-	·03	·29	·02	1·29	·16	-	-	·07		12
13	·05	-	·04	·14	·01	·07		·13	·07	-	-	·01		13
14	-	-	·18	·05	·01	-		·01	·01	-	·02	·24		14
15	·06	·18	-	·16	-	-	·63	-	·03	-	-	·04		15
16	-	·06	·24	·12	-	-		·04	·03	-	-	-		16
17	·08	·07	·07	·03	-	-		-	·59	-	-	-		17
18	·69	·05	·06	-	-	-	·08	-	·38	-	·39	·09		18
19	·05	·06	·13	·04	-	·11	·31	-	-	-	·08	-		19
20	·09	·03	-	·34	·14	·01	·07	-	-	-	-	·03		20
21	·06	·16	·10	·02	·03	-	·04	-	-	·03	-	·01		21
22	·05	·07	·23	-	·04	-	·32	-	-	·25	·25	·05		22
23	·10	·01		-	·03	-	·01	-	-	·38	·22			23
24	·17	·37	·05	-	-	-	-	-	·08	·46	·01			24
25	-	·44		-	·07	-	-	-	·02	·31	-			25
26	-	·21	·09	-	-	-	-	-	-	-	-	·02		26
27	-	·19		·13	-	-	-	-	-	·65	-	·03		27
28	-	·22	·01	·01	-	-	-	-	-	·18	-	·01		28
29	·03	-	-	-	-	·05	-	-	-	·64	·01	·02		29
30	·07	×	-	-	-	·02	-	-	·01	·02	·07	-		30
31	·12	×	-	×	-	×	-	-	×	·09	×	-		31
TOTAL	2·19	3·41	1·69	1·84	1·20	·89	1·84	1·58	1·65	3·13	1·47	2·43	Year's Total 23·32	✓
* Days with .01 in. or more.	18	23	17	17	13	13	11	7	14	12	13	19	177	✓
* Days with .04 in. or more.	17	21	14	11	8	7	8	4	8	9	6	10	123	✓

† Spare column, no entries required.

(*Signed*) W. H. Purslow [P.T.O.

* See Instruction 3 (f) on other side.

2299/5
00435/40

2299/5

Form 1090. **B**

2299/5

ALLSCOTT SUGAR BEET FACTORY

1939, 40

780404

***.* The following register of m**
&c., is NOT required if da
values are given on the ot

)n and also the space for

RAINFALL IN 1

is register should be sent :—
ation Ltd.,
, Allscott,
, Salop.

At ALLSCOTT BEET SU FAC

In the County of SALOP

m. in Summer 9 a.m.

ce. ¾ mile Direction from gauge West

ace 1 mile Direction from gauge E.S.E.

Rain Gauge
- Diameter of Funnel
- *Height of Top above Ground*
- *Height of Ground above Sea Level*

Month	Total Depth	Greatest Fall in 24 hours			
	Inches	Inches	Date		
Jan.	~~4~~ 3.25				
Feb.	2.45	.66	18/2/40		
Mar.	1.84	.43	13/3/40		
April	3.13	.57	30th		
May	3.19	1.07	28th		
June	1.17	.65	21st		
July	2.72	.87	10th		
Aug.	.20	.05	9th & 21st		
Sept.	1.32	.31	18th		
Oct.	3.09	.96	31st		
Nov.	5.58	1.02	21st		
Dec.	1.34	.22	2nd		
Total	~~30.28~~ 29.28	ʃ			

Directions from gauge ... S.

If gauge has been moved during the year state –

Date of move No Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M. [illegible] a.
25 JAN 1941
B. R.

Jan. estd from nearby stns.

Signature F E Thornhill
H E H.

* See Instruction 3 (*f*) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

2299/5
00435/40

2299/5

Form 1090.

B Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~38~~ 40

At ALLSCOTT BEET SUGAR FACTORY.

In the County of SALOP

Rain Gauge
Diameter of Funnel......................in.
Height of Top above Ground.........ft............in.
Height of Ground above Sea Level..................ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
Jan.	~~4~~ 3.25				
Feb.	2.45	.66	18/2/40		
Mar.	1.84	.43	13/3/40		
April	3.13	.57	30th		
May	3.19	1.07	28th		
June	1.17	.65	21st		
July	2.72	.87	10th		
Aug.	.20	.05	9th & 21st		
Sept.	1.32	.31	18th		
Oct.	3.09	.96	31st		
Nov.	5.58	1.02	21st		
Dec.	1.34	.22	2nd		
Total	~~30.28~~ 29.28				

Signature F E Thornhill

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
British Sugar Corporation Ltd.,
Beet Sugar Factory, Allscott,
Nr. Wellington, Salop.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Walcot Distance ¾ mile Direction from gauge West

Nearest Parish Church at Wrockwardine Distance 1 mile Direction from gauge E.S.E.

Nature of objects nearest to gauge	Factory	Premises		
Height of objects	80'			
Distances ...	60 yds.			
Directions from gauge ...	S.			

If gauge has been moved during the year state—

Date of move No Distance............ Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan. estd from nearby stns.

M. O.
25 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W.H.&S. 668/91
S.O. Code No. 40-9999

FORM 1090. **B** Monthly Summary. WELLINGTON (ALLSCOTT) **C** Particulars of Station. ~~2200/5~~ 2299/5

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At ALLSCOTT

In the County of Shropshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* *ft.* 9 *in.*
- *Height of Ground above Sea Level* 200 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5.25	.67	4	21	20
FEB.	1.24	.43	27	12	9
MAR.	1.42	.42	8	14	7
APRIL	1.74	.30	4	17	12
MAY	1.03	.40	14	9	7
JUNE	1.02	.27	15	10	8
JULY	4.95	.62	4 & 19	21	20
AUG.	1.47	.26	2	15	8
SEPT.	.66	.16	2 & 21	8	6
OCT.	3.42	1.10	17	19	17
NOV.	3.65	.88	23	12	11
DEC.	1.93	.56	7	13	10
TOTAL	27.78			171	135

Signature G. K. Parkes

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

X BRITISH SUGAR CORPORATION LTD., X
Beet Sugar Factory,
Allscott, Wellington, Salop.

Hour of observation by the clock—in Winter 8 a.m. in Summer 8 a.m.

Nearest Railway Station Walcot Distance 1 mile Direction from gauge

Nearest Parish Church at Wrockwardine Distance 2 miles Direction from gauge

Nature of objects nearest to gauge	Buildings	Buildings		
Height of objects	85'	45'		
Distances ...	170'	170'		
Directions from gauge ...	S	E.		

If gauge has been moved during the year state –

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

X BRITISH SUGAR CORPORATION LTD. X

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91 S.O. Code No. 40-9999

N

2300

Section **A** for the entry of

AIR MINISTR

FORM 1090.

REGIS

Kept at Coton Hi

in the County of Shrop

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t
year in the space on the right of t

2300

SHREWSBURY

COTON HILL

1931 —— 40

780404

FOR OFFICIAL USE.

L ORGANIZATION.

Coton Hall

following

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·01		·06		·29			·08	·03			1
2		·07		·58	·43	·05			·49	·04	·05	·07	2
3			~~·04~~	[illegible]			·03		·65		·72	·01	3
4			·04	·11			·09	·30	·43		·05		4
5				·23	·03	1·05	·17	·03	·07			·37	5
6		·15		·05		·04		·01	·04	·20	·11		6
7						·16		·57			·09		7
8	·15			·20		·21	·03	·84			·07	·01	8
9	·06	·28		·04		·02		·14		·01	·14		9
10		·04	·01		·03	·01	·12	·02	·12		·23	·04	10
11	·03	·20	·01		·02	·09	·04		·24		·05	·02	11
12		·11		·02			·55	·03	·09				12
13		·03	·05		·03	·01	·05	·26		·05			13
14					·11	·65	·13	1·21	·06		·48		14
15	·01	·23		·05	·01		·10	·36				·16	15
16	·03	·15		·19	·28	·46	·02	·12	·16				16
17	·09			·20	1·00	·02					·11		17
18	·04			·24		·24	·11	·15	·01		·37		18
19	·01	·04		·03		·19	·22	·45		·03	·01		19
20		·07	·14					·12			·04	·06	20
21	·34	·01			·61						·10		21
22	·05				·03			·26			·02	·22	22
23	·20			·01	·28	·31	·45			·01	·09		23
24				·09	·22		·11				·11		24
25	·02	·03		1·07	·04		·02						25
26		·03		·14			·03				·52		26
27	·09	·38		·10	·73		·07			·06	·11	·01	27
28	·03	·11	·02	·04	·32					·01		·16	28
29	·01		·05		·04		·22			·23	·05	·03	29
30		✕		·04			·04		·09			·01	30
31	·15	✕		✕	·07	✕	·01		✕		✕	·01	31
TOTAL	1·33	1·94	0·32	3·49	4·28	3·60	2·61	4·87	2·53	0·67	3·52	1·18	YEAR'S TOTAL 30·54
*Days with ·01 in. or more.	17	17	7	20	18	16	21	16	13	10	21	14	190
*Days with ·04 in. or more.	9	12	4	17	12	12	15	12	12	5	19	7	136

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Maurice Fox

[P.T.O.

2300

Section **A** for the entry of

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Coton Hill Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 190 ft.

The values for Coton Hall have been plotted in mistake.

Both Coton Hill & Coton Hall are OK.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·01		·06		·29			·08	·03			1
2		·07		·58	·43	·05			·49	·04	·05	·07	2
3			~~·04~~	~~·08~~			·03		·65		·72	·01	3
4			·04	·11			·09	·30	·43		·05		4
5				·23	·03	1·05	·17	·03	·07			·37	5
6		·15		·05		·04		·01	·04	·20	·11		6
7						·16		·57			·09		7
8	·15			·20		·21	·03	·84			·07	·01	8
9	·06	·28		·04		·02		·14		·01	·14		9
10		·04	·01		·03	·01	·12	·02	·12		·23	·04	10
11	·03	·20	·01		·02	·09	·04		·24		·05	·02	11
12		·11		·02			·55	·03	·09				12
13		·03	·05		·03	·01	·05	·26		·05			13
14					·11	·65	·13	1·21	·06		·48		14
15	·01	·23		·05	·01		·10	·36				·16	15
16	·03	·15		·19	·28	·46	·02	·12	·16				16
17	·09			·20	1·00	·02					·11		17
18	·04			·24		·24	·11	·15	·01		·37		18
19	·01	·04		·03		·19	·22	·45		·03	·01		19
20		·07	·14					·12			·04	·06	20
21	·34	·01			·61						·10		21
22	·05				·03			·26			·02	·22	22
23	·20			·01	·28	·31	·45			·01	·09		23
24				·09	·22		·11				·11		24
25	·02	·03		1·07	·04		·02						25
26		·03		·14			·03				·52		26
27	·09	38		·10	·73		·07			·06	·11	·01	27
28	·03	·11	·02	·04	·32					·01		·16	28
29	·01		·05		·04		·22			·23	·05	·03	29
30		×		·04			·04		·09			·01	30
31	·15	×		×	·07	×	·01		×		×	·01	31
TOTAL	1.33	1.94	0.32	3.49	4.28	3.50	2.61	4.87	2.53	0.67	3.52	1.18	YEAR'S TOTAL 30.54
*Days with ·01 in. or more.	17	17	7	20	18	16	21	16	13	10	21	14	190
*Days with ·04 in. or more.	9	12	4	17	12	12	15	12	12	5	19	7	136

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Maurice G

[P.T.O.

2300

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2300

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Coton Hill, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02		·05	·50	·04	·08	·14	·09		·02	·10	1
2	·07			·14	·29				·06	·04	·01	·07	2
3				·84	·04		·25		·02	·10	·01	·02	3
4	·03			·16			·04				·34		4
5	·34		·13	·01	·04				·09				5
6	·53		·05	·22					·11				6
7			·10	·06	·03				·06	·78			7
8			·02	·07					·10	·32			8
9	·24	·05		·01	·04								9
10	·16		·05	·18	·04	·09			·12	·21			10
11	·02			·25	·02		·02			·17	·02	·04	11
12	·14			·01	·07		·22		·17	·22	·01		12
13	·04	·01		·03			2·24	·10		·10	·03	·06	13
14	·24						·02	·11		·07	·06	·02	14
15					·38		·01			·03			15
16	·39			·24	·01		·18						16
17				·01	·03		·14			·01			17
18					·01				·02	·03	·10		18
19		·01		·08	·11		·01			·03			19
20				·06	·47		·05	·55		·40	·07		20
21			·25	·32	·41			·20		·38	·01	·02	21
22			·25	·03	·10		·11		·45	·04	·14	·01	22
23				·03	·57		·03		·02	·21	·08	·03	23
24	·09				·02		·09		·06		·07		24
25	·01	·01				·39			·01	·05			25
26		·01	·07	·33	·21				·11	·04			26
27			·31	·09	·27		·04				·04	·02	27
28			·13	·02	·19	·01	·09						28
29			·11	·14	·15	·03	·02	·12	·12	·32	·07	·20	29
30	·01	×	·24	·14	·01	·23	·01	·03	·05	·02	·19	·09	30
31		×	·24	×		×	·26	·02	×		×	·12	31
TOTAL	2·32	·11	1·95	3·52	3·95	·79	3·91	1·27	1·66	3·57	1·27	·80	YEAR'S TOTAL 25·12
*Days with ·01 in. or more.	15	6	13	25	24	6	20	8	17	21	17	13	185
*Days with ·04 in. or more.	10	1	12	17	17	4	13	6	13	16	10	7	126

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Maurice Gepp

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2300

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Coton Hill, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·12	·02						·01	·01	·01			1
2	·23		·18		·08	02					·03			2
3	·06	·15	·03		·06									3
4	·12	·01			·08									4
5	·11		·04		≠									5
6		·45			·12					·01				6
7		·06					·17	·01		·55		·03		7
8	·02		·07	·02	·02		·37					·01		8
9		·02			·02		·35			·53	·02			9
10	·09	·06				·01	·13	·05		1·77	·15			10
11	·03			·02	·29		·05			·03		·06		11
12	·01					·12	·15					·05		12
13					·15		·16	·04		·16	·16			13
14	·03						·02	·15		·22	·06			14
15	·08		·01			·02	·40	·09		·10	·09			15
16	·02	·04	·36		·03	·16		·		·25	·01	·04		16
17	·08	·03	·42			·04					·01			17
18	·08		·05			·19					·03			18
19			·34			·16			·30		·10			19
20		·03	·05			·08		·25	·20		·01			20
21		·01			·01	·24		·07			·02			21
22				·03	·16	·28		·18		·20				22
23		·07		·14		·23			·14	·11				23
24		·50		·04	·04	·59			·18	·25				24
25		·12		·06		·15			Tr			·14		25
26		·77		·03	·11	·08			·01	·17				26
27				·02	·05				·05	·14		·01		27
28		·02		·06		·01	Tr	Tr		·02				28
29	·07			·15			Tr							29
30	·06	×	·05	·19			·06			·01		·16		30
31	·05	×	·10	×		×		03	×	·15	×			31
TOTAL	1·22	2·46	1·72	·76	1·22	2·26	1·86	·87	·89	4·68	0·70	0·50	Year's Total 19·14	
*Days with ·01 in. or more.	17	16	13	11	14	15	10	9	7	18	13	8	151	
*Days with ·04 in. or more.	12	10	10	6	10	11	9	7	5	13	5	5	103	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2300

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Coton Hill

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08							.08	.07	.33		.29		1
2	.01		.02					.01	.16		.03	.06		2
3	02							.10	.01	.12		.07		3
4	.10		.04	.02	.13				.12	.17		.24		4
5			.06	.04	.10			.76			.08	.04		5
6			.05		.37					.05		.22		6
7	.04				.01	.10		.02		.05	.03	.07		7
8			.01		.20	.15		.01			.18	.17		8
9			.08	.02				.09			.56	03		9
10	.02		.02	.28				.17			.04			10
11	.45		.12	.35			.01	.06			.02	.11		11
12	.02			06			.38	.24						12
13	.76		.01	.06			.04			.05				13
14	.03		.23		.09	.03			.01	.18	.36	.02		14
15	.03		.05		.11			.04		.17	.22	.15		15
16	.17		.08		.04		.23	.14	.02	.01	.09			16
17	.11			.02	.04			.02	.20	.02		.13		17
18	.12	.01	.01	.06		.01			.01			.06		18
19	.03		08	.10		.06		.02		.08		.12		19
20			05	.01	.01	.03			.03	.01	.02			20
21	.01					.15		.05	.03	.05				21
22	.11		.09		.02	.06		09	.20	.09		.29		22
23			.05	.13	.05	.43	.06			.01	.02	.02		23
24		.15	.01		.01	.06	.10		.09			.28		24
25	.04			.13	.02	.02			.04	.14		.01		25
26	.05		.01	.53		.12	.03		.07	.08	.01			26
27				.22		.03	02		.04	.10	02	.13		27
28				.15			.03	.15	.13	.01	.01	.30		28
29							.16	.04	.15	.02		.04		29
30	08	×					.01	.17	.01	.12		.13		30
31		×		×		×	.02	.03	×	.20	×	.15		31
TOTAL	2.28	0.16	1.07	2.20	1.20	1.25	1.09	2.29	1.39	2.06	1.69	3.13	Year's Total. 19.81	
* Days with .01 in. or more.	20	2	19	16	14	13	12	20	18	22	15	24	195	
* Days with .04 in. or more.	12	1	12	12	9	8	6	14	11	16	7	20	128	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Maurice Gepp

[P.T.O.

COPY FOR OFFICIAL USE. File number 817777/28

Section **A** for the entry of Daily Observations. Station No. 2300

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Coton Hill, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.01		.02		.12		.24	.17	.01			1
2		.06	.06			.03			.01	.10	.08	.01		2
3	.01	.31	.06	.02		.10				.13	.23	.36		3
4	.04		.01	.16		.06			.01	.53	.01	.24		4
5		.41	.25	.01			.11		.11	.01	.06			5
6			.04	.21		.06				.25		07		6
7				.28		.15				.06	.05	.23		7
8				.18				.05		.09	.10	.17		8
9	.03	.01		.17		.22				.69	.05			9
10		.01		.08						.02	.02			10
11	.18	.01				.07	.04				.08			11
12	.19	.03				.05		.09						12
13	.08			.05	.09	.11			.14		.06			13
14				.15	.01	.02			.07		.68	.09		14
15	.01	.06		.50	.09				.10		.01	.15		15
16		.06		.06			.07	.02	.32	.25	.60	.04		16
17			-13	.11	.02	.20	.06	.01	.05		.89			17
18				.27	.08	.01	.01	.68	.25	.02	.04			18
19				.09	.22	.40	.11			.32	.17			19
20		.27		.32			.11			.05	.66			20
21		.79		.04					.32	.01	.02			21
22	.01	.01	.01	.05					.02					22
23			.10		.04			.07	.06	.64		.06		23
24	.17	.27	.06						.52	.08		.20		24
25	.11	.21		.03		.12				.04				25
26		.12						.52	.21		.03	.34		26
27		.03			.02			.02	.51	.03	.05	.04		27
28	.01	.06			.14				.20	.02				28
29			.02						.08	.02	.15	.04		29
30	.03	✕		.06		.07		.06	.11	.39	.17	.04		30
31		✕		✕		✕			✕	.25	✕	.43		31
TOTAL	.89	2.72	.75	2.84	0.73	1.67	0.63	1.52	3.33	4.17	4.22	2.51	Year's Total 25.98	
* Days with .01 in. or more.	13	17	11	20	10	15	8	9	19	23	23	16	184	
* Days with .04 in. or more.	6	11	7	17	6	12	7	6	16	16	17	15	136	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Maurice Gepp

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2300

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Coton Hill, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.11	.12	.52		.21		.25				.04		1
2	.23	.07	.01	.09		.60	.86	.02	.02		Nov.) 1) .07			2
3	.02					.09		.03	.78		2) .19			3
4			.06			.06	.01	.01	.18			.26		4
5	.14		.03		.01		.03	.04	.02		4) .30	.07		5
6	.01		.03		.02	.06	.02	.03	.09		5) .06	.10		6
7							.16		.22		6) .03	.01		7
8	.08		.20				.01		.01		7) .09	.03		8
9	.36		.07				.77		.42		8) .47			9
10	.05						.05		.08					10
11				.03	.04	.09	.05		.02			.06		11
12					.15	.27	.61		.80	.01		.29		12
13				.03						.04	.01	.52		13
14				.06		.11	.02	.01	.17		.12	.23		14
15	.16	.01		.01	.03	.02			.07		.17	.04		15
16	.12	.06		.05	.51		.05				.24	.03		16
17		.33	.01			.03	.13			.05	.01	.04		17
18		.17		.01			.18	.02		.26		.03		18
19	.35	.10	.01	.29		.01		.03		.04				19
20	.01	.12	.04			.08				.03				20
21				.21		.92	.03							21
22	.02	.26	.05	.01	.03	.02	.34		.01			.12		22
23	.01	.02	.26		.03		.06			.01				23
24	.17	.03		.01	.03		.01		.21		.01			24
25	.17		.07	.11			.10		1.44		.01			25
26	.01	.05	.47						.01	.03				26
27	.18		.02						.11	.14	.02	.03		27
28	.17	.14	.08	.01		.21	.05			.04	.02			28
29	.01	.26	.06			.44				.90	.05	.34		29
30	.03	✕			.15		.21							30
31	.05	✕	.14	✕	.01	✕	.01		✕		✕	.09	Year's Total	31
TOTAL	2.86	1.73	1.43	1.44	1.01	2.92	3.76	0.44	4.66	1.55	1.67	2.33	26.00	✓
* Days with .01 in. or more.	22	14	18	14	11	16	22	9	18	11	17	18	190	✓
* Days with .04 in. or more.	14	11	12	7	4	12	14	2	12	7	10	13	118	✓

.40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) M. G

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 2300

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Coton Hill, Shrewsbury

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	·12	·07		·02						·10	·05	·05		1	
2		·09	·01	·54		·01			·08			1.05		2	
3		·06		·07	·07	·02					·01	·02		3	
4	·08	·10				·03		·06						4	
5	·15		·14	·02								·41		5	
6	·14		·01	·05	·12							·02		6	
7		·43		·06		·03				·01	·02			7	
8		·11		·01	·05	·02	·06		·08		·38			8	
9		·03			·11		·28	·03	·12					9	
10		·07	·11			·09						·14		10	
11			·16		·48	·13	·01				·03	·19		11	
12	·13	·11	·03		·02	·29	·01	1.25	·15			·07		12	
13	·05		·03	·04	·02	·08		·15	·07			·01		13	
14			·18	·04				·01	·01		·02	·22		14	
15	·08	·16		·18			·69		·04			·04		15	
16		·02	·24	·12				·06	·04					16	
17	·08	·12	·09	·02					·63					17	
18	·81	·05	·09				·06		·37		·41	·11		18	
19	·04	·07	·12	·05		·11	·29				·08			19	
20	·09	·05		·32	·12		·06					·02		20	
21	·06	·14	·11	·01	·02		·04			·03		·01		21	
22	·04	·06	·22		·06		·31			·29	·24	·05		22	
23	·09	·02			·05		·02			·37	·22			23	
24	·15	·39	·04						·08	·48	·01			24	
25		·43			·06				·02	·30				25	
26		·19	·08											26	
27		·19		·12						·63		·03		27	
28		·22	·01							·18		·01		28	
29	·01					·04				·65	·01	·01		29	
30	·11	✕				·02			·01	·02	·09			30	
31	·11	✕		✕		✕			✕	·10	✕			31	
TOTAL	2·34	3.18	1.67	1·67	1·18	0.87	1·83	1·56	1·70	3.16	1·57	2.44	Year's Total 23·19	✓	✓
* Days with .01 in. or more.	18	23	17	16	12	12	11	6	13	12	13	18	171	✓	✓
* Days with .04 in. or more.	17	20	12	11	9	6	8	4	10	9	7	10	123	✓	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Maurice Gepp. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2300

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Look for reading for Jan. 1 5/4/39

Kept at Coton Hill, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea-Level 190 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·97		·05		·12	·10	·18		1
2	·01	03			·06	·02		·01		09		·04		2
3						·05	·05		·03	·67	·02			3
4	·01					·02	·03	·08		·18		·09		4
5	·02	02					·01	·65	·02	·03				5
6	·13					·04	·39		·02	·11		·04		6
7	·01						·17	·36	·03	·12				7
8	·26						·01	·61		·21		·13		8
9	·05	·02				·05	·02	·28				·30		9
10	·02	·05				·27	·29					·36		10
11	·49	02				·03	·03	·01		·02	·13	·07		11
12	·09				04	·01	·02			·24	·30	·01		12
13	·03									·01	09	·11		13
14	·28				·02		·35		·10					14
15	·12				·02		·08	·02		·03	·01	·30		15
16	·42				·14		·02	·01		·13	·11	·02		16
17									·11	·06				17
18	·01				·05			·30	·42		·17			18
19	01					·01		·02	01		·04			19
20	·01										·29			20
21								·01	·02		·03	·05		21
22				·07		·01			·03		·30	·08		22
23				·02	·02	·01		·01	·17		·02			23
24	·04	·05	·13		·14	·01		·80	·03		·04			24
25	·03	·06	·03		·09		·05	·01		·40	1·19	·07		25
26	·04	·11	·10		·03	·27			·06	·41				26
27	·03	·01			·40	·02	·03	·35	·04	·02	·19			27
28	·07	·04			·02	·05	·06	·07	·04	[illegible]		·10		28
29	·38				·41	·01				·09	·03	·05		29
30	·01	✕			·01				·28			·24		30
31	·07	✕		✕	·13	✕			✕	·16	✕	·27		31
													Year's Total	
TOTAL	2·64	·41	·26	·09	1·58	1·85	1·61	3.65	1·41	3.10	3.30	2.51	22·41	✓
* Days with .01 in. or more.	25	10	3	2	15	17	16	18	16	19	18	19	178	✓
* Days with .04 in. or more.	13	5	2	1	9	7	8	10	8	14	13	17	107	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Maurice Gepp

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2300

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Coton Hill, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16		.01	.28				.15				.01		1
2	.10			.08				.16	.17	.01	.01			2
3	.47		.01	.21				.01			.05	.26		3
4	.23		.07	.23	.09		.44		.01	.16	.11	.46		4
5				.01	.10		.10	.01		.05	.18	.01		5
6	.44						.45				.05	.01		6
7	.09	.04	.05		.03		.34	.12			.18	.48		7
8		.05	.46				.24	.12		.46	.62	.05		8
9	.07	.02					.01	.19		.31		.11		9
10	.64		.04					.05	.02	.15		.12		10
11	.08	.03	.13			.10			.01	.11				11
12		.03				.11			.05	.01				12
13				.11	.05	.02	.09		.06	.13				13
14	.48			.08	.22	.22			.01	.12	.14			14
15	.19		.02		.01	.28	.18				.12			15
16	.06		.05		.31		.12			.26	.07			16
17	.32	.02					.03			✓ .47	.12			17
18	.21	.07	.04			.09	.02			.03	.65			18
19	.28						.83				.04	.02		19
20	.24					.06	.16	.04	.01					20
21	.16	.01	.11	.01	.03		.12	.06	.17					21
22	.26	.25	.01	.04			.03	.04		.04	.39			22
23	.17	.01	.02	.02			.03			.03	.37			23
24	.04			.07		.01	.12			.10				24
25	.50	.06		.07			.11			.09	.16			25
26		.02		.06				.02			.14			26
27		.41	.24			.05	.08	05		.02	.03	.36		27
28		.06	.12	05		.05	.31	.90			.09	.01		28
29		×		.15		.03	.68	.05		.04				29
30		×		.09		.19	.01			.09		.11		30
31		×		×		×		.04	×		×	.03		31
TOTAL	5.17	1.08	1.38	1.56	0.84	1.21	4.50	2.01	0.51	2.68	3.60	2.04	Year's Total 26.58	Print. ✓
* Days with .01 in. or more.	21	14	15	16	8	12	22	16	9	20	20	14	187	Wh. ✓
* Days with .04 in. or more.	21	7	10	13	5	9	16	13	4	18	18	8	139	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2306

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Coton Hill, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 8 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 190 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01		·04							·27	·02		1
2				·20			·04				·53	·18		2
3		·14		·02			·03			·14	·79	·02		3
4		·01		·27			·02			04	·17			4
5					·15		·12		·03	·05	·42	04		5
6	·10	·45					·04			·59	·10	·03		6
7		·22			·01					·10		·06		7
8				·03					·12	·09		·04		8
9			·21	·02		·09	·58	·05	·03	·08	·85	·21		9
10			·08	·01		·42	·46	·07			·05	·19		10
11		·01	·01	·03		·33	·28				·54	·18		11
12		·02	·03				·20		·08		·02			12
13		·03	·42	·01				·01	·09			·02		13
14				·07	·09				·18	·02	·02	·13		14
15	·01		·03	·02	·93	·85			·09	·02	·08			15
16	·01	·22	·31				·14		·18	·55	·76	·01		16
17			·31		·08					·05	·86			17
18	·10	·73	·19	·49				·03	·36		·02	·06		18
19		·24	·13	·06			·14		·12		·11			19
20				·07			·11		·02	·26				20
21			·02		·14	·66	·02	·02			1.26			21
22			·05	·01	·45	·05			·14	·01				22
23		·03	·09	·22	·02		·01		·04		·02			23
24							·02			·01				24
25	·08			·01	·14		·06		·01					25
26	1.40	·03		·90	·07						·01	·02		26
27	1.00	·01	·03	·20	·03		·08				·06			27
28	·32	·35			·57							·01		28
29			·07	·49	·01	·10	·04					·01		29
30	·04	✕		·64	·11					·09		·02		30
31	·18	✕	·09	✕		✕			✕	·96	✕	·02		31
TOTAL	3.24	2.50	2.07	3.81	2.80	2.50	2.39	0.18	1.49	3.06	6.94	1.27	Year's Total 32.25	
* Days with .01 in. or more.	10	15	16	21	14	7	18	5	14	16	20	19	175	
* Days with .04 in. or more.	8	7	11	12	10	7	13	2	10	12	15	9	116	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) M. Gepp.

[P.T.O.

2301

153

Section **A** for the entry o

AIR MINISTR

FORM 1090.

REGIS

2301

RODEN WELLINGTON

1931 —— 32

760405

FOR OFFICIAL USE.

L ORGANIZATION.

l .

Kept at Roden.

in the County of S

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS Y.

An observer who does not conform *following*

year in the space on the right of

Jan. 1, following

Date	Jan.	Feb.	March							.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3									·68		·68		3
4													4
5						1·26						·38	5
6													6
7													7
8													8
9													9
10													10
11		·26											11
12													12
13													13
14								1·24					14
15							·32						15
16													16
17					1·12								17
18													18
19													19
20			·13										20
21	·43												21
22													22
23													23
24													24
25				1·40									25
26													26
27													27
28													28
29										·36			29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·44	1·71	0·28	4·07	4·34	4·60	2·42	5·25	2·71	0·90	3·78	1·24	YEAR'S TOTAL 32·44
*Days with ·01 in. or more.	18	21	5	22	16	17	21	18	14	10	24	12	198
*Days with ·04 in. or more.	12	12	3	16	12	13	15	15	12	5	19	9	143
40-9999	36·6	43·4	7·1	103·4	110·2	116·8	61·5	133·4	68·8	22·9	96·0	31·5	831·6

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

2301

153

Section **A** for the entry of **Daily Observations.** FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Roden - Wellington

in the County of Salop

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3									·68		·68		3
4													4
5						1·26						·38	5
6													6
7													7
8													8
9													9
10													10
11		·26											11
12													12
13													13
14								1·24					14
15							·32						15
16													16
17					1·12								17
18													18
19													19
20			·13										20
21	·43												21
22													22
23													23
24													24
25				1·40									25
26													26
27													27
28													28
29										·36			29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·44	1·71	0·28	4·07	4·34	4·60	2·42	5·25	2·71	0·90	3·78	1·24	YEAR'S TOTAL 32·44
*Days with ·01 in. or more.	18	21	5	22	16	17	21	18	14	10	24	12	198
*Days with ·04 in. or more.	12	12	3	16	12	13	15	15	12	5	19	9	143
40-9999	36·6	43·4	7·1	103·4	110·2	116·8	61·5	133·4	68·8	22·9	96·0	31·5	831·6

*See Instruction 2 (*f*) on other side.

(Signed) ....

P.T.O.

2301

153

Section | **A** | **for the entry of Daily Observations.** FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM I

REGISTER OF RAINFALL IN 1932.

Kept at Roden, Wellington.
in the County of Salop
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4				0·73									4
5													5
6	·54												6
7													7
8													8
9		·03											9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27			·42										27
28													28
29					Terminated								29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	2·24 ✓	0·05 ✓	1·76 ✓	3·26									YEAR'S TOTAL
*Days with ·01 in. or more.	13	3	11	23									
*Days with ·04 in. or more.	9	0	10	17									
40-9999	56·9	1·3	44·7	82·8									

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

FORM 1090. **B** Me
Su

2302.

—

2302

SHREWSBURY. FITZ RECTORY
1931 — 34

780405

, The following register of montl &c., is NOT required if daily values are given on the other s … and also the space for … register should be sent:—

RAINFALL IN 193.

At Fitz Recto

In the County of Salo

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 *ft.*
Height of Ground above Sea Level

… in Summer

Direction from gauge

Direction from gauge

Month.	Total Depth.	Greatest Fall in 24 hours.		N D	
	Inches.	Inches.	Date.		
JAN.	~~1.64~~	(1.80)		11	
FEB.	~~3.39~~	(2.64)		24	
MAR.	·40			5	
APRIL	3.79			20	
MAY	3.79			15	
JUNE	4.20			15	
JULY	2.36			22	
AUG.	5.53			19	
SEPT.	2.78			12	
OCT.	·72			8	
NOV.	3.88			10	
DEC.	1.80			11	
Total	33.79 33.69			172	

Directions from gauge ..				

Signature W Brewster

If gauge has been moved during the year state—

Date of move……… Distance……… Direction………

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Amounts of Jan & Feb require [illegible]
suspect as [illegible].

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B M Summary.

C Particulars of Station.

2302.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Fitz Rectory

In the County of Salop

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 2 *in.*
- *Height of Ground above Sea Level* ____ *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	~~1.04~~	(1.80)		11	
FEB.	~~3.39~~	(2.64)		24	
MAR.	·40			5	
APRIL	3.79			20	
MAY	3.79			15	
JUNE	4.20			15	
JULY	2.36			22	
AUG.	5.53			19	
SEPT.	2.78			12	
OCT.	·72			8	
NOV.	3.88			20	
DEC.	1.80			11	
Total	33.79 33.69			172	

Signature W Brewster

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— No change

Hour of observation by the clock—in Winter ____ in Summer ____

Nearest Railway Station ____ Distance ____ Direction from gauge ____

Nearest Parish Church at ____ Distance ____ Direction from gauge ____

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move ____ Distance ____ Direction ____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Months of Jan & Feb require allocation [illegible]
suspect as [illegible].

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | }·14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt. 26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

2302

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Fitz Rectory

In the County of Salop

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 2 *in.*
- *Height of Ground above Sea Level* 242 238 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·32			14	
FEB.	·17			4	
MAR.	2·17			13	
APRIL	4·04			24	
MAY	4·29			20	
JUNE	·75			6	
JULY	4·26			26	
AUG.	1·66			5	
SEPT.	1·43			15	
OCT.	4·65			22	
NOV.	2·11			16	
DEC.	·58			14	
Total	28·76			179	

Signature W Brewster

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W Brewster Fitz Rectory
Bomere Heath

Hour of observation by the clock—in Winter 9-30, in Summer

Nearest Railway Station Leaton Distance Direction from gauge

Nearest Parish Church at Fitz Distance 13 Direction from gauge E

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O.
5 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

2302

FORM 1090. **B** Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Tilz Bicton

In the County of Salop

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 2 *in.*
Height of Ground above Sea Level 238 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·45	1.45		15	
FEB.	2·53	2.54		13	
MAR.	1·85	1.89		13	
APRIL	·59	.89		9	
MAY	2·24	^{1}2.24		13	
JUNE	1·64	^{2}1.64		10	
JULY	1·76	1.76		11	
AUG.	·95	·95		8	
SEPT.	·78	·78		6	
OCT.	4·70	4·70		16	
NOV.	·72	·72		9	
DEC.	·62	·62 20·18		7	
Total	~~19·86~~	20·18 ✓		~~129~~ ✓	

Signature W Brewster: too old

*See Instruction 2 (*f*) below.

Arithmetic corrected. Observer not informed owing to advanced age.
May & June allocated by surrounding stations.

See if agrees with neighbouring stns (Shrewsbury) *

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

FORM 1090.

B Monthly Summary.

C Particulars of Station.

2302

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1934

At Shrewsbury (Fitz Rectory)

In the County of Shropshire

Rain Gauge

Diameter of Funnel 5 in.

*Height of Top above Ground 1 ft 2 in.

Height of Ground above Sea Level 238 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2.59			17	
FEB.	0.20			2	
MAR.	1.53			18	
APRIL	1.61			16	
MAY	1.84			14	
JUNE	1.34			13	
JULY	·97			9	
AUG.	2.32			18	
SEPT.	·85			14	
OCT.	2.86			22	
NOV.	1.27			14	
DEC.	3.86			24	
Total	21.24			181	

Signature Rev W. Brewster

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

COPY FOR OFFICIAL USE.

Section | A | for the entry of Daily Observations. Station No. ......

Rainfall Fitz Rectory Shropshire 1934

Jan	2.59	days 17
Feb	0.20	2
March	1.53	18
April	1.61	16
May	1.64	14
June	1.34	13
July	.97	9
Aug	2.32	18
Sept	.85	14
Oct	2.86	22
Nov	1.27	16
Dec	3.86	24
	20.81	191

M.O. 7
20 FEB 1935

Being 89 years old not sure

Feb 19. 1935

26														26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL													Year's Total.	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ...... [P.T.O.

2303

Section **A** for the entry of
AIR MINISTRY

Form 1090.

REGIST

Kept at Aston Hall
in the County of Shrop
Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of this

2303
NEWPORT, ASTON HALL
1931 — 40
78 04 05

OPY FOR OFFICIAL USE.
ORGANIZATION.

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	—	.01	—	.08	—	.01	—	—	.13	—	—	—	1
2	—	—	—	.82	.23	.17	.07	—	.31	.04	.04	.03	2
3	.16	.11	—	.03	—	—	.07	.04	1.04	—	.63	.06	3
4	—	—	—	.19	—	—	.17	—	.28	—	.04	—	4
5	—	.03	—	.09	.03	1.52	.01	.18	.03	—	—	.27	5
6	—	.20	—	.05	—	.30	—	.07	.04	.22	.19	—	6
7	—	.01	—	—	—	.71	—	.04	—	—	.18	—	7
8	.10	.03	—	.15	—	.03	.09	.44	—	—	.17	—	8
9	.09	.27	—	.09	—	.20	—	.88	—	.02	.41	—	9
10	—	—	—	—	.06	.01	—	.09	.06	—	.36	.02	10
11	.06	.20	—	—	—	.05	.01	.10	.31	—	.10	.05	11
12	.02	.09	—	.02	—	.02	.31	—	.31	.04	.02	—	12
13	—	—	—	—	—	—	.46	.07	—	—	—	—	13
14	—	.10	—	—	.05	.39	.22	.19	.08	—	.37	—	14
15	.03	.10	—	.18	.04	—	.30	1.00	—	—	—	.17	15
16	.10	.11	—	.17	.36	.82	.03	.22	.26	—	—	—	16
17	.14	.01	—	.25	1.07	.04	—	.06	—	—	.11	—	17
18	.10	—	—	.21	—	.12	.07	—	—	.01	.35	—	18
19	.07	.12	—	—	—	.02	.27	.14	—	—	—	—	19
20	.01	.11	.22	—	—	—	—	.20	—	—	.03	.03	20
21	.34	—	—	—	.56	—	—	.37	—	—	.13	—	21
22	.07	—	—	.06	.10	—	—	.07	—	—	.02	—	22
23	.18	—	—	.24	.27	.12	.23	.26	—	.02	.23	.22	23
24	—	—	—	.32	.27	—	.10	—	—	—	—	—	24
25	.04	.02	—	1.25	—	—	.12	—	—	—	.01	.01	25
26	.01	.03	—	.20	—	—	.04	—	—	—	.52	—	26
27	.11	.52	—	.07	.63	—	.03	—	—	.12	.20	.08	27
28	.10	.07	—	.02	.27	—	—	—	—	.03	—	.14	28
29	.01		.01	—	.11	—	.24	—	—	.37	.04	.01	29
30	—	×	—	.06	—	—	.01	—	.05	—	—	.01	30
31	.21	×	—	×	.07	×	—	—	×	—	×	—	31
TOTAL	2.00	2.14	.23	4.55	4.12	4.53	2.85	4.42	2.40	.87	4.15	1.10	YEAR'S TOTAL 33.86
*Days with ·01 in. or more.	20	19	2	21	15	16	20	18	12	9	21	13	186
*Days with ·04 in. or more.	15	12	1	18	14	11	15	18	11	5	17	7	144

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

2303

Section **A** for the entry of [redacted] OPY FOR OFFICIAL USE.
AIR MINISTRY [redacted] ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Aston Hall - Newport
in the County of Shropshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ... ft 11 in.
,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.01	—	.08	—	.01	—	—	.13	—	—	—	1
2	—	—	—	.82	.23	.17	.07	—	.31	.04	.04	.03	2
3	.16	.11	—	.03	—	—	.07	.04	1.04	—	.63	.06	3
4	—	—	—	.19	—	—	.17	—	.28	—	.04	—	4
5	—	.03	—	.09	.03	1.52	.01	.18	.03	—	—	.27	5
6	—	.20	—	.05	—	.30	—	.07	.04	.22	.19	—	6
7	—	.01	—	—	—	.71	—	.04	—	—	.18	—	7
8	.10	.03	—	.15	—	.03	.09	.44	—	—	.17	—	8
9	.09	.27	—	.09	—	.20	—	.88	—	.02	.41	—	9
10	—	—	—	—	.06	.01	—	.09	.06	—	.36	.02	10
11	.06	.20	—	—	—	.05	.01	.10	.31	—	.10	.05	11
12	.02	.09	—	.02	—	.02	.31	—	.31	.04	.02	—	12
13	—	—	—	—	—	—	.46	.07	—	—	—	—	13
14	—	.10	—	—	.05	.39	.22	.19	.08	—	.37	—	14
15	.03	.10	—	.18	.04	—	.30	1.00	—	—	—	.17	15
16	.10	.11	—	.17	.36	.82	.03	.22	.26	—	—	—	16
17	.14	.01	—	.25	1.07	.04	—	.06	—	—	.11	—	17
18	.10	—	—	.21	—	.12	.07	—	—	.01	.35	—	18
19	.07	.12	—	—	—	.02	.27	.14	—	—	—	—	19
20	.01	.11	.22	—	—	—	—	.20	—	—	.03	.03	20
21	.39	—	—	—	.56	—	—	.37	—	—	.13	—	21
22	.07	—	—	.06	.10	—	—	.07	—	—	.02	—	22
23	.18	—	—	.24	.27	.12	.23	.26	—	.02	.23	.22	23
24	—	—	—	.32	.27	—	.10	—	—	—	—	—	24
25	.04	.02	—	1.25	—	—	.12	—	—	—	.01	.01	25
26	.01	.03	—	.20	—	—	.04	—	—	—	.52	—	26
27	.11	.52	—	.07	.63	—	.03	—	—	.12	.20	.08	27
28	.10	.07	—	.02	.27	—	—	—	—	.03	—	.14	28
29	.01	×	.01	—	.11	—	.24	—	—	.37	.04	.01	29
30	—	×	—	.06	—	—	.01	—	.05	—	—	.01	30
31	.21	×	—	×	.07	×	—	—	×	—	×	—	31
TOTAL	2.00	2.14	.23	4.55	4.12	4.53	2.85	4.42	2.40	.87	4.15	1.10	YEAR'S TOTAL 33.86
*Days with ·01 in. or more.	20	19	2	21	15	16	20	18	12	9	21	13	186
*Days with ·04 in. or more.	15	12	1	18	14	11	15	18	11	5	17	7	144

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) ... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Aston Hall Newport

in the County of Shropshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground ft 11 in.

,, Ground above Sea Level about 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.04	—	.08	.43	.05	.07	.14	.08	.08	.02	.05	1
2	.04	—	—	.15	.28	—	—	.02	.12	.04	—	.11	2
3	.03	.01	—	.54	.02	—	.35	.06	.04	—	.01	.03	3
4	—	.03	—	.11	—	—	—	—	.01	.11	.27	—	4
5	.38	—	.14	.05	.13	—	—	—	.11	—	—	—	5
6	.56	—	—	.12	.01	—	.01	—	.11	—	—	—	6
7	.03	—	.15	.16	—	—	—	—	.06	.59	.01	—	7
8	—	—	—	.04	—	—	—	—	.08	.39	—	—	8
9	.38	.04	—	.03	—	—	—	—	.01	—	—	—	9
10	.40	.01	.01	.13	.04	—	—	—	.15	.47	—	—	10
11	.01	—	—	.16	.20	—	.32	—	.07	.11	.02	.08	11
12	.15	—	—	—	.10	—	03	—	.12	.29	.01	—	12
13	.01	—	—	.03	.01	—	.80	.14	—	.27	.04	.08	13
14	.22	—	—	.05	—	—	.11	.20	—	.12	.13	—	14
15	—	—	—	—	.34	—	.25	—	—	—	—	.03	15
16	.31	—	—	—	.32	—	.04	—	—	—	—	—	16
17	—	—	—	—	.01	—	.15	—	.03	.04	—	—	17
18	—	—	—	—	.01	—	—	—	.01	.03	.09	—	18
19	—	—	—	.09	.02	—	—	—	—	.14	—	—	19
20	—	—	—	.03	.49	—	.05	.98	—	.41	.16	—	20
21	—	—	.21	.24	.47	—	—	.03	—	.25	.09	.03	21
22	—	—	.24	.01	.21	—	.41	—	.35	.11	.17	—	22
23	—	.02	—	.04	.94	—	.07	—	.13	.13	.06	.05	23
24	.11	—	—	—	.01	—	.11	—	.16	—	.38	—	24
25	—	—	—	—	—	.05	—	—	—	.18	.02	—	25
26	—	.01	.06	.25	.20	—	.08	—	.09	.02	—	.01	26
27	—	—	.34	.15	.48	—	.28	—	—	—	.13	.01	27
28	—	—	.22	.05	.40	—	.16	—	—	—	—	.02	28
29	—	—	.12	.32	.03	.06	.02	.15	.14	.48	.10	.28	29
30	—	×	.26	.20	—	.37	.03	.03	.02	.35	.15	.08	30
31	—	×	·02	×	—	×	.40	—	×	—	×	.19	31
													YEAR'S TOTAL
TOTAL	2.64	.16	1.77	3.03	5.15	.53	3.64	1.75	1.89	4.61	1.86	1.05	28.08
*Days with ·01 in. or more.	14	7	11	23	23	4	20	9	20	21	18	14	182
*Days with .04 in. or more.	9	2	9	19	15	4	16	6	15	19	12	8	134

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Ralph Leeke

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM, 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Aston Hall

in the County of Shropshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	.38	.04	—	—	—	—	—	—	—	.04	—		1
2	.26	—	.22	—	.07	.10	—	—	—	—	.01	—		2
3	.03	.13	.05	—	.09	—	—	—	—	—	—	—		3
4	.13	.02	—	—	.17	—	—	.06	—	—	—	—		4
5	.19	—	.08	—	.05	—	—	—	—	—	.01	—		5
6	—	.50	.01	—	.22	—	—	—	—	.03	—	.01		6
7	.04	.27	.03	—	—	—	—	.01	—	.11	—	.02		7
8	.01	—	25	—	.13	—	.42	—	—	—	—	—		8
9	—	—	—	.04	.10	—	.35	—	—	.57	.03	—		9
10	.05	.22	—	—	.02	.03	.15	.01	—	1.95	.11	—		10
11	—	—	—	—	.01	—	.23	—	—	.01	—	—		11
12	.01	—	—	—	—	—	.14	—	—	.01	—	.03		12
13	—	—	—	—	.12	.01	.28	—	—	.17	.39	—		13
14	.03	—	—	—	.01	—	.02	.11	—	.11	.06	—		14
15	.26	—	.01	—	—	.03	.22	.08	—	.14	.13	—		15
16	.09	.03	.40	—	.08	.07	—	—	—	.13	—	.03		16
17	.05	—	.49	—	—	.18	—	.04	.10	—	.01	—		17
18	.06	.01	.03	—	—	.14	—	—	—	—	.01	—		18
19	—	.01	.30	—	—	.01	.05	—	.08	—	.05	—		19
20	—	.03	.09	—	—	.14	—	.18	.20	—	—	—		20
21	—	—	—	—	—	.57	—	.34	—	—	—	—		21
22	—	—	—	—	—	.04	—	.25	—	.16	—	—		22
23	—	—	—	.23	—	.10	—	—	.03	.11	—	—		23
24	—	.54	—	.08	.02	.39	—	—	.17	.03	—	—		24
25	—	.28	—	.08	—	.07	—	—	.03	—	—	.10		25
26	—	.75	—	.12	.10	—	—	—	.05	.19	—	—		26
27	—	.01	—	.03	.02	—	—	—	.10	.05	—	.03		27
28	—	—	—	.13	—	—	.01	—	—	.01	—	—		28
29	.02	—	—	27	—	—	.05	—	—	—	—	—		29
30	.08	×	.14	.05	—	—	.04	—	—	.03	—	.15		30
31	.06	×	.34	×	—	×	—	.05	×	.35	×	—		31
TOTAL	1.55	3.18	2.48	1.03	1.21	1.88	1.96	1.13	.76	4.16	.85	.37	Year's Total 20.56	
*Days with ·01 in. or more.	17	14	15	9	15	14	12	10	8	18	11	7	150	
*Days with .04 in. or more.	12	8	11	8	10	10	10	8	6	12	6	2	103	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Aston Hall - Newport

in the County of Shropshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.07	—	—	—	—	—	—	.09	.19	.73	.16	.36		1
2	—	—	.08	—	—	—	—	.26	.15	—	.09	.11		2
3	.08	—	—	—	.03	—	—	.06	—	.09	.03	.08		3
4	.09	—	.04	.01	.16	—	—	—	.10	.22	—	.33		4
5	—	—	.07	.03	.08	—	—	.80	—	.07	.12	.04		5
6	—	—	.06	—	.35	.01	—	—	—	.11	—	.27		6
7	.06	.01	—	—	—	—	—	.05	—	.19	.04	.10		7
8	—	—	.03	—	.08	.05	—	.01	.01	—	.33	.12		8
9	—	—	.18	—	—	—	—	.06	—	—	.46	.07		9
10	.03	—	.17	.33	—	—	—	.36	—	.01	.07	.01		10
11	.47	—	.14	.28	—	—	.02	.04	—	—	—	.23		11
12	.01	—	.09	.08	—	—	.01	.29	—	—	.01	—		12
13	.66	—	.01	.07	—	—	.66	.03	—	.01	—	.03		13
14	.08	.02	.24	—	.04	—	—	—	.01	.26	.30	.07		14
15	.03	—	.03	—	.13	.04	—	.03	—	.31	.18	.16		15
16	.16	—	.09	—	.03	—	—	—	—	.06	.09	—		16
17	.11	—	.16	.27	.05	—	.09	.03	.15	.05	—	.15		17
18	.13	—	—	.05	.01	—	.05	.02	—	—	—	—		18
19	.02	—	.15	—	—	.01	—	—	.03	.04	—	.15		19
20	—	—	.15	—	—	.12	—	—	.03	.01	—	.02		20
21	.02	—	—	—	—	—	—	.01	.04	.01	—	.03		21
22	—	—	.02	.08	.02	.19	—	.15	.33	.05	—	.16		22
23	—	—	.06	.20	.08	.02	.01	—	—	—	.07	.06		23
24	—	.30	.03	—	—	.19	—	—	.10	—	—	—		24
25	—	.18	—	.11	.01	.07	—	—	.04	.25	—	.42		25
26	.12	—	.09	.81	—	.26	—	—	.04	.04	—	—		26
27	.05	—	—	.14	—	.12	—	—	.02	.15	.02	.18		27
28	—	—	—	.13	—	.04	—	.10	.11	—	—	.37		28
29	—	—	—	—	—	.08	.29	.06	.35	—	—	.04		29
30	.07	×	—	—	—	—	.01	.06	.01	.08	—	.09		30
31	—	×	—	×	—	×	.01	.04	×	.30	×	.18		31
													Year's Total	
TOTAL	2.26	.51	1.89	2.59	1.07	1.20	1.15	2.55	1.71	3.02	1.97	3.83	23.75	
*Days with ·01 in. or more.	18	4	20	14	13	13	9	20	17	21	14	26	189	
*Days with .04 in. or more.	13	2	15	12	7	10	4	14	10	17	11	21	136	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Ralph Leeke

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Aston Hall – Newport

in the County of Shropshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground ft Eleven in.

,, Ground above Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.05	—	—	—	—	.06	—	.07	.08	—	—		1
2	—	—	—	—	—	.22	—	—	—	.54	.03	.01		2
3	.09	.31	.08	.06	—	.06	.01	—	—	.13	.19	.07		3
4	.01	—	—	.15	—	.15	—	—	.14	.09	.01	.32		4
5	—	.28	.19	.12	—	—	.28	—	.05	.56	.20	.15		5
6	—	—	—	.22	—	.17	—	—	—	.08	.03	.01		6
7	—	—	—	.18	—	.30	—	—	—	.08	.22	.15		7
8	—	—	—	.18	—	—	—	.03	—	.09	.18	.16		8
9	.05	—	—	.18	—	.25	—	—	—	.04	.19	—		9
10	—	—	—	.13	—	.01	—	—	—	.38	.16	—		10
11	.21	.02	—	—	—	.06	—	—	—	—	.14	.02		11
12	.06	.01	—	—	—	.09	—	.01	—	—	.01	—		12
13	.14	.04	—	.05	.18	.01	—	—	.11	—	.01	—		13
14	—	—	—	.19	.01	.04	—	—	.16	—	.86	.15		14
15	—	.03	—	.52	.03	.04	—	—	.08	—	.02	.15		15
16	—	.02	.18	.10	—	.07	.04	—	.55	.34	.49	—		16
17	—	—	—	.24	.01	.24	.14	—	.01	.03	.69	—		17
18	—	—	—	.42	.13	.03	.04	—	.19	.02	—	—		18
19	—	—	—	.27	.32	.46	.04	—	.03	.24	.20	.05		19
20	—	.25	—	.31	—	.07	.06	—	—	—	.29	—		20
21	—	.74	—	—	—	—	—	—	.37	.04	.01	—		21
22	—	.02	.02	—	—	—	—	—	.03	—	—	—		22
23	.04	.06	.07	—	.07	—	—	.12	.05	.60	—	.09		23
24	.11	.33	.04	—	—	—	—	—	.57	.04	—	.27		24
25	.25	.18	—	.05	—	.37	—	—	—	—	—	.05		25
26	—	.09	—	—	—	—	—	.91	.29	—	.01	.27		26
27	—	.08	—	—	—	—	—	.02	.07	.04	.20	.21		27
28	—	.01	—	—	.07	—	—	.13	.22	.07	.02	.02		28
29	—	—	.06	—	—	—	—	—	.05	—	.10	.10		29
30	.05	×	—	.08	—	.08	—	.04	.08	.36	.21	.09		30
31	—	×	—	×	—	×	—	—	×	.34	×	.21		31
TOTAL	1.10 ✓	2.51 ✓	.64 ✓	3.45 ✓	.82 ✓	2.72 ✓	.67 ✓	1.26 ✓	3.12 ✓	4.19 ✓	4.47 ✓	2.55 ✓	Year's Total. 2~~6~~7.50	
* Days with .01 in. or more.	11	17	7	18	8	19	8	7	19	21	24	20	179	
* Days with .04 in. or more.	9	11	6	18	5	16	7	4	16	19	15	16	152	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Aston Hall – Newport

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" Ground " Sea Level 280 ft.

Ann total corr for auth.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.14	.03	.47	—	.30	—	.30	.01	—	.13	.14		1
2	.24	.07	—	.08	—	.41	—	.01	—	—	.14	—		2
3	—	—	—	—	—	.06	.23	.03	.48	—	—	—		3
4	.01	—	.13	—	—	.21	—	.03	.29	—	.22	.28		4
5	.25	.02	.04	—	—	—	—	.15	.02	—	.01	.15		5
6	—	—	—	—	.16	.05	.01	.16	.13	—	.09	.06		6
7	.09	—	.02	—	—	—	.08	—	.05	—	.09	.01		7
8	—	—	.20	—	—	.03	.31	—	.22	—	.41	.07		8
9	.34	—	.25	—	—	—	—	.01	.04	.02	—	—		9
10	.03	—	—	—	—	.08	1.09	.07	.04	—	—	—		10
11	—	—	—	.01	—	.36	.24	—	.45	—	.63	.02		11
12	—	—	—	—	.11	.16	.20	—	—	—	.13	.13		12
13	—	—	—	.08	—	.13	.57	—	.39	—	—	.34		13
14	—	—	—	.09	—	.02	—	.05	—	.01	.09	.28		14
15	.17	—	—	.01	.36	—	.01	.06	—	—	.23	.07		15
16	.13	.10	—	.18	.28	—	.08	—	—	—	.38	—		16
17	—	.45	—	—	—	—	.04	.04	—	.13	.04	.01		17
18	—	.08	—	—	—	.41	.09	.04	—	.11	—	.07		18
19	.43	.11	.02	.32	—	.02	.26	.03	—	.04	—	—		19
20	—	.17	—	—	—	.19	—	—	—	.02	—	—		20
21	—	—	—	.18	—	1.76	—	—	—	—	—	—		21
22	—	.17	.03	—	—	.24	—	—	.01	—	—	.11		22
23	—	.04	.54	.04	.01	—	.20	—	—	.01	—	—		23
24	.22	.05	—	.02	.03	—	.20	—	.21	.20	—	—		24
25	.15	—	.05	.28	—	—	.02	—	1.00	.01	.04	—		25
26	.03	.03	.19	—	—	—	.03	—	—	.02	—	—		26
27	.20	—	.06	—	—	—	—	—	.25	.07	—	—		27
28	.17	.12	.13	.01	—	—	—	—	—	.04	.03	.07		28
29	.02	.15	.06	—	—	—	.03	—	—	.08	.03	.16		29
30	.09	✕	—	—	.15	.17	.34	—	—	.62	—	—		30
31	.41	✕	.09	✕	—	✕	—	—	✕	.02	✕	.27		31
TOTAL	3.19	1.70	1.84	1.77	1.10	4.60	4.03	.97	3.59	1.40	2.69	2.24	Year's Total 29.12 29.22	✓
* Days with .01 in. or more.	18	14	15	13	7	17	19	13	15	15	16	17	179	✓
* Days with .04 in. or more.	14	12	11	9	5	14	14	8	11	8	13	14	133	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ralph Leeke

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Aston Hall - Newport

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.07	.01	—	—	—	—	—	.16	.02	—	.25	1
2	—	.06	.02	.45	—	—	—	—	—	—	—	1.10	2
3	—	.04	—	—	.32	.10	—	—	—	—	—	—	3
4	.08	.10	—	—	.06	.02	—	.02	—	—	—	.65	4
5	.09	—	.11	—	—	—	—	—	—	—	—	.08	5
6	.13	—	.01	.10	.10	.09	.02	—	—	—	—	—	6
7	—	.66	—	.07	—	—	—	—	—	.01	—	.01	7
8	—	.21	—	.06	—	—	.04	—	.01	—	.03	.01	8
9	—	—	—	.01	.24	—	.35	.02	.16	—	.35	—	9
10	—	.06	.24	—	—	.02	—	—	—	.01	—	.14	10
11	—	.02	.07	—	.27	.32	.01	—	—	—	—	.19	11
12	.04	.26	.09	—	.18	.35	—	.01	.21	—	—	.14	12
13	.04	—	—	.01	—	.02	—	.25	.30	—	—	—	13
14	—	—	.23	—	—	.01	—	.22	.03	—	—	.17	14
15	.12	.20	—	.16	—	—	—	—	.23	—	.07	—	15
16	—	.05	.52	.30	.78	—	1.80	.17	.06	—	—	.02	16
17	.16	.09	.12	.12	—	.11	—	—	.55	—	—	—	17
18	.84	.07	.04	—	—	—	—	—	.63	—	—	.04	18
19	—	.07	.11	.14	—	.10	.04	—	—	—	.44	—	19
20	.25	—	—	.39	.61	—	.24	—	.01	—	.09	.01	20
21	.11	.16	.12	.04	.01	—	—	—	—	.09	—	.02	21
22	.03	.15	.16	—	.05	.04	.21	—	—	.34	—	.05	22
23	.16	.01	—	—	.06	—	.30	—	—	.45	.31	—	23
24	.18	.30	.05	—	—	—	.06	—	.15	.36	.25	—	24
25	—	.44	—	—	.11	—	.04	—	.01	.17	—	—	25
26	—	.20	.06	—	.55	—	—	—	—	—	—	02	26
27	—	.55	—	20	—	—	—	—	—	.50	.01	.03	27
28	—	.18	—	—	—	—	—	—	—	.15	—	.01	28
29	.02	—	—	—	—	.02	—	—	—	.22	.02	.01	29
30	.22	×	—	—	—	.03	—	.11	—	.02	.06	—	30
31	.31	×	—	×	—	×	—	—	×	.15	×	—	31
TOTAL	2.86	3.93	1.96	2.05	3.35	1.23	3.11	.80	2.51	2.49	1.63	2.95	YEAR'S TOTAL 28.87 ✓
*Days with ·01 in. or more.	17	22	16	13	13	13	11	7	13	13	10	19	167 ✓
*Days with .04 in. or more.	15	19	13	11	11	7	9	4	9	9	8	10	124 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Ralph [illegible]

P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** Station No. 2303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Aston Hall – Newport

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground 280 ft. Sea Level 280 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.05	—	—	.53	.15	.04	—	.17	.05	.20		1
2	—	—	—	.08	.01	.31	.10	—	—	.16	—	.04		2
3	—	—	—	—	—	.04	—	—	—	.54	.02	—		3
4	—	—	—	—	—	.01	.06	.10	.01	.15	—	.17		4
5	—	—	—	—	—	—	.07	.95	.09	—	—	.03		5
6	—	—	.01	—	—	—	—	—	—	.15	—	.01		6
7	.11	—	—	—	—	—	.43	.60	.06	.09	—	.02		7
8	.05	—	—	—	—	—	.65	.43	—	.28	—	.05		8
9	.32	.13	—	—	—	.09	.28	.11	—	.01	—	.30		9
10	.05	—	—	—	—	.04	.08	.01	—	—	—	.16		10
11	.01	.02	.01	—	—	—	.33	.01	—	.04	.19	.14		11
12	.43	—	—	—	.09	—	.02	—	—	.29	.16	—		12
13	.07	—	—	—	.01	—	.08	—	—	.02	.15	.22		13
14	.01	—	—	—	.03	—	—	—	.10	—	—	.01		14
15	.31	—	—	—	.12	—	.35	.03	—	—	.02	.15		15
16	.08	—	—	—	.01	—	.37	.01	—	.09	.03	.11		16
17	.36	—	—	—	—	—	—	—	.13	.06	—	.02		17
18	.08	—	—	—	.10	.01	.02	.09	.11	.03	.19	—		18
19	—	—	—	—	—	—	—	.19	—	—	.04	—		19
20	.02	—	—	—	—	—	—	—	.03	—	.26	—		20
21	.04	—	—	—	—	—	—	—	.08	—	.02	.07		21
22	—	—	—	—	—	.02	—	—	.10	—	.37	.03		22
23	—	—	—	—	.09	—	—	—	.10	—	—	—		23
24	.05	.01	.16	—	.04	—	—	.34	.03	—	—	—		24
25	—	.15	.07	—	.06	.01	—	.02	.01	.34	.94	.08		25
26	.04	.13	.22	—	.02	.11	.05	—	.02	.41	—	.04		26
27	.07	—	—	—	.35	.25	.08	.25	.05	—	.31	—		27
28	.03	.09	—	—	.01	.07	.09	.02	.05	—	.02	.28		28
29	.36	—	—	—	.42	.01	—	—	.02	.10	.04	.14		29
30	.05	✕	—	—	.12	—	—	—	.23	—	.22	.26		30
31	.12	✕	—	✕	.17	✕	—	—	✕	.18	✕	.22		31
													Year's Total	
TOTAL	2.66	.53	.52	.08	1.65	1.50	3.21	3.20	1.22	3.11	3.03	2.75	23.46	✓
* Days with .01 in. or more.	21	6	6	1	16	13	17	16	17	18	17	23	171	✓
* Days with .04 in. or more.	27	4	4	1	10	8	15	10	11	15	12	17	124	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ralph Leeke

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Aston Hall Newport

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

„ Ground „ Sea Level 280 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.34	—	—	.11	—	—	—	—	—	—	—	.02		1
2	.39	—	—	.05	—	—	.02	.40	.22	—	.01	—		2
3	—	—	—	.29	—	—	—	.05	—	—	.05	.30		3
4	.41	—	.07	.40	.04	—	.31	.02	.02	.25	.11	.24		4
5	.17	—	—	.02	.19	—	.16	.04	—	.03	.27	.02		5
6	.67	—	—	—	—	—	.41	—	—	—	.04	—		6
7	.04	.03	—	—	.05	—	.35	.05	—	.01	.44	.63		7
8	—	.10	.47	—	—	—	.20	.12	—	.41	.31	.06		8
9	—	.06	—	—	—	—	.29	.25	—	.44	—	.21		9
10	.69	—	.02	—	—	—	—	.01	.10	.12	—	.03		10
11	.08	—	.17	—	—	.20	—	.02	—	.01	—	—		11
12	—	.07	—	—	—	—	—	—	.01	—	—	—		12
13	—	—	.01	.34	.04	.11	.05	—	.03	.14	—	—		13
14	.35	—	—	.07	.25	.22	—	—	—	.10	.11	—		14
15	.26	—	.02	.04	.05	.27	.63	—	—	—	.11	—		15
16	.06	—	.05	.03	.25	—	—	—	—	.02	.11	—		16
17	.45	.04	—	—	—	.05	.02	—	—	1.17	.05	—		17
18	.21	.14	.06	—	—	.10	.05	—	—	.03	.67	—		18
19	.29	—	—	—	—	—	.53	—	—	—	.03	.01		19
20	.18	.01	.02	.05	—	.15	.01	.05	.01	—	—	—		20
21	.24	.08	.13	.01	—	—	.28	.15	.12	—	—	—		21
22	.38	.30	.01	—	—	—	.34	—	—	—	.44	—		22
23	.11	—	.01	.12	—	—	—	—	—	.27	.50	—		23
24	.07	.02	.10	.26	—	—	.30	—	—	.28	.01	—		24
25	.60	.05	—	.02	—	—	.22	—	—	.05	.09	.02		25
26	—	—	—	.02	—	—	—	.02	—	—	.23	.17		26
27	—	.15	.12	.01	—	.04	.08	—	—	—	.10	.12		27
28	—	.18	.19	.03	—	.07	.34	.01	—	—	.18	.11		28
29	—	—	—	.13	—	—	.85	.58	—	.11	—	—		29
30	—	✕	—	.01	—	.38	.02	—	—	.03	.12	—		30
31	—	✕		✕		✕	.01	.06	✕	.01	✕	.01		31
TOTAL	5.99	1.23	1.43	2.01	.87	1.59	5.47	1.83	.51	3.48	3.98	1.95	Year's Total 29.36	✓
* Days with .01 in. or more.	20	13	15	19	7	10	22	15	7	18	21	14	181	✓
* Days with .04 in. or more.	20	10	9	10	7	10	17	9	3	11	18	8	141	✓

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ralph B. Leeke Colonel

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2303

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Aston Hall – Newport

in the County of Shropshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground ... ft. 11 in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	.02	—	—	—	—	—	—	.31	—		1
2	—	.02	—	.23	—	—	.09	—	—	—	.64	.12		2
3	—	.08	—	.11	—	—	—	—	—	.19	.35	.15		3
4	—	.05	—	.09	—	—	.06	—	—	.13	.42	.06		4
5	—	—	—	—	.08	—	.03	—	—	.02	.35	.03		5
6	.07	.30	—	—	—	—	.13	—	.02	.58	.18	—		6
7	—	.25	—	.02	.03	—	.04	—	—	.01	—	—		7
8	—	—	—	—	—	—	.12	—	—	.23	.01	.16		8
9	—	—	.17	—	—	—	.47	.11	.03	.05	.62	.34		9
10	—	—	.17	—	—	.07	.53	—	.05	.02	.06	.16		10
11	—	—	.05	.07	—	—	.38	—	—	—	.46	—		11
12	—	.02	.02	—	—	.04	.21	.03	.01	—	.01	—		12
13	—	—	.44	.09	.10	—	—	.05	.09	—	—	.18		13
14	—	—	—	—	.88	—	—	.03	.04	.08	.01	.22		14
15	—	—	.02	.42	—	—	—	—	.15	.06	.08	.01		15
16	.02	.22	.34	—	—	.01	.08	—	.10	.64	.76	—		16
17	—	—	.40	—	.15	—	.07	—	.20	—	1.05	—		17
18	.10	.64	.12	.43	—	—	—	.10	—	.02	.03	—		18
19	—	.29	.10	.20	—	—	.26	—	.25	—	.10	.10		19
20	—	—	—	.03	—	—	.12	.03	.12	.33	—	—		20
21	—	—	—	—	.23	.51	.10	.02	.01	—	1.08	—		21
22	—	.03	—	.02	.33	.12	—	.02	.04	—	—	—		22
23	—	.02	.06	.31	.04	—	—	—	.01	—	.04	—		23
24	.02	—	—	—	—	—	.05	—	—	—	—	—		24
25	—	—	.01	.01	.01	—	.12	—	—	.02	—	—		25
26	1.16	.05	.10	—	.04	.04	.16	—	—	—	.01	—		26
27	.59	.01	—	.23	.02	—	.13	—	—	—	.15	—		27
28	.49	.34	—	.27	.88	—	—	.01	—	—	—	—		28
29	—	—	.13	—	—	.15	—	—	—	—	—	.21		29
30	—	×	—	.62	.09	—	—	—	—	.16	—	.03		30
31	.11	×	.11	×	—	×	—	—	×	.95	×	.03		31
TOTAL	2.56	2.32	2.24	3.17	2.88	.94	3.15	.40	1.12	3.49	6.72	1.80	Year's Total 30.79	✓
* Days with .01 in. or more.	8	14	15	17	13	7	19	9	14	16	21	14	167	✓
* Days with .04 in. or more.	6	9	12	12	10	6	18	3	9	11	16	10	122	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ralph Leeke

[P.T.O.

X PENTREHEYLIN HAL

2303/5

~~[illegible]~~ Salop/4

FORM 1090. **B** M S

2303/5

PENTREHEYLIN HALL

1932—40

780405

*** The following register of mon &c., is NOT required if daily values are given on the other …on and also the space for

…s register should be sent:—

RAINFALL IN 193

PENTREHEYLIN HAL

At LLANYMYNE… Llanymynech

In the County of Montgom… Mont.

…AM …in Summer 10.30 AM.

…ce 1 mile Direction from gauge E

…ce 5/8 mile Direction from gauge E

Rain Gauge { Diameter of Funnel 8 …

Rain Gauge { *Height of Top above Ground* 2 *ft*

Rain Gauge { *Height of Ground above Sea Level* …

…lawn about 20 …ne.

Month.	Total Depth.	Greatest Fall in 24 hours.		·o or	
	Inches	Inches	Date.		
JAN.	3·60~~0~~				
FEB.	·07~~0~~ ~~·700~~				
MAR.	2·48~~0~~				
APRIL	4·26~~0~~				
MAY	3·76~~0~~				
JUNE	·38~~0~~				
JULY	7·98~~0~~				
AUG.	08 1·~~77~~				
SEPT.	·17 2·~~175~~				
OCT.	4·43~~0~~				
NOV.	06 2·~~56~~				
DEC.	1·50~~0~~				
Total	33.77 ~~33·708~~				

Directions from gauge ..

If gauge has been moved during the year state—

Date of move………… Distance………… Direction…………

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Heavy thunderstorms July 12-13 and July 14.

Signature H. P. Hall

X H. P. HALL ESQ X

@1932

OK

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

N

PENTREHEYLIN HAL

2303/5

~~Montg~~ Salop /4

FORM 1090.

B

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193

PENTREHEYLIN HALL

At LLANYMYNECH.

In the County of ~~Montgomery~~ Salop.

Rain Gauge

Diameter of Funnel 8. in.

Height of Top above Ground 2 *ft.* 2½ *in.*

Height of Ground above Sea Level 200 approx *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3·60~~0~~				
FEB.	·07~~0~~				
MAR.	2·48~~0~~				
APRIL	4·26~~0~~				
MAY	3·76~~0~~				
JUNE	·38~~0~~				
JULY	7·98~~0~~				
AUG.	1·~~077~~ 08				
SEPT.	2·~~175~~ 17				
OCT.	4·43~~0~~				
NOV.	2·~~056~~ 06				
DEC.	1·50~~0~~				
Total	~~32·708~~ 33.77				

Signature H P Hall

H. P HALL ESQ

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

H P Hall

Pentreheylin Hall Llanymynech

Hour of observation by the clock—in Winter 10·30 AM in Summer 10·30 mat AM.

Nearest Railway Station FOUR CROSSES Distance 1 mile Direction from gauge E

Nearest Parish Church at LLANDISILIO Distance ⅝ mile Direction from gauge E

Nature of objects nearest to gauge	Gauge placed on lawn about 20 yards from house.
Heights of objects	
Distances ..	
Directions from gauge ..	

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Heavy thunderstorms July 12–13 and July 14.

@1932.

OK

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | }·14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

N

2303/5

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At PENTREHEYLIN HALL
In the County of Montgomery. LLANYMYNECH

Rain Gauge
Diameter of Funnel 8" in.
Height of Top above Ground 1 *ft.* 2½ *in.*
Height of Ground above Sea Level 200 *ft.* approx

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·591				
FEB.	2·370				
MAR.	1·680				
APRIL	·545				-
MAY	1·410				
JUNE	1·490				
JULY	1·920				
AUG.	·730				
SEPT.	·830				
OCT.	4·365				
NOV.	·740				
DEC.	·935				
Total	18·606				

Signature H. P. Hall

*See Instruction 2 (*f*) below.

C Particulars of Station. No 2303/5
File No. 167174/32

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
H P Hall
Pentreheylin Hall Llanymynech

Hour of observation by the clock—in Winter 10·30 AM in Summer 10·30 AM
Nearest Railway Station Four Crosses Distance 1 mile Direction from gauge E
Nearest Parish Church at Llandysilio Distance ~~8~~ 5 mile Direction from gauge E

Nature of objects nearest to gauge	
Heights of objects	Gauge placed on Lawn about
Distances ..	20 yards from the
Directions from gauge ..	house

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

No ~~2303/5~~ 2303/5

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At PENTREHEYLIN HALL LLANYMYNECH.

In the County of Montgomery

Rain Gauge
- Diameter of Funnel 8" in.
- *Height of Top above Ground* 1 *ft.* 4½ *in.*
- *Height of Ground above Sea Level* 200 approx *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·615				
FEB.	·170				
MAR.	1·945				
APRIL	2·890				
MAY	1·640				
JUNE	1·050				
JULY	1·185				
AUG.	2·315				
SEPT.	1·685				
OCT.	3·110				
NOV.	1·575				
DEC.	4·635				
Total	24·815				

Signature H. P. Hall

9 Jan 1935

*See Instruction 2 (*f*) below.

C Particulars of Station.

File No 167174/32

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

H. P. HALL
Pentreheylin Hall Llanymynech Mont

Hour of observation by the clock—in Winter 10 - 30 AM in Summer 10 · 30 A.M.

Nearest Railway Station FOUR CROSSES Distance 1 Mile Direction from gauge E

Nearest Parish Church at LLANDYSILIO Distance 5/8 mile Direction from gauge E

Nature of objects nearest to gauge	Rain Gauge placed on lawn
Heights of objects	about 20 yards from the house
Distances ..	
Directions from gauge ..	

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace*, ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

2303/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At PENTREHEYLIN HALL LLANYMYNECH.

In the County of ~~Montgomery~~ SALOP

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 1 *ft* 5½ *in.*
Height of Ground above Sea Level 200 approx. *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·885				
FEB.	3·295				
MAR.	·805				
APRIL	2·265				
MAY	·885				
JUNE	2·935				
JULY	·510				
AUG.	1·390				
SEPT.	4·770				
OCT.	4·920				
NOV.	4·555				
DEC.	2·430				
Total	29·645				

M.O. 7
6 JAN 1936

Signature H. P. Hall

3 Jan 1936

*See Instruction 2 (*f*) below.

C Particulars of Station. No 2303/5

File No 167174/32

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
H. P. HALL
Pentreheylin Hall Llanymynech

Hour of observation by the clock—in Winter 10-30 AM in Summer 10-30 AM

Nearest Railway Station FOUR CROSSES Distance 1 Mile Direction from gauge E

Nearest Parish Church at LLANDYSILIO Distance 5/8 Mile Direction from gauge E

Nature of objects nearest to gauge	Rain Gauge placed on Lawn			
Height of objects	about 20 yards away from			
Distances	the House			
Directions from gauge				

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

The rainfall between 10-30 AM on Wednesday 20 Nov 1935. and 10·30 AM on Thursday 21 Nov 1935 amounted to ·990". and is the heaviest recorded for the year
The next heaviest fall took place between 30~~3~~Oct at 10.30 and 31 Oct at 10.30. viz ·750"
The gauge was empty at 10.30 on the 20 Nov. and the 30 Oct at the same hour

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

PENTREHEYLIN HALL

At LLANYMYNECH

In the County of ~~Montgomery~~ Salop

Rain Gauge
- Diameter of Funnel 8 in.
- *Height of Top above Ground* 1 *ft.* 2½ *in.*
- *Height of Ground above Sea Level* 200 approx. *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·495				
FEB.	1·760				
MAR.	1·750				
APRIL	1·660				
MAY	1·175				
JUNE	4·105				
JULY	3·960				
AUG.	·665				
SEPT.	3·360				
OCT.	1·815				
NOV.	3·165				
DEC.	3·170				
TOTAL	31·080				

Signature H P Hall

25 Jan 1937

* See Instruction 3 *(f)* below.

No 2303/5

C Particulars of Station.

File No 167174/32

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

H. P. HALL

Pentreheylin Hall Llanymynech

Hour of observation by the clock—in Winter 10 : 30 AM in Summer 10 : 30 AM

Nearest Railway Station FOUR CROSSES Distance 2½ ~~1~~ mile Direction from gauge ~~E~~ W

Nearest Parish Church at LLANDYSILIO Distance 2½ ~~5~~ mile Direction from gauge ~~E~~ W

Nature of objects nearest to gauge	Rain Gauge placed on lawn			
Height of objects	about 20 yards away			
Distances	from the house.			
Directions from gauge				

If gauge has been moved during the year state — No

Date of move.................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7 c
26 JAN. 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

2303/5

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193~~8~~7
PENTREHEYLIN HALL

At LLANYMNECH

In the County of ~~Montgomery~~ Salop

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level 200 appx *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·990				
FEB.	4·450				
MAR.	1·225				
APRIL	1·260	= 1·260			
MAY	1·610				
JUNE	1·160				
JULY	1·920				
AUG.	1·190				
SEPT.	1·145				
OCT.	2·675				
NOV.	1·410				
DEC.	1·320				
TOTAL	22·355" ✓				

Signature

* See Instruction 3 (*f*) below.

C Particulars of Station.

File No 167174/32

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
H P HALL
Pentreheylin Hall Llanymynech

Hour of observation by the clock—in Winter 10:30 in Summer 10:30

Nearest Railway Station FOUR CROSSES Distance 1 mile Direction from gauge E

Nearest Parish Church at LLANDYSILIO Distance $\frac{5}{8}$ Direction from gauge E

Nature of objects nearest to gauge	Rain	Gauge	placed	on
Height of objects	lawn	about	20	yards
Distances ...	from	house		
Directions from gauge ...				

If gauge has been moved during the year state— no

Date of move........ Distance........ Direction........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
17 JAN. 1938

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of ~~observation. Thus the entry for January 1st is the rainfall for the~~ 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

Form 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

PENTREHEYLIN HALL

At LLANYMNECH

In the County of Montgomery

Rain Gauge

Diameter of Funnel 8 in.

Height of Top above Ground 1 *ft.* 6 *in.*

Height of Ground above Sea Level 300 approx *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·880				
FEB.	·510				
MAR.	·350				
APRIL	·090				
MAY	1·345				
JUNE	1·400				
JULY	2·545				
AUG.	2·760				
SEPT.	·910				
OCT.	4·700				
NOV. }	6·904	4·00			
DEC. }		2·90			
Total	24·394				

Signature H P Hall

*See Instruction 2 (*f*) below.

C Particulars of Station.

2303/5
File No 167174/32

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

H.P. HALL
Pentreheylin Hall Llanymynech

Hour of observation by the clock—in Winter 10·30 in Summer 10·30

Nearest Railway Station FOUR CROSSES Distance 1 mile Direction from gauge E

Nearest Parish Church at LLANDYSILIO Distance 5/8 mile Direction from gauge E

Nature of objects nearest to gauge	Rain gauge placed on			
Heights of objects	lawn about 20 yards from			
Distances ..	the house			
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Nov + Dec allocated by symr. stns
X. 8/3/39

Allocate Nov. & Dec.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

230315

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.
PENTREHEYLIN. HALL

At LLANYMYNECH

In the County of Montgomery

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level 200 approx *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·040				
FEB.	2·110				
MAR.	1·720				
APRIL	1·895				
MAY	·980				
JUNE	6 1·455				
JULY	6·000				
AUG.	1·035				
SEPT.	8 ·575				
OCT.	2·435				
NOV.	5·040				
DEC.	9 2·186				
TOTAL	31·47~~0~~				

Signature H. P. Hall
28 Jan 1940

* See Instruction 3 (*f*) below.

C Particulars of Station.

File No 167174/32

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
H. P. HALL
Pentreheylin Hall Llanymynech

Hour of observation by the clock—in Winter 10:30 in Summer 10:30

Nearest Railway Station FOUR CROSSES Distance 1 mile Direction from gauge E

Nearest Parish Church at LLANDYSILIO Distance 5 miles Direction from gauge E

Nature of objects nearest to gauge / Height of objects / Distances / Directions from gauge: Rain gauge placed on lawn about 20 yards from the house & clear of trees &c.

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

MO
31 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0·0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

2303/5
File No 167174/32

FORM 1090.

B Monthly Summary.

***** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1940

At PENTREHEYLIN HALL.
LLANYMYNECH.
In the County of MONTGOMERYSHIRE.

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 2 *ft.* *in.*
Height of Ground above Sea Level 220 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	~~2·38~~ (3·38)				
FEB.	2·57				
MAR.	2·27				
APRIL	2·28				
MAY	2·51				
JUNE	1·70				
JULY	3·45				
AUG.	·16				
SEPT.	1·73				
OCT.	4·74				
NOV.	8·19				
DEC.	1·63				
TOTAL	3~~8~~4·61				

Signature H. P. Hall

2 May 1941

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
H. P. HALL
PENTREHEYLIN HALL.
LLANYMYNECH.
MONTGOMERYSHIRE.

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station FOUR CROSSES Distance 1 mile Direction from gauge ....

Nearest Parish Church at LLANDYSILIO Distance 5/8 mile Direction from gauge ....

Nature of objects nearest to gauge	Rain Gauge placed on
Height of objects	lawn about 20 yards from
Distances	the house and clear of
Directions from gauge	trees &c

If gauge has been moved during the year state— No

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan. est'd from nearby stns.

See other side for details of the two wet months viz Oct and Nov.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

2304
152

Section **A** for the ent
AIR MINI
FORM 1090.
REG

FOR OFFICIAL USE.
ORGANIZATION.

2304 — 432251
NEWPORT HARPER ADAMS AGRI · COLL

1931 – 40

780405

Kept at Newport
in the County of Sa

Diameter of Funnel of Gauge
Height of top of Gauge above G
,, Ground ,, S

THE MORNING ME

An observer who does not confor
year in the space on the right

owing

Jan. 1, following

Date	Jan.	Feb.	Mar								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	TR	·01 ~~·005~~	·02	·13	—	TR	—	—	·13	·01	—	TR	1
2	—	·10	—	·71	·25	·18	·06	·04	·38	·04	·05	·06	2
3	·09	—	—	·01	·04	—	·03	—	·84	·01	·58	·04	3
4	—	TR	—	·19	—	—	·14	·15	·30	—	·02	—	4
5	—	·03	·01 ~~·005~~	·09	·06	1·09	·01	·20	·02	TR	—	·28	5
6	—	·23	—	·05	TR	·10	TR	·02	·05	·23	·22	TR	6
7	—	·04	—	·TR	·TR	·37	·01	·54	TR	TR	·15	TR	7
8	·08	·01 ~~·005~~	TR	·17	—	·09	·09	·97	TR	TR	·16	—	8
9	·10	·30	—	·06	TR	·08	TR	·11	TR	TR	·28	—	9
10	tr.	·01 ~~·005~~	—	—	·10	·02	·02	·07	·02	—	·48	·03	10
11	·06	·26	TR	—	TR	·07	·02	TR	·40	—	·07	·05	11
12	·02	·08	—	·02	—	·01	·32	·09	·27	·04	·02	TR	12
13	—	TR	·09	—	·01	·01	·14	·29	TR	—	—	—	13
14	TR	·12	TR	TR	·07	·39	·09	1·01	·06	—	·36	—	14
15	·02	·10	—	·20	·05	TR	·37	·21	·02	—	TR	·13	15
16	·07	·11	—	·17	·42	1·24	·03	·08	·18	TR	—	—	16
17	·16	·02	—	·20	·92	·05	TR	TR	TR	—	·11	TR	17
18	·08	TR	TR	·17	—	·16	·07	·19	·03	—	·36	—	18
19	·10	·10	—	·01 ~~·005~~	—	—	·27	·29	·02	TR	TR	·02	19
20	TR	·08	·18	—	—	—	—	·26	·01 ~~·005~~	TR	·05	·02	20
21	·55	—	—	·01 ~~·005~~	·51	—	—	·02	TR	—	·11	TR	21
22	·07	—	TR	·03	·06	·01 ~~·005~~	—	·36	—	—	·02	—	22
23	·13	—	—	·21	·40	·09	·27	TR	—	—	·23	·25	23
24	TR	·01 ~~·005~~	—	·14	·23	—	·08	—	—	—	·03	—	24
25	·02	·02	—	1·28	·03	—	·10	TR	—	—	·01	·01	25
26	·06	·02	—	·13	—	—	·03	TR	—	—	·50	—	26
27	·08	·44	—	·04	·59	—	·07	TR	—	—	·20	·06	27
28	·08	·05	TR	·01	·23	—	TR	TR	TR	·11	TR	·12	28
29	·01 ~~·005~~	×	·01 ~~·005~~	—	·12	—	·26	TR	—	·03	·04	—	29
30	TR	×	—	·07	—	·01	·02	TR	·09	·35	TR	·01	30 79 32·80
31	·22	×	—	×	TR.	×	TR.	TR.	×	—	×	·01.	31
TOTAL	2·00 ~~1·99~~	4 2·18	0·31 ~~[illegible]~~	·10 4·~~09~~	4·09	3·97	0 2·57	4·90	2 2·8	0·82	4·05	1·09	YEAR'S ~~[illegible]~~
*Days with ·01 in. or more.	19	21	5	23	17	17		18	16	8	22	14	202
*Days with ·04 in. or more.	15	13	2	17	15	12	—	16	10	5	17	8	144
40-9999	50·5	53·8	7·6	103·9	103·9	100·8	63·8	124·5	71·4	20·8	102·9	27·7	831·6

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

2304

152

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Newport

in the County of Salop

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	TR	·01 ~~·005~~	·02	·13	—	TR	—	—	·13	·01	—	TR	1
2	—	·10	—	·71	·25	·18	·06	·04	·38	·04	·05	·06	2
3	·09	—	—	·01	·04	—	·03	—	·84	·01	·58	·04	3
4	—	TR	—	·19	—	—	·14	·15	·30	—	·02	—	4
5	—	·03	·01 ~~·005~~	·09	·06	1·09	·01	·20	·02	TR	—	·28	5
6	—	·23	—	·05	TR	·10	TR	·02	·05	·23	·22	TR	6
7	—	·04	—	TR	TR	·37	·01	·54	TR	TR	·15	TR	7
8	·08	·01 ~~·005~~	TR	·17	—	·09	·09	·97	TR	TR	·16	—	8
9	·10	·30	—	·06	TR	·08	TR	·11	TR	TR	·28	—	9
10	tr.	·01 ~~·005~~	—	—	·10	·02	·02	·07	·02	—	·48	·03	10
11	·06	·26	TR	—	TR	·07	·02	TR	·40	—	·07	·05	11
12	·02	·08	—	·02	—	·01	·32	·09	·27	·04	·02	TR	12
13	—	TR	·09	—	·01	·01	·14	·29	TR	—	—	—	13
14	TR	·12	TR	TR	·07	·39	·09	1·01	·06	—	·36	—	14
15	·02	·10	—	·20	·05	TR	·37	·21	·02	—	TR	·13	15
16	·07	·11	—	·17	·42	1·24	·03	·08	·18	TR	—	—	16
17	·16	·02	—	·20	·92	·05	TR	TR	TR	—	·11	TR	17
18	·08	TR	TR	·17	—	·16	·07	·19	·03	—	·36	—	18
19	·10	·10	—	·01 ~~·005~~	—	—	·27	·29	·02	TR	TR	·02	19
20	TR	·08	·18	—	—	—	—	·26	·01 ~~·005~~	TR	·05	·02	20
21	·55	—	—	·01 ~~·005~~	·51	—	—	·02	TR	—	·11	TR	21
22	·07	—	TR	·03	·06	·01 ~~·005~~	—	·36	—	—	·02	—	22
23	·13	—	—	·21	·40	·09	·27	TR	—	—	·23	·25	23
24	TR	·01 ~~·005~~	—	·14	·23	—	·08	—	—	—	·03	—	24
25	·02	·02	—	1·28	·03	—	·10	TR	—	—	·01	·01	25
26	·06	·02	—	·13	—	—	·03	TR	—	—	·50	—	26
27	·08	·44	—	·04	·59	—	·07	TR	—	—	·20	·06	27
28	·08	·05	TR	·01	·23	—	TR	TR	TR	·11	TR	·12	28
29	·01 ~~·005~~	×	·01 ~~·005~~	—	·12	—	·26	TR	—	·03	·04	—	29
30	TR	×	—	·07	—	·01	·02	TR	·09	·35	TR	·01	30
31	·22	×	—	×	TR.	×	TR.	TR.	×	—	×	·01	31
TOTAL	2·00 ~~1·99~~	4 2·18	0·31 ~~[illegible]~~	·10 4·~~09~~	4·09	3·97	0 2·57	4·90	2 2·81	0·82	4·05	1·09	YEAR'S TOTAL 79 32·80 ~~[illegible]~~
*Days with ·01 in. or more.	19	21	5	23	17	17		18	16	8	22	14	202
*Days with ·04 in. or more.	15	13	2	17	15	12	—	16	10	5	17	8	141
40-9999	50·5	53·8	7·6	103·9	103·9	100·8	~~63·8~~	124·5	71·4	20·8	102·9	27·7	831·6

*See Instruction 2 (*f*) on other side.

(*Signed*)..........

P.T.O.

2304

Section **A** for the entry of Daily Observations. FOR ~~OFFICIAL USE.~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

Kept at Newport

in the County of Salop

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·01	—	·07	·48	·04	·07	·30	07	·01	·01	·07	1
2	·04	—	—	·15	·20	—	TR	·02	·11	·04	—	·10	2
3	TR	·02	—	·51	·02	—	·42	·06	—	·12	TR	·03	3
4	·04	·02	—	·13	TR	—	TR	—	·01	—	·29	TR	4
5	·37	TR	13	TR	·11	—	—	—	·12	—	—	·01	5
6	·57	—	·02	·12	·04	—	TR	—	·08	—	TR	—	6
7	·02	—	·13	·14	·01	—	TR	—	·11	·53	—	—	7
8	TR	TR	—	·03	TR	—	—	TR	·01	·27	—	—	8
9	·45	·03	—	·02	—	—	—	TR	·08	—	—	—	9
10	·30	TR	TR	·10	·08	TR	—	TR	·12	·49	TR	—	10
11	TR	—	TR	·15	·19	—	·30	TR	·08	·03	·02	·01	11
12	·12	TR	TR	TR	·08	—	·13	—	·13	·24	·02	·01	12
13	·03	·01	—	TR	TR	—	·70	·25	TR	·17	·05	·06	13
14	·24	—	—	·08	—	—	·06	·17	—	·13	·14	·02	14
15	TR	—	—	·01	·29	—	·22	TR	—	TR	—	·03	15
16	·38	—	—	·02	·18	—	·05	—	TR	—	—	—	16
17	TR	—	—	TR	·01	—	·17	TR	·02	·03	—	—	17
18	—	—	—	—	·01	—	TR	—	TR	TR	·07	—	18
19	—	TR	—	·11	·15	—	TR	TR	—	·39	—	—	19
20	—	TR	—	·03	·39	—	·06	·61	—	·16	·17	—	20
21	—	TR	·28	·13	·42	—	TR	·09	—	·27	·18	·02	21
22	TR	—	·20	·02	·25	—	·20	TR	·38	·12	·16	·01	22
23	—	·02	—	·03	·42	—	·10	—	·05	·15	·37	·03	23
24	·10	—	TR	—	·01	·01	·16	—	·10	TR	·07	—	24
25	·01	·01	—	—	·01	·04	·04	—	·01	·17	·01	—	25
26	—	·01	·09	·27	·22	—	·01	TR	·06	·02	—	—	26
27	—	—	·32	·09	·35	TR	·28	—	—	TR	·08	·02	27
28	—	TR	·16	·04	·37	—	·15	TR	—	TR	—	·01	28
29	—	—	·10	·30	·03	·04	·03	·20	·13	·45	·09	·30	29
30	—	×	·27	·21	—	·30	·02	·03	·09	·26	·16	·04	30
31	·01	×	·03	×	TR.	×	·47	·02	×	·01	×	·15.	31
TOTAL	2·70	0·13	1·73	2·76	4·32	·43	3·64	1·75	1·76	4·06	1·89	0·92	YEAR'S TOTAL 26·09
*Days with ·01 in. or more.	15	8	11	23	24	5	20	10	19	21	16	17	189
*Days with ·04 in. or more.	10	0	9	16	17	4	17	7	15	16	12	6	129
40-9999	68·6	3·3	43·9	70·1	109·7	10·9	92·5	44·5	44·7	103·1	48·0	23·4	

(Signed)..

*See Instruction 2 (*f*) on other side.

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. 2304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

152

Kept at Newport

in the County of Salop.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 211 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·28	·03	—	—	—	—	—	—	—	·03	—	1
2	·27	—	·18	—	·08	·06	—	—	—	—	TR	—	2
3	·10	·20	·05	—	·15	—	—	—	—	—	—	—	3
4	·16	·02	TR	—	·19	—	—	·02	—	—	—	—	4
5	·20	·02	·05	TR	·03	TR	—	—	—	TR	·01	—	5
6	—	·62	·06	—	·23	—	—	—	—	·02	·01	—	6
7	·03	·21	·02	—	TR	—	·03	·03	—	·24	—	·02	7
8	·02	—	·29	·05	·15	TR	·25	—	—	—	—	—	8
9	—	—	TR	TR	·12	—	·33	—	—	·53	·02	—	9
10	·05	·12	—	—	·02	·02	·19	·03	—	1·81	·18	—	10
11	TR	TR	—	—	—	TR	·20	—	—	—	—	TR	11
12	·02	—	—	—	TR	TR	·19	—	—	·01	—	·03	12
13	—	—	—	—	·11	·01	·19	·02	—	·20	·39	—	13
14	·02	—	—	—	—	—	·09	·12	TR	·15	·05	—	14
15	·20	—	TR	—	—	·01	·10	·06	—	·07	·12	—	15
16	·07	·01	·06	—	·08	·07	—	TR	—	·13	—	·03	16
17	·08	—	·82	—	—	·05	TR	—	·10	—	TR	—	17
18	·04	TR	·05	—	—	·19	—	—	TR	—	·01	—	18
19	—	TR	·30	—	—	TR	·06	—	·06	—	·13	TR	19
20	—	·03	·09	—	—	·11	—	·10	·15	—	TR	—	20
21	—	—	—	—	—	·61	—	·11	—	·16	TR	—	21
22	—	—	—	·03	·08	·11	—	·25	—	—	—	—	22
23	—	TR	—	·07	—	·07	—	—	·01	·11	TR	—	23
24	—	·90	—	·08	·02	·38	—	—	·20	·03	TR	—	24
25	—	·32	—	·08	—	·09	—	—	·01	—	—	·11	25
26	—	·57	—	·11	·02	TR	—	—	·04	·21	—	—	26
27	—	·01	TR	—	·01	—	—	—	·09	·02	TR	TR	27
28	—	TR	—	·17	—	—	TR	—	·01	—	—	·02	28
29	·04	×	—	·21	—	—	·06	—	—	·02	—	TR	29
30	·07	×	·12	·11	—	—	·03	—	—	·02	—	·14	30
31	·03	×	·30	×	—	×	—	·04	×	·35	×	—	31
mo. TOTAL	1·55	3·31	2·42	0·91	1·29	1·78	1·72	0·78	0·67	4·08	0·95	0·35	YEAR'S TOTAL 19·81
*Days with ·01 in. or more.	17	13	14	9	14	13	12	10	9	17	10	6	144
*Days with ·04 in. or more.	12	8	12	8	9	10	10	6	6	11	5	2	99

mms 39·4 84·1

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

D

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Newport

in the County of Salop

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 211 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	—	—	—	—	—	—	·06	—	·02	·17	·37		1
2	TR	—	·08	—	—	—	—	·38	·22	·17	·12	·11		2
3	·09	—	—	—	·02	—	—	·02	—	·03	·01	·11		3
4	·11	—	·03	·01	·19	—	—	TR	·08	·05	TR	·27		4
5	TR	—	·12	·02	·02	—	—	·65	—	·07	·07	·01		5
6	—	—	·02	—	·45	·01	—	TR	—	·13	TR	·28		6
7	TR	—	—	—	—	·06	—	·03	—	·13	·04	·08		7
8	—	—	·02	—	·08	·01	—	·02	TR	—	·37	·12		8
9	TR	—	·13	·01	TR	—	—	·17	TR	—	·53	·14		9
10	·03	—	·17	·32	—	—	—	·23	—	TR	·05	·01		10
11	·51	—	·19	·22	TR	—	·03	·03	TR	—	·01	·20		11
12	·02	—	·04	·06	—	—	·03	·19	—	TR	—	TR		12
13	·73	—	TR	·10	TR	TR	1·20	TR	—	TR	TR	·02		13
14	·07	TR	·20	—	·06	·01	—	—	TR	·27	·40	·04		14
15	·03	TR	·02	—	·14	—	—	·03	TR	·30	·15	·18		15
16	·15	—	·05	—	·03	—	TR	TR	TR	·04	·06	TR		16
17	·10	—	·16	·09	·02	—	·15	·03	·22	·03	TR	·15		17
18	·14	—	TR	·22	—	·02	TR	·03	TR	—	TR	·01		18
19	—	—	·13	·08	—	·17	—	·01	·02	·05	TR	·13		19
20	—	—	·10	·08	—	·04	—	—	·04	·01	TR	·01		20
21	·02	—	—	—	—	·12	—	·01	·04	·06	TR	·03		21
22	·02	—	·03	·01	·05	·03	—	·23	·28	·06	—	·16		22
23	TR	—	·08	·22	—	·25	TR	TR	·01	·01	·05	·03		23
24	—	·30	·01	—	—	·05	—	—	·08	·01	TR	·01		24
25	·01	·03	—	·09	·02	·24	—	—	·04	·18	TR	·38		25
26	·09	—	·07	·50	—	·10	TR	—	·05	·03	TR	·01		26
27	·04	—	—	·20	—	·06	TR	TR	·05	·17	·02	·12		27
28	—	—	—	·10	—	·02	TR	·11	·17	·01	TR	·26		28
29	—	×	—	—	—	—	·17	TR	·25	—	—	·06		29
30	·05	×	—	—	—	—	·04	TR	·02	·10	—	·13		30
31	—	×	—	×	—	×	TR.	TR.	×	·22.	×	·19		31
TOTAL	2·27	·3~~8~~ 3	1·65	2·33	1·08	1·19	1·62	2·23	1·57	2·15	2·05	3·62	Year's Total 22·~~11~~ ·89	
*Days with ·01 in. or more.	18	2	19	17	11	15	6	17	15	23	14	29	186	
*Days with .04 in. or more.	12	~~2~~ 1	13	13	6	9	4	8	12	15	11	20	125	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section | **A** | **for the entry of Daily Observations.** **Station No.** 2304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

152

Kept at Newport

in the County of Salop

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 211 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·03	–	–	TR	TR	·04	–	·07	·20	–	·01		1
2	–	–	–	–	–	·08	–	–	–	·07	·01	·08		2
3	·09	·28	·09	·05	–	·05	·01	–	–	·18	·24	·37		3
4	–	–	–	·13	–	·05	–	–	·07	·41	·02	·12		4
5	–	·32	·18	·11	–	·30	·20	–	·04	·08	·15	TR		5
6	–	–	TR	·21	–	·12	–	TR	–	·19	TR	–		6
7	–	–	–	·30	–	·24	–	TR	–	·11	·19	·15		7
8	–	–	–	·14	–	TR	–	·01	–	·06	·13	·15		8
9	·04	–	–	·16	–	·20	–	–	–	·67	·11	–		9
10	–	–	–	·12	–	TR	–	–	–	·02	·20	–		10
11	·14	·03	–	–	–	·07	–	TR	TR	TR	·13	TR		11
12	·06	·02	–	–	–	·10	–	·01	–	–	·01	–		12
13	·13	·03	–	·02	·16	·01	–	–	·31	–	·04	–		13
14	·01	–	TR	·16	·07	·04	–	–	·11	–	·89	·11		14
15	·01	·03	–	·38	·02	·01	–	–	·04	–	TR	·13		15
16	–	·02	·16	·06	TR	·03	·03	–	·35	·23	·48	–		16
17	–	TR	–	·21	·02	·27	·13	·11	·02	·03	·69	–		17
18	–	–	–	·38	·17	·03	·03	TR	·22	·01	TR	–		18
19	–	–	–	·20	·38	·46	·03	–	·02	·28	·17	·02		19
20	–	·26	–	·31	TR	·03	·09	–	TR	·02	·26	TR		20
21	–	·56	–	–	–	–	–	–	·29	·01	·01	–		21
22	–	·05	·04	–	–	–	–	TR	·03	·01	–	–		22
23	·02	·18	·06	TR	·04	–	–	·10	·08	·50	–	·08		23
24	·12	·35	·04	TR	–	–	–	TR	·50	·04	–	·20		24
25	·27	·14	–	·06	–	·48	–	–	–	TR	TR	·12		25
26	–	·12	–	–	–	TR	–	·55	·29	–	·01	·21		26
27	–	·05	–	–		·01	–	·02	·09	·04	·21	·14		27
28	·02	·02	–	–	·07	–	–	·40	·19	–	·03	·02		28
29	·01	×	·06	–	–	–	–	·02	·07	·05	·11	·04		29
30	·01	×	–	·08	–	·05	–	·03	·17	·01	·28	·06		30
31	·01	×	–	×	–	×	–	–	×	·32	×	·19		31
TOTAL	1·04	2·49	0·63	3·08	0·93	2·63	0·56	1·25	2·96	3·54	4·37	2·20	Year's Total 25·68	
*Days with ·01 in. or more.	15	17	7	18	8	20	8	9	19	23	22	18	184	
*Days with ·04 in. or more.	8	10	7	17	6	14	4	4	16	16	16	15	133	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2304

152

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Newport

in the County of Salop

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 211 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·19	·05	·41	—	·20	—	·30	·02	—	·13	·11		1
2	·19	·02	·01	·07	—	·30	·25	TR	TR	—	·13	—		2
3	—	—	TR	—	—	·06	TR	·05	·43	—	TR	·01		3
4	·02	—	·13	—	—	·13	TR	·02	·24	—	·25	·25		4
5	·23	—	·05	—	·01	—	·03	·17	·02	·01	·01	·11		5
6	—	—	·01	—	·13	·07	·05	·15	·10	TR	·10	·06		6
7	TR	—	·02	—	—	TR	·28	TR	·37	—	·10	·06		7
8	—	—	·26	—	—	TR	·01	—	·02	—	·37	·02		8
9	·36	—	·22	—	—	·04	1·23	—	·19	·03	TR	·01		9
10	·01	—	TR	—	—	TR	·27	TR	·04	—	—	—		10
11	—	—	TR	·01	—	·08	·21	TR	·04	—	·63	·01		11
12	—	—	—	—	·09	·38	·56	TR	·04	·01	·07	—		12
13	—	—	—	·06	TR	·07	·01	—	·47	·09	·07	·51		13
14	—	—	—	·08	—	·19	·01	·04	·18	·01	·08	·21		14
15	·12	—	—	·01	·22	·04	·08	·04	TR	—	·21	·03		15
16	·15	·07	—	·20	·28	TR	·03	—	—	·01	·35	·02		16
17	·01	·50	—	TR	—	—	·32	·06	—	·11	·02	·06		17
18	—	·16	—	TR	·01	·23	·21	·04	—	·08	TR	TR		18
19	·40	·12	TR	·31	—	·02	TR	·03	—	·06	—	—		19
20	—	·13	—	TR	—	·26	—	—	—	·01	—	—		20
21	TR	·01	—	·18	—	1·77	—	—	—	—	—	—		21
22	TR.	·16	·04	TR	·01	·02	·20	—	·01	—	·02	·11		22
23	TR	·02	·74	·04	·01	TR	·18	—	—	·02	TR	TR		23
24	·20	·06	—	·02	·02	TR	·04	—	·18	·20	·01	—		24
25	·10	TR	·04	·05	TR	TR	·02	—	·79	·02	TR	—		25
26	·05	·04	·18	TR	—	TR	TR	—	·05	·02	TR.	—		26
27	·19	—	·01	—	—	TR	—	—	·12	·06	·01	—		27
28	·19	·15	·13	·01	—	TR	·05	—	TR	·11	·01	·11		28
29	·01	·20	·03	—	—	·23	·03	—	—	·01	·02	·19		29
30	·09	×	—	—	·13	TR.	·36	—	—	·55	·03	—		30
31	·41	×	·13	×	—	×	TR.	—	×	TR.	×	·19		31
TOTAL	3·00	1·83	2·05	1·45	0·91	4·09	4·43	0·90	3·31	1·41	2·62	2·07	Year's Total. 28·07	
* Days with .01 in. or more.	18	14	16	13	10	17	22	10	18	18	20	18	194	
* Days with .04 in. or more.	14	11	10	9	5	15	15	7	14	8	12	12	132	

40-9999

† Spare column, no entries required. ~~66·5~~

(*Signed*) .... [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

15

Kept at Newport (Harper Adams Ag. Coll.)
in the County of Salop
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 211 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·06	·03	·01	—	—	TR	—	·13	·02	TR	·34		1
2	TR	·06	·03	·41	TR	TR	—	—	TR	—	TR	1·01		2
3	—	·05	—	·01	·71	·13	—	—	—	—	—	TR		3
4	·07	·05	·02	—	·08	—	—	·07	—	—	TR	·57		4
5	·08	TR	·08	—	TR	·01	—	—	—	—	TR	·16		5
6	·16	—	·01	·14	·08	—	·02	—	—	—	—	·01		6
7	TR	·47	—	·03	·01	·07	—	—	·01	—	·02	TR		7
8	—	·17	—	·04	·01	·01	·08	—	·03	—	·37	·02		8
9	—	—	—	·01	·12	TR	·30	·02	·14	TR	—	TR		9
10	TR	·07	·09	—	—	·02	·01	—	—	TR	—	·10		10
11	—	TR	·23	TR	·29	·28	·01	TR.	—	TR.	—	·24		11
12	·05	·23	·02	—	·11	·24	TR	·18	·23	—	—	·09		12
13	·02	TR	—	·02	TR	·12	—	·31	·21	—	—	·04		13
14	TR	·01	·17	—	TR	·01	TR	·03	·03	—	·06	·17		14
15	·10	·17	·01	·23	·07	—	1·65	TR	·23	TR	—	·02		15
16	TR	·02	·48	·24	—	TR	TR	·16	·03	—	·01	—		16
17	·38	·09	·16	·09	—	·14	—	—	·57	—	—	—		17
18	·59	·05	·04	TR	—	—	·03	—	·50	·01	·32	·05		18
19	·05	·10	·06	·04	—	·09	·34	—	—	—	·08	—		19
20	·16	·01	—	·47	·57	·02	·04	—	·01	—	TR	—		20
21	·08	·14	·13	·03	·01	—	·18	—	TR	·08	·01	·02		21
22	·06	·19	·12	—	·13	—	·31	—	TR	·40	·28	·07		22
23	·10	·01	TR	—	·05	—	·03	—	—	·40	·25	·01		23
24	·27	·27	·06	—	TR	—	·01	—	·12	·39	TR	—		24
25	—	·47	—	—	·13	—	TR	—	·02	·16	TR	·01		25
26	—	·16	·07	—	·47	—	—	—	—	TR	TR	·04		26
27	—	·30	—	·21	TR	—	—	—	—	·53	—	TR		27
28	·01	·34	—	TR	TR	—	—	—	TR	·19	—	·02		28
29	TR	×	—	TR	—	TR	—	—	—	·24	·02	TR		29
30	·14	×	—	—	—	·03	—	·22	·01	·02	·05	—		30
31	·27	×	·01	×	TR.	×	—	—	×	·16	×	—		31
													Year's Total	
TOTAL	2·59	3·49	1·82	1·98	2·84	1·17	3·01	·99	2·27	2·60	1·47	2·99	27·22	
*Days with ·01 in. or more.	17	23	19	15	15	13	13	7	15	12	11	19	179	
*Days with .04 in. or more.	15	19	12	9	12	7	7	5	8	9	7	12	122	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)..............................

[P.T.O.

152

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Newport (Harper Adams Agri. College)

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 211 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	·04	—	—	·47	TR	·05	TR	·18	·04	·20		1
2	—	·01	—	·10	·02	·26	—	TR	TR	·11	TR	·07		2
3	—	—	—	—	—	·05	TR	TR	·01	·55	TR	—		3
4	—	—	TR	—	—	·01	·06	·08	TR	·13	TR	·15		4
5	—	TR	TR	—	—	TR	·01	·55	·16	·09	—	·04		5
6	·09	—	TR	—	—	·01	·36	·02	TR	·12	TR	·01		6
7	·07	—	TR	—	—	—	·55	·51	·01	·04	—	·05		7
8	·29	·01	TR	—	—	—	·13	·45	TR	·27	—	·04		8
9	·06	·09	—	—	TR	·08	·10	·09	TR	TR	—	·37		9
Rl 10	~~·44~~ ·10	·01	—	—	—	·03	·29	·02	TR	·01	—	·17		10
Rl 11	~~·10~~ ·44	·02	TR	—	—	·01	·05	·01	TR	·04	·17	·14		11
12	·02	—	~~TR~~ —	—	·06	TR	·07	TR	TR	·29	·12	—		12
13	·01	—	—	—	·02	—	—	TR	—	·02	·15	·18		13
14	·30	—	—	—	·04	—	·44	TR	·05	—	·01	·01		14
15	·02	—	—	—	·05	—	·32	·05	—	—	·03	·11		15
16	·35	—	TR	—	·01	—	—	·03	—	·04	·03	·08		16
17	—	—	—	—	TR	—	·02	TR	·13	·14	TR	·01		17
18	·07	—	—	—	·09	·07	TR	·24	·19	·01	·19	—		18
19	TR	—	—	—	—	—	TR	·03	—	—	·06	—		19
20	·05	—	—	—	—	—	TR	TR	·04	—	·22	TR		20
21	—	—	TR	—	—	—	TR	·02	—	—	·02	·06		21
22	—	TR	TR	—	—	·02	TR	TR	·06	—	·35	·05		22
23	—	—	—	TR	·10	·01	TR	—	·12	—	—	—		23
24	·06	·03	·18	TR	·03	·02	TR	·50	·25	—	—	—		24
25	·02	·16	·02	—	·03	TR	·01	·01	tr	·35	1·01	·05		25
26	—	·15	·22	—	·02	·37	·02	TR	·02	·44	—	·10		26
27	·10	·01	—	—	·37	·08	·05	·27	·04	TR	·26	TR		27
28	·04	·05	TR	—	·01	·07	·01	·05	·08	TR	—	·29		28
29	·38	×	—	—	·38	·01	TR	TR	·01	·12	·05	·08		29
30	·04	×	—	—	·07	·01	TR	TR	·29	—	·23	·22		30
31	·06	×	—	×	·14	×	TR	TR	×	·19	×	·27		31
TOTAL	2·~~13~~57	·54	·46	·10	1·44	1·58	2·49	2·98	1·46	3·14	2·94	2·75	Year's Total 22·~~64~~45	
* Days with .01 in. or more.	20	10	4	1	16	17	16	18	15	19	16	23	175	
* Days with .04 in. or more.	16	4	3	1	9	8	11	11	11	16	12	20	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

~~152~~

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Newport (Harper Adams Agri. College)

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 211 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·50	—	TR	·11	TR.	—	·01	·08	TR	·01	—	·02		1
2	·20	—	—	·05	—	—	·02	·37	·20	—	TR	·01		2
3	·40	—	TR	·30	—	—	—	·03	TR	—	·05	·25		3
4	·42	—	·06	·26	·12	—	·38	—	TR	·25	·16	·26		4
5	·12	—	—	—	·08	—	·13	·05	—	·03	·21	·02		5
6	·30	TR	—	—	—	—	·42	—	—	TR	·01	—		6
7	·29	·09	—	—	·22	—	·41	·16	—	TR	·52	·60		7
8	·02	·09	·H.H	—	TR	—	·22	·03	TR	·39	·43	·08		8
9	—	·07	TR.	—	—	—	·30	·25	—	·36	—	·17		9
10	·54	—	·01	—	—	—	—	·03	·12	·12	·01	·05		10
11	·09	·01	·15	—	—	·26	—	·12	TR	·02	—	—		11
12	TR.	·06	TR	—	—	·01	—	—	·01	—	—	TR		12
13	—	—	·01	·20	·05	·11	·08	—	·06	·18	—	—		13
14	·30	—	—	·03	·22	·23	—	—	—	·08	·15	—		14
15	·23	—	·03	·06	·04	·35	·46	—	TR	—	·13	—		15
16	·07	—	·03	·09	·21	TR	·01	TR	—	·12	·06	—		16
17	·40	·02	—	—	TR.	·04	·14	—	—	·94	·04	—		17
18	·18	·11	·05	—	—	·05	·07	TR	—	·01	·63	—		18
19	·26	TR	TR	—	—	—	·40	—	—	—	·03	·02		19
20	·16	—	—	—	—	·19	·05	·03	·01	—	—	—		20
21	·16	TR.	·15	·03	TR.	—	1·16	·09	·11	—	—	—		21
22	·30	·32	·01	·05	—	—	·26	—	TR	·02	·53	—		22
23	·12	·01	·01	·07	—	—	·11	TR	—	·31	·39	—		23
24	·10	·01	·11	·20	—	·01	·10.	—	TR	·14	·01	—		24
25	·40	·02	—	·05	—	—	·21	—	—	·04	·05	—		25
26	—	TR	TR.	TR	—	—	—	·02	—	·01	·35	·14		26
27	—	·20	·14	·01	—	·04	·09	TR	—	—	·06	·13		27
28	—	·09	·15	·08	—	·08	·36	·01	—	—	·21	·08		28
29	—	x	—	·16	—	·02	·83	·19	—	·10	—	—		29
30	—	✕	—	·02	—	·46	·03	—	—	—	·14	—		30
31	—	✕	—	✕	—	✕	—	·04	✕	·02	✕	·05.		31
TOTAL	5 5·~~0~~6	1·10	1·35	1·77	·94	1·85	6·25	1·50	·51	3·15	4·17	1·88	Year's Total 34 ~~29~~·53	✓
* Days with .01 in. or more.	22	13	14	17	7	13	24	15	6	19	21	14	185	✓
* Days with .04 in. or more.	21	8	8	13	7	10	20	9	4	12	17	10	139	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

152

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 2304

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Newport (Harper Adams Agri. College)
in the County of Salop
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 211 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
Rl 1	—	TR.	—	·02	~~·33~~	—	—	—	—	—	·34	—		1
Rl. 2	—	·01	—	·24	~~·64~~	—	·05	—	—	—	·47	·17		2
3	—	—	·01	·10	TR	—	·02	TR	—	·21	·48	·10		3
4	—	—	—	·08	—	—	·08	—	—	·08	·20	·07		4
Rl 5	—	—	—	—	·09	—	·11	—	·01	·02	·39	·06		5
6	·10	·04	—	—	—	—	·02	—	—	·64	·11	TR		6
Rl. 7	TR	·38	—	·01	·04	—	·18	—	·02	·04	—	·01		7
8	TR	—	—	·01	—	—	·07	—	·05	·21	TR	·13		8
Rl 9	—	—	·22	—	~~·04~~	·10	·38	·08	·02	·05	·59	·30		9
10	—	—	·13	—	—	·29	·57	TR	·01	—	·01	·15		10
11	—	—	·02	·06	—	·09	·41	—	—	—	·50	·14		11
12	—	·03	·01	—	—	·02	·26	·03	·11	—	·01	·05		12
13	—	·01	·43	·12	—	—	—	·02	·04	—	—	—		13
14	—	—	—	·10	·18	—	·01	·02	·16	·08	·04	·21		14
15	—	—	·01	·23	·97	—	TR	TR	·10	·08	·06	·03		15
16	—	·18	·34	·01	—	—	·06	—	·21	·62	·47	·03		16
17	—	—	·31	TR	·10	—	·10	—	·01	—	·99	—		17
18	·06	·88	·17	·44	—	—	·04	·10	·33	·02	·01	·08		18
19	—	·29	·06	·03	—	—	·20	—	·06	—	·10	TR		19
20	—	—	—	·12	—	—	—	·03	·01	·30	—	—		20
21	—	—	—	—	·33	·60	·43	·03	—	—	1·04	—		21
22	—	·02	·04	·02	·23	·11	·01	·03	·12	—	—	—		22
23	—	—	·06	·29	·03	—	—	—	·01	—	·01	—		23
24	·03	—	·04	TR	TR	TR	·03	—	TR	—	—	—		24
25	—	·05	—	·01	·06	TR	·03	—	—	—	—	—		25
26	1·10	·04	·13	·87	·05	·02	·12	—	—	·02	TR	—		26
27	·50	—	—	·33	·01	·01	·21	—	TR	—	·15	—		27
28	·50	·31	—	·01	·37	—	—	—	—	—	—	—		28
29	—	—	·09	·33	TR	·20	·01	—	—	—	—	·21		29
30	—		—	·64	·10	—	TR	—	—	·15	—	·03		30
31	·10		·13.		TR.		—	—		·91		·04.	31·12	31
TOTAL	2·39	2·24	2·20	4·07	2·56	1·44	3·40	4 ·3X	1·27	3·43	5·97	1·81	Year's Total ~~[illegible]~~	
* Days with .01 in. or more.	7	12	17	22	13	9	23	8	16	15	19	17	178	
* Days with .04 in. or more.	6	8	13	14	10	6	16	2	9	11	15	13	123	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

2305

2305 — 431892

CHETWYND PARK

1931 - 1940

780405

Section **A** for the e
AIR MI
SH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REC N 1931.

Kept at Chetwy

in the County of

ee June

Bad

✓ 11/2/32

Diameter of Funnel of Gau
Height of top of Gauge abov
,, Ground ,,

2 shewing.
thly totals June + Decr + revised annual total

THE MORNING M VIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

snow *

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·11	·01		·05		·14	·01			1
2		·23		·78	·27	·20	·01	·06	·35	·05	·05	·06	2
3	*·18	·01		·03			·05		·76	·02	·58		3
4				·20			·19	·16	·30		·06		4
5		·05		·08	·04	1·34	trace	·34	·04		·01	·28	5
6		·22	·06	·06	·01	·08		·04	·05	·26	·23		6
7		·03		·05		·43		·44			·18		7
8		·03		·20		·05	·08	·86		·06	·16		8
9	·20	·32		·10		·15	·02	·10		·02	·31		9
10		trace			·17	·03	·01	·22	·01		·44	·04	10
11	·08	·27				·08	·04	·01	·32		·08	·04	11
12	·04	·13		·05			·34	·10	·36	·04	·04		12
13			·09		·62	·01	·12	·31			trace		13
14		·11			·86	·46	·15	1·05	·09		·40		14
15	·05	·12		·20	·11		·14	·35				·16	15
16	·18	·13		·22	·29	1·30	·03	·10	·26				16
17	·14	·04		·30	·92	·04	trace	— —	·01		·10		17
18	·12	·01		·20		·17	·08	·19	·04		·44		18
19	·12	·15		·01		·05	·09	·23	trace				19
20	·02	·07	·14				·02	·37		·02	·06	·03	20
21	·55	·05		·01	·50			·08			·12		21
22	·08			·05	·14	·01		·30			·03		22
23	·19			·19	[illegible]	·06	·28				·24	·27	23
24	·02			·30	·34		·11				·04	·01	24
25	·06	·04		1·09			·10				·02	·06	25
26	·08	·04		·25			·05				·60		26
27	·09	·46		·06	·67		·04			[illegible]	·28	·05	27
28	·11	·09		·03	·27		·29			·04	[illegible]	·10	28
29	·05				·12					·32	·14	×·03	29
30		×		·04			·01		·07	[illegible]		×·03	30
31	·20	×		×	·04	×	·01		×		×	×·02	31
TOTAL	2·56	2·63	·29	4·66	4·27	~~1~~·47	2·36	5·91	2·80	1·09	4·51	1·25	YEAR'S TOTAL [illegible]
*Days with ·01 in. or more.	28	22	3	24	18	16	24	19	13	12	23	14	212
*Days with ·04 in. or more.	18	17	3	20	15	13	19	18	11	7	20	9	188

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

Total 36·17

[P.T.O.

2305

Section A for the en

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Chetwynd Park.
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level 240 ft.

See June
Bad arithmetic
✓ 11/2/32

Circ D2 sent 18/2/32 shewing alterations to monthly totals June & Decr & revised annual totals due to B.A.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

snow *

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		-03		-11	-01		-05		-14	-01			1
2		-23		-78	-27	-20	-01	-06	-35	-05	-05	-06	2
3	* -18	-01		-03			-05		-76	-02	-58		3
4				-20			-19	-16	-30		-06		4
5		-05		-08	-04	1-34	trace	-34	-04		-01	-28	5
6		-22	-06	-06	-01	-08		-04	-05	-26	-23		6
7		-03		-05		-43		-44			-18		7
8		-03		-20		-05	-08	-86		-06	-16		8
9	-20	-32		-10		-15	-02	-10		-02	-31		9
10		trace			-17	-03	-01	-22	-01		-44	-04	10
11	-08	-27				-08	-04	-01	-32		-08	-04	11
12	-04	-13		-05			-34	-10	-36	-04	-04		12
13			-09		-62	-01	-12	-31			trace		13
14		-11			-86	-46	-15	1-05	-09		-40		14
15	-05	-12		-20	-11		-14	-35				-16	15
16	-18	-13		-22	-29	1-30	-03	-10	-26				16
17	-14	-04		-30	-92	-04	trace	— —	-01		-10		17
18	-12	-01		-20		-17	-08	-19	-04		-44		18
19	-12	-15		-01		-05	-09	-23	trace				19
20	-02	-07	-14				-02	-37		-02	-06	-03	20
21	-55	-05		-01	-50			-08			-12		21
22	-08			-05	-14	-01		-30			.03		22
23	-19			-19	[illegible]	-06	-28				-24	-27	23
24	-02			-30	-34		-11				-04	-01	24
25	-06	-04		1-09			-10				-02	-06	25
26	-08	-04		-25			-05				-60		26
27	-09	-46		-06	-67		-04			[illegible]	-28	-05	27
28	-11	-09		-03	-27		-29			-07		-10	28
29	-05	×			-12					-38	-14	× -03	29
30		×		-09			-01		-07	-[illegible]		× -03	30
31	-20	×		×	-04	×	-01		×		×	× -02	31
TOTAL	2-56	2-63	-29	4-66	4-27	4-47	2-34	5-31	2-80	1-09	4-51	1-25	YEAR'S TOTAL [illegible]
*Days with ·01 in. or more.	28	22	3	24	18	16	24	19	13	12	23	14	212
*Days with ·04 in. or more.	18	17	3	20	15	13	19	18	11	7	20	9	158

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

Total 36·17

[P.T.O.

2305

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Chetwynd Park

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-03	-03		-10	-45	-01	-07	-17	-12	-04	-03	-05	1
2	-07	-01		*12	-26			-02	-16	-14	-01	-17	2
3		-03		*-53	-04		-54	-05	-04	-12		-05	3
4	-05	-02		-15				-02	-02		-27		4
5	-45	-03	*13	-02	-16				-14			-02	5
6	-53		-03	-09	02				-11	-01			6
7	-03		-03	-19			-01		-04	-52	-01		7
8				-03					-05	-37			8
9	-54	*04		-04					-05	-01			9
10	-47			-11	-08	-02			14	-61		-03	10
11				*15	-25	-02	-39	-01	-09	-04	-02	-03	11
12	-15				-10				-10	-27			12
13	-03			-01	-02		-78	-16	-01	-23	-05	-07	13
14	-24	-03		-07			-06	-25		-16	-15		14
15					-34		-13			-01		-07	15
16	-35			-01	-22		-03						16
17					-02		-19		-08	-03			17
18					-02					-02	-08		18
19		-01		-11	-04					-18			19
20				-06	-45		05	-78		-34	-19	01	20
21			-25	-16	-50			-05		-27	-12	-04	21
22	-02		-24	-05	-32		-45		-34	-13	-29	-02	22
23		-01		-04	1-28		-07		-13	-18	-02	-06	23
24	-09				-02		-29		-12		-38		24
25	-01	-02			Trace	-05	-02		-03	-20	-04		25
26		-03	-07	-27	-21		-08		-10	-03			26
27			-30	-11	-40		-22			-01	-11	-03	27
28			-19	-06	-45		-26					-02	28
29			-11	-33	-06	-07	-04	-18	-12	-25	-10	-27	29
30	-01	×	-25	-25	-01	-33	-04	-02	-04	-50	-16	-07	30
31		×	-05	×	-01	×	-79		×	-01	×	-19	31
TOTAL	3-07	-26	1-75	3-06	5-73	-55	4-51	1-71	2-01	4-65	2-03	1-20	YEAR'S TOTAL 30-53
*Days with ·01 in. or more.	16	11	11	24	25	6	21	11	21	26	17	17	205
*Days with ·04 in. or more.	10	1	10	20	18	3	17	7	17	17	12	9	141

melted snow *

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

2305

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Chetwynd Park

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·30	·04						·01		·03		1
2	·28		·22		·07	·13					·01		2
3	·13	·15	·07		·08								3
4	·20	·03			·20			·01					4
5	·18		·08		·02						·02		5
6		·52	·04		·27					·02	·01		6
7	·06	·24	·07				·02	·03		·17			7
8	·04		·27	·06	·10		·42						8
9					·13	trace	·37			·54	·05		9
10	·06	·17			·02	·04	18 ·03	·03		1·86	·13		10
11				·01	·01		38 ·44	·01		·03			11
12	·04					trace	·21			·02		·05	12
13					·13	·01	24 ·24	·03		·16	·43		13
14	·03		·01				·02	·12		·40	·08		14
15	·24		·01				·11	·06		·09	·12		15
16	↑ ·11	·03	·40		·08	·09				·13	trace	·04	16
17	↗ ·06		·36			·22	·05		·10		·02		17
18	↗ ·08	·03	·07			·16					·01		18
19		·01	·28			trace	·06		·09		·07		19
20		·04	·11			·05		·10	·14				20
21						·63		·22					21
22				·02		·14		·27		·15			22
23				·12		·07			·01	·11			23
24		↗ ·42		·11	·07	·33			·19	·03			24
25		* ·27		·09		·09				·26		·10	25
26		·62		·18	·08	·01			·03	·03		·01	26
27		·02		·01	·04				·17	·03		trace	27
28				·14					·01			·03	28
29	* ·03			·30			·12						29
30	* ·06	×	·13	·06						·03		·19	30
31	·06	×	·30	×		×		·06	×	·50	×		31 21·19
TOTAL	1·81	2·85	2·46	1·05	1·30	1·97	2·10	·94	·75	4·56	·98	·42	YEAR'S TOTAL ~~20·44~~
Days with ·01 in. or more.	17	14	16	11	14	13	12	11	9	18 11	12	6	153
Days with ·04 in. or more.	15	9	12	8	11	11	10	6	5		8	4	114

→ snow * sleet

40-9999

D

(*Signed*)

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2305

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Chetwynd Park

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07						·08	·07	·03	·71	·18	·35		1
2	·01		·09		·04			·21	·15.		·13	·11		2
3	·10				~~·07~~			·03		·05	·06	·11		3
4	·13		·06	·02	·20			·02	·08	·18		·28		4
5	·01		·18	·02	·07			·72		·06	·08	·03		5
6	·01		·05	trace	·43	·01		·06		·14		·28		6
7	·07	·03			trace	·07		·01		·13	·05	·09		7
8			·06	~~·22~~	·09			·03			·36	·09		8
9			·15	·02				·08	·01		·49	·05		9
10	·04	trace	·11	·28				·31		·02	·08	·01		10
11	·50		·20	·22			·04	·13			·01	·16		11
12	·03		·09	·10			·02	·12		·08				12
13	·70		·01	·10	·07		1·40	·02		·01		·02		13
14	·08		·20	trace	·07	·01			·09	·28	·48	·06		14
15	·05		·03		·13			·03		·35	·17	·18		15
16	·14		·08		·05			·02		·11	·08	·07		16
17	·11		·19	·03	·03		·15		·22	·08		·14		17
18	·15		trace	·22		·03		·03	·02			·02		18
19	·02		·14	·05		·22	trace	·01	·02	·05		·28		19
20			·17	·10		·05			·05	·02	·01	·02		20
21	·05				·02	·17		·03	·05	·06	trace			21
22	·01		·03	trace		·02		·20	·30	·10		·14		22
23			·07	·26	·03	·22	·01	trace		·01		·05		23
24		·32	·04	·03		·08			·13	·01		·25		24
25		·12		·08	·03	·11			·05	·21		·39		25
26	·15		·07	·52	-	·10	trace		·06	·03				26
27	·05			·22		·09	·02		·05	·18	·02	·12		27
28				·07				·12	·10	·03		·32		28
29							·23	·05	·35			·12		29
30	·07	×					·03	·06	·03	·11		·20		30
31	·01	×		×		×	·01	·03	×	·26	×	·21	25.	31 1535
TOTAL	2·56	·47	2·02	2·34	1·26	1·18	1·9x	2·39	1·79	3·21	2·20	3·94	25·88 35	
*Days with ·01 in. or more.	23	3	20	17	13	13	9 9	23	18	25	14	28	206	206
*Days with ·04 in. or more.	16	2	17	12	9	9	4	12	13	17	11	23	145	

* snow

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. R. Borough

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2305

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Chetwynd Park

in the County of Shropshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 240 ft.

Oct about 1.5" low

Oct high

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-13	-05			-02		-07		-07	-59	-01	-01		1
2			-01			-17				-09	-03	-09		2
3	-09	-30	-15	-09		-02	-01		-[illegible]2	-08	-02	-46		3
4				*19		-10				-52	-75	-15		4
5		-25	-18	*19		-07	-17		-04	-03	-17	-01		5
6				-19		-11				-07	-01	trace		6
7				-30		-29				-12	-24	-15		7
8				-15						-04	-15	-16		8
9	-02			-17		-23				-74	-15	-01		9
10				-13		trace				-03	-22			10
11	-19	-04				-08			-01		13 -[illegible]	-01		11
12	-06	-02				-11					-01			12
13	-16	-04		-04	-19				-25		-03			13
14	-02		-01	-10	-05	-08			-17		1-02	-14		14
15		-04		-44	-04	-			-11	-27	-01	-21		15
16	-02	-05	-18	-06		-03		-01	-45	-21	-48	-05		16
17				-26	-02	-20	-07	-16	-06	-03	-77			17
18				-38	-17	-09	-15	-01	-24	-				18
19				-26	-32	-45	-05		-03	-02	-30			19
20		-27		-28		-07	-04			-25	-22			20
21		*77	-03				-32		-35	-11	-01			21
22		-05		-01				-11	-04	-03		×02		22
23		-08	-08	-01	-06				-07	-51		×06		23
24	-14	-36	-05						-59	-04		×25		24
25	*30	-18		-07		-33			-32	trace		-05		25
26		-08						-93			-01	-27		26
27		-07				trace		-02	-11	-04	-24	-17		27
28		-03			-04			-11	-18	-04	-01	-04		28
29	-02		-07					-03	-08	trace	-12	-05		29
30	-03	×		-07		-08		-04	-13	-52	-17	-08		30
31	-01	×		×		×		-21	×	-34	×		28·62	31
TOTAL	1-19	2-68	-76	3-39	-91	2-51	-88	1-42	3-32	4-51	4-53 8	2-47	Year's Total ~~26-57~~	
*Days with ·01 in. or more.	16 3	17	-9	20	9	17	8	9	20	22	24	21	189	
*Days with ·04 in. or more.	7	15	6	18	4	15	7	4	7	17	14	16	133	

* means hail/rain

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

2305

Section **A** for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936

Kept at Chetwynd

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

× snow & rain a snow hail °

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-18	-14	-05	-49		-19		28	-03		-16	-12		1
2	-31	-05	-01	-08		-29	-24	01			-15	-02		2
3	-21			-08		-06		16	46					3
4	-01		-15			-18		-06	-21		-26	-25		4
5	-21	-01	-04			trace		-11	-05			-12		5
6			-01		-13	-07	-06	-18	-12		-09	-09		6
7			–				-27		-23		-12	-03		7
8	-06		-30						-03		-35	-02		8
9	-30		-29			-04	-93	-01	-14	02	-01	-01		9
10	-04						-14	-07	-04					10
11				-02		-07	-50		-05		-48			11
12				trace	-09	-36	-60	-01	-55		-11	×-18		12
13				°04		-16	trace	[illegible]		-08		-35		13
14				-09		-20	trace	-04	-18.		-20	-23		14
15	×-15	-01		-01	-34	-10	-04	-05	trace		-30	-06		15
16	-15	-08		-27	-23		-05				-41	-03		16
17		-43					-11	-09		-13	-11	-04		17
18		-08				-45	-21	-05		-07		trace		18
19	-45	-14	-01			-02	trace	-06		-04				19
20	trace	-15	trace	-32		-04	trace	trace		-02				20
21	-01			-14		1-54	-01							21
22	-01	-16	-04		trace	-09	-19		trace			-12		22
23	–	-09	·72	-04	-02		-06					-01		23
24	-20	-06		-03	-02		-01		-16	-02				24
25	-13	trace	·83	-26			trace		-64	-23	-02			25
26	-03	-07	·17				-03		-02	-03				26
27	-24		·04						-18	-04				27
28	-18	-11	·12	-01			-03			-08	-02	-10		28
29	-83	-21	·05			-15	-01			-06	-05	-16		29
30	-12	×			-15		-39			-57	-02	-01		30
31	-36	×	-10	×		×	trace		×	-01	×	-20		31
TOTAL	3-32	1-79	2-93	1-87	-98	4-01	3-87	1-18	3-09	1-40	2-86	2-18	Year's Total 28·58 ~~28·68~~	
* Days with .01 in. or more.	21	15	16	14	7	17	19	13	16	14	17	20	189	
* Days with .04 in. or more.	16	13	12	9	5	16	14	11	13	9	13	13	144	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2305

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Chetwynd Park

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 240 ft.

Totals ✓

Days.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

← snow, sleet rain

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.10	.08	.04				.02		.13	.03	.01	.20		1
2		.07	.04	.4[illegible]								1.10		2
3		.02	.01		.68	.12						.01		3
4	.09	.11	.01		.10	.02		.04						4
5	.12											.76		5
6	.24		.01	.10	.14		.01					.21		6
7		.64		.10	.01	.08			.02	.01	.03			7
8		.23		.04	.01	.02	.05		.01		.22	.02		8
9				.01	.19		.39	.03 .08	.18					9
10		.06	↙ .10			trace						.12		10
11		.02	↙ .06		.32	.25	.02					.30		11
12	.08	.23	.05		.12	.24		.50	.26			.10		12
13	.02	.01		.03	trace	.03		.54	.40			.08		13
14			.22	trace		.02			.04		.08	.18		14
15	.10	.17	✓ .21	.25			1.95	.08	.26			.03		15
16		.04	.49	.40	.05	.03		.25	.08					16
17	=08	.09	.13	.18	trace	.10			.38					17
18	↙ .87	.10	.06	trace		[illegible]	.02		.53	trace	.40	.06		18
19	.04	.14	.10	.12		.10	.03				.10			19
20	.17	.02		.40	.74	.01			trace			trace		20
21	.10	.17	.09	.04	.05		.21			.08				21
22	.05	↙ .15	↙ .18		.02		.27			.37	.23	.10		22
23	.10	.02			.11		.06			.49	.28	.01		23
24	.16	.21	.07		.52		.01		.13	.36		.02		24
25		* .48							.02	.18		.01		25
26		.19	.02									.05		26
27		↙ .48		.23						.46		trace		27
28		↙ .21								.16		.04		28
29	.01									.28	.04	.01		29
30	.16	×				trace		.25	.02	.03	.07	.01		30
31	.29	×		×	.01	×	~~3.31~~		×	.13 2.58	×			31 2950
TOTAL	2.79	3.98	1.69	2.40	2.84	1.62	~~3.04~~	1.72	2.46	2.59 2.58	1.56	3.42	Year's Total ~~30.31~~	✓ 29.50
* Days with .01 in. or more.	18	24	17	13	16	12	12	7/6	14	12	10	20	175	✓
* Days with .04 in. or more.	16	18	13	11	12	6	7		9	9	8	13	128	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2305

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Chetwynd Park

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground 240 Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·48	trace	·04	·01	·20	·03	·17		1
2			·07	·10	·03	·23			trace		·22	·07		2
3	·02		trace		trace	·05			·02	·75	·02			3
4	trace					·02	·03	·06	·03	·11	trace	·18		4
5	·02	trace							·11	·10	·01	·03		5
6	·09		·01	·01		·01	·40	1·09	·04	·12		·02		6
7	·18						·63		·01	·04		·08		7
8	·30		trace				·36	·36	trace	·26		·04		8
9	·08	·16	trace			·10	·08	·86		·01		·31		9
10	·04	·01				·02	·27	·06		·02		·16		10
11	·42	·02	trace				·07	·02		·07	·19	·15		11
12	·18		·01		·10	trace	·12	trace	trace	·33	·15	trace		12
13	·06				·02		trace			·04	·17	·19		13
14	·25				·04		·41		·06		·01	·01		14
15	·11				·08		·31	·07			·02	trace		15
16	·39				·02			·07		·09	·04	·15		16
17	·01				·08		·04		·18	·12		·04		17
18	·06					·02		·16	·22	·02	·26	·02		18
19	·02							·15			·07	·03		19
20	·04								·05		·24	·09		20
21	·03		trace					·05	·06		·02	·02		21
22				trace		·03			·03	trace	·35	·03		22
23	~~·02~~			trace	·10	·01			·09	trace	trace			23
24	·02		·17		·03			·37	·04	trace				24
25	·06	·03	·08		·02	·02	·01	·03	·01	·37	1·05	·12		25
26	·06	·17	·25		·02	·20	·04		·02	·32	·34	·07		26
27	·09	·18	trace		·40	·27	·06	·31	·06	trace	·04	·01		27
28	·10	·01	·01		·01	·10	·12	·05	·08	·01		·33		28
29	·36	·08	·02		·37	·02	trace	trace	·02	·11	·06	·15		29
30	·07	✕			·03	trace			·29	·01	·20	·35		30
31	·10	✕		✕	·16	✕			✕	·20	✕	·30		31
TOTAL	2·95 ~~2·68~~	·66	·61	·11	1·51	1·58	2·95	3·75	1·43	3·30	2·29	3·12	Year's Total 25·26	✓
* Days with .01 in. or more.	26	8	7	1	16	15	15	16	20	21	20	26	191	✓
* Days with .04 in. or more.	18	7	4	1	8	7	13	14	12	16	14	18	132	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2305

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Chetwynd Park

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground 240 Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

snow X. rain X

Values O.K. wep

From 1st to 13th the entries are not reliable owing to leaking tin

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-32.			-12.			-03	-21.	-01	-02.		-02.		1
2	-36 X			-06.			-01	-38.	-28.			-02.		2
3	-31. X			-36			-04	-06.			-06.	-26.		3
4	-27. X	-01.	-06	-33.	-07.		-34	-01.			-15.	-34.		4
5		-01.		-01.	-16.		-27	-05.			-19.	-05.		5
6	-71. X	-01.	trace.				-46	-01.			-06.			6
7	-30. X	-09.	-02.		-14		-32.	-17.		-04	-52.	-78.		7
8	-03.	-09.	-45.		-01.		-33	-10		-39	-57.	-12.		8
9	-06.	-07	-01.				-70.	-28	-01.	-38	trace.	-21.		9
10	-52.					-01.	–	-04	-14.	-14	-01.	-06.		10
11	-11.	-01.	-20.			-19.		-04		-03	-01.	-06.		11
12		-06	trace.			-05.			-02.	-01	trace.			12
13	-03.		-03.	-23	-06.	-14.	-06		-05.	-19				13
14	-33.	trace.	-01.	-05.	-27.	-26.	-01.			-09	-20.	-01.		14
15	-24.		-01.	-06.	-06.	-36.	-47.				-13.	-01.		15
16	-08		-07.	-07.	-26.		~~-4~~	trace.		-08	-08.			16
17	-45.	-05.	-08.			-03.	-19.			-94	-04.			17
18	-21.	-09.				-13.	-07.			-03	-75.			18
19	-23.		-02.				-58.				-07.	-03.		19
20	-20.	-01.	-04.			-17	-04.	-07	-02.		-01.	-01.		20
21	-18.	-03.	-17	-07.	-02.	trace	-68.	-13	-12.	-02	-02.			21
22	-52.	-31.	-05.	-05.			-26		trace.	-03	-46.	-02.		22
23	-12.	-03.		-15.			-15.			-32	-48.			23
24	-09.	-01	-12.	-24.			-14			-35	-02.	trace.		24
25	-45.	-04		-04			-31			-07	-13.	-02.		25
26	-01.			-03.				-02.		-02	-24.	-17.		26
27		-17	-12.	-03.		-10	-11.	-01.		-04	-06.	-01.	X	27
28	-01.	-11	-19.	-08.		-09	-34.	-01.			-27.	-12.	X	28
29			-01.	-20.		trace	-81.	1·05.		-08	-02.			29
30	-01.			-03.		-38	-04.			-01	-15.	-02.		30
31	trace.					~~-28~~	trace.	-05		-02		-02.		31
TOTAL	6-15	1-20	1-66	2-23	1-05	1-91	6-96	2-59	-65	3-35	4-70	2-36	Year's Total 34·61.	✓
* Days with .01 in. or more.	26	18	18	19	9	12	25	18	8	22	25	11	211.	✓
* Days with .04 in. or more.	20	10	11	15	7	10	22	12	4	8	19	10.	138.	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

-04

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2305

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Chetwynd Park

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft......in.

,, Ground ,, Sea Level ......ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-01			-02							-31			1
2	-01	-03	-01	-25			-09				-64	17		2
3		-08		-04			-01			-17	-43	-13		3
4	-01	-06		-08			-18			-11	-35	-08		4
5		-01			-10		-06			-03	-35	-06		5
6	-10	-35					-11			-70	-22	-01		6
7		-28		-03	-09		-03		-02	-03		-01		7
8	-01	-01		-03			-04		-01	-25	-01	-19		8
9			-21			-04	-41	-10	-05	-06	-56	-29		9
10			-18			-20	-50		-02		-05	-16		10
11			-04	-05		-08	-29			-01	-50	-19		11
12		-02	-02	~~[illegible]~~		-04	-24	-02	-11		-04	-02		12
13		-01	-39	-09				-01	-08			-27		13
14			-01	-10	-16			-02	-13	-11		-01		14
15			-06	-24	-75				-11	-09	-09	-03		15
16	-02	-29	-27	-04			-07		-28	-60	-83	-11		16
17			-47	-01	-22		-09		-01		1-17	-01		17
18	-10	-68	-16	-43			-03	-12	-32	-02	-06			18
19		-33	-10	-15			-24		-07		-012			19
↑ 20		-02		-04			-32	-03	-01	-34				20
snow 21		-01			-27	-57	-27	-04		-01	1-09			21
22		-01	-04	-03	-36	-13		-05	-09		-01			22
23		-05	-06	-25	-03	-01				-01	-02			23
× 24	-03	-01	-04	trace			-07			-03				24
× 25	-02			-01	-01		-07			-02				25
↑ × 26	1-02	-05	-11	1·22	-01	trace	-08			-02	-02			26
↑ × 27	-52	-06		·22	-[illegible] ·04		-07				-13			27
↑ × 28	1-07	-28			-68		-01				-01			28
↑ ? 29	-03		-12	-27	~~[illegible]~~	-19	~~trace~~			-01		-20		29
? 30	-04	✕		-52	-07					-16		-06		30
↑ 31	-08	✕	-13	✕	trace	~~-43~~			✕	1-02	✕	-04		31
TOTAL	3-04	2-64	~~2-40~~	4-12	2-79	~~[illegible]~~ ~~1-11~~	~~3-26~~ 3.28	-89	1-31	~~3-78~~ 3·80	4-01	~~2-07~~ 2.04	Year's Total ~~34-03~~	34·13
* Days with .01 in. or more.	15	20	18 15	~~2·21~~ 16	15	9 8	22	8	14	~~28~~ 21	22	19	~~209~~	202
* Days with .04 in. or more.	~~6~~ 7	11			10	6 7	18	~~X~~ 4	9	~~10~~ 11	17	13	~~135~~	137

2·42

* See Instruction 3 (f) on other side.

~~1-30~~
1·26

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

2307

Section **A** for the entry of D

AIR MINISTRY.

FORM 1090.

REGIST

Kept at Sansaw Gar

in the County of Shrop

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASURI

An observer who does not conform to thi
year in the space on the right of this

Pl

2307

SALOP.

SANSAW GARDENS

1931 — 40

780405

PY FOR OFFICIAL USE.

ORGANIZATION.

is now

owing

Jan. 1, following

Date	Jan.	Feb.	March	Ap							Nov.	Dec.	Date
	in.	in.	in.	i							in.	in.	
1	·04	—	—	·08	—	·26	—	—	·14	·06	—	—	1
2	—	·04	—	·66	·30	·18	·04	—	·48	·08	·12	·13	2
3	—	—	—	·01	—	—	·07	—	·70	·03	·94	·15	3
4	—	—	·09	·13	—	—	·10	·29	·60	—	·09	·01	4
5	—	·03	—	·20	·09	1·22	·65	·24	·13	—	—	·43	5
6	—	·19	—	·06	·01	·09	·05	·52	·05	·28	·20	—	6
7	—	·05	·01	—	—	·20	—		—	—	·21	·02	7
8	—	·01	—	·20	—	·07	·17	·93	—	—	·10	—	8
9	·24	·43	—	·14	—	·07	—	·20	—	·04	·15	—	9
10	·01	·02	·03	—	·04	·05	·07	·22	·06	—	·29	·07	10
11	·07	·33	—	—	·02	·11	·09	·01	·33	—	·06	·04	11
12	·01	·07	—	·07	—	—	·35	·13	·15	·05	·01	—	12
13	—	·13	·12	—	·03	·03	·11	·08	—	—	—	—	13
14	—	·10	·01	—	·26	·73	·31	1·20	·05	—	·60	—	14
15	—	·18	—	·07	·12	—	·09	·35	·02	—	—	·15	15
16	·05	·10	—	·17	·34	·39	·04	·19	·20	—	—	—	16
17	·07	·02	—	·14	·89	·04	·01	·03	—	—	·14	—	17
18	·15	—	·01	·24	·03	·28	·04	·16	·03	·02	·48	—	18
19	·11	·10	—	·05	—	·10	·10	·91	—	—	·02	—	19
20	—	·18	·17	—	—	—	—		—	—	·08	·08	20
21	·32	·06	—	—	·51	—	—	·01	—	—	·11	—	21
22	·10	—	—	—	·10	·03	—	·32	—	—	·02	—	22
23	·19	—	—	·04	·40	·21	·48	—	—	·05	·24	·27	23
24	—	·01	—	·12	·27	·02	·21	—	—	—	·18	·01	24
25	·08	·01	—	1·22	·08	—	·01	·01	—	—	·05	—	25
26	—	·04	—	·15	—	—	·09	—	—	—	·51	—	26
27	·12	·26	—	—	·77	—	·01	—	—	·11	·20	·05	27
28	·07	·23	·04	·25	·38	—	—	—	—	·11	·01	·19	28
29	·03		·08	—	·12	—	·27	—	—	·37	·05	·06	29
30	—	×	—	·09	·01	—	·01	—	·10	—	—	—	30
31	·20	×	—	×	·11	×	·01	—	×	—	×	·05	31
TOTAL	1·86	2·59	·56	4·09	4·88	4·08	3·38	5·80	3·04	1·20	4·86	1·71	YEAR'S TOTAL 38·05
*Days with ·01 in. or more.	17	22	9	20	21	18	24	20	14	11	24	15	215
*Days with ·04 in. or more.	14	16	5	19	16	15	19	14	12	9	20	12	171

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. Clark

MRS BRIAN BIBBY

P.T.O.

2307

Section **A** for the entry of [redacted] PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Sansaw Gardens
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft 10 in.
,, Ground ,, Sea Level 300 ft.

Observers name is now Mrs Brian Bibby

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·08	—	·26	—	—	·14	·06	—	—	1
2	—	·04	—	·66	·30	·18	·04	—	·48	·08	·12	·13	2
3	—	—	—	·01	—	—	·07	—	·70	·03	·94	·15	3
4	—	—	·09	·13	—	—	·10	·29	·60	—	·09	·01	4
5	—	·03	—	·20	·09	1·22	·65	·24	·13	—	—	·43	5
6	—	·19	—	·06	·01	·09	·05	{·52}	·05	·28	·20	—	6
7	—	·05	·01	—	—	·20	—		—	—	·21	·02	7
8	—	·01	—	·20	—	·07	·17	·93	—	—	·10	—	8
9	·24	·43	—	·14	—	·07	—	·20	—	·04	·15	—	9
10	·01	·02	·03	—	·04	·05	·07	·22	·06	—	·29	·07	10
11	·07	·33	—	—	·02	·11	·09	·01	·33	—	·06	·04	11
12	·01	·07	—	·07	—	—	·35	·13	·15	·05	·01	—	12
13	—	·13	·12	—	·03	·03	·11	·08	—	—	—	—	13
14	—	·10	·01	—	·26	·73	·31	1·20	·05	—	·60	—	14
15	—	·18	—	·07	·12	—	·09	·35	·02	—	—	·15	15
16	·05	·10	—	·17	·34	·39	·04	·19	·20	—	—	—	16
17	·07	·02	—	·14	·89	·04	·01	·03	—	—	·14	—	17
18	·15	—	·01	·24	·03	·28	·04	·16	·03	·02	·48	—	18
19	·11	·10	—	·05	—	·10	·10	{·91}	—	—	·02	—	19
20	—	·18	·17	—	—	—	—		—	—	·08	·08	20
21	·32	·06	—	—	·51	—	—	·01	—	—	·11	—	21
22	·10	—	—	—	·10	·03	—	·32	—	—	·02	—	22
23	·19	—	—	·04	·40	·21	·48	—	—	·05	·24	·27	23
24	—	·01	—	·12	·27	·02	·21	—	—	—	·18	·01	24
25	·08	·01	—	1·22	·08	—	·01	·01	—	—	·05	—	25
26	—	·04	—	·15	—	—	·09	—	—	—	·51	—	26
27	·12	·26	—	—	·77	—	·01	—	—	·11	·20	·05	27
28	·07	·23	·04	·25	·38	—	—	—	—	·11	·01	·19	28
29	·03		·08	—	·12	—	·27	—	—	·37	·05	·06	29
30	—	×	—	·09	·01	—	·01	—	·10	—	—	—	30
31	·20	×	—	×	·11	×	·01	—	×	—	×	·05	31
TOTAL	1·86	2·59	·56	4·09	4·88	4·08	3·38	5·80	3·04	1·20	4·86	1·71	YEAR'S TOTAL 38·05
*Days with ·01 in. or more.	17	22	9	20	21	18	24	20	14	11	24	15	215
*Days with ·04 in. or more.	14	16	5	19	16	15	19	14	12	9	20	12	171

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Clark

X MRS BRIAN BIBBY X

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2307

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sansaw Gardens

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

" Ground " Sea Level 300 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·14.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·05	—	·13	·41	·04	—	·25	·15	·04	·02	·13	1
2	·06	·01	—	·09	·48	—	—	·02	·15	·12	·03	·19	2
3	—	·02	—	·82	·07	—	·47	·03	·05	·13	·04	·07	3
4	·04	·01	—	·21	—	—	·09	—	·03	—	·36	·02	4
5	·48	—	·15	—	·05	—	·01	·01	·09	—	—	—	5
6	·38	—	·06	·16	—	—	·05	—	·20	·01	—	—	6
7	·01	—	·13	·12	·08	—	·01	—	·12	·81	—	—	7
8	—	—	·01	·04	·01	—	—	—	·14	·35	—	·02	8
9	·17	—	—	·05	—	—	—	—	—	—	·04	—	9
10	·25	—	·02	·09	—	·02	—	—	·19	·39	—	·01	10
11	·02	—	—	·19	·06	·14	·13	·01	·01	·05	·02	·03	11
12	·23	—	—	—	·11	—	·43	—	·15	·21	·05	·01	12
13	·15	—	—	·09	·05	—	·71	·16	·01	·10	·04	—	13
14	—	—	—	—	—	—	·02	·10	—	·04	·20	·13	14
15	·02	—	—	·01	·34	—	—	—	—	·03	·01	—	15
16	·38	—	—	·31	·09	—	·23	—	—	—	—	·06	16
17	01	—	—	·10	·02	—	·44	—	·05	·05	—	—	17
18	—	—	—	—	·02	—	—	—	—	·02	·12	—	18
19	—	—	—	·12	·10	—	—	—	—	·10	·01	—	19
20	—	—	—	·11	·55	—	·09	·43	—	·35	·13	·01	20
21	—	—	·28	·21	·40	—	—	56	—	·41	·03	—	21
22	—	—	·22	·06	·15	—	·28	—	·45	·10	·15	·04	22
23	—	—	—	·05	·43	—	·04	—	·11	·22	·14	·05	23
24	·12	—	—	—	·03	·03	·13	—	·05	·01	·12	·08	24
25	—	·02	—	—	—	·11	—	—	·04	·12	·03	·01	25
26	—	·04	·11	·23	·25	—	·03	—	·15	·07	—	—	26
27	—	—	·48	·23	·23	—	·10	—	—	·03	·10	·03	27
28	—	—	·35	·08	·28	—	·13	—	—	—	·02	·06	28
29	—	—	·21	·23	·21	·13	·04	·25	·13	58	—	·17	29
30	—	×	·30	·22	·01	·20	·03	·10	·03	06	·39	·17	30
31	—	×	·30	×	—	×	·15	—	×	—	×	·15	31
TOTAL	2·59	·15	2·62	3·95	4·43	·67	3·61	1·92	2·30	4·40	2·15	1·44	YEAR'S TOTAL 30·23
*Days with ·01 in. or more.	15	6	13	24	24	7	21	11	20	25	21	20	207
*Days with ·04 in. or more.	11	2	11	23	19	5	16	4	16	20	13	12	155

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Colin McWilliam

P.T.O.

N M

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2307

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Sansaw Gardens, Clive. July 1" High

in the County of Nr. Shrewsbury Shropshire

Gauge

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 15 in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	08	·12	·04	·01	—	·02	—	—	01	—	·04	—		1
2	·26	04	·22	—	·12	·02	—	—	—	—	·04	—		2
3	·03	·16	·09	—	·09	—	—	—	—	—	·01	—		3
4	·22	·03	·02	—	·15	—	—	·01	—	—	—	—		4
5	18	—	09	—	·01	—	—	—	—	—	03	—		5
6	—	35	·02	—	·15	—	—	—	—	·02	·03	·02		6
7	·01	·22	01	—	·02	—	·10	—	—	·59	·07	—		7
8	·04	·02	·18	·10	·22	—	·35	—	—	·02	—	·05		8
9	—	—	·01	—	·03	·05	·45	—	—	·53	·12	—		9
10	·08	·05	—	—	·01	·03	·21	·01	—	1·13	·19	·01		10
11	—	—	—	—	·07	—	·14	·03	—	·02	·02	—		11
12	—	·02	—	·03	·02	—	·11	—	—	·01	·01	·20		12
13	—	—	—	—	·18	—	38	·06	—	·17	·21	—		13
14	03	—	·02	—	·02	—	·06	·18	—	·15	·19	·01		14
15	—	—	·02	—	—	—	1·17	·15	—	·21	·13	·03		15
16	·04	—	·03	—	·09	·05	·02	—	—	·19	·02	·02		16
17	·12	—	·74	—	—	·08	—	—	·02	·02	·04	·02		17
18	·05	·05	·09	—	·01	·11	—	—	—	·01	·05	—		18
19	·10	—	·50	—	—	·03	—	—	·19	—	·21	·01		19
20	·08	·10	·09	—	·03	·03	·02	·12	·33	—	·02	—		20
21	·01	·04	—	—	—	·29	—	·14	·02	—	·05	—		21
22	—	—	—	06	·14	·38	—	·22	—	·41	—	—		22
23	—	—	—	·19	·02	26	—	·01	·12	·08	—	—		23
24	—	·25	—	—	·05	23	—	—	·20	·12	—	—		24
25	—	·26	—	·11	·02	·02	—	—	·03	·02	—	·17		25
26	—	·74	—	·20	·05	—	—	—	·01	·19	·01	·04		26
27	—	·08	—	·02	—	—	—	—	·30	·21	—	·03		27
28	—	·03	—	·06	—	·01	·03	·01	·02	·06	—	·02		28
29	·07		—	·07	—	—	·08	—	—	·01	—	—		29
30	·12	×	·10	·21	·01	—	·11	—	—	·03	—	·19		30
31	·09	×	·19	×	—	×	—	·08	×	·32	×	—	18 Jan.	31
TOTAL	1·61	2·56	2·46	1·06	1·57	1·61	3·23	1·02	1·24	4·52	1·49	·82	Year's Total 23·13	
*Days with ·01 in. or more.	18 ~~4~~	17 ~~4~~	18	11	22	15	14	12	11	23	20	14	195	
*Days with ·04 in. or more.	14	13	11	8	11	8	11	7	5	14	12	5	119	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) C. McA. Williams [P.T.O.

File no 8915514/29.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 2307.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Sansaw, Gardens' Clive

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 300 ft.

Dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·14	—	—	—	—	—	—	—	·11	·53	·16	·34		1
2	·01	—	·05	—	—	—	—	·37	·18	—	·08	·10		2
3	·15	—	—	—	—	—	—	·06	·02	·05	·08	·03		3
4	·16	—	·03	·03	·06	—	—	·05	·09	·44	—	·46		4
5	·01	—	·17	—	·14	—	—	·95	—	·04	·11	·05		5
6	·01	—	·07	·02	·43	—	—	·01	—	·10	—	·35		6
7	·10	·02	·01	—	·04	—	—	·07	—	·15	·04	·15		7
8	—	—	·04	·03	·21	·04	—	·03	—	—	·22	·11		8
9	·01	—	·13	·03	—	—	—	·08	·02	—	·56	·03		9
10	·03	—	·09	·32	—	—	—	·12	—	—	·07	—		10
11	·54	—	·21	·40	—	—	·06	·09	—	—	·05	·15		11
12	·03	·01	·05	·07	—	—	·07	·42	—	—	—	—		12
13	·80	—	·02	·07	—	—	·41	—	—	·04	—	·02		13
14	·04	—	·27	—	—	·02	—	—	—	·20	·28	·05		14
15	·05	—	·03	—	·09	—	—	·09	—	·37	·20	·38		15
16	·18	·01	·11	—	·03	—	—	·05	—	·02	·12	—		16
17	·16	—	·12	·08	·04	—	·24	·07	·24	·03	·02	·18		17
18	·12	—	·02	·21	·01	—	·08	—	—	—	—	·13		18
19	·01	—	·11	·02	·12	·17	—	·04	·05	·06	—	·19		19
20	·02	—	·08	·01	·02	—	—	—	·12	·03	—	·03		20
21	·02	—	·01	—	·05	·16	—	·09	·03	·07	—	—		21
22	·09	—	·11	·08	·03	·07	—	·04	·25	·14	—	·33		22
23	·01	·01	·06	·24	·04	·39	·03	·04	·01	·05	·03	·15		23
24	—	·23	·05	·02	—	·08	·06	—	·11	—	·02	·02		24
25	·03	·02	—	·11	·06	·12	·01	—	·03	·23	—	·35		25
26	·08	—	·11	·62	—	·20	·05	—	·12	·20	—	·01		26
27	·01	·01	·01	·27	—	·03	·06	—	·13	·13	·02	·14		27
28	—	—	·01	·19	—	·04	·07	·25	·04	·02	—	·68		28
29	·03		—	·02	—	—	·38	·07	·28	—	—	·09		29
30	·11	×	—	—	—	—	·03	—	·05	·22	—	·18		30
31	·01	×	—	×	—	×	—	·01	×	·72	×	·21		31
TOTAL	2·96	·31	1·97	2·84	1·37	1·32	1·55	3·00	1·88	3·84	2·06	4·91	Year's Total. 28·01	✓
* Days with .01 in. or more.	~~14~~ 28	~~6~~ 7	~~8~~ 25	~~8~~ 20	~~4~~ 15	~~2~~ 11	~~3~~ 13	~~4~~ 21	~~2~~ 18	~~4~~ 22	~~4~~ 16	~~2~~ 24	~~68~~	223
* Days with .04 in. or more.	14	1	17	12	11	9	10	17	13	18	12	21	155	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Colin McWilliam [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. File no. 8975514/29 Station No. 2307

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sansaw Gardens

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 300 ft.

dafro

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	–	·08	–	·06	·02	·13	–	·26	·16	·05	·02		1
2	–	·03	·03	–	–	·05	–	–	–	·10	·12	·05		2
3	–	·27	·07	·03	–	·45	–	–	·03	·13	·22	·65		3
4	–	–	·02	·24	–	·30	–	–	·02	·69	·02	·21		4
5	–	·42	·22	·05	–	·10	·14	–	–	·07	·16	·05		5
6	–	–	·05	·25	–	·21	–	–	–	·15	·02	·02		6
7	–	–	–	·23	–	·12	–	–	–	·05	·09	·15		7
8	–	–	–	·22	–	·06	–	–	–	·08	·15	·20		8
9	·07	·02	·02	·20	–	·20	–	–	–	·55	·13	·02		9
10	–	·06	–	·10	–	·03	–	–	–	·12	·03	–		10
11	·24	·03	–	–	–	·10	–	·04	–	–	·06	·01		11
12	·21	·03	–	–	–	·15	–	·05	–	·01	·02	–		12
13	·13	·06	–	·08	·10	·15	–	–	·20	–	·08	–		13
14	·03	–	–	·10	·03	·05	–	–	·15	–	·90	·17		14
15	·01	·02	–	·55	·08	–	–	–	·24	–	·05	·21		15
16	·01	·18	·13	·07	–	·15	·15	·01	·34	·24	·70	·06		16
17	–	·02	·02	·09	·10	·29	·05	–	·12	·01	·90	–		17
18	–	·03	–	·20	·15	·09	·24	·06	·23	·04	·04	–		18
19	–	–	–	·16	·27	·27	·15	–	–	·28	·20	–		19
20	–	·21	–	·35	·01	·05	·20	–	–	·02	·50	–		20
21	–	·46	–	·03	–	–	–	–	·26	·02	·06	–		21
22	·02	·39	·12	–	–	–	–	–	·06	–	·01	–		22
23	–	·03	·14	–	·03	–	–	·10	·04	·61	–	–		23
24	·30	·29	·10	–	–	–	–	–	·74	·09	·03	·28		24
25	·21	·23	–	·06	–	·10	–	–	–	·06	·01	·05		25
26	–	·07	–	–	–	–	–	·71	·33	·01	·05	·40		26
27	–	·08	–	·01	·03	·02	–	·11	·77	·03	·10	·15		27
28	·03	·11	–	–	·15	–	–	·03	·23	·02	·03	·02		28
29	–	X	·07	–	–	–	–	·06	·13	·01	·09	·04		29
30	·05	▨	·01	·05	–	·12	–	·07	·28	·42	·28	·02		30
31	–	▨	–	▨	–	▨	–	–	▨	·32	▨	·42		31
TOTAL	1·41	3·04	1·08	3·07	1·01	3·08	1·06	1·24	4·43	4·29	5·10	3·20	Year's Total 32·01	
* Days with .01 in. or more.	5 13	8 21	14 5	20 3	11 4	3 22	+ 7	2 10	2 18	8 26	8 29	6 21	212	
* Days with .04 in. or more.	8	13	9	17	7	19	7	8	16	18	21	15	158	or

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Colin McWilliam [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2307

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Do go.

Kept at Sansaw Gardens.

in the County of Shropshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·12	·14	·50	–	·38	–	·34	·02	–	·12	·09		1
2	·57	·02	·01	·10	–	·46	·25	·04	–	–	·24	–		2
3	·15	–	–	·01	–	·11	–	·04	·50	–	·01	–		3
4	·01	·03	·10	–	–	·13	·03	·01	·08	–	·27	·14		4
5	·11	–	·03	–	–	·01	·03	·08	·03	–	·03	·27		5
6	·08	–	–	–	·03	·04	·08	·09	·10	·01	·05	·05		6
7	·01	–	·13	–	–	–	·15	–	·24	–	·17	·03		7
8	·29	–	·19	–	–	–	·03	·01	·03	·01	·37	·06		8
9	·22	–	·11	–	–	·02	·52	–	·44	–	·03	·01		9
10	·02	–	–	–	–	–	·02	–	·03	–	–	–		10
11	–	–	–	·03	–	·12	·36	–	·08	·02	·46	·01		11
12	–	–	–	–	·15	·29	·51	–	·25	·01	·26	·35		12
13	–	–	–	·02	–	·03	·01	·01	–	·04	·02	·45		13
14	–	–	–	·09	–	·19	·03	–	·52	·02	·17	·27		14
15	·01	·10	–	·04	·04	·06	–	–	·05	–	·36	·03		15
16	–	·07	–	·20	·50	–	·09	–	–	·02	·23	·03		16
17	–	·29	–	·04	·01	–	·07	·02	–	·06	·05	·07		17
18	–	·13	–	·02	·01	·03	·25	·05	–	·14	–	·05		18
19	1·31	·12	–	·31	–	·02	·02	·06	·02	·12	–	–		19
20	·02	·11	·03	·03	–	·02	–	·01	–	·01	–	·01		20
21	–	·01	·01	·20	–	·51	·02	·01	–	–	–	–		21
22	–	·29	·07	·01	·02	·02	·21	·01	·01	–	–	·09		22
23	·02	·03	·51	·03	·01	·01	·33	·01	–	·03	–	·02		23
24	·23	·04	·01	·03	·04	–	·02	–	·21	·35	–	–		24
25	·17	–	·01	·10	–	–	·02	–	·53	·02	–	–		25
26	·01	·11	·28	·04	–	–	–	–	·02	·05	–	–		26
27	·33	·01	·01	–	–	–	–	–	·07	·06	·02	–		27
28	·16	·11	·04	·04	–	·38	·03	·01	–	·03	·03	·02		28
29	·10	·27	·12	–	–	·25	·02	–	–	·06	·07	·24		29
30	·07	✕	–	–	·10	·01	·25	–	·02	·52	·04	·02		30
31	·36	✕	·07	✕	·01	✕	·01	–	✕	·05	✕	·08		31
TOTAL	4·27	1·86	1·87	1·84	·92	3·09	3·36	·80	3·25	1·63	2·94	2·39	Year's Total 28·22	✓
* Days with .01 in. or more.	22 ~~7~~	17 ~~15~~	18 ~~7~~	19 ~~9~~	11 ~~6~~	21 ~~9~~	25 ~~13~~	16 ~~9~~	20 ~~8~~	29 ~~10~~	20 ~~6~~	22 ~~9~~	231 ~~97~~	✓
* Days with .04 in. or more.	15	12	11	11	5	12	12	7	12	10	14	13	134	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. A. McWilliam

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2307

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Sansaw, Clive

in the County of Shrewsbury Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ Ground „ Sea Level 300 ft.

Days 14

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·10	·07	·01	–	·01	–	–	·08	·08	·05	·05		1
2	·02	·12	·03	·50	–	–	–	–	–	–	·01	·60		2
3	·01	·05	–	–	·06	·05	–	–	–	–	·01	·02		3
4	·09	·14	–	·01	·10	·06	–	·13	–	·01	–	·41		4
5	·18	–	·15	·02	–	–	–	–	–	–	–	–		5
6	·04	·02	·02	·10	·17	–	·04	–	–	–	–	–		6
7	–	·45	·01	·17	–	·07	–	–	·01	–	–	·01		7
8	–	·14	–	·02	–	·18	·02	–	·01	·01	·33	–		8
9	–	·02	–	–	·21	–	·28	·01	·20	–	–	–		9
10	–	·04	–	–	·01	·14	·01	–	–	–	–	·12		10
11	–	·08	·30	–	·41	·14	·02	–	–	–	·03	·14		11
12	·06	·14	·03	–	·04	·46	·01	·65	·18	–	·01	·06		12
13	·03	·02	·02	·05	–	·90	–	·72	·20	·01	–	·10		13
14	–	·01	·16	·02	–	·02	–	·02	·03	–	·02	·20		14
15	·09	·17	·06	·24	–	–	·50	·01	·04	–	·02	·06		15
16	–	·03	·21	·26	–	–	·01	·14	·02	–	–	–		16
17	·08	·14	·15	·05	–	·04	–	–	·40	–	–	–		17
18	·60	·08	·16	·01	–	–	·03	–	·25	–	·35	·09		18
19	–	·10	·18	·10	–	·09	·56	–	·01	·01	·06	–		19
20	·12	–	·02	·28	·14	·07	·01	–	·03	–	–	·02		20
21	·04	·15	·09	·03	·06	–	·13	–	–	·06	–	·02		21
22	–	·11	·15	–	·05	–	·15	–	·01	·27	·25	·05		22
23	·15	·08	·01	–	·09	–	·16	–	·01	·45	·40	·01		23
24	·15	·42	·05	–	·07	–	·01	–	·12	·40	–	·02		24
25	·01	·57	–	–	–	–	·01	–	·06	·35	–	·01		25
26	–	·38	·06	–	·38	–	–	–	–	·01	–	·01		26
27	–	·18	·01	·14	·01	–	–	–	–	·80	·02	–		27
28	–	·36	–	–	–	–	–	–	–	·17	–	·01		28
29	–	×	–	–	–	·03	–	–	–	·50	·03	·01		29
30	·16	×	–	–	–	·03	–	·02	·02	–	·06	–		30
31	·16	×	–	×	·02	×	–	–	×	·13	×			31
TOTAL	2·12	4·09	1·94	2·01	1·76	2·23	1·95	1·70	1·68	3·26	1·65	2·02	Year's Total 26·41 ✓	
* Days with .01 in. or more.	~~4~~ 18	~~5~~ 26	~~8~~ 21	~~7~~ 17	~~4~~ 15	~~5~~ 15	~~9~~ 16	~~4~~ 8	~~9~~ 18	~~5~~ 15	~~8~~ 15	~~10~~ 21	~~78~~ 205 ✓	
* Days with .04 in. or more.	14	21	13	10	11	10	7	4	9	10	7	11	127 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E McWilliam [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2307.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Sansaw gardens: Clive

in the County of Shrewsbury Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 300 ft.

D. Gauge

UR

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·01	–	–	·65	–	·07	–	·15	·05	·12		1
2	–	·01	–	·09	·07	·17	–	–	–	·21	·06	·04		2
3	–	·01	–	–	·01	·05	–	–	·03	·85	·09	–		3
4	·02	–	·02	·02	–	·03	–	·12	–	·12	·01	20		4
5	·01	·03	–	·01	–	–	·01	·83	·01	·21	–	·02		5
6	·04	·01	–	–	–	·03	·03	·01	·11	·09	–	·09		6
7	·04	·01	–	–	–	–	·42	·41	·01	·05	–	·03		7
8	·30	·02	–	–	–	–	·11	·63	–	·29	–	·15		8
9	·10	·05	·02	–	–	·09	·03	·08	–	·01	–	·31		9
10	·03	·10	·02	–	–	·01	·27	·02	–	·03	–	·27		10
11	·45	·01	·01	–	–	·03	·01	·03	–	·04	·15	·09		11
12	·12	·01	–	–	·06	·03	·07	–	·01	·34	·32	–		12
13	·06	–	–	–	–	–	–	–	–	·05	·11	·11		13
14	·21	·02	–	–	·06	–	·36	–	·15	–	·06	·02		14
15	·17	–	–	–	·01	–	·23	·03	–	–	·04	·23		15
16	·41	–	·02	–	·07	–	·01	·06	–	·15	·10	·01		16
17	–	–	–	–	–	–	·02	–	·10	·03	·01	·02		17
18	·06	–	–	–	·09	·02	–	·19	·02	–	·19	–		18
19	·03	–	–	–	–	–	–	·34	–	–	·02	–		19
20	–	–	–	–	–	–	–	–	·03	–	·34	–		20
21	·06	–	–	–	–	–	–	·03	·03	·02	·03	–		21
22	–	–	–	·01	–	·03	–	·01	·04	·02	·42	–		22
23	–	–	–	·05	–	·01	–	–	·07	–	·02	–		23
24	–	·02	·06	–	·09	–	–	·87	·12	–	·05	–		24
25	·05	·13	·20	·01	·01	·05	·07	·02	·01	·47	·83	·07		25
26	·06	·18	·16	–	·01	·01	–	–	·02	·37	·01	–		26
27	·05	·02	·01	–	·64	·38	·06	–	·05	·10	·40	–		27
28	·05	·03	–	–	·04	·22	·02	·33	·05	–	–	·17		28
29	·32	X	–	–	·45	·02	·03	·01	·01	–	·04	·10		29
30	·03	✕	–	·01	·04	–	–	–	·37	–	·30	·12		30
31	·01	✕	–	✕	·33	✕	–	–	✕	·16	✕	·47		31
TOTAL	2·68	·66	·53	·20	1·98	1·83	1·75	4·09	1·24	3·76	3·65	2·64	Year's Total 25·01	✓
* Days with .01 in. or more.	23 ~~6~~	16 ~~12~~	10 ~~7~~	7 ~~5~~	15 ~~4~~	17 ~~10~~	16 ~~8~~	19 ~~8~~	19 ~~10~~	21 ~~5~~	23 ~~6~~	20 ~~5~~	~~86~~	206 ✓
* Days with .04 in. or more.	17	4	3	2	11	7	8	11	9	16	17	15	120	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. McWilliam

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2307

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sansaw, Clive, Shrewsbury

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 300 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·26	—	·07	·27	·02	—	—	·03	·03	—	·02	·01		1
2	·06	—	·05	·11	—	—	·02	·21	·21	·01	·02	—		2
3	·05	—	—	·30	—	—	·01	·07	·01	—	·06	·36		3
4	—	—	·20	·31	·02	—	·40	—	·03	·09	·13	·28		4
5	—	·01	—	·09	·31	—	·27	·05	—	·15	·17	·13		5
(Snow) 6	·28	—	—	—	·01	—	·67	—	—	·01	·10	—		6
7	·47	·07	·02	—	—	—	·13	·03	—	—	·24	·35		7
8	·01	·06	·45	—	—	—	·35	·10	—	·31	·42	·21		8
9	·04	·04	·01	—	—	—	·09	·15	—	·36	·03	·16		9
10	·44	·01	·07	—	—	·02	—	·11	·09	·17	—	·20		10
11	·16	·02	·17	—	—	·12	—	·03	·01	·03	—	—		11
12	—	·12	—	—	—	·13	—	—	—	·01	—	—		12
13	—	—	·01	·18	·05	·05	·19	—	·08	·01	—	—		13
14	·60	·02	—	·05	·26	·29	·01	—	·07	·02	·09	—		14
15	·25	—	·02	·02	·03	·43	·11	—	—	—	·03	—		15
16	·07	—	·05	·05	·26	·02	·01	—	—	·21	·17	—		16
17	—	·03	—	—	·07	·02	·03	—	—	·80	·10	—		17
18	·29	·09	·06	—	·01	·05	·10	—	—	·15	·89	—		18
19	·32	—	—	—	—	·01	·82	—	—	—	·05	—		19
20	·13	—	—	—	—	·05	1·06	·02	—	—	—	—		20
21	·15	—	·14	·04	·01	·01	·10	·15	·15	·01	—	—		21
22	·35	·28	·01	·02	·01	—	·11	—	·02	·04	·38	—		22
23	·12	·06	—	·12	—	—	·05	—	—	·20	·46	—		23
24	·01	·07	—	·10	—	·02	·10	—	—	·21	—	—		24
25	·50	—	·02	·02	—	—	·20	—	—	·04	·13	·01		25
26	·08	·01	—	·22	—	—	—	—	—	·10	·17	·09		26
27	—	·41	·23	·01	—	—	·17	·03	—	·01	·14	—		27
28	—	·31	·15	·01	—	·08	·29	·41	—	—	·18	—		28
29	—	×	—	·30	—	·02	1·25	·13	—	·05	·03	—		29
30	—	×	—	·05	—	·07	·03	·01	—	—	·12	·25	Snow	30
31	—	×	—	×	—	×	—	·02	×	·03	×	·10		31
TOTAL	4·64	1·61	1·73	2·27	1·06	1·39	6·57	1·55	·70	3·02	4·13	2·15	Year's Total 30·82	
* Days with .01 in. or more.	~~2~~ 21	16 ~~6~~	17 ~~6~~	19 ~~5~~	12 ~~7~~	16 ~~7~~	25 ~~6~~	16 ~~7~~	10 ~~5~~	23 ~~9~~	23 ~~5~~	12 ~~2~~	~~67~~	210
* Days with .04 in. or more.	19	10	11	14	5	9	19	9	5	14	18	10	143	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Colin McWilliam [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2307

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~4~~40

Dup.

Kept at Sansaw Gardens Sansaw Clive
in the County of Shrewsbury Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	·05	·01	–	–	–	–	–	·29	–		1
2	–	–	–	·18	–	–	·04	–	–	–	·50	·07		2
3	–	–	–	·01	–	–	·06	–	–	·21	·27	·21		3
4	–	–	–	·13	–	–	·05	–	–	·11	·36	·03		4
5	–	–	–	–	·14	–	·10	–	·06	·07	·31	·04		5
6	·12	·59	–	–	–	–	·04	–	–	·96	·26	·01		6
7	·01	·45	–	·03	·08	–	·16	–	–	·18	–	·04		7
8	–	–	–	·03	·01	–	·05	–	·18	·08	·01	·06		8
9	–	–	·27	·07	–	–	·75	·03	·06	·07	1·12	·28		9
10	–	–	·21	–	–	·55	·59	·02	·03	·09	·03	·10		10
11	–	–	·02	·03	–	·27	·19	–	–	–	·56	·17		11
12	–	–	·05	–	–	·13	·21	–	·10	–	·06	–		12
13	–	–	·19	·06	–	–	–	–	·09	–	–	·03		13
14	–	–	–	·09	·11	–	–	·04	·25	·04	·04	·20		14
15	–	–	·09	·08	·82	·05	–	–	·05	·05	·07	·02		15
16	–	–	·21	–	·01	–	·17	–	·41	·53	·62	–		16
17	–	–	·36	–	–	–	·08	–	·03	–	1·24	–		17
18	-(·15)	·55	·34	·35	–	–	·05	·08	·09	·03	·02	·11		18
19	–	·31	·10	·09	–	–	·33	–	·31	·02	·22	–		19
20	–	–	–	·14	–	–	·09	·04	·03	·25	·03	–		20
21	–	·29	–	·01	·11	·34	·18	·03	–	·02	1·09	–		21
22	–	–	·09	·05	·49	·41	–	–	·12	–	–	–		22
23	–	·11	·08	·14	·03	·02	–	–	·06	·01	·05	–		23
24	·02	–	·28	–	–	–	·08	–	·01	–	–	·01		24
25	·01	–	–	–	–	–	·09	–	·03	–	–	·01		25
26	·69	·13	–	·13	·08	·04	·12	–	–	–	·02	–		26
27	·12	·03	–	·44	·01	–	·06	·01	–	–	·01	·01		27
28	– x	·33	–	–	·12	–	–	–	–	–	–	–		28
29	– (·65)	–	·16	·29	·07	·18	·05	–	–	–	–	·07		29
30	–	X	–	·84	·05	–	–	–	–	·18	–	–		30
31	– x	X	·21	X	–	X	–	–	X	1·06	X	–		31
TOTAL	1·77 ~~·97~~	2·79	2·66	3·24	2·14	1·99	3·54	·25	1·91	3·96	7·18	1·47	Year's Total 32·10	32·90
* Days with .01 in. or more.	~~3~~ 68	X 9	X 15	~~5~~ 21	15	X 9	~~–~~ 22	7 ~~4~~	17 ~~5~~	18 ~~4~~	22 ~~6~~	18 ~~7~~	~~42~~	179
* Days with .04 in. or more.	3 5	8	14	16	10	8	22	3	12	14	16	11	137	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. McWilliam

[P.T.O.

2308

2308

SALOP, MORTON HALL

1931—36

780405

Section **A** for the entry of

AIR MINISTR

FORM 1090.

REGIS

COPY FOR OFFICIAL USE.

L ORGANIZATION.

Kept at Marton

in the County of Shrop

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to

year in the space on the right of th

following

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1				·10		·12			·12	·07			1
2		·05		·68	·25	·14			·67		·10	·13	2
3							·05		·74		1·17	·11	3
4		·03	·03	·13			·11	·21	·56	·05	·03		4
5				·24	·18	1·10	·17	·19	·12			·47	5
6		·14		·05		·12	·09		·03	·21			6
7		·03				·16	·02	·40		·03	·24	·03	7
8	·06			·16		·10	·14	·83			·08		8
9	·12	·40		·10		·10		·14			·15		9
10		·04	·02		·05	·05	·42	·19			·51	·05	10
11		·27				·06	·08	·03	·42		·06	·02	11
12	·05	·16		·09			·45	·04	·06	·05			12
13		·02	·06		·05	·03	·12	·13			·02		13
14		·20			·35	1·61	·23	1·39	·05		·63		14
15				·06	·10		·08	·33				·07	15
16	·04	·16		·20	·22	·29	·02	·23	·19				16
17	·09			·23	·84	·04					·14		17
18	·06	·02		·21	·04	·30	·06	·15	·03		·40		18
19	·09	·08		·09		·11	·08	·66					19
20		·13	·14					·15		·03	·08	·09	20
21	·27				·56			·03			·06		21
22	·06				·09			·31			·03	·10	22
23	·21			·03	·40	·39	·42				·13	·09	23
24	·02			·11	·24	·02	·21				·16		24
25	·04	·03		1·23	·04						·04		25
26		·06		·17			·07				·43		26
27	·09	·35			·81		·02			·09	·17	·05	27
28	·02	·10	·03	·13	·40					·06		·19	28
29			·09		·10		·09			·30	·06		29
30		×		·04			·10		·20	·		·03	30
31	·21	×		×		×	·02		×		×	·02	31
TOTAL	1·43	2·27	·37	4:05	4·72	4·74	3·05	5·41	3·19	·89	4·69	1·45	YEAR'S TOTAL 36·26
*Days with ·01 in. or more.	15	~~5~~ 18	~~3~~ 6	19	17	17 ~~2~~	22 ~~4~~	17 ~~3~~	12 ~~2~~	9 ~~2~~	~~3~~ 21	14 ~~4~~	~~26~~77
*Days with ·04 in. or more.	15	13	3	18	17	15	18	15	10	7	18	10	159

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) R. W. Doyle. Major.

P.T.O.

2308

Section **A** for the entry of COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Marlon Hall

in the County of Shropshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 293 ft.

dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·10		·12			·12	·07			1
2		·05		·68	·25	·14			·67		·10	·13	2
3							·05		·74		1·17	·11	3
4		·03	·03	·13			·11	·21	·56	·05	·03		4
5				·24	·18	1·10	·17	·19	·12			·47	5
6		·14		·05		·12	·09		·03	·21			6
7		·03				·16	·02	·40		·03	·24	·03	7
8	·06			·16		·10	·14	·83			·08		8
9	·12	·40		·10		·10		·14			·15		9
10		·04	·02		·05	·05	·42	·19			·51	·05	10
11		·27				·06	·08	·03	·42		·06	·02	11
12	·05	·16		·09			·45	·04	·06	·05			12
13		·02	·06		·05	·03	·12	·13			·02		13
14		·20			·35	1·61	·23	1·39	·05		·63		14
15				·06	·10		·08	·33				·07	15
16	·04	·16		·20	·22	·29	·02	·23	·19				16
17	·09			·23	·84	·04					·14		17
18	·06	·02		·21	·04	·30	·06	·15	·03		·40		18
19	·09	·08		·09		·11	·08	·66					19
20		·13	·14					·15		·03	·08	·09	20
21	·27				·56			·03			·06		21
22	·06				·09			·31			·03	·10	22
23	·21			·03	·40	·39	·42				·13	·09	23
24	·02			·11	·24	·02	·21				·16		24
25	·04	·03		1·23	·04						·04		25
26		·06		·17			·07				·43		26
27	·09	·35			·81		·02			·09	·17	·05	27
28	·02	·10	·03	·13	·40					·06		·19	28
29			·09		·10		·09			·30	·06		29
30		×		·04			·10		·20			·03	30
31	·21	×		×		×	·02		×		×	·02	31
TOTAL	1·43	2·27	·37	4·05	4·72	4·74	3·05	5·41	3·19	·89	4·69	1·45	YEAR'S TOTAL 36·26
*Days with ·01 in. or more.	15	~~5~~ 18	~~3~~ 6	19	17	17 ~~2~~	22 ~~4~~	17 ~~2~~	12 ~~2~~	9 ~~2~~	~~3~~ 21	14 ~~4~~	~~26~~ 177
*Days with ·04 in. or more.	15	13	3	18	17	15	18	15	10	7	18	10	159

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) R. L. Doyle. Major.

P.T.O.

2308

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Marton Hall

in the County of Shropshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft 10" in.

,, Ground ,, Sea Level 293 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·04		·12	·45	·03	·26	·20	·11		·03	·18	1
2	·07			·10	·36				·14	·07	·04	·13	2
3				·83	·04		·38	·03	·04	·25	·03	·05	3
4	·07			·26			·13	·[illegible]	·03		·39		4
5	·60		·12	·03	·12		·02		·06				5
6	·62		·08	·15					·23				6
7			·10	·08	·07				·12	1·06			7
8				·05	·03				·10	·39			8
9	·18											·03	9
10	·27		·09	·16	·04				·16	·23			10
11				·24	·05	·09	·15			·10	·05	·04	11
12	·22		·11		·12	"	1·37		·20	·16			12
13	·14			·06	·04		·82	·13		·10		·17	13
14	·24			·03				·08		·04	·20	·02	14
15					·36							·03	15
16	·39			·35	·05		·33						16
17				·08	·02		·19		·04	·07			17
18					·05						·12		18
19				·11	·14		·01			·11	·03		19
20				·05	·62		·11	·58		·39	·17	·03	20
21		·11	·33	·13	·35			·07		·45	·02	·03	21
22			·11	·06	·14		·58		·36	·09	·15	·05	22
23		·04		·05	·60		·03		·05	·11	·12	·05	23
24	·07				·20		·07		·04	·10	·06		24
25						·11				·04			25
26		·04	·07	·30	·22		·05		·14				26
27			·30	·32	·18		·08			·04	·06	·03	27
28			·33	·11	·29		·10			·			28
29			·20	·13	·13	·10	·04	·33	·15	·48	·14	·26	29
30		×	·36	·21		·16	·03	·12	·03	·04	·37	·04	30
31		×	·29	×		×	·13		×		×	·10	31
TOTAL	2·93	·23	2·49	4·01	4·67	·49	4·88	1·54	2·00	4·32	1·98	1·26	YEAR'S TOTAL 30·80
*Days with ·01 in. or more.	12	4	13	24	24	5	20	8	17	20	16	16	179
*Days with ·04 in. or more.	12	4	13	22	22	4	16	7	15	20	12	10	157

40-9999

(Signed) A. A. Sidney Hiller

P.T.O.

*See Instruction 2 (*f*) on other side.

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Marton Hall

in the County of Shropshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 10" in.

" Ground " Sea Level 293 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·6	·10	·4										1
2	·22		·34		·7								2
3		·16	·5		·9								3
4	·27		·3		·19								4
5	·17		·7								·3		5
6		·42	·5		·15								6
7		·11					·60			·71			7
8			·11		·22		·17						8
9							·40			·58	·12		9
10	·8	·6			·4					1·38	·19		10
11				·6	·5		·23						11
12							·19						12
13					·18		·24	·11		·19	·18	·30	13
14	·4						·4	·10		·8	·27		14
15	·10						·4	·24		·22	·11		15
16	·7	·3	·26		·8	·9				·23			16
17	·3		·47			·5		·3			·5		17
18	·12		·8			·10					·5		18
19			·55				·3		·7		·8		19
20		·8	·3		·9	·31		·9	·26				20
21		·2				·21		·12			·5		21
22					·26			·21		·23			22
23				·23		·24			·13	·12			23
24		·37		·13	·6	·22			·14	·23			24
25				·13		·20			·9			·15	25
26		·86		·5	·2					·19			26
27							·9		·20	·15			27
28										·5		·3	28
29				·14									29
30		×		·18								·13	30
31	·25	×	·15	×		×		8	×	·15	×		31
TOTAL	1·41	2·21	2·23	·92	1·50	1·42	1·93	·98	·89	4·51	1·15	·61	YEAR'S TOTAL 19·76
*Days with ·01 in. or more.	11	10	13	7	13	8	10	8	6	14	10	4	114
*Days with ·04 in. or more.	10	8	11	7	12	8	9	7	6	14	9	3	104

40-9999

*See Instruction 2 (*f*) on other side.

CAPT. D A. A. Sidney Villar

(Signed) A. A. Sidney Villar.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2308

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Marton Hall Baschurch

in the County of Shropshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 293 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	12							15	3	33	13	30		1
2			8					7	7		6	11		2
3										17		16		3
4	17		4	4	15					36		31		4
5			13	3	3			84		4	11	5		5
6			6		34					8		33		6
7	9									13		18		7
8			4		23						15	8		8
9			13	4				11			55			9
10	3		9	33				12						10
11	46		16	44				2			4	14		11
12	24			9			6	26						12
13	61			4			10			7				13
14	3		31							22	20			14
15					17			9		14	19	29		15
16	26		10		5			12			7			16
17	14		6	15	13		17		25	6	3	23		17
18	11			17								16		18
19	3		11	6	10	22		3	4	6		14		19
20			6		9				8					20
21						16		8	6	4				21
22	14		9		4			6	25	17		21		22
23			9	21	4	65				5				23
24		21				3	3		9					24
25				19	6				5	15		35		25
26	4		5	36		14	2		8	16		7		26
27	7			23		6	5		5	12		28		27
28				9				26	14	2		68		28
29							32	6	16		3	8		29
30	10	×					2	5	5	65		15		30
31		×		×		×	9		×		×	23		31
TOTAL	2.64	·21	1.80	2.47	1.43	1.26	·86	2.32	1.40	3.05	1.56	4.53	Year's Total. 23.33	
* Days with .01 in. or more.	16	1	16	15	12	6	9	15	14	20	11	21	136	
* Days with .04 in. or more.	13	1	16	14	11	5	6	13	13	19	9	21	141	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. H. Sidney Villar

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2308

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Marton Hall Baschurch

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

	Rain
1935 .	30.77
1934 .	23.33
1933 .	19.76
1932 .	30.80
1931 .	36.26

A. Villar
Marton Hall
Baschurch

Jan. 1, following

													†	Date
														1
														2
														3
														4
5		37	25			16	4			6	12	4		5
6			4	20		23				8	3			6
7				19		24				7	7	23		7
8				21				14		12	25	18		8
9	5			18		15				59	7			9
10		5		13						7	10			10
11	26	3				15		9			5			11
12	16					24								12
13	9	6		10	9	12			16		13			13
14				5	9				12		74	11		14
15		8		44					22	25		20		15
16		14	11	4		6	15		33		61			16
17				6	15	31	8	11	19		94			17
18				19	13		10		24		6			18
19				10	29	32	14			35	22			19
20		28		16		5	11			11	62			20
21		88		4					15		6			21
22		4	6						5					22
23			14					7	5	61				23
24	25	43	7						102	12		27		24
25	11	25		9		15				6		5		25
26		12						57	30		5	33		26
27		4			9			10	85	4	7	5		27
28		10			14			9	40		2			28
29								6	13	10	12	5		29
30	3	×		9		13		8	22	40	22	3		30
31		×		×		×			×	37	×	64		31
TOTAL	1·06	3·22	·92	2·46	1·01	2·90	·74	1·31	4·79	4·48	4·84	3·04	Year's Total. 3077	
* Days with .01 in. or more.	~~9~~	~~16~~	~~9~~	~~17~~	~~8~~	~~15~~	~~7~~	~~9~~	~~17~~	~~20~~	~~24~~	~~16~~	~~167~~	
* Days with .04 in. or more.	8	15	8	17	7	15	7	9	76	20	21	14	157	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. Sidney Villar.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2308

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Marton Hall Baschurch
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 293 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	4				3		12		33	20	3	4		1
2		7	12		3					5	6	2		2
3		28	10			45			3	13	16	66		3
4	7		3	19		14				72	4	14		4
5		37	25			16	4			6	12	4		5
6			4	20		23				8	3			6
7				19		24				7	7	23		7
8				21				14		12	25	18		8
9	5			18		15				59	7			9
10		5		13						7	10			10
11	26	3				15		9			5			11
12	16					24								12
13	9	6		10	9	12			16		13			13
14				5	9				12		74	11		14
15		8		44					22	25		20		15
16		14	11	4		6	15		33		61			16
17				6	15	31	8	11	19		94			17
18				19	13		10		24		6			18
19				10	29	32	14			35	22			19
20		28		16		5	11			11	62			20
21		88		4					15		6			21
22		4	6						5					22
23			14					7	5	61				23
24	25	43	7						102	12		27		24
25	11	25		9		15				6		5		25
26		12						57	30		5	33		26
27		4			9			10	85	4	7	5		27
28		10			14			9	40		2			28
29								6	13	10	12	5		29
30	3	×		9		13		8	22	40	22	3		30
31		×		×		×			×	37	×	64		31
TOTAL	1·06	3·22	·92	2·46	1·01	2·90	·74	1·31	4·79	4·48	4·84	3·04	Year's Total. 30·77	
* Days with .01 in. or more.	~~9~~	~~16~~	~~9~~	~~17~~	~~8~~	~~15~~	~~7~~	~~9~~	~~17~~	~~20~~	~~24~~	~~16~~	~~167~~	
* Days with .04 in. or more.	8	15	8	17	7	15	7	9	16	20	21	14	157	

40-9999

† Spare column, no entries required.

(Signed) A. A. Sidney Millar. [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2308

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Marton Baschurch

in the County of Shropshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 10" in.

" Ground " Sea Level 293 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·18	·16	·62		·23		·31	·04		·10	·09		1
2	·27	·09		·08		·70	·31	·09			·22			2
3	·05					·34		·03	1·00					3
4			·09			·20					·24	·18		4
5	·14						·03	·10	·03			·23		5
6	·15		·13		·02		·06	·11	·13		·06			6
7			·08			·05	·20		·22		·17			7
8	·26		·24								·43			8
9	·25		·07				·65		·60					9
10							·03		·05					10
11				·05		·15	·24		·27		·55			11
12					·27	·19	·55		·29		·21	·43		12
13							·06	·03				·58		13
14				·11		·16	·04		·44	·08	·08	·27		14
15	·25	·14		·11	·06						·30	·08		15
16	·08			·23	·42		·08		·08		·23	·06		16
17		·33					·24			·06	·03	·06		17
18							·20	·07		·20		·11		18
19	·39	·16	·07	·32		·06		·10		·04				19
20		·11				·14								20
21			·03	·25		·95								21
22		·40				·08	·27					·09		22
23		·03	·43											23
24	·30	·04		·06	·07				·18	·40				24
25	·13			·14					1·05	·04				25
26		·12	·35	·04						·05				26
27	·29		·03						·15	·09	·06			27
28	·26	·20	·20	·08		·10	·30			·04	·03	·03		28
29	·07	·33	·08			·18				·03	·10	·23		29
30	·06	✕			·09		·28			·71				30
31	·36	✕	·15	✕		✕			✕		✕	·19		31 small "d"
TOTAL	3·56	2·13	2·11	2·09	·93	3·53	3·54	·84	4·53	1·74	2·81	2·63	Year's Total 30·44	✓
* Days with .01 in. or more.	17	12 ~~1~~	14 ~~2~~	12	6 ~~1~~	14	16 ~~2~~	8 ~~2~~	14 ~~1~~	11 ~~1~~	15 ~~2~~	14 ~~1~~	~~13~~ 153	✓
* Days with .04 in. or more.	17	11	12	12	5	14	14	6	13	10	13	13	140	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. A. Sidney Villar [P.T.O.

2309

Section **A** for the entry of Dai

AIR MINISTRY.—

Y FOR OFFICIAL USE.

RGANIZATION.

FORM 1090.

REGISTE

2309

SALOP. KNIGHTON RES.

1931 — 40

780405

Kept at Knighton Re

in the County of Salop

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Ord Datum ~~Sea Level~~

THE MORNING MEASUREM

An observer who does not conform to this

year in the space on the right of this pa

Plea

ing

Jan. 1, following

Date	Jan.	Feb.	March	Apri							ov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	04	02	13	·	·	·	·	12	01	·	·	1
2	·	15	·	82	34	23	05	02	50	13	05	07	2
3	23	·	·	02	·	·	05	·	74	02	64	06	3
4	·	·	·	20	·	·	19	64	41	·	16	·	4
5	·	08	·	05	19	1·09	·	71	06	·	·	42	5
6	·	24	·	03	03	04	02	04	06	23	26	·	6
7	·	01	·	·	·	43	·	47	·	06	12	01	7
8	10	03	·	17	·	11	12	86	·	·	13	·	8
9	09	37	·	12	·	04	·	13	·	01	27	·	9
10	01	01	·	·	09	06	11	16	·	·	49	04	10
11	10	34	·	·	06	09	07	·	·	·	06	04	11
12	02	19	·	03	·	·	41	19	37	04	10	·	12
13	·	·	09	·	03	·	07	44	24	·	·	·	13
14	·	12	·	·	08	60	50	1·55	·	·	50	·	14
15	05	14	·	27	06	·	07	36	03	·	·	21	15
16	06	15	·	31	34	87	06	14	31	·	·	·	16
17	09	04	·	42	93	03	·	·	01	·	11	·	17
18	16	·	·	20	02	31	20	14	04	·	73	·	18
19	15	14	·	01	·	·	09	42	·	01	·	·	19
20	01	12	08	·	·	·	02	35	·	01	05	06	20
21	43	·	·	·	44	·	·	·	·	·	13	·	21
22	12	·	·	02	13	05	·	22	·	·	03	·	22
23	16	01	·	22	43	06	41	·	·	·	34	36	23
24	01	·	·	31	35	·	11	·	·	·	08	·	24
25	11	05	·	1·02	04	·	09	·	·	·	06	05	25
26	05	03	·	19	·	·	08	·	·	·	48	·	26
27	17	40	·	07	63	·	03	·	·	19	35	10	27
28	13	12	·	04	29	·	·	·	·	20	·	19	28
29	04	·	·	·	14	·	39	·	·	44	02	·	29
30	·	×	·	09	·	·	03	·	08	·	·	01	30
31	20	×	·	×	02	×	02	·	×	·	×	02	31
TOTAL	2·49	2·78	·19	4·74	4·64	4·01	3·19	6·84	2·97	1·35	5·16	1·64	YEAR'S TOTAL 40·09
*Days with ·01 in. or more.	22	21	3	22	20	14	23	17	13	12	22	14	203
*Days with ·04 in. or more.	18	16	2	17	16	13	18	16	11	7	20	11	165

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A Turnbull

[P.T.O.

2309

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at Knighton Reservoir
in the County of Salop
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Ord Datum ~~Sea Level~~ 351 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	04	02	13	.	.	.	.	12	01	.	.	1
2	.	15	.	82	34	23	05	02	50	13	05	07	2
3	23	.	.	02	.	.	05	.	74	02	64	06	3
4	.	.	.	20	.	.	19	64	41	.	16	.	4
5	.	08	.	05	19	1·09	.	71	06	.	.	42	5
6	.	24	.	03	03	04	02	04	06	23	26	.	6
7	.	01	.	.	.	43	.	47	.	06	12	01	7
8	10	03	.	17	.	11	12	86	.	.	13	.	8
9	09	37	.	12	.	04	.	13	.	01	27	.	9
10	01	01	.	.	09	06	11	16	.	.	49	04	10
11	10	34	.	.	06	09	07	.	.	.	06	04	11
12	02	19	.	03	.	.	41	19	37	04	10	.	12
13	.	.	09	.	03	.	07	44	24	.	.	.	13
14	.	12	.	.	08	60	50	1·55	.	.	50	.	14
15	05	14	.	27	06	.	07	36	03	.	.	21	15
16	06	15	.	31	34	87	06	14	31	.	.	.	16
17	09	04	.	42	93	03	.	.	01	.	11	.	17
18	16	.	.	20	02	31	20	14	04	.	73	.	18
19	15	14	.	01	.	.	09	42	.	01	.	.	19
20	01	12	08	.	.	.	02	35	.	01	05	06	20
21	43	.	.	.	44	.	.	.	.	.	13	.	21
22	12	.	.	02	13	05	.	22	.	.	03	.	22
23	16	01	.	22	43	06	41	.	.	.	34	36	23
24	01	.	.	31	35	.	11	.	.	.	08	.	24
25	11	05	.	1·02	04	.	09	.	.	.	06	05	25
26	05	03	.	19	.	.	08	.	.	.	48	.	26
27	17	40	.	07	63	.	03	.	.	19	35	10	27
28	13	12	.	04	29	.	.	.	.	20	.	19	28
29	04	.	.	.	14	.	39	.	.	44	02	.	29
30	.	×	.	09	.	.	03	.	08	.	.	01	30
31	20	×	.	×	02	×	02	.	×	.	×	02	31
TOTAL	2·49	2·78	·19	4·74	4·64	4·01	3·19	6·84	2·97	1·35	5·16	1·64	YEAR'S TOTAL 40·09
*Days with ·01 in. or more.	22	21	3	22	20	14	23	17	13	12	22	14	203
*Days with ·04 in. or more.	18	16	2	17	16	13	18	16	11	7	20	11	165

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A Turnbull

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A.** for the entry of Daily Observations. Station No. 2309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Knighton Reservoir

in the County of Salop

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " ~~Sea Level~~ Ord Datum 351 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	05	·	18	40	·	08	33	11	01	04	06	1
2	08	01	·	07	23	·	·	·	15	14	01	19	2
3	·	·	·	60	03	·	40	07	02	16	01	10	3
4	07	03	·	08	·	·	01	·	·	·	24	01	4
5	51	·	08	03	19	·	02	·	13	·	·	03	5
6	67	·	06	15	02	·	03	·	08	02	·	·	6
7	·	·	15	14	02	·	·	·	14	48	·	·	7
8	·	·	·	06	·	·	·	·	02	37	·	·	8
9	35	03	·	02	·	·	·	·	06	·	·	·	9
10	33	·	·	10	04	·	·	·	21	44	·	·	10
11	·	·	·	12	28	·	36	01	·	08	·	01	11
12	19	·	·	·	12	·	11	·	15	25	03	·	12
13	05	01	·	04	02	·	03	19	01	20	03	08	13
14	21	·	01	07	·	·	1·02	22	·	17	22	·	14
15	01	·	·	02	56	·	04	·	·	·	·	04	15
16	35	·	·	·	10	·	43	·	·	01	·	·	16
17	·	·	·	·	·	·	26	·	19	04	·	·	17
18	·	·	·	·	·	·	·	·	·	07	08	·	18
19	·	·	·	06	23	·	·	·	·	21	·	·	19
20	·	·	·	05	39	·	·	1·16	·	32	19	·	20
21	·	·	29	17	45	·	02	16	·	30	13	04	21
22	·	·	35	08	09	·	32	·	34	10	34	03	22
23	·	·	·	01	70	·	09	·	05	20	14	04	23
24	10	·	·	·	02	·	24	·	·	·	41	·	24
25	·	02	·	·	02	05	03	·	07	21	06	01	25
26	·	·	07	25	27	·	10	·	05	04	01	·	26
27	·	·	29	24	33	01	24	·	·	·	16	04	27
28	·	·	18	15	37	·	21	·	·	·	·	01	28
29	·	·	11	25	09	10	04	21	12	30	10	18	29
30	·	×	17	14	·	27	02	03	06	48	22	09	30
31	·	×	06	×	·	×	23	·	×	·	×	20	31
TOTAL	2·95	·15	1·82	3·08	4·97	·43	4·33	2·38	1·96	4·60	2·42	1·16	YEAR'S TOTAL 30·25
*Days with ·01 in. or more.	13	6	12	24	23	4	23	9	18	23	18	17	190
*Days with ·04 in. or more.	11	1	11	20	17	3	16	7	15	20	13	11	145

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) R E Bullough

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Knighton Reservoir

in the County of Salop

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Ord Datum ~~Sea Level~~ 351 ft.

906 sent 4/6/34 suggesting amendments to april. Observer sends amended values 15/6/34.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·14	·21	·03	-	-	-	-	·	·04	·	·04	·		1
2	·37	·	·20	·	·05	·10	-	-	-	-	·02	·		2
3	·11	·19	·07	·	·08	·	·	·	-	··	-	-		3
4	·18	·01	·	·	·20	-	·	-	·	·	·	·		4
5	·16	·	·03	·	·02	·	·	·	·	-	·03	·		5
6	·	·53	·01	·	·23	·	·	·	·	·02	·01	-		6
7	·11	·40	·13	·	·	·	·	·02	·	·42	-	·03		7
8	·05	·	·32	·	·06	·16	·28	-	-	-	·	·		8
9	·	·	·	·	·09	·01	·50	-	-	·69	·10	·		9
10	·07	·31	-	·	·02	·08	·17	·03	-	1·99	·13	·		10
11	·02	-	-	-	·01	·	·14	·	·	·02	·	·01		11
12	·02	·01	·	·	·	·	·28	·	·	·04	·	·04		12
13	·	·	·	·	·15	·	·21	·02	·	·18	·43	·		13
14	·07	-	-	-	·	·	·02	·13	·	·13	·09	·		14
15	·29	·	·	-	-	-	·21	·02	·	·10	·19	·		15
16	·12	·03	·41	·	·11	·09	·16	·01	·	·16	·	·01		16
17	·05	·	·40	·	·	·27	·	-	·08	·	·07	·		17
18	·04	·03	·08	·	·	·19	·	·	·	-	·01	·		18
19	·	·	·45	·	-	-	·	·	·09	-	·08	·		19
20	·	·06	·19	·	·	·04	·	·13	·13	·	-	·		20
21	·	·	·	-	·	·95	-	·39	-	-	·	·		21
22	·	·	·	·02	·	·15	·	·31	-	·15	-	·		22
23	·	·	·	·20	·	·07	-	-	·	·12	-	·		23
24	·	·39	-	·14	·05	·23	-	-	·16	·02	·	·		24
25	·	·33	-	·13	-	·	·	-	-	-	-	·10		25
26	·	·54	·	·15	·02	·05	-	-	·	·21	·	·02		26
27	·	·02	·	·04	·10	·	·	·	·48	·03	-	·01		27
28	·	·04	·	·11	·	·	·01	·	-	·07	-	·		28
29	·03	·	·	·07	·	·	·18	-	·	·01	·	·		29
30	·01	X	·07	·12	·	-	·19	-	·	·02	·	·26		30
31	·10	X	·32	X	·	X	·02	·03	X	·44	X	·	23·25	31
													Year's Total	
TOTAL	1·94	3·10	2·71	·98 ~~·62~~	1·19	2·39	2·37	1·09	·98	4·82	1·20	·48	~~22·89~~	
*Days with ·01 in. or more.	18	15	14	6	14	13	13	10	6	19	12	8	148	
*Days with ·04 in. or more.	14	10	11	6	10	12	10	4	6	13	8	3	107	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) R. E. Bullough

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Knighton Reservoir

in the County of Salop

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Ord Datum ~~Sea Level~~ 351 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	·	·	·	·	·	·	·08	·06	·37	·29	·31		1
2	·	·	·10	·	·	·	·	·58	·30	·	·10	·12		2
3	·14	·	·	·	·02	·	·	·	·	·05	·03	·07		3
4	·15	·	·04	·	·26	·	·	·04	·32	·09	·	·32		4
5	·	·	·12	·01	·07	·	·	·68	·	·	·07	·04		5
6	·	·	·04	·	·43	·01	·	·08	·	·16	·	·29		6
7	·11	·	·	·	·	·03	·	·04	·	·16	·04	·10		7
8	·	·	·01	·	·10	·	·	·02	·	·02	·41	·07		8
9	·	·	·15	·02	·	·	·	·17	·02	·01	·62	·05		9
10	·02	·	·10	·20	·	·	·	·11	·	·03	·09	·02		10
11	·63	·	·03	·17	·	·	·	·08	·	·	·01	·20		11
12	·01	·	·07	·09	·	·	·03	·18	·	·03	·	·		12
13	·68	·	·	·06	·03	·	·69	·03	·	·01	·	·03		13
14	·11	·	·21	·	·05	·	·	·	·01	·50	·41	·05		14
15	·09	·	·14	·	·22	·	·	·04	·	·46	·20	·22		15
16	·17	·	·11	·	·02	·		·03	·	·20	·06	·02		16
17	·08	·	·19	·03	·07	·	·27	·02	·31	·11	·	·17		17
18	·12	·	·02	·24	·01	·06	·	·01	·	·	·	·10		18
19	·	·	·13	·05	·05	·09	·	·	·06	·05	·	·19		19
20	·	·	·14	·08	·	·02	·	·	·	·03	·	·04		20
21	·03	·	·	·	·	·14	·	·05	·08	·04	·02	·		21
22	·05	·	·03	·06	·01	·04	·	·15	·22	·06	·	·17		22
23	·	·	·08	·32	·	·10	·05	·04	·01	·02	·05	·09		23
24	·	·32	·03	·02	·	·05	·08	·	·13	·27	·02	·		24
25	·02	·15	·	·10	·04	·	·	·	·04	·13	·	·31		25
26	·05	·	·09	·47	·	·20	·04	·	·07	·	·	·		26
27	·	·	·	·33	·	·11	·03	·	·06	·14	·	·10		27
28	·	·	·	·03	·	·08	·	·21	·18	·03	·	·50		28
29	·	·	·	·	·	·	·30	·34	·26	·01	·	·03		29
30	·09	×	·	·	·	·	·05	·22	·03	·09	·	·19		30
31	·01	×	·	×	·	×	·02	·	×	·38	×	·45		31
TOTAL	2·63	·47	1·83	2·28	1·38	·93	1·56	3·20	2·16	3·45	2·42	4·25	Year's Total. 26·56	
* Days with .01 in. or more.	19	2	20	17	14	12	10	22	17	26	15	27	201	
* Days with .04 in. or more.	14	2	15	12	9	9	7	17	13	17	11	23	149	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) R. E. Bullough [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Knighton Reservoir

in the County of Salop

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Ord Datum ~~Sea Level~~ 351 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·05	·	·	·01	·	·05	·	·08	·25	-	·04		1
2	·01	·	·	·	·	·11	·	·	·	·11	·07	·19		2
3	·05	·24	·06	·13	·	·38	·	·	·	·12	·12	·66		3
4	·	·02	·03	·17	·	·04	-	·	·05	·58	·01	·19		4
5	·	·29	·20	·19	·	·15	·13	·	·02	·02	·14	·		5
6	·	·	·	·16	·	·21	·	·	-	-	-	-		6
7	·	·	·	·43	·	·33	·	·	·	·13	·21	·14		7
8	·	·	·	·17	·	·02	·	·	·	·09	·15	·11		8
9	·03	·	·	·19	·	·21	·	·	·	·84	·09	·01		9
10	·	·	·	·12	·	·	·	·	·	·01	·20	·		10
11	·25	·06	·	·	·	·10	·	·	·	-	·07	-		11
12	·07	·01	·	·	·	·15	·	·	·	·	·	·		12
13	·20	·04	·	·05	·23	·03	·	·	·47	·	·04	·		13
14	·03	·	·	·02	·07	·05	·	-	·09	·	·97	·15		14
15	·	·07	·	·39	·03	·	·	·	·32	·	·02	·31		15
16	·	·06	·15	·08	·	·	·06	·	·33	·16	·48	·05		16
17	·	·	·	·30	·02	·23	·12	·04	·13	·07	·87	·		17
18	·	·	·	·27	·23	·03	·09	·15	·21	·	·	·		18
19	·	·	·	·39	·44	·48	·10	·	·03	·18	·21	·		19
20	·01	·31	·	·37	·	·04	·10	·	·	·01	·20	·		20
21	·	·86	·	·	·	·	·	·	·30	·04	·01	·		21
22	·	·11	·04	·02	-	·	·	·	·	·01	·	·03		22
23	·02	·06	·09	·	·03	·	·	·11	·11	·51	-	·05		23
24	·10	·32	·05	·01	·	·	·	·	·75	·03	·	·21		24
25	·23	·19	·	·08	·	·23	·	·	·	·	·	·08		25
26	·	·08	·	·	·	·	·	1·23	·47	·	·02	·33		26
27	·	·10	·	·	·	·	·	·05	·14	·25	·	·15		27
28	·03	·04	·	·	·	·	·	·06	·16	·15	·25	·02		28
29	·	·	·08	·	·	·	·	·04	·14	·04	·10	·03		29
30	·04	✕	·02	·04	·	·08	·	·06	·25	·39	·25	·05		30
31	·01	✕	·	✕	·	✕	·	·	✕	·36	✕	·18		31
													Year's Total	
TOTAL	1·30	2·91	·72	3·58	1·06	2·87	·65	1·74	4·05	4·35	4·48	2·98	30·69	✓
* Days with .01 in. or more.	15	18	9	20	8	18	7	8	18	22	21	20	184	✓
* Days with .04 in. or more.	8	16	7	17	4	15	7	8	16	17	17	16	148	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. E. Bullough [P.T.O.

33

Travelling forms

L.M.S. Railway (Shropshire Union Section)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Cheswardine (Knighton Res)

in the County of Salop.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, ~~Sea Level~~ Ord Datum 351 ft.

Ok

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·15	·10	·47	·	·20	·	·30	·05	·	·24	·12		1
2	·50	·04	·	·10	·	·26	·28	·04	·	·	·16	·04		2
3	·01	·	·	·	·	·08	·	·03	·55	,	·	·02		3
4	·01	·	·16	·	·	·44	·01	·	·25	·	·30	·10		4
5	·15	·04	·08	·	·	·	·04	·15	·08	·	·	·		5
6	·	·	·02	·	·14	·06	·05	·25	·22	·	·06	·21		6
7	-	·	·06	·	·	·	·24	·	·27	·	·	·02		7
8	·18	·	·30	·	·	·	·02	·	·03	·	·40	·10		8
9	·23	·	·15	·	·	·03	·72	·	·15	·04	·06	·02		9
10	·06	·	-	-	·	·	·30	·	·03	-	'	·		10
11	-	·	·	·01	·	·10	·20	·	·02	'	·55	·		11
12	-	·	·	·02	·06	·49	·73	·	·47	·03	·09	·		12
13	·	·	·	·03	·	·11	·08	·	·	·11	·	·60		13
14	·	·	·	·08	·	·21	·01	·06	·18	·02	·	·17		14
15	·18	-	·	·02	·25	·13	·07	·03	·11	·	·45	·03		15
16	·14	·11	·	·18	·13	·	·05	·	·	·	·40	·03		16
17	·	·36	·	·	-	·	·12	·09	·	·13	·03	·06		17
18	·	·13	·	·	·	·49	·18	·08	·	·06	·	·		18
19	·35	·16	·02	·35	·	·09	·03	·04	·	·10	·	·		19
20	·01	·13	·03	·	·	·	·02	·	·	·02	·	·		20
21	·08	·	·	·15	·	1·25	·02	·	·	·	·	·		21
22	·	·19	·02	·	·	·07	·25	·	·	·	·02	·		22
23	·01	·03	·61	·08	·03	·	·37	·	·	·03	·	·10		23
24	·12	·05	·	·04	·	·	·04	·	·28	·34	·	·		24
25	·13	·	·01	·24	·	·	·03	·	·61	·04	·	·		25
26	·01	·11	·21	·	·	·01	·	·	·06	·04	·	·		26
27	·22	·	·04	·	·	·	·	·	·42	·03	·02	·		27
28	·21	·10	·10	·	·	-	·07	-	·	·02	·	·03		28
29	·03	·31	·08	·	·	·22	·	·	-	·15	·10	·34		29
30	·18	✕	·	·	·17	·	·33	-	-	·52	·05	·14		30
31	·29	✕	·07	✕	·	✕	·01	·	✕		✕	·25		31
TOTAL	3·27	1·91	2·06	1·47	·78	4·24	4·27	1·07	3·78	1·68	2·93	2·38	Year's Total 30·14	
* Days with .01 in. or more.	22	14	17	13	6	17	26	10	17	16	~~15~~ 19	~~18~~ 20	19~~1~~ 7	
* Days with .04 in. or more.	16	13	12	9	5	15	18	8	14	10	~~12~~ 14	~~12~~ 14	14~~4~~ 8	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) For R. E. BULLOUGH. FWH

[P.T.O.

33

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Cheswardine (Knighton Res)
in the County of Salop.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " ~~Sea Level~~ Ord Datum 351 ft.

Rain & wet days adjusted from surrounding stations AB 16/11/37

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	·10	·07	·	—	·	·	—	·10	·	·	·24		1
2	—	·10	·03	·45	—	·	·	·	·	—	·	1·00		2
3	·02	·05	·	—	·25	·13	—	·	·	—	·	·04		3
4	·10	·15	·	—	·06	·	—	·	—	·	·	x		4
5	·30	·	·12	·02	·	—	·	·03	—	·	·	x 1·10		5
6	·25	—	✓	·10	·15	—	·	·	·	·	—	·		6
7	·	·60	·02	·15	·	·08	·	—	·	·	—	·		7
8	·	·25	·	·05	—	·03	·	—	·	·	·27	·		8
9	—	·	·	·05	·15	·	·50	·	·25	—	·	·		9
10	—	·30	·12	—	·	·	—	·	·	—	·	·50		10
11	·	·02	·06	—	·	·	·05	·	—	·	·	x		11
12	·18	·40	·04	·	·50	x	·	·	·30	·	·	x ·25		12
13	·03	✓	x	·02	·	x ~~·44~~	·	·30	·02	·	~~[illegible]~~	~~·10~~		13
14	·	·02	x ·35	·	·	·02	·	x	·	·	·08	·25		14
15	·04	·20	·05	·30	—	·	1·75	·50	·10	·	·	·06		15
16	—	·05	·55	·43	—	·	·	·10	·06	—	·	·		16
17	·11	·10	·15	x	·	·03	—	·	·47	—	·	·		17
18	·25	·10	·10	✓ ·26	·	·	·08	·	x	·	·45	x		18
19	·	·15	·06	·16	·	x	·25	·	·50	·	·10	·10		19
20	·25	x	—	·25	·80	·10	·	·	·	·	—	·		20
21	·10	x ·23	·11	·06	·	·	·10	—	·	·	—	·08		21
22	·03	·10	·20	·	x	·	·08	—	·	·40	·15	·05		22
23	x	·02	·	·	x ·20	·	·32	·	·	x	·25	·		23
24	x ·30	·30	·10	—	·	·	—	·	·20	x ·90	·	·		24
25	·	·50	·	—	·	·	—	·	—	·15	·	x ·12		25
26	·	·25	·	·	·60	·	·	·	—	·	·05	✓		26
27	·	x	—	·25	·	—	·	·	·	·37	—	·		27
28	·	x ·50	·10	·	·	—	·	—	·	·15	—	·03		28
29	·	·	·	·	—	·05	·	—	·	·27	·05	·		29
30	x		·	·	—	·03	·	1·05	·05	x	·06	·		30
31	x ·40		·		·		—	·		x ·20		·		31
TOTAL	2·46	4·49	2·23	2·55	2·71	·91	3·13	1·98	2·05	2·44	1·46	3·92	Year's Total 30·33	
* Days with .01 in. or more.	~~15~~ 17	~~22~~ 25	~~17~~ 18	~~14~~ 15	~~8~~ 9	~~9~~ 10	8	5	10	~~7~~ 9	9	17 ~~14~~	~~149~~	~~152~~
* Days with .04 in. or more.	~~12~~ 14	~~19~~ 22	~~15~~ 16	12	~~8~~ 9	~~5~~ 6	8	4	9	~~7~~ 9	9	15 ~~13~~	133	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) FOR H. E. BULLOUGH

[P.T.O.

33 Travelling Form

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Entry to Dec. 31st taken from 1st Jan, 1939.

TRAVELLING FORM
VALUES FORWARDED

afw

snow
W.J.

Kept at Cheswardine, Knighton Res.
in the County of Shropshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 351 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·	·	·05	·	·	·55	·06	·	·	·	·03	·10		1
2	·	·	·	·	·03	·33	·	·	·	·45	·06	·03		2
3	·05	·	·	·09	·	·06	·	·	·	·50	·	-		3
4	·03	·	·	·	·	·	·03	·06	·03	·26	·02	·25		4
5	·	·	·	·	·	·	·	·60	·08	·07	·	·02		5
6	·06	·	·	·02	·	·	·53	·	·	·29	·07	·05		6
7	·10	·	·	·	·	·	·57	·45	·	·20	·	·04		7
8	·	·	·	·	·	·	·15	·75	·	·	·	·11		8
9	·35	·20	·	·	·	·20	·	·20	·	·10	·	·30		9
10	·	·	·	·	·	·	1·15	·	-	·	·	·		10
11	·40	·05	·	·	·	-	·05	·15	·02	·20	·12	·20		11
12	·07	·	·	·	·10	·05	·	·	·	·13	·	·		12
13	·03	·	·	·	·03	·	·	·	·	·03	·35	·25		13
14	·17	·	·	·	·	·	·20	·	·15	·	·02	·		14
15	·	·	·	·	·12	·	·45	·07	·	-	·04	·06		15
16	·85	·	·	·	·08	·	-	·04	·	·22	·06	·05		16
17	·	·05	·	·	·05	·	·06	·	·	·10	·08	·		17
18	·	·	·	·	·08	·	·	·15	·40	·06	·02	·		18
19	·05	·	·	·	·	·03	·	·20	·06	·	·	·		19
20	·04	·	·	·	·	·	·	-	·10	·	·60	·		20
21	·06	·	·	·	·	·	·	·11	·08	·	·04	·06		21
22	·	·05	·	·	·	·06	·	·	·06	·	·35	·04		22
23	·	·	·	·	·11	·	·	·	·09	·	·	·		23
24	·	·06	·10	·	·09	·03	·	·30	·	·	·	-		24
25	·10	·22	·23	·	·	·	·	·12	·08	·50	1·20	·07		25
26	·08	·	·	·	·	·10	·	·	·02	·20	·	·10		26
27	·09	·20	·30	·	·55	·43	·05	·	·03	·	·40	:		27
28	·11	·07	·05	·	:	·12	·	·26	·07	·	·	·30		28
29	·	—	·02	·	·43	·	·	·	·	·	·	·25		29
30	·57		·	·	·	·	-	·	·25	·	·25	·10		30
31	·		·		·10		·15	·		·25		(·30)		31
TOTAL	3·21	·90	·75	·14	1·77	1·96	3·45	3·46	1·52	3·56	3·71	~~2·38~~ 2·68	Year's Total ~~26·78~~	Small 2" 27·08
* Days with .01 in. or more.	~~18~~ 23	~~8~~ 9	~~6~~ 7	2	~~12~~ 14	~~11~~ 12	~~12~~ 13	~~14~~ 15	~~15~~ 18	20 ~~16~~	21 ~~17~~	19	~~170~~ (173)	
* Days with .04 in. or more.	20 ~~16~~	~~8~~ 9	5	1	~~10~~ 11	9	~~11~~ 12	~~14~~ 15	~~11~~ 12	~~15~~ 16	~~14~~ 15	17	~~100~~ (142)	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. E. BULLOUGH per

[P.T.O.

33 Travelling Forms

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Cheswardine, Knighton Res.

in the County of Shropshire

Diameter of Funnel of Gauge ~~8~~ 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, ~~Sea Level~~ Ord. Datum 351 ft.

·30 ins from Jan 1st thrown back to 31/12/38. W.H.R.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	~~·55~~ ·25	·	·			·	·	·25	·	·	·	·01		1
2	·20	·	·02	·20		·	·15	·40	·	·	·02	·		2
3	·	·	·	·30		·	·	·08	·20	·	·15	·40		3
4	·	·		·24		·	·	·	·	·	·	·26		4
5	·	·	·09	·02	·10	·	·35		·	·14	·20	·04		5
6	·98	·	·	·		·	·70	·03	·	·06	·07	·		6
7	·	·07		·	·60	·	·20	·	·	·	·40	·56		7
8	·60	·10	·	·	·	·	·	·20	·	·30	·60	·17		8
9	·05	·11	·40	·	·	·	·53	·30	·	·15	·	·		9
10	·40	·	·	·	·	·	·	·03	·18	·24	·05	·26		10
11	·10		·	·	·	·17	·	·12	·	·10	·	·		11
12	·	·20	·12	·	·	·05	·	·	·04	·	·	·		12
13	·04	·	·03	·	·	·08	·05	·	·	·23	·	·		13
14		·	·	·10	·33	·27	·07	·	·	·	·06	·		14
15	·50	·	·	·	·08	·50	·	·	·	·10	·14	·		15
16	·08	·	·10	·25	·14	·	·48	·	·	·05	·09	·		16
17	·40	·06	·	·	·	·	·10	·	·	1·30	·07	·		17
18	·17		·	·	·	·30	·04	·	·	·25	·	·		18
19	·22	·05	·15	·	·	·	·45	·	·	·	·70	·02		19
20	·20	·	·07	·	·	·11	·08	·25	·03	·	·	·		20
21		·	·15	·	·	·	·40	·30	·14	·	·	·		21
22	·55	·25	·	·	·	·	·	·	·	·10	·42	·		22
23	·07	·10	·	·35	·	·	·45	·	·	·35	·40	·		23
24	·	·	·06	·20	·	·	·10	·	·	·40	·	·		24
25	·45	·	·	·02	·	·	·20	·	·	·15	·	·02		25
26	·02	·12	·	·05	·	·	·	·	·	·08	·39	·		26
27	·	·18	·09	·	·	·06	·30	·05	·	·03	·24	·03		27
28	·	·20	·18	·	·	·	·50	·	·	·	·35	·		28
29	·	·	·	·	·	·03	·	1·00	·	·07	·11	·		29
30	·	×	·	·35	·	·30	1·10	·	·	·	·15	·		30
31	·	×	·	×	·	×	·	·06	×	·	×	·		31
TOTAL	~~5·58~~ 5·28	1·44	1·46	2·08	1·25	1·87	6·25	3·07	·59	4·10	4·61	1·77	Year's Total 33·77	
* Days with .01 in. or more.	~~18~~ 21	~~11~~ 12	~~12~~ 13	~~11~~ 15	~~5~~ 6	~~10~~ 11	~~19~~ 23	~~13~~ 15	~~5~~ 6	~~18~~ 21	~~19~~ 22	~~10~~ 12	~~151~~ 177	
* Days with .04 in. or more.	~~17~~ 20	~~11~~ 12	10	~~9~~ 11	~~5~~ 6	9	~~19~~ 22	~~11~~ 10	4	17	~~18~~ 20	6	~~136~~ 147	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) FOR F. EVERITT

[P.T.O.

33

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2309

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~~~1~~0.

Kept at Cheswardine, Knighton Res.

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, ~~Sea Level~~ Ord. Datum 351 ft.

TRAVELLING FORM.

VALUES FORWARDED

Acce

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	NOT TAKEN	·	·06	·	-	-	·	-	·	·55			1
2	·	-do-	·	·26	·	-	-	·	-	·	x	·12x		2
3	·	(·50) -do-	·	·06	·	-	-	·	=	·17	x ·50	·15 x		3
4	·	x -do-	·	·04		-	·03	·	-	·16	·75	· x		4
5	·	·	·	-	x ·08	-	·05	·	-		·27	·		5
6	x	·25	·	·03	·	-	x	·	-	x ·90	·24	·		6
7	✓	·20	·	✓	·05	-	·30	·	-	·06	·	·		7
8	·	·	·	·02	·	-	·	·		·21	·	·32x		8
9	·	·	x	-	·	-	·45	·10	·03	·05	x	·28		9
10	·		x ·38	-	·	·09	·41		·04	·	·87x	·16		10
11	·	·	·05	·09	·	·04	·25	·	·	·	·56	·14		11
12	~~·~~		~~·04~~	~~—~~	·	-	·35	·05	·10		·	·		12
13	·	·	·23		·	-	x	·03	·14	·	·	·		13
14	·	·	·06	·16x	·10	-	·36	·06	·0x	·11	~~·06~~	x		14
15	·	·	·15	·06	·60	-	·	·	x ·06	·	·06	·40		15
16	✓	·	x	·10	·	-	·10	·	·50	·65	x	·		16
17	·	x (·20)	x ·10	·	·13	-	·18		·		x 1·95	·		17
18	x	x ·45	·14	·55	·	-	·	·12x	·20		·08	·		18
19	·	x ·35	·05	·10	·	-	·12	·	·38		·18	·		19
20	·	·03	·		·	-	·x	·x	·15	x ·35	-	·		20
21	·	·10	·	·05x	·14	·65	x ·58	x		·03	1·06	·		21
22	·	·04	·08	·	·30	x	·	·x	·10x	·		·		22
23	·	·16	x	·25	·10	·10	·	·	·	·	✓	·		23
24	·		·15	·	·	-	·	·	·	·	·04	·		24
25		·	·	·	·	-	·18	·	·			·		25
26	x ·60	·06	·10	·32	x ·06	-	·12	·	·	·	·	·		26
27	Not taken	·07	·	x	·08	-	x	·	·	·	·11	·		27
28	x "	·14		·10	·60	-	·10	·	·	·	·	·		28
29	"	·	x16	·18	·	x	·	·	·	·	·	·51x		29
30	"	✕		·44	·01	·20	·	·	·	·19	·	·06		30
31	x	✕	x ·20	✕	·	✕	·	·	✕	·90	✕	·04		31
TOTAL	(2·60) ~~·60~~	2·55 ~~1·85~~	2·49	2·87	2·28	1·08	3·64	·36	1·65	3·78	7·22	2·18	Year's Total 30·00	32·70
* Days with .01 in. or more.	8 ~~x~~	14 ~~11~~	~~14~~ 16	18	12	5	~~15~~ 16	~~5~~ 8	~~10~~ 11	12	~~14~~ 17	~~10~~ 11	~~127~~ "	"d"
* Days with .04 in. or more.	6 x	13 ~~10~~	~~14~~ 16	16.	12	5	~~14~~ 15	~~4~~ 7	~~9~~ 10	11	~~14~~ 16	~~10~~ 11	120	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

FOR F. EVERITT

(*Signed*) .... [P.T.O.

2309/5

WEM SENIOR SCHOOL
SHROPSHIRE
1933 - 40

Section **A** for the entr
AIR MINI

a No. 2309/5
GANIZATION.

Shropshire/4

FORM 1090.

REG

Kept at X Wem (S

in the County of S

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level 260 ft.

print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	✗	.12	.02	–	–	–	–	–	–	–	.05	–		1
2	✗	–	.28	–	.05	–	–	–	–	–	.02	–		2
3	✗	–	✗	.13	.07	–	–	–	–	–	–	–		3
4	✗	–	✓.18	–	–	–	–	–	–	–	–	–		4
5	✗.14	.14	✗	–	✓	–	–	–	–	–	.03	–		5
6	✓	.43	–	–	✗.17	–	–	–	–		.03	–		6
7	✗	.18	–	–	–	–		–	–	.67✗	–	–		7
8	✗	.02	.30	–	.03	–	.7✗	–	–		–			8
9	–	–	–	–	.04	–	✗	–	–	.56	.14	.04		9
10	.04	–	–	–	–	–	.19	–	–	1.8				10
11	.03	–	–	–	–	–	.23	–	–	.01	.2	–		11
12	–	.05	–			–	–	–	–	.02		.18		12
13	–	–	–		.12✗	–	–	–	–		–	.03		13
14	.01	–	.02			–	–	.04	–	.34	–	–		14
15	.12	–	.24		–	–	–	–	–		.27	–		15
16	.03	–	–		–	–	–	–	–	.12	.11	–		16
17	.04	–	✗	.27	–	–	–	–	.04	–	✗	–		17
18	.05	–	1.42		–	.29	–	–	–	–	.21✓	–		18
19	–	.18	✗		–	–	–	–	.12	–	✗	–		19
20	–	–	.12		–	.09	–	–	.22	–	–	–		20
21	–	–	–		–	.40	–	–	–	–	–	–		21
22	–	–	–		.2	–	–	–		.02	.03	–		22
23	–	–	–	–	.02	✗	–	.04	✗.21	–	–			23
24	–	✗	–	–	.09	.53✗	–	–	✗	.06	–	.19		24
25	–	1.36	–	.1	–	–	–	–	.05	–	–	✗		25
26	–	✗	–	.17	–	–	–	–	.01	–	–			26
27	–	–	–	.06	–	–	.25	–	.32	–	–	–		27
28	–	.02	–	✗	–	–	–	–	–	–	–	–		28
29	–		–	.21✓	–	–	–	.05	–	–	–	–		29
30	.14	×	–	✗	–	–	–	–	–	–	–	.2		30
31	.11	×	–	×	–	×	–	–	×	.42	×	–		31
TOTAL	1.71	2.5	2.28	.94	.79	1.31	1.37	.13	.97	4.02	1.09	.64	Year's Total 17.75	Print
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

40-9999
*See Instruction 2 (*f*) on other side.

Ⓠ N

† Spare column, no entries required.

(*Signed*) Thomas F. Chard
X THE HEADMASTER X

[P.T.O.

COPY FOR

Section **A** for the entry of Daily Observations. No. 2309/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Shropshire/14

Kept at X Wem (Senior ~~Council~~ Schools) X 2307

in the County of Shropshire.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 8" ~~ft~~ ~~in.~~

,, Ground ,, Sea Level 260 ft.

Days.

OK print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	✗	·12	·02	–	–	–	–	–	–	–	·05	–		1
2	✗	–	·28	–	·05	–	–	–	–	–	·02	–		2
3	✗	–	✗	·13	·07	–	–	–	–	–	–	–		3
4	✗	–	✓·18	–	–	–	–	–	–	–	–	–		4
5	✗ 1·14	·14	✗	–	✓	–	–	–	–	–	·03	–		5
6	✓	·43	–	–	✗·17	–	–	–	–		·03	–		6
7	✗	·18	–	–	–	–		–	–	·67✗	–	–		7
8	✗	·02	·30	–	·03	–	·7✗	–	–		–			8
9	–	–	–	–	·04	–	✗	–	–	·56	·14	·04		9
10	·04	–	–	–	–	–	·19	–	–	1·8				10
11	·03	–	–	–	–	–	·23	–	–	·01	·2	–		11
12	–	·05	–			–	–	–	–	·02		·18		12
13	–	–	–		·12✗	–	–	–	–		–	·03		13
14	·01	–	·02			–	–	·04	–	·34	–	–		14
15	·12	–	·24		–	–	–	–	–		·27	–		15
16	·03	–	–		–	–	–	–	–	·12	·11	–		16
17	·04	–	✗	·27	–	–	–	–	·04	–	✗	–		17
18	·05	–	1·12		–	·29	–	–	–	–	·21✓	–		18
19	–	·18	✗		–	–	–	–	·12	–	✗	–		19
20	–	–	·12		–	·09	–	–	·22	–	–	–		20
21	–	–	–		–	·40	–	–	–	–	–	–		21
22	–	–	–		·2	–	–	–		·02	·03	–		22
23	–	–	–	–	·02	✗	–	·04	✗·21	–	–			23
24	–	✗	–	–	·09	·53✗	–	–	✗	·06	–	·19		24
25	–	1·36	–	·1	–	–	–	–	·05	–	–	✗		25
26	–	✗	–	·17	–	–	–	–	·01	–	–			26
27	–	–	–	·06	–	–	·25	–	·32	–	–	–		27
28	–	·02	–	✗	–	–	–	–	–	–	–	–		28
29	–		–	·21	–	–	–	·05	–	–	–	–		29
30	·14	X	–	✗	–	–	–	–	–	–	–	·2		30
31	·11	X	–	X	–	X	–	–	X	·42	X	–		31
TOTAL	1·71	2·5	2·28	·94	·79	1·31	1·37	·13	·97	4·02	1·09	·64	Year's Total 17·75	Print
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Thomas F. Chard.

X THE HEADMASTER X

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2309/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Senior School, Wem,

in the County of Salop

Diameter of Funnel of Gauge..............in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	·12	·06	·30	·50	·14		1
2	·04	—	·08	—	—	—	—	—	·20	—	—	·14		2
3	·10	—	—	—	—	—	—	·30	—	·10	—	·09		3
4	·25	—	—	—	—	—	—	·04	·08	·48	·07	·40		4
5	·04	—	·24	—	·09	—	—	—	—	—	·08	·05		5
6	·04	—	·03	—	·50	—	—	·83	—	·10	—	·40		6
7	—	·02	—	—	·02	—	—	·04	—	·11	·03	·20		7
8	—	—	—	—	·15	—	—	—	—	—	·16	·27		8
9	—	—	·15	·02	—	—	—	·04	·01	—	—	—		9
10	·04	—	—	·30	—	—	—	·20	—	—	·30	·20		10
11	·58	—	·31	·33	—	—	·02	·20	—	—	·30	—		11
12	—	·02	·02	·07	—	—	·02	·30	—	—	—	—		12
13	·50	—	—	—	—	—	·35	·02	—	·15	—	—		13
14	·25	—	—	—	—	·03	·35	—	—	·07	·19	—		14
15	·07	—	·28	—	·13	—	·05	·07	—	·27	·18	·45		15
16	·18	—	·3	·03	·04	—	—	—	—	·02	—	·14		16
17	·15	—	—	·08	·13	—	·02	—	·27	·04	—	·22		17
18	·13	—	—	·19	—	—	—	·04	—	—	—	·15		18
19	·04	—	·1	·04	·12	·09	—	·02	·04	—	—	—		19
20	—	—	·07	—	—	—	—	—	·04	—	—	—		20
21	—	—	—	—	—	·11	—	·06	—	·15	—	—		21
22	·04	—	·08	·06	·03	—	—	·04	—	·14	·05	·05		22
23	—	—	·06	·22	—	·20	—	·05	·33	·04	·02	·02		23
24	—	·08	—	—	—	·15	—	—	·06	·02	—	—		24
25	·02	·10	—	·12	·03	·10	—	—	·05	·33	—	—		25
26	—	·08	·04	·37	—	·12	—	—	·07	·15	—	·45		26
27	—	—	—	·15	—	·04	—	—	·07	·15	—	·4		27
28	—	—	—	·15	—	·04	—	·04	—	—	—	·94		28
29	—	—	—	—	—	—	·20	—	·25	—	·03	·05		29
30	·13	×	—	—	—	—	·03	—	·05	·17	—	·35		30
31	—	×	—	×	—	×	—	·32	×	·44	×	·25		31
TOTAL	2·60	·30	1·76	2·13	1·24	·88	1·04	2·73	1·58	3·23	1·91	5·36	Year's Total 24·76	
*Days with ·01 in. or more.	17	3	13	14	10	9	8	18	14	19	12	21	160	
*Days with ·04 in. or more.	16	3	11	12	7	8	4	16	13	17	9	20	136	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Thomas J. Chard

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 2309/65

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wem Senior School

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	—	—	—	—	—	·13	—	·06	·25	·05	·05		1
2	—	—	—	·1	—	—	—	—	—	·11	·07	·61		2
3	—	·3	·3	—	—	·1	—	—	—	·1	·15	·09		3
4	—	—	—	—	—	·55	—	—	—	·25	·02	—		4
5	—	·25	·17	—	—	·35	—	—	—	·37	·12	—		5
6	—	—	—	·5	—	·68	—	—	—	·2	·07	·1		6
7	—	—	—	·15	—	·27	—	—	—	·1	·1	·15		7
8	—	—	—	·2	—	—	·3	·01	—	·16	·1	·19		8
9	·08	—	—	·15	—	—	·05	—	—	·74	·15	—		9
10	·02	·02	—	—	—	—	—	—	—	·01	·15	·05		10
11	—	—	—	—	—	—	—	·11	—	—	·02	—		11
12	·3	—	—	—	—	—	—	—	—	—	—	—		12
13	·22	—	—	·15	·1	·2	—	—	·04	—	·1	·12		13
14	—	·11	—	·54	—	·2	—	—	·2	—	·82	—		14
15	—	—	—	·07	—	·2	—	—	·24	—	·35	—		15
16	—	—	—	·02	·1	·28	—	—	—	—	·4	—		16
17	—	—	·09	·15	·26	·35	·06	·3	·2	—	1·	·05		17
18	—	—	—	·1	·2	·03	·07	·2	·21	·2	·09	·15		18
19	—	—	—	·2	~~3~~	·3	·05	—	—	·1	·2	·1		19
20	—	·25	—	·06	—	·02	—	—	—	·1	—	·05		20
21	—	1·	—	—	—	—	—	—	·17	·03	—	—		21
22	—	—	—	·05	—	—	·2	—	·17	·3	—	·12		22
23	—	·4	—	—	—	—	·07	·1	·04	·3	·01	·11		23
24	·19	·25	·26	—	—	—	—	—	1·	·1	—	·12		24
25	—	·06	—	·19	—	—	—	·5	·04	·1	·01	·25		25
26	—	—	—	—	—	·06	—	·25	·36	—	·05	·09		26
27	·3	—	—	—	—	—	—	·02	·3	·03	·01	·16		27
28	·05	—	—	—	—	—	—	·28	·26	·03	·1	·15		28
29	—	—	—	—	—	·05	—	·1	·4	·04	·15	·07		29
30	·04	×	—	—	—	·05	—	—	·19	·55	·16	·15		30
31	—	×	—	×	—	×	—	—	×	·4	×	·06		31
TOTAL	1·39	2·64	·82	2·73	·66	3·69	·93	1·87	4·16	4·57	4·43	2·98	Year's Total. 30·87	
* Days with .01 in. or more.	9	9	4	15	4	16	8	10	16	23	25	22	161	
* Days with .04 in. or more.	8	8	4	14	4	14	8	8	16	19	20	22	145	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Thomas G. Chard

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2309/15

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Wem Senior C. School

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 8 ft. 6 in. 0/9

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·15	·4	·09	–	·12	–	·32	–	–	·45	–		1
2	·15	·15	–	·17	–	·03	·4	–	·03	–	·35	–		2
3	–	·24	–	–	–	·1	–	–	1·15	–	–	–		3
4	·05	–	·12	–	–	·22	–	·01	·1	–	·25	–		4
5	·07	–	–	–	–	–	–	·11	·15	–	–	·2		5
6	·12	–	–	–	·02	·06	·18	·28	·2	–	·22	·2		6
7	·09	–	–	–	–	–	·66	–	–	–	·25	·1		7
8	·29	–	·1	–	–	–	–	–	·5	–	·25	·01		8
9	·24	·1	·2	·05	–	–	·2	·02	·3	–	·25	·01		9
10	–	–	·09	·05	–	–	·5	–	·4	–	–	–		10
11	–	–	–	–	–	·12	·24	·04	·25	·02	·62	·4		11
12	–	–	–	·09	·17	·1	–	–	·55	–	·3	·25		12
13	–	–	–	·15	–	·25	·04	–	·2	–	·1	·25		13
14	–	–	–	–	–	·12	–	–	·75	–	·2	·3		14
15	–	–	–	·05	·07	·19	·1	·05	–	–	·15	·08		15
16	–	·14	–	·15	·45	–	·06	·03	–	–	·23	·06		16
17	·2	·37	–	·05	·15	–	–	–	–	·06	·01	·08		17
18	·15	–	–	–	–	–	·13	–	–	·05	–	–		18
19	·15	·04	·02	–	–	·11	·14	·03	–	·22	–	–		19
20	·2	·27	·05	·1	–	·31	–	–	–	–	–	·05		20
21	–	–	·05	·38	–	·16	·19	–	–	–	–	–		21
22	–	·21	·05	·1	·02	–	·32	·02	–	·1	–	–		22
23	–	·2	1·64	·13	–	–	–	–	–	·15	–	·15		23
24	·1	–	·08	–	–	–	–	–	·26	·15	–	–		24
25	·25	–	·08	·53	–	–	–	–	·2	·05	–	–		25
26	·1	·18	·15	·53	–	–	–	–	·4	–	–	–		26
27	–	–	·13	–	–	–	–	–	·25	·05	–	–		27
28	–	·1	–	·05	–	·15	·08	–	–	·08	–	·47		28
29	–	·2	·2	–	–	·14	–	–	–	·01	·1	–		29
30	·05	✕	–	–	·1	–	·39	–	–	·25	–	–		30
31	·2	✕	·11	✕	–	✕	–	–	✕	·25	✕	·25		31
TOTAL	2·41	2·35	3·47	2·67	·98	2·18	3·63	·91	5·69	1·44	3·73	2·85	Year's Total 32·31	✓
* Days with .01 in. or more.	16	13	16	16	7	15	15	10	16	13	15	16	168	✓ 2 days low
* Days with .04 in. or more.	16	13	15	16	5	15	15	5	15	11	14	14	154	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Thomas J. Chew [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2309/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Senior School, Wem,

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 265 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·12	·01	–	–	–	–	–	·18	·06	–	·06		1
2	–	·18	·01	·05	–	–	–	–	–	–	–	·50		2
3	–	·10	–	·07	–	–	–	–	–	–	–	–		3
4	–	·08	–	–	–	–	·11	·06	–	~~·32~~	–	·50		4
5	–	–	–	·02	·30	–	–	–	–	~~·37~~	–	·06		5
6	–	–	·05	·10	·03	–	·04	–	–	–	–	·02		6
7	–	·60	·06	·17	–	·07	–	–	·02	–	–	–		7
8	·03	·20	–	·01	–	·11	–	–	·01	–	·31	–		8
9	–	·01	–	·01	–	–	·07	–	·02	–	–	–		9
10	–	·10	·20	–	–	·07	·15	–	–	–	–	–		10
11	–	·01	·05	–	·30	·10	·05	–	–	–	·04	–		11
12	–	–	·10	–	–	·90	·01	·14	·15	–	–	·50		12
13	–	·10	·15	·05	·20	·26	–	·42	·07	–	–	–		13
14	·01	·10	·05	–	·20	–	–	·22	·04	–	·05	·30		14
15	–	·25	–	·29	·10	–	·50	·16	·05	–	–	–		15
16	·02	·04	·25	·10	–	–	–	–	·02	–	–	–		16
17	–	·10	–	·20	–	·07	–	–	·50	–	–	–		17
18	·32	·10	–	·06	–	–	·35	–	·30	–	–	–		18
19	1·10	·10	·40	·11	–	–	·04	–	·03	–	–	–		19
20	–	·10	·18	·31	–	·10	–	–	·01	–	–	–		20
21	·16	·08	·15	·03	·04	–	·11	–	–	·06	–	·12		21
22	·15	·35	·05	–	–	–	·03	–	–	·5	·10	·04		22
23	·1	·01	·20	–	–	–	·26	–	–	·4	·21	–		23
24	·13	·40	–	–	·20	–	·02	–	·04	·4	–	–		24
25	·02	·30	–	–	·02	–	–	–	·04	·23	–	–		25
26	·01	·45	·05	–	·30	–	–	–	·04	·74	–	·02		26
27	–	·45	–	–	·02	–	–	–	–	·30	–	·04		27
28	–	·10	–	·20	·02	–	–	–	–	·30	–	·02		28
29	–	✕	–	–	–	·03	–	–	–	·30	·05	–		29
30	·15	✕	–	–	–	–	–	–	–	–	·04	–		30
31	·15	✕	–	✕	–	✕	–	–	✕	–	✕	–		31
TOTAL	2·60	4·43	1·88	1·78	1·75	1·71	1·74	1·00	1·53	3·29	·80	2·18	Year's Total 24·69	✓ ✓
* Days with .01 in. or more.	14	25	16	16	12	9	13	5	16	10	7	12	~~155~~	✓ ✓
* Days with .04 in. or more.	9	22	14	12	9	8	10	5	11	10	7	9	12~~4~~6	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Thomas F. Chard

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2309/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Wem Senior School

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 265 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	·85	–	–	–	·3	–	·27		1
2	·02	–	·01	·05	–	·08	–	–	–	·3	·02	·17		2
3	·03	–	–	·04	–	·02	·02	–	·02	·78	·05	·01		3
4	·04	–	–	–	–	–	·04	5	–	·12	·04	·1		4
5	·02	–	–	–	–	–	–	·62	·06	·09	–	·2		5
6	–	·03	–	–	–	–	·35	–	·04	·13	–	·07		6
7	·1	–	–	–	–	–	·25	·3	·01	–	·01	·09		7
8	·04	·02	–	–	–	·05	·05	·71	–	–	–	·01		8
9	·2	·13	–	–	–	–	·1	–	–	·36	–	·2		9
10	·2	–	–	–	–	·3	·4	·35	–	·06	–	·2		10
11	·5	–	–	–	–	–	·14	·01	–	·02	–	·2		11
12	·37	–	–	–	·01	–	–	–	–	·22	·2	·2		12
13	·1	·02	–	–	·05	·06	–	–	–	·04	·26	·01		13
14	·04	–	–	–	·07	–	·38	·01	·1	–	·2	·17		14
15	·2	–	–	–	·03	–	·08	–	–	·08	·03	·28		15
16	·4	–	–	–	·09	–	·08	·01	–	·1	·03	·01		16
17	·4	–	–	–	–	–	·08	–	–	·1	·1	–		17
18	·05	–	–	–	·01	–	–	·01	·2	–	·01	–		18
19	–	–	–	–	–	–	–	·32	·13	–	·2	–		19
20	·07	–	·01	–	–	–	–	·02	·08	–	·1	–		20
21	–	–	–	–	–	·06	–	·1	·04	–	·12	·05		21
22	–	·01	–	·08	–	·02	–	·01	·04	–	·01	·17		22
23	–	·01	–	–	–	–	–	–	–	–	·43	–		23
24	·03	·02	–	–	·1	·01	·03	1·03	–	·01	·06	·08		24
25	–	·1	·16	–	·1	–	·05	·01	–	·05	·5	–		25
26	·05	·1	–	–	·02	·03	–	–	·16	·42	–	–		26
27	·05	·15	–	–	·55	·15	·03	·02	·02	·46	·04	·16		27
28	·04	·02	–	–	·5	·8	·01	·04	–	–	·5	·09		28
29	·3	–	–	–	·4	·01	·02	–	·04	–	–	·04		29
30	·16	✕	–	–	–	·01	–	–	·01	·09	·08	·07		30
31	·13	✕	–	✕	·26	✕	–	–	✕	·2	✕	·05		31
TOTAL	3·51	·61	·18	·17	2·19	2·45	2·11	4·07	·95	3·93	2·99	2·90	Year's Total 26·06	✓
* Days with .01 in. or more.	24	11	3	3	13	14	17	17	14	20	21	24	181	✓
* Days with .04 in. or more.	21	4	1	3	9	8	12	9	10	18	15	20	1~~4~~30	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Thomas J. Chard

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2309/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Wem

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ~~ft.~~ 9 in.

,, Ground ,, Sea Level 260 ft.

april & may totals adjusted by surrounding stations

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·1 x	–	·07	– x	– ✓	–	–	– x	– ✓	–	✓·10	·11		1
2	– x	–	·01	·29 x	–	–	·07	·31 x	·1 x	–	✓–	·11		2
3	–	–	–	·24	–	–	–	·14	·1	–	x	x		3
4	–	–	·26	·34	– ✓	–	·05	–	–	·03	x	·33 x		4
5	–	·01	–	·15	~~·17~~ ·03	–	·17	·06	–	–	– x	– x		5
6	·25	·11	–	–	·25	–	·20	–	–	x	·33 x	–		6
7	·24	·12	·1	–	·05	–	x	·15	–	·14	·12	·36		7
8	·01	·64	–	–	–	–	·25 x	x –	–	–	·20	·11		8
9	–	·05	·36	–	–	–	·25	·35 x	·11	·03	·39	·11		9
10	·02	–	x	–	–	–	–	✓–	–	·19	–	·11		10
11	·45	·1	·35 x	–	–	x	–	–	·01	·13	–	–		11
12	·13	·1	–	–	–	·11 x	–	–	·02	·25	–	–		12
13	–	–	–	·2	·04	·3	·23	–	–	–	–	–		13
14	– x	–	–	·05	·3	·05	·05	–	·03	–	·17	–		14
15	– x	–	–	–	·03	·3	·25	–	–	–	·09	–		15
16	·4 x	–	·01	·02	·32	·46	·30	–	–	x	·08	–		16
17	·48	x –	·06	–	–	✓	·05	–	–	x	·28	–		17
18	·39	·11 x	–	–	–	x	·22	–	–	1·11 x	·28	–		18
19	·31	–	·06	–	–	– ✓	·75	–	–	·09	·26	–		19
20	·3	–	–	–	–	·16 x	x –	·03	–	–	·02	–		20
21	·01	·32	·15	x –	–	–	·41 x	·13	·02	·01	–	–		21
22	·3	–	·03	✓·07	–	–	·15	–	·15	[illegible]	·53	–		22
23	·2	·21	–	·07	–	–	·09	–	–	·2	·30	–		23
24	·1	·05	–	·05	–	·01	·15	–	–	·2	·10	–		24
25	·2	x –	–	·07	–	–	·20	–	–	·09	·10	– ✓		25
26	·22	x –	–	·07	–	–	–	–	–	· x	·14	– x		26
27	–	1·16 x	·27	– –	–	·1	·14	✓–	–	– ✓	·15	– –		27
28	–	·06	·24	– –	–	–	·30	x	–	·05	·23	·28		28
29	–	–	–	(·14) x	–	– ✓	x	·37 x	–	–	·03	–		29
30	–	✕	–	– x	–	·1 x	·36 x	·03	–	·05	·11	–		30
31	–	✕	–	✕	–	✕	–	–	✕	·05	✕	·05		31
TOTAL	4·11	3·04	1·97	~~1·62~~ 1·76	~~1·16~~ 1·02	1·59	4·64	1·57	·54	2·60	4·01	1·67	Year's Total 28·42	✓
* Days with .01 in. or more.	~~18~~ 21	~~13~~ 16	~~13~~ 14	~~12~~ 16	~~7~~ 8	~~9~~ 14	~~21~~ 24	~~9~~ 14	~~8~~ 9	20 ~~16~~	~~21~~ 25	~~9~~ 12	~~156~~ 193	✓
* Days with .04 in. or more.	~~15~~ 18	~~12~~ 14	~~10~~ 11	~~11~~ 14	~~6~~ 5	~~7~~ 10	~~21~~ 24	~~7~~ 10	5	15 ~~12~~	~~19~~ 21	~~9~~ 11	~~128~~ 158	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Thomas J. Chard

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2309/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Wem Senior School

in the County of Shropshire

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 260 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·05	–	–	–	–	–	–	·5	·02		1
2	–	–	–	·15	–	–	–	–	–	–	·55	·1		2
3	–	·1	–	·05	–	–	·02	–	–	·14	·2	·05		3
4	–	·1	–	·05	–	–	–	–	–	·1	·26	·04		4
5	–	·12	–	–	·11	–	·02	·01	·01	·4	·41	·06		5
6	·08	·4	–	–	–	–	·08	–	–	·8	·14	–		6
7	–	–	–	·03	·03	–	·08	–	–	·21	T	·08		7
8	–	–	–	–	–	–	–	–	·16	·11	–	–		8
9	–	–	·17	·05	–	–	·82	·03	·04	·4	·7	·26		9
10	–	–	·3	–	–	·03	·85	·01	T	·02	·32	·04		10
11	–	–	–	–	–	·07	·1	–	·08	–	·65	·15		11
12	–	·02	·08	–	–	·1	·2	·01	–	–	·03	–		12
13	–	·04	·33	·06	–	–	–	–	·1	–	–	–		13
14	–	–	·14	·08	·09	–	·08	–	·14	·04	–	·3		14
15	–	–	–	·43	·88	·05	–	–	·2	·04	–	–		15
16	–	·3	·25	·2	·04	–	·13	–	·42	·56	·67	·03		16
17	–	·1	·25	·03	T	–	·02	–	T	–	1·1	–		17
18	·15	·2	·36	·46	–	–	·01	·09	·57	–	–	·08		18
19	–	·53	·1	·16	–	–	·2	–	·09	–	·2	–		19
20	–	–	–	·06	–	–	·1	·03	·1	·26	·02	–		20
21	–	–	–	–	·17	·5	·1	·08	–	T	·97	–		21
22	–	·05	–	–	·33	·2	–	–	·05	–	–	–		22
23	–	–	–	·16	–	·07	–	–	·04	–	·04	–		23
24	–	–	–	–	–	–	–	–	–	T	–	–		24
25	·1	–	–	–	·09	·04	·11	–	–	–	–	–		25
26	·21	·3	–	–	·1	–	·3	–	–	–	·03	·02		26
27	·8	·07	·64	·11	·02	–	·25	–	·01	–	·6	–		27
28	·8	·25	–	–	·18	–	·1	–	–	–	·01	–		28
29	–	–	–	·3	–	·18	·04	–	–	–	–	·13		29
30	–	×	–	·67	–	–	–	–	–	·25	–	–		30
31	–	×	–	×	–	×	–	–	×	·8	×	·025		31
TOTAL	2·14	2·58	2·62	2·92	2·04	1·24	3·61	·26	2·01	4·13	7·40 ~~[illegible]~~	1·385	Year's Total 32·33 ✓	✓
* Days with .01 in. or more.	6	14	10	18	11	9	20	7	14	14	19	15	157	✓
* Days with .04 in. or more.	6	13	10	16	9	8	16	2	12	13	15	11	131 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Thomas

[P.T.O.

2310

Section **A** for the …
AIR M…

…PY FOR OFFICIAL USE.
…ORGANIZATION.

FORM 1090.

RE…

2310

CHESWARDINE, MARKET DRAYTON

1931-40

780405

Kept at Cheswardin…

in the County of S…

Diameter of Funnel of Gau…
Height of top of Gauge abov…
,, Ground ,,

THE MORNING … TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.15		.23			.10	.04			1
2		.13		.68	.26		.06	.01	.58	.10	.06	.07	2
3	Snow .22	.01		.02			.02		.78	.01	.72	.06	3
4	.01			.21			.16	.46	.50		.11		4
5		.11		.04	.13	1.21	.02	Thunder. .40	.06			.45	5
6		.23		.03	.02	.04	Thunder. .01	.03		.20	.29		6
7		.03				.36		.50		.06	.13		7
8	Snow. .09			.20		.07	.11	.90			.13		8
9	.10	.40		.09				.14			.25		9
10	.01	.01			.06	.04	.04	.13			.29	.04	10
11	.11	.36		.02		.10			.33		.06	.04	11
12	.02	.20					.50	.15	.23	.03	.08		12
13					.04		.04	.55					13
14		.11	.05		.20	Thunder .69	Thunder .42	1.15	.08		.62		14
15	.03	.16		.25	.10		.08	Thunder. .80	.04			.24	15
16	.05	Snow .10		.01	.34	.90	.04	.47	.19				16
17	.10	Snow. .04		Thunder. .36	.87	.02	.01		.02		.13		17
18	.12			.15	.04	.43	.18	.14	.05		.73		18
19	.15	.12		.01			.13	.45			.01		19
20	.01	.10	.10				.01	.31		.02	.05	.07	20
21	.43				.47			.01			.13		21
22	.10			.02	.12	.04		.10			.01		22
23	.15			.19	.45	.07	.48				.38	.37	23
24	.01	.01		.28	.28		.07				.14		24
25	.09	.08		1.04	.52		.11				.02	.05	25
26	.09			.14			.05				.50		26
27	.09	Snow .38		.05	.64		.04			.15	.31	.19	27
28	.11	.11 Snow.		.02	.36		.01			.15		.20	28
29	.03				.10		.36			.46			29
30		X		.10	.01		.01		.06			Snow. .02	30
31	Rain & Snow .26	X		X	.03	X	.02		X		X	Snow. .02	31
TOTAL	2.38	2.69	.15	4.36	4.54	4.20	2.98	6.70	3.02	1.22	5.15	1.82	YEAR'S TOTAL 39.21
*Days with ·01 in. or more.	23	19	2	22	20	13	25	18	13	10	22	13	200
*Days with ·04 in. or more.	16	15	2	16	16	12	17	15	12	7	19	11	158

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) R. C. Donaldson [illegible] P.T.O.

2310

Section **A** for the entry of Daily Observations. PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Cheswardine, Market Drayton.

in the County of Shropshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft. Six in.

,, Ground ,, Sea Level 530 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.15		.23			.10	.04			1
2		.13		.68	.26		.06	.01	.58	.10	.06	.07	2
3	Snow .22	.01		.02			.02		.78	.01	.72	.06	3
4	.01			.21			.16	.46	.50		.11		4
5		.11		.04	.13	1.21	.02	Thunder .40	.06			.45	5
6		.23		.03	.02	.04	Thunder .01	.03		.20	.29		6
7		.03				.36		.50		.06	.13		7
8	Snow .09			.20		.07	.11	.90			.13		8
9	.10	.40		.09				.14			.25		9
10	.01	.01			.06	.04	.04	.13			.29	.04	10
11	.11	.36		.02		.10			.33		.06	.04	11
12	.02	.20					.50	.15	.23	.03	.08		12
13					.04		.04	.55					13
14		.11	.05		.20	Thunder .69	Thunder .42	1.15	.08		.62		14
15	.03	.16		.25	.10		.08	Thunder. .80	.04			.24	15
16	.05	Snow .10		.31	.34	.90	.04	.47	.19				16
17	.10	Snow. .04		Thunder. .36	.87	.02	.01		.02		.13		17
18	.12			.15	.04	.43	.18	.14	.05		.73		18
19	.15	.12		.01			.13	.45			.01		19
20	.01	.10	.10				.01	.31		.02	.05	.07	20
21	.43				.47			.01			.13		21
22	.10			.02	.12	.04		.10			.01		22
23	.15			.19	.45	.07	.48				.38	.37	23
24	.01	.01		.28	.28		.07				.14		24
25	.09	.08		1.04	.02		.11				.02	.05	25
26	.09			.14			.05				.50		26
27	.09	Snow .38		.05	.64		.04			.15	.31	.19	27
28	.11	.11 Snow		.02	.36		.01			.15		.20	28
29	.03				.10		.36			.46			29
30		✕		.10	.01		.01		.06			Snow. .02	30
31	Rain & Snow .26	✕		✕	.03	✕	.02		✕		✕	Snow. .02	31
TOTAL	2.38	2.69	.15	4.36	4.54	4.20	2.98	6.70	3.02	1.22	5.15	1.82	YEAR'S TOTAL 39.21
*Days with ·01 in. or more.	23	19	2	22	20	13	25	18	13	10	22	13	200
*Days with ·04 in. or more.	16	15	2	16	16	12	17	15	12	7	19	11	158

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R C Donaldson Hudson

P.T.O.

2310

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2310.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Cheswardine, Market Drayton.
in the County of Shropshire.

Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground One ft Six in.
,, Ground ,, Sea Level 530 ft.

See Jan 1–16th. falls evidently missed

906 sent suggesting 2.75 inches for Jan 1st–16th (see surrounding stations)
Observer sends actual readings & regrets omission. Plush 23/3/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.03	–	.15	.42	.01	.02	.17	.13	.01	.04	.06	1
2	.07	.01	–	.05	.26	–	–	.06	.08	.16	.01	.17	2
3	–	.03	–	.62	.02	–	.44	–	.04	.15	–	.06	3
4	.06	.01	–	.21	–	–	.02	.01	–	–	.27	.01	4
5	.55	–	.09	.11	.14	–	.05	–	.13	–	–	.02	5
6	.52	–	.02	.16	.01	–	.01	–	.07	.01	–	–	6
7	–	–	.15	.13	–	–	.01	–	.14	.61	–	–	7
8	.02	–	–	.06	–	–	–	–	.03	.23	–	–	8
9	.33	–	–	.04	–	–	–	–	–	–	–	–	9
10	.20	.04	.01	.06	.04	–	–	–	.20	.43	–	–	10
11	.02	–	–	.08	.24	–	.42	.01	–	.08	.02	–	11
12	.27	–	–	–	.15	–	.24	–	.16	.22	.02	–	12
13	.03	.01	–	–	.04	–	1.30	.19	.02	.20	.03	.10	13
14	.24	–	–	.08	–	–	.05	.23	–	.17	.16	–	14
15	.02	–	–	.01	.55	–	.03	–	–	.02	–	.03	15
16	.40	–	–	.01	.08	–	.50	–	–	–	–	–	16
17	–	–	–	–	–	–	.30	–	.09	.04	–	–	17
18	–	–	–	–	–	–	–	–	.04	–	.07	–	18
19	–	–	–	.03	.15	–	–	–	–	.22	–	–	19
20	–	–	–	.04	.44	–	.01	.89	–	.31	.19	–	20
21	–	–	.32	.19	.50	–	–	.22	–	.34	.09	.03	21
22	–	–	.37	.11	.57	–	.42	–	.36	.18	.39	.03	22
23	–	.02	–	.01	.75	–	.08	–	.02	.11	.04	–	23
24	.10	–	–	–	.01	–	.09	–	.07	–	.44	.04	24
25	–	.01	–	–	–	.10	.04	–	.02	.24	.07	–	25
26	–	–	.07	.25	.28	–	.03	–	.06	.02	.04	–	26
27	.01	–	.30	.32	.31	–	.23	–	–	–	.12	.05	27
28	–	–	.26	.14	.38	.03	.20	–	–	–	.02	–	28
29	–	–	.13	.23	.08	.10	.05	.18	.13	.38	.10	.18	29
30	.01	X	.22	.21	–	.27	.01	.12	.04	.40	.27	.08	30
31	.01	X	.08	X	–	X	.34	–	X	.02	X	–	31
TOTAL	2.89 ~~.15~~	.16	2.02	3.30	5.42	.51	3.89	2.08	1.83	4.55	2.39	.86	YEAR'S TOTAL 29.99
*Days with ·01 in. or more.	~~4~~ 18	8.	12.	24.	21.	5	24	10.	19.	.23.	19	13	196
*Days with .04 in. or more.	~~2~~ 10	1.	10.	20.	18.	3.	16.	8.	15.	18.	14	8.	141

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) R. C. Donaldson Hudson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2310 ~~2310~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Cheswardine, Market Drayton

in the County of Shropshire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft Six in.

,, Ground ,, Sea Level 530 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.14	.21	.02						.02		.02			1
2	.35		.22		.04	.1			.01		.01			2
3	.12	.18	.07		.09									3
4	.12	.02	.01		.19									4
5	.15	.01	.03		.01						.03			5
6	.01	.54	.01		.25						.01			6
7	.13	.3	.09					.03						7
8	.04	.01	.31	.05	.04	.43	.23			.56				8
9		.01			.07		.55			.75	.15			9
10	.06	.14			.02		.06			2.03	.13			10
11	.02				.01		.08			.01		.08		11
12	.02					.01				.03				12
13					.15		.2	.03		.21	.43			13
14	.1						.01	.12		.08	.15			14
15	.27		.01				.32	.15		.2	.21			15
16	SNOW .16	.02	.33		.09	.08		.01		.13				16
17	SNOW .06		.51			.29	.02		.09	.1	.04			17
18	SNOW .04	.01	.07			.18					.01			18
19		SNOW .03	.44			.01	.05		.06		.08			19
20		SNOW .03	.17			.05		.04	.12		.01			20
21						.85		.64			.01			21
22					.18	.1		.24		.19				22
23				.22		.09				.12				23
24		SNOW .55		.15	.08	.37			.15	.02				24
25		SNOW .3		.13								.1		25
26		SNOW & R. .55		.18	.06	.02				.22		.02		26
27		.01		.01	.22				.45	.02				27
28				.1			.01			.05		.01		28
29				.02			.35			.01				29
30	SNOW .08	×	.03	.1			.13			.01		.2		30
31	SNOW .07	×	.32 HAIL	×		×	.01		×	.4	×			31
TOTAL	1.91	2.92	2.64	.96	1.48	2.58	2.02	1.26	.9	5.04	1.29	.41	Year's Total 23.41	
*Days with ·01 in. or more.	18	17	16	9	15	13	13	8	7	18	14	5	153	
*Days with .04 in. or more.	15	8	10	7	12	10	9	5	5	12	7	3	103	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) R. C. [illegible]

[P.T.O.

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193....

At Cheswardine, Market Drayton.
In the County of Shropshire.

Rain Gauge
Diameter of Funnel Five in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level 530 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with ·01 in.	·04 in.

C Particulars of Station.

M.O. 7.
1934

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Lt Col. R.C.Donaldson-Hudson, D.S.O.
Cheswardine Hall, Market Drayton, Salop.

Hour of observation by the clock—in Winter 9.00 in Summer 8.00

Nearest Railway Station Market Drayton Distance 6 ~~miles~~ Direction from gauge NW

Nearest Parish Church at Cheswardine Distance 5200ft Direction from gauge SW

Nature of objects nearest to gauge	Brick Wall	Brick Wall.	Yew Hedge.	Brick Wall.
Heights of objects	15 ft.	22 ft.	12ft.	5½ft.
Distances ..	37 yds	44 yds	28 yds	50 yds

April.29th.	Thunder.4 p.m. Approx Distance. 2 miles.SE. Wind S.E. Warm and Showery.
May 23rd.	Local thunder and lightning. accompanied by rain. 7 tp 8.30 a.m. Temperature warm but open. Wind N.W. no change.
June. 8th.	Thunder 3 p.m. with repetitions. 10 miles S.E. finally working up to heavy thunder and rain about 5 p.m. lasting approximately 1 hour accompanied by lightning thavelling in a northerly direction and clearing about 6.30 to cooler conditions. Shade temperature 82 deg.
June 20th.	Thunder S.W. 12.30 to 1 p.m. approx distance 10 miles recurring N.E. about 2 p.m. travelling N approx distance 5 miles accompanied by light rain. Sun hot temperature mod erate. No change.
June 21st.	Heavy thunder rain arising from N.E. 11 a,M. with overhead thunder and lightning 11.15 to 12.45 recurring 2 p.m. 5 miles N.W. Travelling N to N.E. repitition as above Climax 3 to 4 with heavyv raind. Temperature no change.
June. 22	Thunder 11.15 a.m. 10 miles E. 2 p.m. 10 Miles N.E. 2- 5.30 p.m. recurring and mainly centered 10 miles E. 5.30 to 6.30 overhead thunder and Lightning accompanied by rain. Temperature no change, Sun hot.
July 7.	Thundery conditions prevailing.
July. 27th	Thunder 5 p.m. S.W. approx distance 10 miles travelling N. 6 p.m. sudden change in temperature from humid heat to strong and cool breese. Wind changing N.E. to S.W.
August 14.	Thunder S.E. to S.W. , 5 to 10 miles, 4 to 8 p.m. thundery conditiions generally with light showers temperature warm and close.
August. 20	Thunder 11 a.m. S.W and locally later. Temp. Cool and open.
August. 21	Thunder 11.40 approximately 2 miles N. with heavy overhead thunder and lightning. 12.30 accompanied by heavy rain and hail. Temp. Cool and open.

From Lt. Col. R.C. Donaldson Hudson. D.S.O.
st. 2310.

Mr Harlow, please
attach to return
(paste at corners)

ack. 3/2/34
1 return.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Cheswardine. Market Drayton.

in the County of Shropshire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft Six in.

,, Ground ,, Sea Level 530 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	S in. &R	in.	†	
1	.06							.06	.05	.23	.30	.34	1.04	1
2	.15		.08					.38	.18		.09	.09	.97	2
3					.02			.04	.02	.04	.05	.12	.29	3
4	.13		.03		.17			.04	.29	.10		.35	1.11	4
5			.11		.03						.07	.04	.25	5
6			.01	.02	.45			.72		.14		.30	1.64	6
7	.05					.01		.05		.17	.04	.14	.46	7
8			.07		.09	.03		.02	.01	.01	.42	.04	.69	8
9	.01		Snow .15	.02				.11	.01	.01	.59	.04	.94	9
10	.02		.14	.24				.08		.02	.09	.01	.60	10
11	.61		.02	.18				.12			.02	.23	1.18	11
12	.01		.07	.08			.01	.20		.04			.41	12
13	.68			.05	.02		.50	.03		.01		.02	1.31	13
14	.06		.23		.03					.46	.51	.07	1.36	14
15	.06		.15		.13			.04		.42	.19	.19	1.18	15
16	.16		.06		.01			.02		.17	.08	.01	.51	16
17	.07		R & S .18	.01	H.S.F .08		.22	.04	.36	.10	.01	.16	1.23	17
18	.14		.01	.16		.03		.01				.06	.41	18
19			.13		.07	.08		.01	.09	.03		.20	.61	19
20			.12	.07		.01				.04		.04	.28	20
21	.04					.11		.03	.08	.04	.02		.32	21
22	.03		.03	.03	.01	.02		.09	.23	.06		.25	.75	22
23			.08	.26	.01	.11	.05	.01		.02	.04	.02	.60	23
24		.40	.03	.02		.03			.14		.01	.01	.64	24
25	.03	.05		.10	.02				.04	.22		.31	.77	25
26			.10	.46		.22	.04		.06	.05		.02	.95	26
27	.01			.23		.11	.03		.08	.18	.01	.08	.73	27
28				.05		.04		.24	.17			.55	1.05	28
29							.36	.13	.27			.02	.78	29
30	.09	✗					.03	.07	.02	Snow .22		.16	.59	30
31		✗		✗		✗	.04		✗	Snow .32	✗	.47	.83	31
TOTAL	2.41	.45	1.80	1.98	1.14	.80	1.28	2.54	2.10	3.10	2.54	4.34	Year's Total 24.48	
*Days with ·01 in. or more.	19	2	20	16	14	12	9	23	17	24	17	29	202	
*Days with .04 in. or more.	13	2	14	11	6	6	6	16	13	18	12	22	139	

† Spare column, no entries required.

(*Signed*) R. C. Malcolm Hudson [P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

2310

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Cheswardine, Market Drayton.

in the County of Shropshire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft. Six in.

,, Ground ,, Sea Level 530 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22	.04							.07	.15	.01	.02		1
2		.02				.23	.04			.12	.09	.19		2
3	.04	.20	.04	R & H .12		.19			.01	.09	.13	.66		3
4		.02	.04	Snow. .24		.05			.04	.59	.01	.12		4
5		.24	.18	Snow .03		.19	.16			.01	.17	.02		5
6				.16		.24					.01	.01		6
7				.28		.16				.12	.18	.19		7
8				.15		.02				.12	.17	.07		8
9	Snow .04	.01		.16		.20				.67	.13			9
10		.01		.11						.01	.18			10
11	Snow .21	.04				.06					.07	.01		11
12	Snow .04	.01				.08			.01		.01			12
13	.19	.03		.03	.21	.11			.19		.04			13
14	.02			.03	R.H.S .06	.07			.13		1.11	Snow .16		14
15		.06		.46	.03				.24		.01	.33		15
16		.06	.14	.11			.05		.33	.15	.52	.04		16
17				.30	.03	.23	.07	.25	.07	.10	.86			17
18				.21	.23	.01	.10	.08	.18	.05				18
19				.38	.33	.50	.22		.01	.15	.24			19
20	02	.25		.38		.01	.18				.27			20
21		R & S .92							.60	.05	.01			21
22		.11	.11	.04					.03		.01			22
23	01	.04	.08		.03			.10	.08	.51		Snow .01		23
24	08	.42	.04	.01					.94	.02		Snow. .34		24
25	R & Sn. 23	Snow .19		.08		.32								25
26		Snow .11						1.06	.47	.01	Snow .01	.48		26
27		.05						.10	.20	.32	.23	.19		27
28		.06						.05	.15	..17		.04		28
29			.07					.04	.11	.02	.10	.02		29
30	.05	×	.02	.04		.09		.08	.17	.35	.25	.05		30
31	.01	×		×		×			×	.34	×	.20		31
TOTAL	1.16	2.89	.72	3.32	.92	2.76	.82	1.76	4.03	4.12	4.82	3.15	Year's Total. 30.47	
* Days with .01 in. or more.	13	21	9	20	7	18	7	8	20	22	25	20	190	
* Days with .04 in. or more.	9	15	8	16	4	15	7	8	16	17	17	14	146	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) R C Donaldson Hudson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Cheswardine Hall

in the County of Shropshire

Diameter of Funnel of Gauge 5in in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 530 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·14	·10	·55		·03		·36	·05		·24	·10		1
2	·45	·04	·02	·08		·44	·25	·04			·15	·03		2
3						·10		·03	·82		·35	·02		3
4	·02	·01	·14			THUNDER. ·50		·02	·14			·05		4
5	·15	·03	·08			·01	·04	·21	·07			R.S. ·06		5
6	·01				THUNDER ·15	·04	·06	·35	·09		·06	·12		6
7			·10				·33		·46		·07	·04		7
8	·23		·31						·03	·02	·32	·09		8
9	·18		·13			·03	·85	·01	·18		·04	FOG. ·02		9
10	·03		·01				·40		·03					10
11						·10	·20		·13	·01	·55	SNOW ·05		11
12				R.S. ·03	·09	·62	·70		·45	·04	·09	SNOW ·15		12
13				SNOW ·02		·09	·05		FOG. ·01	·11	·02	·40		13
14				R.S. ·07		·29	·04	·04	·64	·06	·11	·22		14
15	·20	·01		·02	·16	·13	·08	·03	·16		·46	·05		15
16	SNOW ·10	·09		R.S. ·07	·13		·05				·43			16
17		·41					·12	·11		·10	·04	·06		17
18		·08				·43	·24	·09		·06				18
19	SNOW. ·52	·16	·04	SNOW ·35		·06	·02	·05		·13				19
20		·11	·04				·03			·02		·04		20
21	SNOW. ·18			·14		·97	·01							21
22		·19	·03			·05	·28					·13		22
23		·03	·59	·11			·46			·03				23
24	·13	·05		·03			·05		·26	·44				24
25	·11			·18			·02		·45	·04				25
26	·01	·12	·27						·06	·04				26
27	·24		·05						·38	·06				27
28	·21	·09	·13	·01			·10			·08		·10		28
29	·03	·24	·06			·29	·04			·08	·09	·45		29
30	·19	X			·19		·34			·56	·05			30
31	·27	X	·06	X		X	·02	·03	X		X	·16		31
Total	3·40	1·80	2·15	1·66	·72	4·20	4·78	1·37	4·41	1·88	3·07	2·34	Year's Total 31·78	✓
* Days with .01 in. or more.	20	16	17	13	5	17	25	13	18	17	16	20	197	✓
* Days with .04 in. or more.	15	12	14	8	5	15	20	8	15	12	15	17	151	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) PER PRO. R. C. DONALDSON HUDSON.

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1[illegible]0

REGISTER OF RAINFALL IN 1937

Kept at Cheswardine Hall

in the County of Shropshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

150

400 TV

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·11	·08	·04	–			–	–	·07	·03	–	·41		1
2	–	·12	·02	·43	·45		–	–			–	1·08		2
3	–	·05	–	–	·11	·15	·05	–			–			3
4	·13	·15	–	–		·04	–	–			–	·85		4
5	·32	–	·12	–	·14		·01	–			–	·66		5
6	·23	–	·02	·09	·01		–	–			–			6
7	–	·68	–	·14		·07	–	–			–			7
8	–	·32	–	–		·03	·18	–	·04		·24			8
9	–	–	–	·01	·15		·49	–	·13		–			9
10	·01	·25	·23	–			–	–			–	·10		10
11	–	·03	·06	–	·42	·15	·03	–			·01	·25		11
12	·08	·38	·05	–	·14	·31	–	–	·25		–	·17		12
13	–	·01	–	·03	·01	·01	–	·45	·05		–			13
14	–	–	·35	–			–	·04	·03		·07	·26		14
15	–	·25	·06	·22			1·68	–	·16		–	·05		15
16	·09	·06	·41	·49			–	·26	·08		–			16
17	·06	·09	·16	·26	·02	·02	–	·03	·48		–			17
18	1·20	·08	·22	·01			·04	·05	·51		·51	·05		18
19	·02	·13	·05	·15		·09	·42	–			·05			19
20	·09	·02	–	·48	·69		·03	–	·02		–	·02		20
21	·06	·23	·08	·06	·01		·15	–		·04	–	·04		21
22	·04	·11	·21	–	·15		·28	–		·35	·23	·06		22
23	·13	·03	–	–	·08		·05	–		·65	·23	·03		23
24	·17	·37	·05	–			·02	–	·13	·42	–			24
25	–	·50	–	–	·11		·01	–	·25	·14	–	·03		25
26	–	·26	·08	–	·52		–	–			–	·01		26
27	–	·64	–	·27			–	–		·43	–	·03		27
28	–	·08	–	–			–	–		·18	–	·01		28
29	·01	–	–	–		·03	–	–		·24	·07	·01		29
30	·18	✗	–	–		·04	–	·23		·09	·04			30
31	·31	✗	–	✗	·01	✗	–	–	✗	·10	✗			31
TOTAL	3·24	4·92	2·21	2·64	3·02	·94	3·44	·96	2·20	2·67	1·45	4·12	Year's Total 31·81	✓ ✓
* Days with .01 in. or more.	18	24	17	13	16	11	14	~~5~~ 6	13	11	9	19	171	✓ ✓
* Days with .04 in. or more.	15	20	15	10	11	7	9	~~8~~ 5	11	10	8	12	133	✓ ✓

11

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Cheswardine Hall

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 530 ft.

Copy by B.R.O.

150

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–			·49	·15	·04	–	·21	·02	·20		1
2	–	–	–	·09	·03	·39	–	–	–	·16	·03	·05		2
3	·04	–	–			·04	–	–	·05	·76	·02	·02		3
4	·02	·02	–			·02	·02	–	–	·06	–	·24		4
5	·01	–	–				–	·61	·08	–	–	·02		5
6	·06	–	–			·04	·47	–	·06	·12	–	·01		6
7	·20	–	–				·55	·29	·02	·02	–	·02		7
8	·43	·02	–				·23	·82	–	·34	–	·16		8
9	·06	·13	–			·03	·06	·19	–	·02	–	·20		9
10	·04	·03	·01			·12	·36	·02	–	–	–	·13		10
11	·38	·02	–			·01	·04	·01	·02	·05	·17	·11		11
12	·07	–	–		·11		·02	–		·25	·13	·02		12
13	·04	–	–		·01		–	–		·07	·19	·13		13
14	·22	–	–		·10		·35	–		–	1·10	·02		14
15	·13	–	–		·04		·32	·06		–	·03	·05		15
16	·35	–	–		·07		·03	·03		·12	·05	·03		16
17	·01	–	–		·17		·03	–	·09	·12	·02	–		17
18	·02	–	–		·09	·03	–	·38	·26	·01	·21	–		18
19	·02	–	–		·01		–	–	·08	–	·05	–		19
20	·04	–	·03				–	–	·04	–	·28	–		20
21	·10	–	·02					·05	·08	–	·04	·07		21
22	–	–	–			·03		–	·03	–	·38	·06		22
23	–	–	–		·06			–	·09	–	·01	–		23
24	·03	·04	·25		·06	·05		·53	·03	–	·01	–		24
25	·03	·23	·08		·01	·01		·04	–	·41	·15	·05		25
26	·07	·17	·29		·04	·45	·03	–	·05	·36	·01	·10		26
27	·10	·03	·01		·56	·06	·05	·23	·05	·02	·49	–		27
28	·08	·04	–		·01	·20	·11	·04	–	–	·03	·36		28
29	·47	–	–		·54		·01	–	·04	·08	·09	·13		29
30	·11	×	–		·01		–	–	·25	–	·31	·21		30
31	·14	×	–	×	·23	×	–	–	×	·18	×	·39		31
TOTAL	3·27	·73	·69	·09	2·15	1·97	2·83 ✓	3·34	1·32	3·36	3·82	2·78	Year's Total 26·35	✓
* Days with .01 in. or more.	27	10	7	1	18	15	17 ✓	15	17	19	23	24	193	✓
* Days with .04 in. or more.	20	5	3	1	12	9	11 ✓	12	13	15	14	16	131	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. C. Donaldson T.O.

Hudson

1·51

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 2310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Cheswardine Hall

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 530 ft.

5L · 150

Copy by B.R.O.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·39	–	103	·18	–	-	–	·14	–	-	·02	·02		1
2	·20	–	–	·07	–	–	·11	·43	·04	-	–	–		2
3	·30	–	–	·35	–	–	-	·06	·05	-	·05	·28		3
4	–	–	·14	·20	·10	–	·32	–	·25	·16	·13	·25		4
5	–	–	–	-	·26	–	·15	·04	–	·05	·15	·04		5
6	·66	–	–	-	-	–	·80	-	-	-	·07	-		6
7	·28	·08	–	-	·21	–	·30	-	-	·02	·35	·60		7
8	·04	·08	·35	·03	-	–	·28	·24	-	·28	·70	·15		8
9	·05	·12	–	-	-	–	·45	·28	-	·40	·03	·28		9
10	·53	–	·02	-	-	–	-	·07	·18	·20	–	·07		10
11	·10	·05	·18	–	-	·16	-	-	-	·09	–	–		11
12	·02	·14	–	-	-	·06	-	-	-	–	–	–		12
13	–	–	·04	·18	·07	·06	·18	-	·03	·11	–	–		13
14	·45	–	–	-	·24	·28	·11	-	·06	·08	·15	–		14
15	·24	–	·02	·03	·05	·55	·44	-	–	–	·12	–		15
16	·07	–	·06	·04	·19	–	·03	-	-	·06	·10	–		16
17	·38	·06	–	–	–	·08	·16	-	–	1·39	–	–		17
18	·22	·09	·06	–	–	·45	·04	-	–	·04	·75	–		18
19	·21	–	·02	–	–	–	·47	-	–	–	·03	–		19
20	·22	–	·04	-	–	·04	·33	1·10	-	–	–	–		20
21	·14	·01	·21	-	·05	–	·78	·25	·01	–	–	–		21
22	·32	·40	·04	·11	-	–	·12	-	·15	·02	·54	-		22
23	·06	·04	–	·19	-	–	·08	-	·	·36	·35	–		23
24	·08	·05	·05	·06	-	–	·10	-	-	·45	·02	-		24
25	·55	–	–	·04	-	-	·38	-	-	·05	·20	-		25
26	·02	–	–	·01	-	–	-	·05	-	·03	·22	·14		26
27	–	–	·06	·02	-	·14	·16	·01	-	·13	·25	–		27
28	–	·42	–	·05	-	·15	·31	·04	-	–	·38	·18		28
29	–	–	·20	·25	-	–	·82	·68	-	·08	·10	–		29
30	-	✕	–	·03	-	·25	·04	–	-	–	·17	-		30
31	-	✕	–	✕	–	✕	–	·04	✕	·02	✕	·05		31
TOTAL	5·53	1·54	1·52	1·84	1·17	2·22	6·96	2·43	·77	4·02	4·88	2·06	Year's Total 34·94	✓
* Days with .01 in. or more.	23	12	16	17	8	11	24	14	8	20	22	11	186	✓
* Days with .04 in. or more.	21	11	12	12	8	11	23	13	6	16	18	10	161	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2310

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

150

X 80

Copy by B.R.O

Kept at Cheswardine Hall

in the County of Salop.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 530 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·02	–	·03	–	–	–	–	–	–	·29	–		1
2	–	·02	–	·30	–	–	–	–	–	–	·55	·04		2
3	–	·07	–	·09	–	–	–	–	–	·25	·41	·35		3
4	–	·05	–	·03	–	–	·03	–	–	·16	·28	·04		4
5	–	–	–	–	·08	–	·35	–	–	– ✗	·30	– ✗		5
6	·09	·03	–	–	–	–	·28	–	–	·25	·23	– ✓		6
7	·02	·30	–	·03	·04	–	–	–	–	·08	–	– ✗		7
8	–	–	–	·01	–	–	·04	–	–	·26	–	·26		8
9	–	–	·19	–	–	–	·63	·09	·10	✓ –	·98	·26		9
10	–	–	·16	–	–	–	·50	·03	–	·04	·04	·22		10
11	–	–	·05	·07	–	–	·15	–	–	–	·52	·17		11
12	–	–	·05	–	–	–	·25	–	·13	–	–	–		12
13	–	–	·30	–	–	·13	·98	–	·21	–	–	–		13
14	–	–	·14	·03	–	–	–	·05	·12	·10	–	·48		14
15	–	–	·05	·15	·70	–	–	–	·27	–	–	–		15
16	·02	–	·30	·13	–	·03	·08	–	·30	·75	·95	– ✓		16
17	–	·37	·38	–	·07	–	– ✓	–	·02	–	1·17	–		17
18	·12	·55	·21	·40	–	–	– ✓	·11	·06	·03	·03	– ✗		18
19	–	·35	–	·10	–	–	·27	–	·30	–	·19	–		19
20	–	–	–	–	–	–	·22	·11	·04	·35	·03	–		20
21	–	–	–	·12	·06	–	·14	·12	–	–	1·00	–		21
22	–	–	·08	–	·50	·68	–	·04	·23	–	–	–		22
23	–	·17	·08	·20	–	–	–	–	·04	–	·03	–		23
24	–	–	·15	–	–	–	–	–	–	–	–	–		24
25	–	–	–	–	–	–	·15	–	–	–	–	–		25
26	–	·09	·14	·25	·12	–	·09	–	–	–	·04	–		26
2·19 27	1·64	·10	–	·30	–	–	·15 4	–	–	–	–	–		27
28	·46	·19	–	–	·21	–	✓ –	–	–	–	–	–		28
29	–	–	·17	·20	–	·20	✓ –	–	–	–	–	·55		29
30	–	✕	–	·54	·03	–	–	–	–	·20	–	·07		30
31	·09	✕	·17	✕	–	✕	–	–	✕	1·10	✕	–		31
TOTAL	2·44	2·91	2·62	2·98	1·81	1·04	4·31	·55	1·82	4·57	7·04	2·44	Year's Total 34·53	✓
* Days with .01 in. or more.	7	13	16	18	9	4	20 ~~16~~	7	12	~~12~~ 14	17	~~10~~ 15	152 ~~141~~	✓
* Days with .04 in. or more.	5	11	16	13	8	3	15	6	11	~~4~~ 12	14	~~10~~ 13	7 12~~3~~	✓ "d"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) R.C. Donaldson Hudson [P.T.O.

2310/5

LLANFORDA RES

1940

780405

Section **A** for the entry
AIR MINIST

Station No. 2310/5

RAINFALL ORGANIZATION

FORM 1090

REG

19~~3~~40

Oswestry

Kept at ~~Llanforda~~ R

...sted for snow.

780405

in the County of Shrops

Diameter of Funnel of Gauge....

Height of top of Gauge above G

,, Ground ,, S

THE MORNING MEASU ... **EVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Values in red are depths of water in gauge.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	✓	-	·20	Tr.	-	-	-	-	·03	·63	-		1
2	-	✓	-	·06	-	-	-	-	-	-	·87	·13		2
3	-	✓	-	·14	-	-	·16	-	-	·07	·43	·07		3
4	-	✓	-	·26	-	-	-	-	-	·23	·30	-		4
5	-	-	-	-	·16	-	·14	-	-	·17	·57	·13		5
6	·20	(·96) ~~3·4~~	-	-	-	-	·03		-	1·30	·10	·10		6
7	·03	·23	-	·07	·07	-	·03	-	-	·20	-	·10		7
8	-		-	-	-	-	-	-	-	·33	·03	-		8
9	-		·36	-	-	-	·94	·10	-	·60	1·03	·43		9
10	-		·04	-	-	·46	·23	·03	-	·13	·20	·24		10
11	-		·06	·03	-	·04	·20	-	-	-	1·00	·13		11
12	-	·03	·07	-	-	·03	·10	-	·26	-	·17	-		12
13	-		·30	-	-	-	·13	-	·04	-	-	·03		13
14	-		-	·10	·20	-	·10	·03	-	·10	·07	·30		14
15	*		-	·04	1·00	·23	-	-	·06	·04	·10	·14		15
16	*	·07	·53	-	-	-	·14	-	·14	·40	1·00	-		16
17	*		·27	-	-	-	-	-	-	·03	1·00	-		17
18	(·14) *	·73	·50	·33	-	-	·03	·07	1·30	·07	·13	·20		18
19		·24	·17	·07	-	-	·40	-	·03	-	·23	-		19
20	·02		-	·26	-	-	·20	-	·10	·30	·07	-		20
21	-		-	-	·07	·60	·03	·10	-	-	1·03	-		21
22	-	·03	·16	·07	·46	·24	-	-	·17	-	-	-		22
23	-		·14	·10	·04	-	-	-	·06	-	·07	-		23
24	4 ~~·34~~		·03	-	-	-	-	-	-	-	-	-		24
25	4		-	·03	·06	·03	·10	-	-	-	-	-		25
26	(3·08) ~~[illegible]~~	·37	-	·07	·10	-	·10	-	-	-	·07	-		26
27	~~·33~~	·20	·03	-	-	-	·04	-	-	-	-	-		27
28	4	·23	-	·07	·27	-	-	-	-	-	·03	-		28
29		-	·17	·40	-	·10	-	-	-	-	-	·06		29
30			-	·86	-	-	-	-	-	·40	-	-		30
31	·23		·37		·07		-	-		·73		·04		31
TOTAL	1·56 3·70	~~6·79~~ 5·23 3·09	3·20	3·16	2·50	1·73	3·10	·33	2·16	5·13	9·13	2·10	Year's Total 39·33	
* Days with .01 in. or more.	10	14	15	18	11	8	18	5	9	17	22	14	161	
* Days with .04 in. or more.	8	11	13	16	11	6	14	3	8	15	20	13	138	

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) Lt. Col. H. Hibbert

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 2310/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Oswestry

Kept at (Llanforda Reservoir)

in the County of Shropshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 402 ft.

TF38 Jan & Feb adjusted for snow. 780405

Days

See [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Values in red are depths of water in gauge.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	* ✓	-	·20	Tr.	-	-	-	-	·03	·63	-		1
2	-	✓	-	·06	-	-	-	-	-	-	·87	·13		2
3	-	✓	-	·14	-	-	·16	-	-	·07	·43	·07		3
4	-	✓	-	·26	-	-	-	-	-	·23	·30	-		4
5	-	-	-	-	·16	-	·14	-	-	·17	·57	·13		5
6	·20	(·96) ~~3·4~~	-	-	-	-	·03		-	1·30	·10	·10		6
7	·03	·23	-	·07	·07	-	·03	-	-	·20	-	·10		7
8	-		-	-	-	-	-	-	-	·33	·03	-		8
9	-		·36	-	-	-	·94	·10	-	·60	1·03	·43		9
10	-	-	·04	-	-	·46	·23	·03	-	·13	·20	·24		10
11	-		·06	·03	-	·04	·20	-	-	-	1·00	·13		11
12	-	·03	·07	-	-	·03	·10	-	·26	-	·17	-		12
13	-	-	·30	-	-	-	·13	-	·04	-	-	·03		13
14	-		-	·10	·20	-	·10	·03	-	·10	·07	·30		14
15	*		-	·04	1·00	·23	-	-	·06	·04	·10	·14		15
16	*	·07	·53	-	-	-	·14	-	·14	·40	1·00	-		16
17	*		·27	-	-	-	-	-	-	·03	1·00	-		17
18	(·14) *	·73	·50	·33	-	-	·03	·07	1·30	·07	·13	·20		18
19		·24	·17	·07	-	-	·40	-	·03	-	·23	-		19
20	·02	-	-	·26	-	-	·20	-	·10	·30	·07	-		20
21	-		-	-	·07	·60	·03	·10	-	-	1·03	-		21
22	-	·03	·16	·07	·46	·24	-	-	·17	-	-	-		22
23	-		·14	·10	·04	-	-	-	·06	-	·07	-		23
24	~~·34~~ *		·03	-	-	-	-	-	-	-	-	-		24
25	*		-	·03	·06	·03	·10	-	-	-	-	-		25
26	(3·08) ~~[illegible]~~	·37	-	·07	·10	-	·10	-	-	-	·07	-		26
27	~~·33~~	·20	·03	-	-	-	·04	-	-	-	-	-		27
28	*	·23	-	·07	·27	-	-	-	-	-	·03	-		28
29		-	·17	·40	-	·10	-	-	-	-	-	·06		29
30		✕	-	·86	-	-	-	-	-	·40	-	-		30
31	·23	✕	·37	✕	·07	✕	-	-	✕	·73	✕	·04		31
TOTAL	1·56 ~~6·79~~ 3·70	5·23 3·09	3·20	3·16	2·50	1·73	3·10	·33	2·16	5·13	9·13	2·10	Year's Total 39·33	
* Days with .01 in. or more.	10 6	14	15	18	11	8	18	5	9	17	22	14	161	
* Days with .04 in. or more.	8	11	13	16	11	6	14	3	8	15	20	13	138	

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(Signed) Lt. Col. H. Hibbert

P.T.O.

Cu A.

Section **A** for the entry o

AIR MINIST

Station No. 2311/7

LL ORGANIZATION.

FORM 1090.

REGI

6 .

Kept at Oswestry.

in the County of Shropshi

Diameter of Funnel of Gauge......

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEASUR

An observer who does not conform
year in the space on the right of th

following

Ple

Jan. 1, following

2311/7

OSWESTRY, CROSS ST.

1936 — 40

780405

Date	Jan.	Feb.	Mar.	A							.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	.11	.13	.83	Nil	.34	.01	.27	.02	Nil	.13	.15		1
2	.10	.05	Trace	.11	Nil	1.06	.38	.08	.04	Nil	.10	tr.		2
3	.02	Nil	Nil	Nil	Nil	.43	Nil	.02	.35	Nil	Nil	.02		3
4	.03	.01	.05	Nil	Nil	.03	Nil	.08	.22	Nil	.22	.19		4
5	.09	.01	.04	Nil	.35	Nil	.02	.03	.01	Nil	.08	.43		5
6	.27	Nil	.03	Nil	.05	.01	.12	.03	.23	Nil	.06	.30		6
7	.01	Nil	.13	Nil	Nil	Nil	.14	Nil	.20	Nil	.28	.04		7
8	.34	Nil	.19	Nil	Nil	Nil	Nil	Nil	.01	Nil	.60	.03		8
9	.53	Nil	.07	Nil	Nil	Nil	.85	.03	.14	Nil	.01	Nil		9
10	.01	Nil	.01	Nil	Nil	Nil	.03	.12	tr.	Nil	Nil	tr.		10
11	Nil	Nil	.01	.08	.01	.17	tr.	Nil	.17	Nil	.65	.36		11
12	Nil	Nil	Nil	.03	.31	.16	.54	.01	.30	tr.	.14	.20		12
13	Nil	Nil	Nil	.12	Nil	Nil	.12	.02	tr.	.02	.03	.85		13
14	Nil	Nil	Nil	.12	Nil	.17	.01	Nil	.32	tr.	.08	.54		14
15	.32	.04	Nil	.26	.15	.01	tr.	Nil	tr.	Nil	.33	.07		15
16	.07	.10	.01	.05	.41	Nil	.15	Nil	.15	tr.	.21	.03		16
17	.02	.42	Nil	Nil	tr.	Nil	.10	tr.	Nil	.06	tr.	.20		17
18	Nil	.10	Nil	.01	Nil	Nil	.41	.06	Nil	.19	Nil	.01		18
19	.64	.16	.14	.20	Nil	.06	tr.	.33	Nil	.12	Nil	.04		19
20	.09	.13	.04	tr.	Nil	.07	Nil	tr.	Nil	tr.	Nil	.02		20
21	.10	Nil	.03	.29	Nil	.70	.02	Nil	Nil	Nil	Nil	.02		21
22	Nil	.48	.04	Nil	.07	.26	.35	Nil	Nil	Nil	Nil	.07		22
23	.09	.01	.21	.04	tr.	.02	.70	Nil	Nil	tr.	Nil	Nil		23
24	.25	.01	Nil	.13	.05	tr.	tr.	Nil	.20	.30	Nil	Nil		24
25	.31	Trace	.03	.07	tr.	Nil	tr.	Nil	.66	.05	Nil	Nil		25
26	.09	.15	.45	Nil	Nil	Nil	Nil	Nil	.04	.12	.02	Nil		26
27	.52	Nil	.06	Nil	Nil	Nil	.01	Nil	.04	.13	.01	Nil		27
28	.33	.30	.25	Nil	Nil	tr.	.01	Nil	Nil	.01	.01	.02		28
29	.02	.30	.25	Nil	Nil	.12	Nil	Nil	Nil	.02	Nil	.35		29
30	.15	X	.01	Nil	.14	.27	.10	Nil	Nil	.56	.01	.03		30
31	.35	X	.09	X	.05	X	Nil	Nil	X	Nil	X	.30		31
TOTAL	4.91	2.38	2.27	2.34	1.59	3.88	4.07	1.07	3.10	1.58	2.97	4.27	Year's Total 34.43	
* Days with .01 in. or more.	25	16	22	14	10	16	19	12	17	11	18	23	203	
* Days with .04 in. or more.	19	12	15	12	9	12	12	6	14	8	12	15	146	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... ~~A.R. Mackworth~~ .... [P.T.O.

X — A.R. Mack

Cu A.

Section **A** for the entry of Daily Observations. Station No. 2311/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Oswestry. (Cross Street)

in the County of Shropshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 398 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	.11	.13	.83	Nil	.34	.01	.27	.02	Nil	.13	.15		1
2	.10	.05	Trace	.11	Nil	1.06	.38	.08	.04	Nil	.10	tr.		2
3	.02	Nil	Nil	Nil	Nil	.43	Nil	.02	.35	Nil	Nil	.02		3
4	.03	.01	.05	Nil	Nil	.03	Nil	.08	.22	Nil	.22	.19		4
5	.09	.01	.04	Nil	.35	Nil	.02	.03	.01	Nil	.08	.43		5
6	.27	Nil	.03	Nil	.05	.01	.12	.03	.23	Nil	.06	.30		6
7	.01	Nil	.13	Nil	Nil	Nil	.14	Nil	.20	Nil	.28	.04		7
8	.34	Nil	.19	Nil	Nil	Nil	Nil	Nil	.01	Nil	.60	.03		8
9	.53	Nil	.07	Nil	Nil	Nil	.85	.03	.14	Nil	.01	Nil		9
10	.01	Nil	.01	Nil	Nil	Nil	.03	.12	tr.	Nil	Nil	tr.		10
11	Nil	Nil	.01	.08	.01	.17	tr.	Nil	.17	Nil	.65	.36		11
12	Nil	Nil	Nil	.03	.31	.16	.54	.01	.30	tr.	.14	.20		12
13	Nil	Nil	Nil	.12	Nil	Nil	.12	.02	tr.	.02	.03	.85		13
14	Nil	Nil	Nil	.12	Nil	.17	.01	Nil	.32	tr.	.08	.54		14
15	.32	.04	Nil	.26	.15	.01	tr.	Nil	tr.	Nil	.33	.07		15
16	.07	.10	.01	.05	.41	Nil	.15	Nil	.15	tr.	.21	.03		16
17	.02	.42	Nil	Nil	tr.	Nil	.10	tr.	Nil	.06	tr.	.20		17
18	Nil	.10	Nil	.01	Nil	Nil	.41	.06	Nil	.19	Nil	.01		18
19	.64	.16	.14	.20	Nil	.06	tr.	.33	Nil	.12	Nil	.04		19
20	.09	.13	.04	tr.	Nil	.07	Nil	tr.	Nil	tr.	Nil	.02		20
21	.10	Nil	.03	.29	Nil	.70	.02	Nil	Nil	Nil	Nil	.02		21
22	Nil	.48	.04	Nil	.07	.26	.35	Nil	Nil	Nil	Nil	.07		22
23	.09	.01	.21	.04	tr.	.02	.70	Nil	Nil	tr.	Nil	Nil		23
24	.25	.01	Nil	.13	.05	tr.	tr.	Nil	.20	.30	Nil	Nil		24
25	.31	Trace	.03	.07	tr.	Nil	tr.	Nil	.66	.05	Nil	Nil		25
26	.09	.15	.45	Nil	Nil	Nil	Nil	Nil	.04	.12	.02	Nil		26
27	.52	Nil	.06	Nil	Nil	Nil	.01	Nil	.04	.13	.01	Nil		27
28	.33	.30	.25	Nil	Nil	tr.	.01	Nil	Nil	.01	.01	.02		28
29	.02	.30	.25	Nil	Nil	.12	Nil	Nil	Nil	.02	Nil	.35		29
30	.15	✕	.01	Nil	.14	.27	.10	Nil	Nil	.56	.01	.03		30
31	.35	✕	.09	✕	.05	✕	Nil	Nil	✕	Nil	✕	.30		31
TOTAL	4.91	2.38	2.27	2.34	1.59	3.88	4.07	1.07	3.10	1.58	2.97	4.27	Year's Total 34.43	
* Days with .01 in. or more.	25	16	22	14	10	16	19	12	17	11	18	23	203	
* Days with .04 in. or more.	19	12	15	12	9	12	12	6	14	8	12	15	146	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~A.R. Mackavoy~~ [P.T.O.

X — A.R. Mach

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2311/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Carter The Chemist, Oswestry

in the County of Shropshire

Diameter of Funnel of Gauge 6 in. 5

Height of top of Gauge above Ground ft. 9 in. 1.0

,, Ground ,, Sea Level 400 ft. 398

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·22	·21	·04	·04	—	—	—	—	·18	·18	·03	·06		1
2	·03	·28	·03	·52	—	—	Tr	—	—	—	—	1·16		2
3	·01	·17	—	—	Tr	·02	·03	—	·05	—	—	·02		3
4	·14	·06	·01	·03	·04	·03	—	·05	—	—	Tr	·43		4
5	·31	—	·18	·16	—	—	·03	—	—	—	—	·01		5
6	·07	·02	·02	·09	·08	—	—	·06	—	—	·03	—		6
7	—	·64	—	·27	—	·09	—	—	·18	—	·02	·02		7
8	—	·12	—	·01	·06	·09	·02	—	·01	—	·19	—		8
9	—	·04	—	·09	·27	·01	·14	·02	·22	—	—	—		9
10	·04	·09	·29	—	—	·03	—	—	Tr.	—	—	·46		10
11	—	·01	·44	—	·10	·22	Tr.	—	—	—	·01	·20		11
12	·14	·12	·01	—	·01	·25	—	·58	·13	·05	—	·11		12
13	·01	·01	·03	·03	—	·30	—	·04	·12	—	—	—		13
14	—	·03	·12	—	—	·01	Tr	—	·03	—	·01	·20		14
15	·17	·32	·02	·25	—	—	·55	—	·25	—	—	·05		15
16	—	·12	·20	·40	—	—	—	·23	·03	—	—	—		16
17	·06	·18	·18	·07	—	·01	—	Tr.	·05	—	—	—		17
18	·83	·10	·13	·01	—	—	·32	·01	·09	—	·48	·12		18
19	—	·17	·05	·08	—	·11	·25	—	—	—	·05	·01		19
20	·12	·07	—	·24	·10	—	—	—	Tr.	—	—	·06		20
21	·12	·09	·29	·01	Tr	—	·09	—	Tr.	·07	—	·03		21
22	·09	·14	·09	—	·10	—	·20	—	—	·18	·64	·03		22
23	·08	·05	·01	—	·62	—	·07	—	—	·64	·45	·01		23
24	·06	·51	·10	—	—	—	—	—	·11	·57	—	·07		24
25	—	·44	Tr	—	—	—	—	—	·03	·12	·01	·01		25
26	—	·50	·10	—	·28	—	—	—	Tr.	·01	Tr	·01		26
27	—	·67	—	·06	—	—	—	—	—	·90	—	Tr		27
28	—	·13	—	—	—	—	—	—	—	·12	—	—		28
29	·03	X	·01	—	—	·03	—	—	—	·64	·05	—		29
30	·26	✕	—	—	—	—	—	·17	·05	·02	·24	—		30
31	·16	✕	—	✕	—	✕	—	·04	✕	·18	✕	—		31
TOTAL	2·95	5·29	2·35	2·36	1·86	1·20	1·70	1·20	1·52	3·68	2·21	3·07	Year's Total 29·39 ✓	
* Days with .01 in. or more.	20	27	21	17	10	13	10	9	15	13	13	20	188 ✓	
* Days with .04 in. or more.	16	23	13	12	9	6	7	7	11	11	7	11	133 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. R. Mackavoy

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 2311/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 6, Cross St., Oswestry.

in the County of Shropshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level ft.

Totals

W.J.7.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Nil	.03	.01	Nil	Nil	.97	.49	tr.	nil	.21	.04	.12		1
2	Nil	.03	Nil	.05	.10	.12	.07	Nil	nil	.12	.06	.11		2
3	Nil	.01	Nil	Nil	.01	.05	.05	Nil	.03	1.60	.04	nil		3
4	.01	.02	Nil	.01	Nil	Nil	.15	.05	nil	.19	.01	.24		4
5	Nil	.01	Nl	Nil	Nil	.08	Nil	.80	.03	.15	nil	.06		5
6	.33	tr.	Nil	Nil	Nil	.16	.77	Nil	.01	.37	nil	.26		6
7	.06	.01	Nil	Nil	Nil	Nil	.32	.48	tr	.17	nil	.05		7
8	.32	Nil	Nil	Nil	Nil	Nil	.05	.60	nil	.56	nil	.22		8
9	.06	.08	Nil	Nil	Nil	Nil	.06	.03	nil	.01	nil	.37		9
10	.04	.05	Nil	Nil	Nil	.04	.24	.08	nil	.01	nil	.33		10
11	.57	.01	Nil	Nil	Nil	.05	.01	.03	nil	.22	.20	.08		11
12	.27	Nil	Nil	Nil	.22	.06	.04	Nil	nil	.40	1.16	.17		12
13	.07	.01	Nil	Nil	.03	Nil	Nil	Nil	nil	.40	.15	.06		13
14	.68	Nil	Nil	Nil	.06	Nil	.32	Nil	.07	.01	.12	nil		14
15	.48	Nil	N06	Nil	.12	Nil	Nil	.04	nil	.17	.06	.14		15
16	.35	Nil	.02	Nil	.18	Nil	.01	.07	nil	.01	.04	.01		16
17	.01	Nil	Nil	Nil	Nil	Nil	.04	nil	.05	.18	.01	nil		17
18	.12	Nil	Nil	Nil	.07	.02	nil	.49	.01	.05	.25	nil		18
19	.01	Nil	Nil	Nil	.01	Nil	nil	.08	tr	nil	.16	.01		19
20	.10	Nil	.03	Nil	Nil	Nil	nil	.01	.04	nil	.25	nil		20
21	.01	Nil	.01	Nil	.02	.02	nil	.11	.06	nil	.01	.01		21
22	Nil	Nil	Nil	.07	Nil	.07	nil	.01	tr	.03	.53	.05		22
23	tr.	Nil	Nil	.05	.06	.01	nil	.01	.20	tr	.16	.01		23
24	.05	.09	.13	Nil	.08	.01	nil	.70	.04	.06	.10	nil		24
25	.11	.12	.11	Nil	.05	Nil	.10	Nil	nil	.32	.77	.10		25
26	.07	138	.11	Nil	.18	.22	nil	Nil	.01	.35	.01	.02		26
27	.13	.02	Nil	Nil	.72	.18	.15	.44	.08	.02	.50	.01		27
28	.09	.05	Nil	Nil	.02	.70	.13	.04	.04	tr	.07	.02		28
29	.38	X	Nil	Nil	.51	.05	.02	nil	nil	.06	.18	.03		29
30	.03	✕	Nil	Nil	.01	.01	.01	nil	.41	.01	.22	.22		30
31	.19	✕	Nil	✕	.69	✕	nil	nil	✕	.25	✕	.61		31
TOTAL	4.54	.92	.48	.18	3.14	2.82	3.03	4.07	1.08	5.93	5.10	3.31	Year's Total 34.60	
* Days with .01 in. or more.	25	15	8	4	19	18	19	18	14	26	24	25	~~34.60~~ 215	
* Days with .04 in. or more.	20	6	4	3	13	13	15	13	9	19	20	17	152	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J.K. Machavoy Jones

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 231/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 6 CROSS STREET OSWESTRY

in the County of SHROPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 396 ft.

Examined correct 17th

Oc. 17th amended by ref. to nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	NIL	·33	·41	·01	NIL	NIL	·20	·02	NIL	·02	·08		1
2	·44	NIL	·02	·08	NIL	NIL	·05	·16	·48	NIL	·03	·04		2
3	·61	NIL	·19	·54	NIL	NIL	NIL	·14	·04	·21	·02	·43		3
4	·26	NIL	·30	·35	·31	NIL	·33	NIL	·21	·08	·13	·70		4
5	NIL	NIL	·005	·04	·24	NIL	·14	·03	NIL	NIL	·48	·02		5
6	·72	·01	·03	NIL	NIL	NIL	·61	NIL	NIL	NIL	·22	NIL		6
7	·09	·11	·18	NIL	NIL	NIL	·18	·25	NIL	·29	·18	·40		7
8	·03	·23	·54	NIL	NIL	NIL	·28	·06	NIL	·41	·54	·18		8
9	·05	·10	·03	NIL	NIL	NIL	·04	·33	NIL	·21	·01	·24		9
10	·72	·005	·24	NIL	NIL	NIL	NIL	·05	NIL	·03	·01	·02		10
11	·10	·14	·14	NIL	NIL	·06	NIL	TRACE	NIL	·16	NIL	·005		11
12	·03	·11	NIL	·005	NIL	·06	NIL	NIL	·05	·01	·01	NIL		12
13	NIL	NIL	·005	·21	·05	·03	·32	NIL	·04	·09	·01	NIL		13
14	1·02	NIL	·005	·02	·23	·26	·44	NIL	NIL	·02	·15	NIL		14
15	·51	NIL	·03	·02	·08	1·14	·23	NIL	NIL	·64	·11	NIL		15
16	·61	NIL	·01	·01	·59	NIL	·68	NIL	NIL	NIL	·15	NIL		16
17	·64	·02	NIL	NIL	·10	·14	·09	NIL	NIL	(·53) ~~·03~~	·06	NIL		17
18	·46	·10	·04	NIL	·005	·04	·15	NIL	NIL	NIL	·84	NIL		18
19	·32	NIL	·005	NIL	NIL	NIL	1·09	NIL	NIL	NIL	·02	NIL		19
20	·09	NIL	·01	NIL	NIL	·10	·18	NIL	·15	NIL	TRACE	TRACE		20
21	·06	·02	·23	·05	NIL	NIL	NIL	·42	NIL	·03	NIL	NIL		21
22	·56	·29	·04	·04	NIL	NIL	·03	NIL	NIL	·19	·55	NIL		22
23	·43	·10	·005	·12	NIL	·01	·23	NIL	NIL	·21	·28	NIL		23
24	·04	·03	NIL	·09	NIL	·03	·20	NIL	NIL	·19	·02	NIL		24
25	·43	·05	NIL	·12	NIL	NIL	·11	NIL	NIL	NIL	·45	NIL		25
26	·005	·05	NIL	·02	NIL	NIL	NIL	·06	NIL	NIL	·14	·02		26
27	·02	1·13	·24	NIL	NIL	·26	·16	NIL	NIL	NIL	·16	·14		27
28	·005	·16	·16	NIL	NIL	·36	·32	·01	NIL	·04	·25	·08		28
29	NIL		NIL	·29	NIL	·01	1·38	·02	NIL	NIL	·04	NIL		29
30	NIL	✕	NIL	·03	NIL	·005	·08	NIL	NIL	·08	·11	NIL		30
31	NIL	✕	NIL	✕	NIL	✕	NIL	·04	✕	·04	✕	·10		31
TOTAL	8·400	2·655	2·91 2·905	2·535	1·62 1·615	2·535	7·38	1·80	1·05	(3·49) ~~2·99~~	5·02	2·49 2·485	Year's Total	41·87
* Days with .01 in. or more.	24	16	18	14	8	13	23	13	7	19	24	13.	198	
* Days with .04 in. or more.	21	12	12	12	7	9	22	10	10	15 ~~14~~	18	10	~~153~~	154

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2311/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at 6, CROSS STREET

in the County of SALOP.

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground ft. 12 in.

„ Ground „ Sea Level 396 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	NIL	·02	NIL	·07	NIL	NIL	NIL	NIL	NIL	NIL	·65	NIL		1
2	NIL	·02	NIL	·21	NIL	NIL	NIL	NIL	NIL	NIL	·88	·01		2
3	NIL	·11	NIL	·02	NIL	NIL	·07	NIL	NIL	·10	·38	·06		3
4	NIL	·04	NIL	·22	NIL	NIL	NIL	NIL	NIL	·20	·20	·02		4
5	NIL	NIL	NIL	NIL	·14	NIL	·05	·02	·02	·30	·61	·14		5
6	·11	·46	NIL	NIL	NIL	NIL	·14	NIL	NIL	1·19	·14	·06		6
7	TRACE	·30	NIL	·04	·02	NIL	·06	NIL	NIL	·25	NIL	·18		7
8	·03	·01	NIL	NIL	·07	NIL	NIL	·01	·07	·20	·01	·06		8
9	NIL	NIL	·26	NIL	NIL	NIL	·90	·05	·01	·65	1·13	·37		9
10	NIL	NIL	·07	NIL	NIL	·24	·34	·04	·02	·11	·10	·24		10
11	NIL	NIL	·02	·02	NIL	·09	·14	NIL	NIL	NIL	1·07	·10		11
12	NIL	·04	·14	NIL	NIL	·02	·09	·02	·09	NIL	·15	NIL		12
13	NIL	·07	·59	·01	NIL	NIL	NIL	NIL	·05	NIL	·005	·04		13
14	NIL	NIL	·01	·10	·12	NIL	·48	TRACE	·08	·02	·07	·27		14
15	NIL	NIL	NIL	·04	80	·14	NIL	NIL	·07	·19	·05	·17		15
16	NIL	·21	·30	·005	·005	NIL	·11	NIL	·70	·49	1·31	·10		16
17	NIL	NIL	·25	·03	·005	NIL	NIL	NIL	NIL	NIL	·50	NIL		17
18	·15	·65 ·09	·41	·29	NIL	NIL	·05	·05	·61	·82	·04	NIL		18
19	NIL	·25	·18	·09	NIL	NIL	·58	NIL	·04	NIL	·38	NIL		19
20	NIL	NIL	NIL	·24	NIL	NIL	79	NIL	·10	·33	·06	NIL		20
21	NIL	NIL	NIL	NIL	·09	·66	NIL	·07	NIL	NIL	1·15	NIL		21
22	NIL	·02	·16	·03	·49	·26	NIL	NIL	·18	NIL	NIL	NIL		22
23	NIL	·01	·05	·16	·03	NIL	NIL	NIL	·05	NIL	·10	NIL		23
24	·08	NIL	·07	NIL	NIL	NIL	·03	NIL	NIL	NIL	NIL	·02		24
25	·07	NIL	NIL	·03	·07	·04	·12	NIL	NIL	NIL	NIL	NIL		25
26	1.32	·36	NIL	·07	·14	·02	·08	NIL	·02	NIL	·03	NIL		26
27	1·60	·13	·07	·32	NIL	NIL	·03	NIL	NIL	NIL	·06	NIL		27
28	·27	·27	NIL	·06	·45	NIL	NIL	·08	NIL	NIL	·01	NIL		28
29	·02	NIL	·18	·59	·01	·12	·07	NIL	NIL	NIL	NIL	03		29
30	·01	✗	·02	·81	NIL	NIL	NIL	NIL	NIL	·33	·01	·005		30
31	·24	✗	·36	✗	NIL	✗	NIL	NIL	✗	·83	✗	·13		31
TOTAL	3.90	3·06	3·11	3·215	2·440	1·49	3·53	·34	2·11	5·21	9·~~045~~ 10	2·0~~0~~5 1	Year's Total 39·51	
* Days with .01 in. or more.	121	17	17	21	~~14~~ 13	9	18	8	15	15	15	18	187	
* Days with .04 in. or more.	8	12	14	15	9	7	16	5	11	13	20	13	143	

† Spare column, no entries required.

(*Signed*)

* See Instruction 3 (f) on other side.

[P.T.O.

2312

2312

OSWESTRY

BOY'S SENIOR SCHOOL

1931 - 36

780405

780405

Section **A** for the entry of Daily ... COPY FOR OFFICIAL USE.

AIR MINISTRY.—ME... L ORGANIZATION.

FORM 1090.

REGISTER

Kept at Oswestry Boys' Sen...

in the County of Shrops...

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

2/32

25 for June 5th. adjust as suggested

THE MORNING MEASUREM...Y.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·22		·08		·02	·01		·23	·05		·01	1
2		·04		·53		·10			·80	·05	·11	·37	2
3			·01		·10		·24		·93	·01	1·81	·16	3
4		·01		·01			·10	·19	·72	·01	·16	·05	4
5	·04	·08	·08	·17		(·25)		·49	·14		·01	·43	5
6			·05	·07	·27	·07		·01	·05	·20	·12		6
7	·80		·03					·49		·02	·09	·03	7
8		·14	·05	·15			·04	·87	·07		·15		8
9			·01	·06			·20	·05	·21	·03	·28		9
10	·02	·45			·10		·10	·06	·01		·74		10
11	·03	·11	·03			·06					·12		11
12	·03	·57		·04			·01	·02	·22	·03	·02		12
13	·07	·18	·09			·25		·20	·27				13
14					·08	1·25	·02	1·60			·60		14
15		·04		·06	·11	·01	·01	·50			·01	·12	15
16	·30	·21		·25	·08		·02	·72	·02				16
17		·37		·15	·61	·27		·01	·06		·22		17
18	·23	·02	·01	·20	·08		·21	·12	·07	·01	·40		18
19		·01	·02	·03	·06			·75	·06		·01	·02	19
20	·30	·02		·01		·02		·25	·11	·03	·07	·16	20
21	·30				·06						·11		21
22	·30	·26			·07	·07	·30	·13			·02		22
23	·19	·01		·16	·40		·02				·37	·10	23
24				·21	·60	·02	·10				·16		24
25	·15	·12		·83	·20						·10		25
26		·03		·28							·40		26
27	·18			·13	·65					·04	·33	·06	27
28	·06	·49	·06	·06	·60		·21			·08	·01	·17	28
29	·02		·20				·32		·01	·21	·05		29
30	·06	×			·20				·06		·02		30
31	·16	×		×		×	·01		×	·02	×		31 39.92
TOTAL	3·24	3·38	·64	3·48	4·27	(3.39) ~~[illegible]~~	1·92	6·46	4·04	·88	6·49	1·73	YEAR'S TOTAL ~~[illegible]~~
*Days with ·01 in. or more.	18	20	12	20	17	~~11~~ 12	17	17	18	14	7	3	~~174~~ 175
*Days with ·04 in. or more.	14	13	6	17	7	~~7~~ 8	10	14	15	6	20	9	~~148~~ 149

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. Compton

[P.T.O.

2312

Section **A** for the entry of Daily [redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Oswestry Boys' Senior School

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 450 ft.

June 14 Cons. ([illegible])

780405

See June

906 sent 17/2/32 suggesting 1.25 for June 5th. 7/2/32 adopted as suggested by J. Hinch

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·22		·08		·02	·01		·23	·05		·01	1
2		·04		·53		·10			·80	·05	·11	·37	2
3			·01		·10		·24		·93	·01	1·81	·16	3
4		·01		·01			·10	·19	·72	·01	·16	·05	4
5	·04	·08	·08	·17		(1·25)		·49	·14		·01	·48	5
6			·05	·07	·27	·07		·01	·05	·29	·12		6
7	·80		·03					·49		·02	·09	·03	7
8		·14	·05	·15			·04	·87	·07		·15		8
9			·01	·06			·20	·05	·21	·03	·28		9
10	·02	·45			·10		·10	·06	·01		·74		10
11	·03	·11	·03			·06					·12		11
12	·03	·57		·04			·01	·02	·22	·03	·02		12
13	·07	·18	·09			·25		·20	·27				13
14					·08	1·25	·02	1·60			·60		14
15		·04		·06	·11	·01	·01	·50			·01	·12	15
16	·30	·21		·25	·08		·02	·72	·02				16
17		·37		·15	·61	·27		·01	·06		·22		17
18	·23	·02	·01	·20	·08		·21	·12	·07	·01	·40		18
19		·01	·02	·03	·06			·75	·06		·01	·02	19
20	·30	·02		·01		·02		·25	·11	·03	·07	·16	20
21	·30				·06						·11		21
22	·30	·26			·07	·07	·30	·13			·02		22
23	·19	·01		·16	·40		·02				·37	·10	23
24				·21	·60	·02	·10				·16		24
25	·15	·12		·83	·20						·10		25
26		·03		·28							·40		26
27	·18			·13	·65					·04	·33	·06	27
28	·06	·49	·06	·06	·60		·21			·08	·01	·17	28
29	·02		·20				·32		·01	·21	·05		29
30	·06	×			·20				·06		·02		30
31	·16	×		×		×	·01		×	·02	×		31
TOTAL	3·24	3·38	·64	3·48	4·27	(3.39) ~~2.14~~	1·92	6·46	4·04	·88	6·49	1·73	39.92 YEAR'S TOTAL ~~[illegible]~~
*Days with ·01 in. or more.	18	20	12	20	17	~~11~~ 12	17	17	18	14	7	3	~~174~~ 175
*Days with ·04 in. or more.	14	13	6	17	7	~~7~~ 8	10	14	15	6	20	9	~~148~~ 149

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) E. Compton

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2312

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Oswestry Senior Boys School

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	·01	—	·17	·42	—	11	·23	·11	·01	—	·15	1
2	·14	—	—	·02	·30	—	—	—	·05	·06	·03	·11	2
3	—	—	—	1·07	—	—	·34	—	—	—	·04	·31	3
4	·14	—	—	·17	—	—	·16	—	·01	—	·15	—	4
5	·57	—	·11	·01	·15	—	·02	—	·12	—	—	—	5
6	·62	—	·12	·15	·02	—	·02	—	·13	·01	—	—	6
7	—	—	·20	·20	·19	—	·02	—	·36	·97	—	—	7
8	—	—	—	·16	·03	—	—	—	·03	·15	—	—	8
9	·28	—	—	·10	·04	—	—	—	·17	·12	—	—	9
10	·49	—	·03	·23	·03	—	—	—	—	·17	—	·02	10
11	—	·02	—	·42	·04	·05	—	—	·14	·06	·01	·03	11
12	·42	—	—	·04	·15	—	2·27	—	·17	·26	·02	—	12
13	·13	—	—	·14	·07	—	1·19	·04	—	·11	·01	·10	13
14	·32	—	·04	—	—	—	—	·03	—	·11	·04	·02	14
15	·05	—	—	·03	·28	—	—	—	—	·01	—	·03	15
16	·41	—	—	·29	·02	—	·07	—	·16	—	—	—	16
17	—	—	—	·07	—	—	·24	—	—	·10	—	·02	17
18	—	—	—	—	·10	—	—	—	—	·01	·06	—	18
19	—	—	—	·21	·07	—	—	—	—	·19	—	·01	19
20	—	—	—	·20	·59	—	—	·40	—	·41	·03	·03	20
21	—	—	·16	·06	·19	—	—	·10	—	·88	·01	·03	21
22	—	—	·07	·07	·04	—	·04	—	·39	·24	·23	·10	22
23	—	—	·09	·08	·15	—	·01	—	—	·14	·21	·03	23
24	—	—	—	·02	·05	—	·13	—	·10	—	·03	—	24
25	—	—	—	—	—	·01	·01	—	·05	·09	·01	—	25
26	—	—	—	·23	·15	—	·07	—	·10	—	·15	—	26
27	—	—	·05	·43	·24	—	·16	—	—	·02	·10	—	27
28	—	—	·49	·10	·25	—	·12	—	—	—	·01	—	28
29	—	—	·15	·30	·14	·15	·02	·35	·36	·69	·23	·07	29
30	—	×	·50	·13	—	·36	·01	·10	—	·26	·31	·30	30
31	—	×	·30	×	—	×	·42	·03	×	—	×	·03	31 33·77
													YEAR'S TOTAL
TOTAL	3·76	·03	2·41	5·10	3·71	·57	5·43	1·28	2·45	5·97	1·68	1·38	33·77
*Days with ·01 in. or more.	12	2	13	27	24	4	20	8	16	23	19	17	185
*Days with .04 in. or more.	12	—	12	23	20	3	13	6	14	18	10	7	138

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. Compton

P.T.O.

2312

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2312~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Oswestry Senior Boys' School

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·18		·01							·04	·12		1
2	·16		·04		·10						·02			2
3	·01	·03	·10		·07									3
4	·15	·09	·15		·15									4
5	·09	·01												5
6	·05	·35	·02							·02	·01			6
7		·15			·31		·16			·51				7
8	·02	·08	·02		·06		·32					·04		8
9		·03	·03		·01		·38			·57	·05			9
10	·05	·02					·01			1·13				10
11										·04				11
12	·02						·20			·02		·03		12
13							·14	·08		·26	·35			13
14	·17		·01		·09		·04	·09		·06	·10			14
15	·19		·07				·02	·04		·09	·11	·07		15
16	·05		·17		·10	·06		·14	·03	·39	·01	·03		16
17	·03	·19	·28			·16				·01	·05			17
18	·04	·10	·10			·17					·09			18
19	·13	·06	·44						·13		·09			19
20		·07	·20		·14			·08	·15		·01			20
21			·18			·06		·01			·04			21
22				·10	·45	·21				·10				22
23		·23		·13		·34			·10	·08				23
24		·23		·09	·03	·64			·18	·37				24
25		·45		·03		·01			·17					25
26		·60		·09	·01			·08		·26		·02		26
27		·03		·01					·05	·15		·03		27
28				·08			·04			·02		·01		28
29	·03		·03	·10						·03				29
30	·04	×	·01	·27								·23		30
31	·34	×	·05	×		×	·01		×	·15	×	·03		31
TOTAL	1·61 ~~1·81~~	2·90	1·90	·91	1·52	1·65	1·32	·82	·81	4·20	·97 ~~4·20~~	·61	Year's Total 18·92	
*Days with ·01 in. or more.	18	18	17	10	12	8	10	7	7	19	13	10	149	
*Days with ·04 in. or more.	~~12~~ 13	13	11	7	9	7	7	6	6	14	9	4	105	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required

(*Signed*) E. Compton

[P.T.O.

2312

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2312~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Oswestry Senior Boys' School
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 450 ft.

24/4. 906 sent suggesting ·28 for Oct 1st
Total for Dec suggested at 6.67.
25/11 noted adjust

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·1							·13	·03	·28 ~~[illegible]~~	·1	·12		1
2			·14					·29	·05	·01		·08		2
3			·1					·02	·17	·11		·15		3
4	·19		·11	·4	·1				·02	·39	·07	·47		4
5			·13	·05	·05			1·05		·01	·06	·05		5
6	·09		·11		·37			·23		·10		·38		6
7	·05	·02			·05	·05		·02		·11		·16		7
8			·07						·03	·46		·16		8
9	·02		·13		·22			·07		·01		·02		9
10	·05		·16					·1				·02		10
11	·46		·17	·7	·01	·05		·04			·76	·22		11
12	·09		·01	·03			·03	·1				0		12
13	·59		·06	·03	·02					·09		0		13
14	·03		·4	·03	·02	·04				·44	·19	·21		14
15	·07		·04		·2			·04	·04		·29	·25		15
16	·34		·25		·05			·09		·02	·07	·01		16
17	·27		·08	·18	·26		·08	·01	·13	·04		·21		17
18	·16			·55	·06	·07			·01			·34		18
19	·01		·14	·01	·04			·03	·01	·07	·01	·16		19
20	·01		·04	·02	·03	·05		·03	·03		·02			20
21			·02			·1		·07	·04	·05	·02	·03		21
22	·11		·11		·03	·06		·04	·32	·23	·02	·24		22
23					·02	·6		·03		·11		·02		23
24		·18				·16			·05	·04		-		24
25	·06			·3	·06				·27	·71		1·20		25
26	·05	·07		·33					·17	·07		·31		26
27				·11		·08	·05		·04	·06	·06	·09		27
28				·18				·14	·06	·01	·01	1·00		28
29							·13		·19	·06	·01	·17		29
30		×					·07		·25	·06	·02	·31		30
31		×		×		×	·05	·01	×	·41	×	·26	6·67	31
TOTAL	2·45	·27	2·27	2·92	1·59	1·26	·41	2·54	1·91	3·95 ~~[illegible]~~	1·71	6·67 ~~[illegible]~~	Year's Total 28.25 ~~[illegible]~~	
*Days with ·01 in. or more.	19	3	19	14	14	10	6	20	19	25	15	27	194	
*Days with ·04 in. or more.	15	2	17	9	11	10	5	13	13	20	8	22	125	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) C. Compton

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2312

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Oswestry Senior Boys school

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	08	·07			·04		·25		·31	·54	·02	·10		1
2		·05	·04			·01			·03	·09	·02	·05		2
3	·06	·07	·09	·07		·83			·02	·09	·15	·47		3
4		·01	·12	·19		·19				·6		·04		4
5		·38	·22	·06			·03			·03	·05	·07		5
6		·01	·01	·26		·39				·05	·02	·07		6
7				·05		·11				·16		·40		7
8				·29		·11				·25	·27	·22		8
9	·04	·01				·24				·9	·07			9
10	·02							·03		·05	·1			10
11	·26	·04				·24		·04		·03	·13			11
12	·24	·06				·22			·02		·02			12
13	·21	·06		·19	·05	·16	·01		·1	·04	·16			13
14	·01					·04			·14		·72	·12		14
15				·42	·07				·26		·03	·37		15
16	·1	·1	·07	·08	·1		·15		·71	·15	·55	·06		16
17		·04		·15	·52	·19		·02	·12		·67			17
18		·01		·06	·15			·06	·46	·1	·11	·01		18
19		·05		·15	·22	·29				·17	·2			19
20		·69		·07	·01	·04	·02			·06	·66			20
21		·7		·09					·25	·04	·06			21
22	·01	·1	·07	·03			·17		·04					22
23	·09	·03	·22					·08	·04	·52				23
24	·22	·31	·11			·14			·83	·16		·36		24
25	·02	·41				·04			~~21~~		·08	·10		25
26		·05						·55	·21	·01	·09	·18		26
27		·06			·04			·02	·59	·08	·08			27
28	·02	·1			·14			·05	·27	·01	·02	·01		28
29						·24		·08	·29	·15	·15	·19		29
30	·03	×		·15				·08	·16	·58	·58	·03 ~~08~~		30
31	·03	×		×		×			×	·5	×	·40		31
TOTAL	1·44	3·41	·95	2·31	1·34	3·48	·63	1·01	4·85	5·41	5·01	3·27	Year's Total. 33·11	
* Days with .01 in. or more.	16	23	9	16	10	17	6	10	19	25	25	19	195	
* Days with .04 in. or more.	9	18	8	15	9	16	3	7	16	21	19	16	157	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) E. Compton

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2312

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Boys Sec. School, Oswestry

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·13	·11	·72	0	·29	0							1
2	·11	·05	0	·10	0	1·10	·54							2
3	·04	·03	0	0	0	·41	0							3
4	·04	0	·06	0	0	·04	0							4
5	·11	·01	·05	0	·32	0	·05							5
6	·29	0	·04	0	·03	0	(·14) ·14							6
7	0	0	·12	0	0	0	·14							7
8	·35	0	·19	0	0	0	0							8
9	·60	0	·06	0	0	0	·69							9
10	·02	0	·01	0	0	0	0							10
11	0	0	0	·09	0	·18	·08							11
12	0	0	0	0	19 ~~1·85~~	·19	·45							12
13	0	0	0	·12	0	0	·12							13
14	0	0	0	·13	0	·20	·03							14
15	·02	·04	0	·24	·13	·02	·03							15
16	0	·13	·02	·07	·36	0	·15							16
17	0	·39	0	0	0	0	0							17
18	·03	·10	0	0	0	0	·44							18
19	·13	·15	·14	·22	0	·12	·03							19
20	·25	·13	·03	0	0	·11	0							20
21	·13	0	·04	·28	0	1·20	·05							21
22	·02	·42	·04	0	·09	·37	·32							22
23	0	·03	·21	·04	·01	·06	·68							23
24	·24	0	0	0	·06	0	0							24
25	·30	0	·04	·18	0	0	·02							25
26	·10	·15	·29	0	0	0	0							26
27	·52	0	0	0	0	0	·01							27
28	·29	·27	·29	0	0	·02	·02							28
29	·02	·26	·21	0	0	·12	0							29
30	·15	✕	0	0	·14	·14	·11							30
31	·32	✕	·08	✕	·05	✕	·11		✕		✕			31
TOTAL	4·23	2·29	2·03	2·19	(1·38) ~~3·04~~	4·57	4·21						Year's Total imp	
* Days with .01 in. or more.	23	15	19	11	10	16	21							
* Days with .04 in. or more.	18	12	16	11	8	14	15							

Records not kept regularly.

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

2311

Section **A** for the entry of Daily Observ

AIR MINISTRY.—METEORC

COPY FOR ~~OFFICIAL~~ USE.

RAINFAL ORGANIZATION.

FORM 1090.

REGISTER O 1931.

2311

OSWESTRY - MOUNT RES
1931-1940

780405

Kept at Mount Reservoir

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 698 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.02		.06					.21	.04			1
2		.07		.54	.23	.12	.01		.79	.06	.13	.42	2
3							.08		1.22		2.04	.20	3
4		+ snow .09		.10			.06	.15	.65	.01	.19	.04	4
5		.09		.09	.29	1.23	.05	.47	.12			.49	5
6		.12		.07	.01	.09	.03		.08	.31	.13		6
7		.01				.03		.52		.01	.08	.02	7
8	snow .02	.04	snow .01	.15		.02	.09	.82			.15		8
9	.09	.44		.08		.22		.03		.01	.45		9
10		.11			.13	.11	.40	.06			.85	.01	10
11	.01	+ snow .58	+ snow .06		.01	.07	.09		.09		.14		11
12	.02	.10		.05			.20	.02	.33	.05	.04		12
13		.02	.15		.27	.02	.03	.18			.01		13
14		.07			.14	1.25	.13	1.60			.67		14
15		.22		.10	.08	.02	.12	.67				.13	15
16	.13	+ snow .37		.23	.09	.18	.05	1.13	.14			.01	16
17	.14	.02		.22	.57	.04	.01				.23		17
18	.05		.01	.11	.08	.28	.09	.11		.01	.38		18
19	.04	.06	.02	.08		.27		.57	.03				19
20		.20	.14					.37			.06	.16	20
21	.29				.62						.11		21
22	.30	.05			.19		.04	.14			.02		22
23	.24			.18	.31	.03	.14				.40	.09	23
24	.08			.18	.23	.04	.17				.15		24
25	.15	.11		1.31	.03						.10		25
26		.03		.15							.45		26
27	.18	+ snow .34	.09	.14	1.58		.04			.02	.37	.05	27
28	.09	snow .16	.08	.07	.68					.08		Rain+Snow .21	28
29	.02	×	.15		.14		31		.02	.31	.09	snow .14	29
30	.02	×							.06			.06	30
31	.27	×		×	.02	×			×	.04	×	.01	31
TOTAL	2.21	3.23	.80	3.91	5.70	4.02	2.14	6.84	3.74	.95	7.24	2.04	YEAR'S TOTAL 42.82
*Days with .01 in. or more.	19	22	10	19	20	17	20	15	12	12	23	15	204
*Days with .04 in. or more.	14	17	7	19	16	12	16	13	10	7	21	11	163

40-9999

(Signed) G. William Lacey

Boro' Water Engineer

P.T.O.

*See Instruction 2 (*f*) on other side.

2311

Section **A** for the entry of Daily Observ

COPY FOR ~~OFFICIAL~~ USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE. RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Mount Reservoir

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 698 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·02		·06					·21	·04			1
2		·07		·54	·23	·12	·01		·79	·06	·13	·42	2
3							·08		1·22		2·04	·20	3
4			+ snow ·09	·10			·06	·15	·65	·01	·19	·04	4
5		·09		·09	·29	1·23	·05	·47	·12			·49	5
6		·12		·07	·01	·09	·03		·08	·31	·13		6
7		·01				·03		·52		·01	·08	·02	7
8	snow ·02	·04	snow ·01	·15		·02	·09	·82			·15		8
9	·09	·44		·08		·22		·03		·01	·45		9
10		·11			·13	·11	·40	·06			·85	·01	10
11	·01	+ snow ·58	+ snow ·06		·01	·07	·09		·09		·14		11
12	·02	·10		·05			·20	·02	·33	·05	·04		12
13		·02	·15		·27	·02	·03	·18			·01		13
14		·07			·14	1·25	·13	1·60			·67		14
15		·22		·10	·08	·02	·12	·67				·13	15
16	·13	+ snow ·37		·23	·09	·18	·05	1·13	·14			·01	16
17	·14	·02		·22	·57	·04	·01				·23		17
18	·05		·01	·11	·08	·28	·09	·11		·01	·38		18
19	·04	·06	·02	·08		·27		·57	·03				19
20		·20	·14					·37			·06	·16	20
21	·29				·62						·11		21
22	·30	·05			·19		·04	·14			·02		22
23	·24			·18	·31	·03	·14				·40	·09	23
24	·08			·18	·23	·04	·17				·15		24
25	·15	·11		1·31	·03						·10		25
26		·03		·15							·45		26
27	·18	+ snow ·34	·09	·14	1·58		·04			·02	·37	·05	27
28	·09	snow ·16	·08	·07	·68					·08		Rain + Snow ·21	28
29	·02	×	·15		·14		·31		·02	·31	·09	snow ·14	29
30	·02	×							·06			·06	30
31	·27	×		×	·02	×			×	·04	×	·01	31
TOTAL	2·21	3·23	·80	3·91	5·70	4·02	2·14	6·84	3·74	·95	7·24	2·04	YEAR'S TOTAL 42·82
*Days with ·01 in. or more.	19	22	10	19	20	17	20	15	12	12	23	15	204
*Days with ·04 in. or more.	14	17	7	19	16	12	16	13	10	7	21	11	163

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. William Lacey

Boro' Water Engineer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Mount Reservoirs

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 698 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·01		·26	·41		·07	·30	·16		·03	·14	1
2	·12			snow ·02	·36		·02		·20	·11	·04	·24	2
3	·02			snow 1·00	·01		·37		·02	·15	·05	·15	3
4	·10			·18			·13		·01		·29		4
5	·69	·02	·12	·02	·14		·01		·13		·01	·02	5
6	·74		·13	·15	·02				·19	·02			6
7	·01		·23	·16	·09		·03		·38	·98		·01	7
8				·16	·05				·23	·27			8
9	·38	snow ·10		·10	·04				·01	·16	Tr.		9
10	·68		snow ·07	snow ·20	·03				·20	·17		·03	10
11	·02		Tr.	snow ·36	·05	·13	·01		·03	·14	·02	·02	11
12	·40			·05	·17		2·69	·01	·18	·27	·06	Tr.	12
13	·11	·01		·20	·10		1·44	·09	Tr.	·15	·06	·24	13
14	·28						Tr.	·09		·09	·21	Tr.	14
15	·04			·01	·28					·02		·04	15
16	·38			·35			·22					·02	16
17				·09			·21		Tr.	·11		·03	17
18					·10					·11	·09		18
19				·16	·06					·23	Tr.	·01	19
20				·19	·58		Tr.	·41		·45	·08	·03	20
21			·16	·05	·32			·17		·92	·02	·03	21
22			·13	·07	·03		·09		·41	·20	·33	·20	22
23		Tr.	·09	·09	·25		·02		·03	·21	·26	·10	23
24	·01				·09		·15		·10		·06		24
25						·03			·06	·07	·09		25
26			·07	·28	·13		·09		·16	·09	·02		26
27			·67	·50	·25		·12				·14		27
28			·18	·13	·31	Tr.	·13				·02	·07	28
29			·57	·37	·17	·18	·05	·41	·41	·73	·21	·27	29
30	·01	×	·31	·11		·48	·01	·10	·01	·33	·48	·03	30
31	·01	×	·17	×		×	·51	Tr.	×	·01	×	·12	31
TOTAL	4·12	·14	2·90	5·26	4·04	·82	6·37	1·58	2·92	5·99	2·57	1·80	YEAR'S TOTAL 38·51
*Days with ·01 in. or more.	18	4	13	26	24	4	20	8	19	24	21	20	201
*Days with ·04 in. or more.	12	1	13	23	20	3	14	7	13	21	15	10	152

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) G. William Lacey

Asst' Water Engineer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Mount Reservoir

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 698 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	·21	·02			·01			Tr.		·05	snow ·16		1
2	·27		·43		·14	·09					·02			2
3	·03	·17	·12		·08						Tr.			3
4	·33	·07	·05		·16									4
5	·12	·01	·15		Tr									5
6		·35	·06		·18						·01	·01		6
7	Tr	·07	·01		·07		·33	Tr.		·52		·02		7
8	·03	·01	·03		·05		·29			Tr.		Tr.		8
9		·02			·02	Tr.	·39			·55	·06	·01		9
10	·05	·14					·03			1·18	·10			10
11	·09			Tr.		·01	·19	Tr.		·05		snow ·11		11
12	Tr.			·01			·16			·01		·07		12
13	·02				·11		·22	·11		·36	·13			13
14	·30						·04	·09		·06	·38	Tr.		14
15	·22		·07				Tr.	·06		·09	·13	·08		15
16	snow ·05		·18		·11	·07				·39	Tr.	Tr.		16
17	·05	snow ·33	·31		·01	·17		·16	·04		·01			17
18	snow ·16		·10			·21					·07	·01		18
19		snow ·03	·48			·01		·01	·14		·18	Tr.		19
20		R.&S. ·06	·17		·19	·39		·11	·16		·01			20
21		snow ·11			·01	·01				Tr.	·05			21
22				·07	·44	·57		·24		·09				22
23		·09		·21		·33			·12	·08				23
24		snow ·76		·13	·06	·55			·13	·43				24
25		snow ·28		·04		·10			·26			·12		25
26		snow & rain ·89		·10	·06				Tr.	·27		·04		26
27		·03		·03					·07	snow ·20		·02		27
28	Tr.			·04	·01		·06	·13		·06		·01		28
29	·07	×	·06	·08			·08	Tr.		·02				29
30	·06	×	·02	·17			·09					·28		30
31	·35	×	·08	×		×	Tr.		×	·17	×	Tr.		31
TOTAL	2·28	3·63	2·34	·88	1·67	2·52	1·88	·91	·92	4·53	1·20	·94	Year's Total 23·70	
*Days with ·01 in. or more.	17	18	17	10	16	13	11	8	7	17	13	13	160	
*Days with ·04 in. or more.	14	13	13	8	12	9	10	7	7	15	9	7	124	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. William Lacey.
Boro' Water Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Mount Reservoir

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 698 ft.

T. L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·14							·18	·01	·28	·06	·19		1
2	·01		·15					·33	·09		·08	·05		2
3	Trace							·02	·21	·20	·03	·11		3
4	·17		·12	·04	·10				·04	·54		·59		4
5			·14	·02	·05			1·24		·03	·06	·03		5
6	·11		·11		·46			·16		·09		·37		6
7	·06	·02			·05			·02		·13	·01	·32		7
8			·04		·23			Trace	·02	·02	·17	·07		8
9			·11	·04				·07			·59	·02		9
10	·05		·19	·45	Trace			·15			·03	·01		10
11	·48		·18	·75			Trace	·06			Trace	·25		11
12	·07		·02	·01			·03	·15				·01		12
13	·70		·07	·06			·02		Trace	·06				13
14	·07		·45	·05	·02					·44	·22	·17		14
15	·08		·09		·24			·04	·04	·22	·24	·41		15
16	·35		·31		·04			·12	·05	·02	·11	Trace		16
17	·33		·10	·19	·32		·08	·03	·29	·04		·22		17
18	·18			·42	·04	·06		·01	·01			·40		18
19	·04		·19	·01	·07	·09		·05	·05	·02		·25		19
20			·04	·02	·04			·06	·03		·01			20
21			·01		·02	·11		·06	·06	·11		·02		21
22	·09		·12		·02	·06		·05	·35	·25		·25		22
23			·04	·16	·03	·55		·05		·11		·06		23
24		·16	·06	·06		·24	·01		·05	·05		·01		24
25	·07	·07		·27	·04	·01			·24	·18		1·10		25
26	·04	snow ·01	·03	·35		·19			·22	·10		·14		26
27				·13		·07	·06		·04	·01	·04	·30		27
28				·22		·01		·23	·06	·03	·01	·55		28
29		X		Trace			·13		·17	·02	·01	·12		29
30	·08	X					·05	Trace	·37	·18		·36		30
31		X		X		X	·17		X	snow ·31	X			31
TOTAL	3·12	·26	2·57	3·25	1·77	1·39	·55	3·08	2·40	3·44	1·67	6·38	Year's Total. 29·88	
* Days with .01 in. or more.	19	4	21	18	16	10	8	20	20	24	15	27	202	
* Days with .04 in. or more.	18	2	18	14	12	8	5	16	16	17	9	21	156	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) G. William Lacey.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Mount Reservoirs, Oswestry.
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 698 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07			·02	·05		·18		·23	·57	·03	·10		1
2		·02	·02			·03			·05	·11	·03	·07		2
3	·05	·12	·14	·06		·36	Trace		·07	·07	·17	·44		3
4	·03	·02	·14	snow ·29		·22			·01	·70	·01	·04		4
5		snow ·38	·24	·05		·03	·02			·05	·05	·09		5
6			Trace	·26		·50				·04	·02	·08		6
7				·04		·29				·15	·01	·30		7
8				·31						·26	·34	·33		8
9	·03	·01		·43		·18				1·04	·06	Trace		9
10	·01			·12		·12	·03			·02	·11			10
11	snow ·41	·04				·20		·07		·03	·18			11
12	snow ·21	·07				·24		·01	·01	·02	Trace			12
13	·14	·05		·10	·05	·14	·09		·12	·05	·19			13
14	·02		Trace	·12		·08			·17		·82	snow ·12		14
15		·22		·50	Trace				·38		·02	·33		15
16	·01	·25	·06	·05	·07		·14		·88	·16	·59	·09		16
17		·02		·10	snow ·11	·20	·09	·01	·15		·78	Trace		17
18		·01		·12	snow ·56	·02	·02	·13	·54	·12	·11			18
19		·05		·16	·12	·35	·19			·23	·25			19
20		·81		·11	·22	·03	·14			·04	·78			20
21		snow ·83		·07	Trace				·23	·04	·09			21
22	·01	·01	·11	·02					·06					22
23		·04	·27					·09	·04	·54		·05		23
24	·11	·35	·11						·94	·25		snow ·41		24
25	·26	snow ·48	Trace			·11				·01	·06	·05		25
26		·04				·02		·56	·24		·11	·27		26
27		·05			·03				·67	·13	·08	·01		27
28		·08			·13			·09	·29	·02	·03			28
29	Trace	X						·09	·25	·12	·15	·22		29
30	·02	×		·16		·23		·10	·16	·77	·65	·02		30
31		×		×		×			×	·49	×	·42		31
TOTAL	1·38	3·95	1·09	3·09	1·34	3·38	0·90	1·15	5·49	6·03	5·72	3·46	Year's Total 36·98	
* Days with .01 in. or more.	14	22	8	20	9	19	9	9	20	26	26	19	201	
* Days with .04 in. or more.	4	16	7	18	8	14	6	4	18	21	19	17	158	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) G. William Lacey [P.T.O.
Borough Water Engineer

13.

Trowelling Farm G. W. Lacey, Esq.

COPY FOR OFFICIAL USE!

Section **A** for the entry of Daily Observations. Station No. 2311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Oswestry (Mount Res.)

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 698 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·10	·11	·98		·31	·01	·22	·02		·13	·20		1
2	·20	·08	Trace	·14		·97	·14	·12	·02		·10	·02		2
3	·02	Trace				·49		·03	·41			·02		3
4	·04	& snow ·01	·06			·02		·03	·20		·25	·20		4
5	·10	Trace	·05		·43		·02	·10	Trace		·13	snow ·27		5
6	·33		·02		·06	·02	·16	·10	·26		·09	snow ·45		6
7	Trace		·14				·12		·25		·35	·02		7
8	·44		·20						·01	·01	·59	·05		8
9	·75		·05				·65	·02	·22		·02			9
10	·02		·01				·04	·05	Trace			trace		10
11			·01	snow ·08	·01	·19	·01		·14		·68	snow ·28		11
12				·04	·26	·13	·57		·43	·01	·14	·21		12
13				·11			·14	·03	Trace	·02	·02	·97		13
14				·15		·22	·08		·28		·08	·64		14
15	& snow ·30	·02		snow ·23	·22	·01	Trace				·40	·11		15
16	& snow ·12	& snow ·14	·02	·07	·46	·01	·18		·22		·22	·03		16
17	·07	·44					·10	·01	Trace	·08	·02	·23		17
18		·23		·02			·48	·08		·20		·01		18
19	& snow ·77	·18	·14	snow ·22		·08	-	·34		·18		·05		19
20	·08	·17	·04	·01		·08		Trace		·02		·02		20
21	·09		·07	·30		·77	·02					·02		21
22	·01	& snow ·44	·04		·08	·30	·38				·01	·08		22
23	·02	·05	·30	·05	·02	·01	·73			·02				23
24	·28	·01	Trace	·12	·07		·01		·21	·30	trace			24
25	·34		·01	·07	Trace		Trace	·02	·92	·04	trace			25
26	·09	·16	·52						·01	·15	·03			26
27	·60	Trace	·10				·03		·12	·13	·01			27
28	·35	snow ·33	·23			·01	·02			·01		·03		28
29	·02	snow ·25	·54			·13				·03		·37		29
30	·18	✕			·15	·18	·11			·54	·02	·04		30
31	·31	✕	·09	✕	·07	✕	Trace		✕		✕	·34		31
TOTAL	5·59	2·61	2·75	2·59	1·83	3·93	4·27	1·15	3·72	1·74	3·29	4·66	Year's Total 38·13	
* Days with .01 in. or more.	25	15	21	15	11	18	21	13	16	15	19	24	213	✓
* Days with .04 in. or more.	20	12	16	13	9	12	14	7	12	8	12	16	151	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. William Lacey

Boro' Water Engineer

[P.T.O.

13

Travelling form [illegible]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Oswestry (Mount Res.)

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 698 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·19	·05	·04					·19	·17	·03	·06		1
2	·02	·35	·07	·55						trace		1·12		2
3	·01	·15	trace		·01	·04	14		·02			·01		3
4	·14	·04	·02	·08	·04	·04		·04				·48		4
5	·33	—	·20	·18		trace	·04							5
6	·09	—	·04	·09	·10			·27			·01			6
7		& Snow ·67		35		·09			·02			·02		7
8		·16		·01		·10	·03		·01		·21			8
9		·06		·10	·37	trace	·14	·10	·16		trace			9
10	·05	10	Snow ·24		·01	·04			·02			Snow ·43		10
11		·01	Snow ·55		·32	·28	·01					·18		11
12	·18	·13	·02		trace	·28	·02	·60	·16			·13		12
13	·01	trace	·02	·04		·19		·02	·14			·01		13
14		·03	·14			trace	·01	·01	·04		·02	& Snow ·15		14
15	·17	·32	·02	·26			·52		·14		·01	·04		15
16	trace	·13	·25	·52				·23	·15		trace	trace		16
17	·08	·18	·17	·11		·02		trace	·05					17
18	snow ·85	·11	·19	trace			·19	·01	·07	01	·49	& Snow ·11		18
19	trace	·20	·06	·09	trace	·12	·35				·05	·01		19
20	·15	·07		·25	·10				·01			& Snow ·08		20
21	·12	·09	Snow ·35	·02			·13			·07		·04		21
22	·07	·15	Snow ·10		·15		·22			·18	·63	·03		22
23	·12	·05	trace		·37		·09			·74	·46	trace		23
24	·08	·69	·12						·09	·57		·09		24
25	·02	·47							·04	·10		·01		25
26	trace	·58	Snow ·13		·29			trace	trace		trace	·01		26
27		snow ·40		·06						·90		trace		27
28		snow ·20	·02							·12				28
29	·06	✗								·63	·07			29
30	snow ·29	✗						·28	·10	·02	·26			30
31	·17	✗		✗		✗		·02	✗	·19	✗			31
TOTAL	3·33	5·53	2·76	2·75	1·76	1·20	1·89	1·58	1·41	3·70	2·24	3·01	Year's Total 31·16	
* Days with ·01 in. or more.	21	25	20	16	10	10	13	10	17	12	11	19	184	✓
* Days with ·04 in. or more.	17	23	15	14	8	9	9	6	12	10	7	12	142	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. William Lacey. [P.T.O.

Boro' Water Engineer

13.

Travelling Forms. - Oswestry - [illegible] / John E. Taylor for 1/9/38.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Oswestry, Mount Res.

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 698 ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01				1·10	1·04			·19	·02	·13		1
2		·03		·08	·11	·14	·09			·11	·08	·13		2
3		trace			·02	·05	·01		·04	1·78	·05	Trace		3
4	·02	·02				trace	·18	·10		·20	Trace	·23		4
5	trace	·02				·03		1·59	·03	·15		·08		5
6	·33	·01				·20	·64	trace	trace	·37		·17		6
7	·06						·43	·52	·02	·08		·03		7
8	·33						·06	·62		·57		·22		8
9	& Snow ·10	·08					·06	·02				·40		9
10	·04	·09					·27	·09		·02		·33		10
11	·55	·02				·05	·02			·05	·17	·09		11
12	·27	·01			·27	·07	·03			·44	1·10	·17		12
13	·09				·03					·17	·28	·06		13
14	·69				·06		·32		·06		·08	Trace		14
15	·37		·05		·21			·06		·12	·06	·10		15
16	·53		·03		·15		trace	·05	[illegible]	·06	·09	·01		16
17	trace						·04	trace	·15	·19	Trace	·04		17
18	·10				·09	·04		·51	·01	·05	·27	–		18
19	·01				·02			·07	trace		·10	–		19
20	·10		·03					·02	·07		·26	–		20
21			·01					·11	·09		·01	–		21
22						·06		trace		·02	·51	·04		22
23	trace			·07	·06			·01	·17	trace	·17	Trace		23
24	·06	·09	·12		·08	·02		·58	·04	·04	·11	–		24
25	·10	·11	·13		·04	·01	·12		trace	·29	·78	·04		25
26	·09	·40	·12		·22	·22			·02	·37	–	·02		26
27	·15	·03			·73	·22	·20	·31	·07	·04	·46	–		27
28	·15	·08			·02	·72	·17	·09	·04		·07	·03		28
29	·37				·57	·06	·03			·07	·17	·03		29
30	·05				·01		·03		·53		·21	·24		30
31	·21				·76					·28		·60		31
TOTAL	4·77	1·00	·49	·15	3·45	2·99	3·74	4·75	1·34	5·63	5·05	3·19	Year's Total 36·55	
* Days with .01 in. or more.	23	14	7	2	18	15	18	16	14	23	21	22	193	
* Days with .04 in. or more.	21	6	4	2	13	12	13	13	10	21	19	17	151	

* See Instruction 3 (f) on other side.

John E. Taylor
(from 1st Sept. 1938)

† Spare column, no entries required.

(*Signed*) G. William Lacey
Boro' Water Engineer

[P.T.O.

13 THF J. E. Taylor Esq A.M.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Oswestry, Mount Reservoir

in the County of Shropshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ......698.......ft.

TRAVELLING FORM

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	-	·40	31	·01	–	–	·10	·05	–	·05	·10		1
2	·38	-	·03	·14	-	–	·01	·17	·47	–	·02	·03		2
3	·57	-	·17	·62	-	–	-	·18	·19	–	–	·41		3
4	·33	-	·38	·38	·24	-	·32	Trace	·31	·19	·15	snow ·67		4
5	-	-	–	·07	·39	-	·15	·02	Trace	·20	·52	·01		5
6	·69	-	·05	Trace	-	-	·72	-	-	Trace	·24			6
7	·15	·10	·21	-	-	–	·17	·22	–	-	·19	·41		7
8	·04	·23	·74	-	-	-	·32	·14	-	·35	·67	·20		8
9	·04	·10	·04	-	Trace	-	·06	·36	-	·47	Trace	·24		9
10	·81	–	·21	-	-	-	–	·08	·06	·22	·03	·04		10
11	·13	·12	·17	-	-	·08	-	·01	–	·04	Trace	·01		11
12	·01	·15	-	Trace	-	·09	-	-	·04	·13	·01			12
13	-	·01	-	·41	·05	·04	·31	-	·04	·01	·01			13
14	1·00	-	-	·03	·25	·35	·73	-	·05	·08	·21			14
15	·52	-	·07	·04	·11	1·09	·18	-	–	·03	·09			15
16	·14	-	·03	-	·63	-	·75	-	–	-	·16			16
17	·56	-	-	-	·07	·19	·06	-	-	·73	·05			17
18	·46	·10	·07	-	-	·11	·17	-	-	·02	·88			18
19	·29	-	-	-	-	-	·96	-	-	-	·16			19
20	·07	-	-	-	-	·06	·18	-	-	-	Trace	·01		20
21	·07	·03	·23	·04	-	-	·01	·33	·15	-	-			21
22	·57	·28	·08	·07	-	-	·02	-	Trace	·03	·52			22
23	·48	·11	·01	·12	-	·01	·18	-	-	·24	·30			23
24	·04	·03	·01	·11	-	·05	·17	-	-	·21	Trace			24
25	·38	·06	-	·11	-	-	·13	-	-	·21	·48			25
26	Trace	·04	-	·04	-	-	-	·08	-	·01	·15	·01		26
27	·03	·99	·22	-	-	·27	·20	-	-	-	·18	·14		27
28	-	·16	·14	-	-	·30	·39	·01	-	-	·27	·06		28
29	-	✕	Trace	·27	-	·01	1·33	·03	-	·09	·05			29
30	-	✕	-	·02	-	·02	·09	-	-	Trace	·11	·01		30
31	-	✕	-	✕	-	✕	Trace	·09	✕	·07	✕	·07		31
TOTAL	7·91	2·51	3·26	2·78	1·7~~4~~5	2·67	7·61	1·82	1·36	3·~~4~~33	5·50	2·42	Year's Total ~~45·01~~ 292	
* Days with .01 in. or more.	24	15	19	16	8	14	24	14	9	19	24	16	202	
* Days with .04 in. or more.	22	12	15	14	7	11	21	10	9	14	20	10	165	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. E. Taylor

[P.T.O.

13

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2311

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930.

Kept at Oswestry, Mount Res.

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 698 ft.

TRAVELLING FORM.

VALUES FORW[illegible]THLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·09	–	·13	Trace	–	–	·	·	·	·63	–		1
2	–	·03	–	·20	–	–	Trace	·	·	·	·90	·08		2
3	–	·13	–	·02	–	–	·04	·	·	·11	·51	·05		3
4	–	·11	–	·24	–	–	Trace	·	·	·22	·07	·02		4
5	–	·01	–	–	·14	–	·05	·	·03	·26	·72	·11		5
6	·12	·43	–	–	–	–	·06	·	·	1·24	·14	·04		6
7	·02	·27	–	·04	·03	–	·04	·	·	·20	Trace	·11		7
8	·01	·02	–	–	·07	–	–	·01	·07	·32	·02	·05		8
9	–		·29	·02	–	–	·96	·	·01	·61	1·14	·37		9
10	–		–	–	–	·35	·32	·12	·01	·14	·13	·24		10
11	–		·02	·02	–	·06	·19	·	–	·	1·13	·13		11
12	–	·03	·14	[illegible]	–	·02	·09	·01	–	·	·15	–		12
13	–	·05	snow ·57	·02	–	–	–	·	·06	·	–	·03		13
14	–		·02	·08	·16	–	·29	·01	·10	·04	·08	·28		14
15	–		·02	·04	·91	·18	–	·	·08	·07	·06	·13		15
16	–	·19	·19	·01	·01	–	–	·	·72	·51	1·10	·11		16
17	–		·32	·09	–	–	·12	·	·01	·	·75	–		17
18	·13	·67	·53	·28	–	–	·01	·05	·64	·03	·04	·07		18
19	–	·21	·17	1·04	–	–	·52	·	·05	·	·42	–	·	19
20	–		–	·30	–	–	·19	·	·10	·36	·07	–		20
21	–		–	Trace	·07	·65	Trace	·11	–	·	1·12	–		21
22	–	·02	·19	·03	·50	–	–	·	·16	·	·02	–		22
23	–	·07	·09	·16	·02	–	–	·01	·06	·	·08	–		23
24	·05		·07	·16	–	–	–	·	·	·01	–	·02		24
25	·05		–	·01	·09	·02	·12	·	·		–	–		25
26	1·28	·32	–	·06	·13	·05	–	·	·	·	·03	–		26
27	1·43	·19	·06	–	·01	–	·03	·	·	·	·07	–		27
28	·29	·25	–	·06	·28	–	–	·02	·	·	·02	–		28
29	·01		·16	·41	·01	·09	·01	·	·	·	–	·02		29
30	·01	✗	·01	·87	·02	–	–	·	·	·37	·01	·01		30
31	·24	✗	·32	✗	–	✗	–	·	✗	·81	✗	·21		31
TOTAL	3·64	3·09	3·17	3·26	2·45	1·42	2·98	·34	2·10	5·35	9·41	2·08	Year's Total 39·2~~8~~9	
* Days with .01 in. or more.	12	18	17	23	15	8	16	8	14	16	25	19	191	
* Days with .04 in. or more.	8	13	13	15	9	6	13	3	10	14	20	14	138	

† Spare column, no entries required.

(*Signed*) J. E. Taylor

* See Instruction 3 (f) on other side.

[P.T.O.

ELLESMERE COLLEGE

2312/3

780405

Section **A** for the entry of
AIR MINIST

FORM 1090

REGIS

Kept at Ellesmere C

in the County of Shrops

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

" Ground " Sea

THE MORNING MEASUR

An observer who does not conform
year in the space on the right of th

Ple

Station No. ~~921~~ 2312/3

L ORGANIZATION

8

ly Aug Sept & Oct
correct totals
98422/36

surrounding stns-ER 5/4/39

DAY

following

Jan. 1, following

Date	Jan.	Feb.	Mar.	A						.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·1	·01			·43	Tr				·21	·11		1
2		–	Tr			1·05	Tr				·02	·15		2
3		–	Tr			·04	Tr				·02	·06		3
4		–	–		Tr	·01	Tr			(1·50)	·01	Tr		4
5		·01	–		–	Tr	·08			(1·75)	–	·20		5
6		·01	–		–	Tr	–				–	·06		6
7		Tr	–		–	·05	·61			·19	–	·15		7
8		–	Tr		–	–	·39			·04	–	Tr		8
9		·01	Tr		–	–	Tr			·32	–	2·40		9
10		·11	–		Tr	·03	·62			–	–	·76		10
11		·02	·25		–	·02	·21			·11	–	Tr		11
12		Tr	·07		–	·04	Tr			·10	·16	·10		12
13		–	Tr		·19	·06	Tr			·14	·53	·58		13
14		Tr.	–		Tr	–	–			·09	·34	·17		14
15		–	–		·12	–	·32			Tr	–	·03		15
16	Records lost	–	·02	Records lost	·02	–	·07	Daily records lost from July 21 until	October 6th: Totals July, August Sept. Oct as under, equal 8.93	·04	–	·07		16
17		–	–		·03	–	Tr			·06	·08	·01		17
18		–	–		Tr	–	·01			·04	Tr	–		18
19		–	–		·06	·02	·			·09	~~·15~~	–		19
20		–	–		–	–	·			·01	·85	Tr		20
21		–	Tr		–	–	Tr			–	·18	–		21
22		–	Tr		–	Tr	·			–	·01	Tr		22
23		–	–		–	·12				–	·39	·02		23
24		–	–		Tr	·01				·02	·04	–		24
25		·05	·13		Tr	Tr	(·25)			·30	·08	Tr		25
26		·1	·03		–	Tr				·37	·70	·06		26
27		·14	·15		·04	·12				–	·01	–		27
28		Tr	Tr		·85	Tr				–	·38	–		28
29			Tr		·01	·73				–	·01	·12		29
30		✕	–		·34	Tr				·12	·10	·07		30
31		✕	–	✕	Tr	✕			✕	Tr	✕	·16		31
TOTAL	7 (3·00)	·46 ~~0·55~~ A	·65 ~~0·66~~	(·25)	·43 2·09 ~~1·66~~	2·30 ~~2·73~~	2·56	(5·00)	(1·00)	~~3·79~~ 3·76	4·17 ~~4·27~~	(·45) 3·60 ~~3·26~~	~~Year's Total~~ ~~22·10~~	10 months. ~~(29·66)~~ (28·83)
* Days with .01 in. or more.		~~8~~	7		9	~~14~~								
* Days with .04 in. or more.		~~4~~	~~5~~		6	9		8·93						

28 w/p too
29 man adjustments
30 GB
13/4/39

J. W. NANKIVELL

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) J. W. Nankivell.

[P.T.O.

ELLESMERE COLLEGE

2312/3

Section **A** for the entry of … Station No. ~~324~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Ellesmere College

in the County of Shropshire 14

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 330 ft.

~~Bone~~ ~~July Aug Sept & Oct incorrect totals~~

Corrected for W.D. ER.

§ 498422/36

Adjusted by surrounding stns - ER 6/4/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·1	·01			·43	Tr				·21	·11		1
2		—	Tr			1·05	Tr				·02	·15		2
3		—	Tr			·04	Tr				·02	·06		3
4		—	-		Tr	·01	Tr			(1·50)	·01	Tr		4
5		·01	-		-	Tr	·08			(1·75)	-	·20		5
6		·01	-		-	Tr	-				-	·06		6
7		Tr.	-		-	·05	·61			·19	-	·15		7
8		-	Tr		-	-	·39			·04	-	Tr		8
9		·01	Tr		-	-	Tr			·32	-	2·40		9
10		·11	-		Tr	·03	·62			-	-	·76		10
11		·02	·25		-	·02	·21			·11	-	Tr		11
12		Tr	·07		-	·04	Tr			·10	·16	·10		12
13		-	Tr		·19	·06	Tr			·14	·53	·58		13
14		Tr.	-		Tr	-	-			·09	·34	·17		14
15		-	-		·12	-	·32			Tr	-	·03		15
16		-	·02		·02	-	·07			·04	-	·07		16
17		-	-		·03	-	Tr			·06	·08	·01		17
18		-	-		Tr	-	·01			·04	Tr	-		18
19		-	-		·06	·02	·			·09	~~·15~~	-		19
20		-	-		-	-	·			·01	·85	Tr		20
21		-	Tr		-	-	Tr			-	·18	-		21
22		-	Tr		-	Tr	·			-	·01	Tr		22
23		-	-		-	·12				-	·39	·02		23
24		-	-		Tr	·01				·02	·04	-		24
25		·05	·13		Tr	Tr	(·25)			·30	·08	Tr		25
26		·1	·03		-	Tr				·37	·70	·04		26
27		·14	·15		·04	·12				-	·01	-		27
28		Tr	Tr		·85	Tr				-	·38	-		28 w/p too
29			Tr		·01	·73				-	·01	·12		29 many adjustments
30		X	-		·34	Tr				·12	·10	·07		30 [illegible] GP
31		X ~~·09~~	-	X	Tr	X			X	Tr	X ·11	·16		31 13/4/39
TOTAL	7 (3·00)	·46 ~~0·55~~ ~~A~~	·65 ~~0·66~~	(·25)	·43 2·09 ~~1·66~~	2·30 ~~2·73~~	2·56 ~~2·31~~	(5·00) ~~1·16~~	(1·00) ~~2·20~~	~~3·79~~ 3·76 ~~2·04~~	4·17 ~~4·27~~	(·45) 3·60 ~~3·26~~	~~Year's Total~~ ~~21·0~~	10 months. ~~(29·66)~~ (28·83)
* Days with .01 in. or more.		~~8~~	~~7~~		~~9~~	~~14~~								
* Days with .04 in. or more.		~~4~~	~~3~~		~~6~~	~~9~~	8·93							

Jan.: Records lost

April: Records lost

Aug.: Daily records lost from July 21 until

Sept.: October 6th. Totals July, August, Sept. Oct as under, equal 8·93

J. W. NANKIVELL

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. W. Nankivell. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2312/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ellesmere College
in the County of Shropshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
,, Ground ,, Sea Level 330 ft.

Entry on Nov 18th and period Nov 25th–30th ~~[illegible]~~ estimated from nearby stns

49842/36

2/40 letter re exposure & height of gauge

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·44	—	·16	—	·05	—	Tr	—	✓	—	·04	·1		1
2	Tr	—	·22	·22		—	—	·03	✗	—	·02	·01		2
3	·21	—	—	—		—	—	·14	✓	—	·01	·03		3
4	·20	—	·11	·44		—	Tr	Tr	x/ ·61	—	·08	·28		4
5	·40	—	·30	·22	·06	—	·29	—	—	·10	·17	·27		5
6	Tr	—	—	·50	·32	—	·20	·15	—	·05	·28	·09		6
7	·22	—	·12	—		—	·48	—	—	—	·16	—		7
8	·01	·05	—	—		—	·16	·31	—	—	·17	·39		8
9	Tr	·14	·35	—		—	·11	·06	—	·03	·37	·08		9
10	·02	—	Tr	—		—	·09	·20	Tr	·03	Tr	·08		10
11	·41	·05	·09	—		Tr	—	·04	·06	·35	—	·03		11
12	·20	·13	·14	—		·01	—	—	·08	—	—	—		12
13	Tr	·17	—	·13		·02	Tr	—	·04	—	·01	—		13
14	·20	—	—	—	·05	Tr	·33	—	·06	·01	—	—		14
15	·50	—	—	—	·28	·20	Tr	—	·01	·02	·11	—		15
16	·41	—	·03	—	·01	·56	·21	—	—	—	·04	—		16
17	·09	—	·01	—	·40	—	·34	—	—	·02	·11	—		17
18	·51	—	—	—	·05	·01	·08	—	—	·77	(·70) ~~·08~~	—		18
19	·48	·04	✓	—		·02	·06	—	—	·02	·13	—		19
20	·26	—	—	—		—	·75	—	—	—	·03	—		20
21	·05	—	·07	—		·04	·34	—	Tr	—	—	—		21
22	·18	·01	·14	Tr	·03	—	Tr	·27	·15	—	+Tr	—		22
23	·38	·40	·02	·07		—	·09	—	Tr	·06	+·94	—		23
24	·09	—	—	·04		—	·22	—	Tr	·11	·02	—		24
25	Tr	·05	—	·04		—	·15	—	—	·12	+—	—		25
26	Tr	·01	—	·18		—	·16	—	—	·11	+~~·02~~	—		26
27	·41	·01	—	Tr		—	—	·04	—	—	+~~·01~~	—		27
28	·	·81	·11	—		·13 ~~#~~	·12	—	Tr	—	·80 +~~·02~~	—		28
29	·	—	·26	—		·07	·18	—	—	—	+~~·01~~	—		29
30	·		—	·30		Tr	1·36	·92	—	·50	+—	—		30
31	·		—				·02	—		—		—	30·84	31
TOTAL	5·67	1·83	2·13	2·14	1·25	1·06	5·74	2·16	1·01	2·30	(4·19) ~~2·83~~	1·36	Year's Total ~~29·48~~	
* Days with .01 in. or more.	21	12	15	10	9	9	21	10	(10)	15	25 ~~22~~	10	167 ~~3~~	
* Days with .04 in. or more.	19	9	12	10	7	5	21	9	(7)	9	20 ~~13~~	7	135 ~~2~~	

[illegible]

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....

P.T.O.

2313

Section **A** for the
AIR M

PY FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090.

RE

2313
NORTON-IN-HALES SCHOOL
SALOP
1931-40
780405

Kept at Norton-i
in the County of S

Diameter of Funnel of Ga
Height of top of Gauge abo
,, Ground ,,

THE MORNING TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·04

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·65	·10	–	·12	·05	–	–	–	·13	–	–	1
2	·02	·02	·02	·06	–	·02	–	·01	·12	·02	–	–	2
3	–	·18	–	·59	·24	·34	–	–	·42	·06	·08	·07	3
4	·19	·02	–	·04	–	·01	·03	–	·99	·03	·78	·14	4
5	–	·01	–	·21	·02	·01	·16	·25	·59	·04	·09	–	5
6	–	·09	–	·05	·11	1·12	·03	·13	·05	–	·01	·31	6
7	–	·20	–	·02	·04	·30	·30	·03	·11	·23	·31	–	7
8	–	·05	–	–	–	·31	·02	·36	–	·04	·12	·05	8
9	·10	·04	–	·22	–	·06	·21	·96	–	–	·10	–	9
10	·17	·43	·01	·11	–	·12	·02	·15	–	–	·28	·01	10
11	·02	·02	–	–	·04	·05	·18	·14	·10	–	·31	·05	11
12	·09	·40	–	–	–	·07	·16	·03	·23	·02	·12	·03	12
13	·04	·19	–	·06	–	·02	·21	·10	·26	·04	·14	–	13
14	–	·01	·05	·01	·03	·01	·34	·50	–	–	–	–	14
15	·02	·09	–	–	·20	·55	·83	1·15	·04	–	·54	–	15
16	·04	·22	·03	·22	·16	·03	·18	·60	·03	–	·03	·21	16
17	·06	·07	–	·24	·34	·15	·05	·18	·20	–	–	–	17
18	·16	·05	–	·22	·95	·05	·03	·03	·03	–	·12	–	18
19	·16	·01	–	·03	·07	·22	·14	·04	·06	–	·44	–	19
20	·13	·12	–	·01	·02	·03	·03	·33	·02	·02	–	–	20
21	·03	·09	·14	–	–	·01	·02	·48	–	–	·08	·08	21
22	·36	–	·02	·02	·44	–	–	·06	–	–	·10	–	22
23	·24	–	·01	·17	·09	·06	–	·08	–	–	·02	–	23
24	·19	–	–	·15	·32	·05	·38	–	–	–	·31	·36	24
25	·03	·03	–	·18	·23	·02	·15	–	–	–	·12	·03	25
26	·04	·09	–	·84	·03	–	·05	–	–	–	·06	·04	26
27	·10	·05	–	·09	–	–	·06	–	–	–	·49	·09	27
28	·08	·31	–	·08	·51	–	·05	–	–	·13	·25	·12	28
29	·16		–	·04	·34	–	·01	–	–	·09	·02	·30	29
30	·04	×	·02	–	·04	–	·56	–	–	·46	·02	–	30
31	–	×	–	×	–	×	·04	–	×	–	×	·03	31 39·91
TOTAL	·65 ~~2·57~~ 3·12	·10 ~~3·44~~ 2·89	– ~~·40~~ ·30	·12 ~~3·66~~ 3·78	·05 ~~4·44~~ 4·37	– ~~4·24~~ 4·22	– 4·18	– 5·64	·13 3·24 3·37	– ~~1·31~~ 1·18	– 4·97	·04 ~~1·85~~ 1·89	YEAR'S TOTAL ~~39·94~~
*Days with ·01 in. or more.	24	25	8 ~~9~~	24 ~~23~~	21	23 ~~24~~	26	20	16 ~~15~~	12 ~~13~~	25	17 ~~16~~	241
*Days with ·04 in. or more.	19	18	2 ~~3~~	19 ~~18~~	17	14 ~~15~~	18	16	13 ~~12~~	8 ~~9~~	20	12 ~~11~~	176

40-9999

(Signed) Chas. Chadwick

[P.T.O.

*See Instruction 2 (*f*) on other side.

2313

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Norton-in-Hales School

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 350 ft.

WD

corr. for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·04

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·65	·10	—	·12	·05	—	—	—	·13	—	—	1
2	·02	·02	·02	·06	—	·02	—	·01	·12	·02	—	—	2
3	—	·18	—	·59	·24	·34	—	—	·42	·06	·08	·07	3
4	·19	·02	—	·04	—	·01	·03	—	·99	·03	·78	·14	4
5	—	·01	—	·21	·02	·01	·16	·25	·59	·04	·09	—	5
6	—	·09	—	·05	·11	1·12	·03	·13	·05	—	·01	·31	6
7	—	·20	—	·03	·04	·30	·30	·03	·11	·23	·31	—	7
8	—	·05	—	—	—	·31	·02	·36	—	·04	·12	·05	8
9	·10	·04	—	·22	—	·06	·21	·96	—	—	·10	—	9
10	·17	[illegible]	·01	·11	—	·12	·02	·15	—	—	·28	·01	10
11	·09	·02	—	—	·04	·05	·18	·14	·10	—	·31	·05	11
12	·09	·40	—	—	—	·04	·16	·03	·23	·02	·12	·03	12
13	·04	·19	—	·06	—	·02	·21	·10	·26	·04	·14	—	13
14	—	·01	·05	·01	·03	·01	·34	·50	—	—	—	—	14
15	·02	·09	—	—	·20	·55	·83	1·15	·04	—	·57	—	15
16	·04	·22	·03	·22	·16	·03	·12	·60	·03	—	·03	·21	16
17	·06	·07	—	·24	·34	·45	·05	·18	·20	—	—	—	17
18	·16	·05	—	·22	·95	·05	·03	·03	·03	—	·12	—	18
19	·10	·01	—	·03	·07	·23	·14	·04	·05	—	·44	—	19
20	·13	·13	—	·01	·02	·02	·03	·33	·02	·02	—	—	20
21	·03	·09	·14	—	—	·01	·02	·48	—	—	·08	·08	21
22	·36	—	·02	·02	·44	—	—	·06	—	—	·10	—	22
23	·24	—	·01	·17	·09	·06	—	·08	—	—	·02	—	23
24	·19	—	—	·15	·32	·05	·38	—	—	—	·31	·36	24
25	·03	·03	—	·18	·23	·02	·15	—	—	—	·12	·03	25
26	·04	·09	—	·84	·03	—	·05	—	—	—	·06	·04	26
27	·10	·05	—	·04	—	—	·06	—	—	—	·49	·02	27
28	·08	·36	—	·07	·51	—	·05	—	—	·13	·25	·11	28
29	·16		—	·04	·34	—	·01	—	—	·09	·02	·30	29
30	·04	×	·02	—	·04	—	·56	—	—	·46	·02	—	30
31	—	×	—	×	—	×	·04	—	×	—	×	·03	31 39·91
TOTAL	·65 ~~2·57~~ 3·12	·10 ~~3·44~~ 2·80	— ~~·40~~ ·30	·12 ~~3·66~~ 3·78	·05 ~~4·44~~ 4·37	— ~~4·24~~ 4·22	— 4·18	— 5·64	·13 3·24 3·37	— ~~1·31~~ 1·18	— 4·97	·04 ~~1·85~~ 1·89	YEAR'S TOTAL ~~39·94~~
*Days with ·01 in. or more.	24	25	8 ~~9~~	24 ~~23~~	21	23 ~~24~~	26	20	16 ~~15~~	12 ~~13~~	25	17 ~~16~~	241
*Days with ·04 in. or more.	19	18	2 ~~3~~	19 ~~18~~	17	14 ~~15~~	18	16	13 ~~12~~	8 ~~9~~	20	12 ~~11~~	176

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Chas. Chadwick [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Norton in Hales School

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 350 ft.

WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·15

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·02	·02	·11	·15	—	·25	·28	—	·04	·02	·27	1
2	·04	·02	—	·15	·50	—	·15	·26	·12	·02	·09	·06	2
3	·10	·02	—	·03	·42	—	·01	·02	·05	·27	·02	·15	3
4	—	·04	—	·42	·07	—	·36	—	—	·15	·01	·06	4
5	—	·02	—	·08	—	—	·05	—	·02	·02	·30	·01	5
6	·34	—	·03	·06	·11	—	—	·02	·11	—	—	·02	6
7	·65	—	·02	·19	—	—	·03	—	·20	—	·02	—	7
8	·02	—	·14	·14	·05	—	—	—	·11	·41	·01	—	8
9	·07	—	—	·05	—	—	—	—	·06	·02	—	—	9
10	·20	·07	—	·02	—	—	—	—	·02	·39	—	—	10
11	·19	·02	·02	·09	·02	—	—	—	·18	·53	—	—	11
12	·02	·01	—	·07	·23	—	·44	—	·03	·13	·02	·02	12
13	·18	—	—	—	·13	—	·28	—	·14	·21	·02	—	13
14	·06	—	—	·05	·05	—	·30	·16	·04	·08	·03	·10	14
15	·12	·03	—	—	—	—	·03	·16	·01	·20	·09	·02	15
16	·02	—	—	·02	·65	—	·08	—	—	·02	·01	·01	16
17	·65	—	—	—	·09	—	·03	—	—	·01	—	—	17
18	·02	—	—	·12	—	—	·44	—	·08	·03	—	—	18
19	—	—	—	—	·04	—	·02	—	—	·02	·05	—	19
20	—	—	—	·04	·25	—	—	—	—	·20	·02	—	20
21	—	—	—	·06	·53	—	·03	·56	—	·26	·11	—	21
22	—	—	·25	·24	·51	—	—	·31	—	·34	·12	·05	22
23	—	—	·33	·10	·07	—	·48	·01	·32	·05	·39	·05	23
24	—	·02	—	—	·35	—	·07	—	·04	·13	·11	·04	24
25	·06	—	—	—	·03	—	·09	—	·04	·01	·41	—	25
26	·09	·02	—	—	·05	·07	·02	—	·03	·23	·09	—	26
27	—	—	·05	·28	·29	·01	·11	—	·04	·02	·06	—	27
28	—	—	·26	·27	·35	—	·16	—	—	·02	·09	·08	28
29	—	—	·23	·16	·20	—	·23	—	—	—	·03	·02	29
30	—	×	·13	·25	·05	·11	·07	·11	·11	·44	·08	·17	30
31	— ·02	× ·02	·26	× ·15	·02	× ·25	·02	·32	× ·04	·55	× ·27	·08	31 29·57
TOTAL	~~2·87~~ 2·85	·29 ✓	~~1·11~~ 1·86	~~3·33~~ 3·37	~~5·81~~ 5·06	~~·19~~ ·44	~~3·15~~ 3·38	~~2·11~~ 1·83	~~1·35~~ 1·79	~~4·80~~ 4·78	~~2·18~~ 2·43	~~1·21~~ 1·09 ·15	YEAR'S TOTAL ~~29·46~~
*Days with ·01 in. or more.	~~18~~	✓11	12 ✓	23 ✓	24 ~~25~~	4 ~~3~~	✓24	10 ~~11~~	21 ~~20~~	✓28	✓24	✓17	216 ✓
*Days with .04 in. or more.	✓13	✓2	9 ~~8~~	20	21 ~~22~~	3 ~~2~~	✓16	7 8	16 ~~15~~	17 ~~18~~	14 ~~18~~	✓11	149 ~~148~~

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) Chas. Chadwick [P.T.O.

2313

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Norton in Hales School

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 350 ft.

W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	·15	·01	·29	·12	—	—	—	·03	—	·33	—		1
2	·11	·26	·03	—	·02	—	—	—	·01	—	·03	—		2
3	·22	·01	·19	·02	·05	·22	—	—	—	—	·01	—		3
4	·03	·18	·09	—	·09	—	—	—	—	—	—	—		4
5	·11	·03	—	—	·22	—	—	·04	—	—	—	—		5
6	·08	·02	·11	—	·03	—	—	—	—	—	·04	—		6
7	—	·41	·03	—	·21	—	—	—	—	·01	·03	—		7
8	·10	·44	·03	—	·03	—	—	·03	—	·75	—	—		8
9	·03	·02	·30	—	·02	—	·34	—	—	·03	—	—		9
10	—	·03	·01	—	·08	—	·25	—	—	·63	·22	—		10
11	·04	·03	—	—	·03	·08	·07	—	—	1·85	·11	—		11
12	·03	—	—	·12	—	·01	·02	—	—	·05	—	·03		12
13	·02	·01	—	—	·02	·01	·27	—	—	·02	—	·02		13
14	—	·01	—	—	·18	—	·02	—	—	·29	·52	—		14
15	·15	—	—	—	·01	—	·02	·36	—	·06	·23	—		15
16	·27	—	·03	—	—	—	·96	·08	—	·11	·18	—		16
17	·12	—	·29	—	·07	·07	·01	·02	—	·16	·02	—		17
18	·10	—	·58	—	—	·14	—	—	·06	·02	—	·08		18
19	·03	—	·08	—	—	·07	—	—	—	—	·01	—		19
20	·01	—	·48	—	—	·05	·07	·08	·02	—	·10	—		20
21	—	·11	·17	—	—	·05	·01	·46	·13	—	·02	·02		21
22	—	—	·02	—	—	·15	—	·26	—	—	·03	—		22
23	—	—	—	—	·25	—	—	—	—	·24	·01	—		23
24	—	—	—	·20	—	·15	—	—	—	·14	·01	—		24
25	—	1·22	—	·13	·03	·26	—	—	·20	·03	—	—		25
26	—	·38	—	·15	—	·01	—	—	·03	—	—	·06		26
27	—	·38	—	·31	·05	·04	—	—	·01	·21	—	—		27
28	—	·02	—	·02	·03	—	—	—	·41	·02	·01	—		28
29	—		—	·09	—	—	·02	—	·01	·06	—	—		29
30	·03	×	—	·03	—	—	·16	—	—	·03	—	—		30
31	·04 ·15	× ·01	— ·29	× ·12	—	×	·09	— ·03	×	·05 ·33	×	·18		31
TOTAL	1·67	~~3·71~~ 57	~~2·45~~ 73	~~1·36~~ 19	~~1·54~~ 42	1·31	2·31	~~1·38~~ 6	~~·91~~ 88	~~4·74~~ 5·09	~~1·91~~ 1·58	·39	Year's Total ~~23·66~~ 50	
*Days with ·01 in. or more.	19	18	16	10	~~19~~ 18	14	14	~~8~~ 9	~~10~~ 9	~~20~~ 21	~~18~~ 17	6	~~172~~ 1	
*Days with ·04 in. or more.	12	~~9~~ 8	~~9~~ 10	7	~~10~~ 9	11	8	6	4	~~13~~ 14	~~8~~ 7	3	~~100~~ 99	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required

(*Signed*) Chas. Chadwick

[P.T.O.

W W H

Section A **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No. 2313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Norton in Hales School

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 350 ft.

WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·39

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·01	—	—	—	—	—	·08	·09	·02	·52	—		1
2	·07	—	—	—	—	—	—	·07	·18	·14	·58	·35		2
3	—	—	·07	—	—	—	—	·24	·19	—	·11	·11		3
4	·20	—	—	—	·02	—	—	—	—	·06	·03	·07		4
5	·15	—	·04	—	—	—	—	—	·12	·20	·01	·53		5
6	—	—	·09	·01	·12	—	—	·70	—	·02	·08	·10		6
7	·02	—	—	—	·58	·02	—	·02	·01	·16	·01	·29		7
8	·08	—	—	—	—	·02	—	·03	—	·19	·05	·21		8
9	—	—	·05	—	·10	·10	—	—	·03	·06	·30	·05		9
10	·02	—	·18	·04	—	—	—	·70	—	·02	·39	·05		10
11	·03	·02	·19	·26	—	—	—	·12	—	·07	·04	·01		11
12	·57	—	·02	·21	—	—	—	·18	—	·01	·02	·25		12
13	·03	·01	·03	·07	—	—	·06	·39	—	·04	·02	—		13
14	·36	—	·02	·05	·04	—	·29	·05	—	—	—	·05		14
15	·07	—	·23	—	·03	—	—	—	—	·55	·29	·20		15
16	·08	—	·16	—	·20	—	—	·03	—	·54	·18	·25		16
17	·16	—	·09	—	·03	—	—	—	—	·15	·06	·01		17
18	·09	—	·10	—	·09	—	·18	·15	·28	·19	·01	·17		18
19	·10	—	·04	·16	·03	·03	—	—	—	·01	—	·12		19
20	—	—	·14	·05	·15	·10	—	·03	·15	—	—	·17		20
21	—	—	·13	·05	—	·02	—	—	—	·07	—	·07		21
22	·05	—	·01	—	—	·07	—	·07	·09	—	—	·02		22
23	·03	—	·08	—	—	·02	—	·13	·20	·09	—	·25		23
24	—	—	·09	·39	·02	·13	·05	·10	·02	·03	·03	·03		24
25	—	·36	·03	·05	—	·01	—	·02	·10	·04	—	·03		25
26	·03	·07	—	·14	—	—	—	—	·07	·28	—	·42		26
27	·03	—	·11	·69	—	·11	·12	—	·09	·07	·02	·03		27
28	—	—	—	·31	—	·13	·03	—	·09	·10	·02	·22		28
29	—	×	—	—	—	·04	—	·23	—	—	—	·58		29
30	—	×	—	·09	—	—	·23	·12	·40	·03	—	·03		30
31	·14	×	—	×	—	×	·09 ·05	·09 ·06	× ·02	·52 ·52	×	·08		31
TOTAL	~~2·31~~ 2·32	~~·47~~ ·46	1·90	2·57	~~1·XX~~ 1·41	·80	~~1·00~~ 1·09	~~2·92~~ 2·93	~~2·4~~ 2·04	~~3·66~~ 4·16	~~2·77~~ 2·25	~~4·76~~ 5·14 ·39	~~27·P4~~ 26·68	27·07
*Days with ·01 in. or more.	~~20~~ 21	~~5~~ 4	21	15	12	13	~~8~~ 9	21	16	26	~~20~~ 19	~~20~~ 30	~~206~~ 207	
*Days with ·04 in. or more.	13	2	16	14	~~8~~ 7	7	~~X~~ 8	16	~~13~~ 12	~~19~~ 20	11	~~22~~ 23	~~148~~ 149	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) Chas. Chadwick

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Norton in Hales School

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 350 ft.

noted for W D

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·20

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·39	·01	·01	·03	·03		·08			·10	·48	·34		1
2	·28	·10			·01		·04		·30	·18	·01	·06		2
3	·02	·04				·32	·03			·09	·11	·21		3
4	·04	·15	·03	·11		·30	·01		·03	·03	·14	·41		4
5		·04	·03	·19		·12			·04	1·43	·02	·07		5
6		·28	·15	·12		·21	·10			·02	·26	·03		6
7			·01	·14		·30				·02	·02			7
8				·24		·24				·12	·20	·18		8
9				·08		·02		·02		·04	·23	·05		9
10	·03	·02		·14		·16				·49	·14	·01		10
11	·01	·01		·11						·02	·22			11
12	·24	·03				·05		·01		·02	·08			12
13	·06					·14			·02		·02			13
14	·18	·02		·04	·18	·12			·06		·05			14
15	·02			·05	·09	·04			·10		1·11	·14		15
16		·11		·44	·04	·14			·14		·01	·41		16
17		·16	·13	·14		·22	·09	·03	·38	·14	·54			17
18		·01		·28	·11	·25	·04	·10	·04	·05	·46			18
19				·20	·41	·25	·01	·20	·16	·04	·01			19
20				·45	·32	·52	·10		·03	·14	·21			20
21	·01	·28		·53	·01	·06	·04			·02	·28			21
22		1·03		·02					·38	·05	·04			22
23		·24	·06	·02					·05	·01	·08	·10		23
24	·01	·02	·03		·01			·09	·09	·53		·04		24
25	·09	·39	·14						·95	·05		·08		25
26	·14	·21	·01	·09		·32				·02	·01	·21		26
27		·12						·93	·46		·05	·42		27
28		·10			·05			·03	·56	·34	·32	·20		28
29	·04				·05			·01	·19	·25	·02	·04		29
30		×	·04					·06	·09	·05	·04	·04		30
31	·03	× ·01	·03	× ·03	–	× ·08	–	·08	× ·10	·44	× ·34	·06		31
TOTAL	1·27 ·01 ~~1·65~~	3·37	·69 ~~·64~~	3·51	1·53 ~~1·56~~	3·95 ~~3·87~~	·46 ~~·54~~	1·56	4·23 ~~4·13~~	5·48 ~~3·38~~	5·32 ~~5·46~~	3·32 ·20 ~~3·46~~	Year's Total. 35·16	34·97
* Days with .01 in. or more.	16	21	11	20	~~11~~ 10	20 19	9 ~~10~~	11	20 19	26	28	20	212	✓
* Days with .04 in. or more.	8 ~~9~~	14	6	14	7	19 18	6 7	6	17 16	18	19	18	164	✓

40-9999

† Spare column, no entries required.

(Signed) Chas. Chadwick [P.T.O.

* See Instruction 2 (f) on other side.

1

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Norton-in-Hales

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 350 ft.

Corrected for W.D. Pz

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·33

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·24	·35	·04	-	-	-	-	·04	-	·05	·09		1
2	·26	·16	·12	·55	-	·23	-	·38	·04	-	·28	·11		2
3	·22	·08	·03	·12	-	·21	·19	·04	-	-	·13	·06		3
4	·02	-	-	·02	-	·11	·02	·03	·34	-	-	-		4
5	-	-	·19	-	-	-	-	-	·50	-	·30	·07		5
6	·16	·08	·15	-	-	·02	-	·17	·12	-	·02	·15		6
7	·02	-	·02	-	·17	·03	·04	·83	·21	-	·06	-		7
8	-	-	·07	-	-	-	·23	-	·32	-	·08	·04		8
9	·19	-	·23	-	-	-	-	-	-	·03	·36	·11		9
10	·24	-	·18	-	-	-	·50	-	·13	-	·07	-		10
11	·03	-	·02	-	-	-	·50	-	·04	-	-	-		11
12	-	-	-	-	-	·09	·23	-	·17	-	·56	-		12
13	-	-	-	·04	·12	·78	·57	-	·24	·04	·08	·27		13
14	-	-	-	·03	-	·16	·04	-	-	·08	·02	·59		14
15	-	-	-	·11	-	·22	·04	·03	·62	·05	·07	·38		15
16	·23	·03	-	·05	·21	·11	·09	-	·12	-	·51	·10		16
17	·05	·11	-	·15	·17	-	·06	-	·02	-	·42	-		17
18	-	·49	-	·07	-	-	·12	·06	-	·07	·06	·05		18
19	-	·07	-	-	-	·25	-	·11	-	·10	-	·06		19
20	·40	·16	·04	·35	-	·10	·42	·12	-	·15	-	-		20
21	·06	·09	·05	-	-	·12	·02	-	-	·03	-	-		21
22	1·16	-	-	·16	-	1·10	-	-	-	-	-	-		22
23	-	·22	·03	-	-	-	·16	-	-	-	-	·19		23
24	-	·05	·91	·10	·02	-	·45	-	-	·02	-	·02		24
25	·23	·04	·02	·08	-	-	-	-	·17	·32	-	-		25
26	·12	-	·02	·04	-	-	·12	-	·53	·07	-	-		26
27	·03	·15	·31	-	-	-	-	-	·05	·04	-	-		27
28	·45	·02	·03	-	-	-	-	-	·28	·10	·04	-		28
29	·19	·15	·13	·03	-	-	-	-	·02	·08	·03	·07		29
30	·04	✕	·07	-	-	·40	·01	-	-	·06	-	·29		30
31	·24 ·18	✕ ·35	·04 ·02	✕	·26	✕	·30	·04 -	✕	·05 ·65	✕ ·09	·33 -		31
TOTAL	4·51 ~~4·47~~	2·25 ~~2·14~~	2·68 ~~2·99~~	1·84 ~~1·88~~	·95	3·93	4·11	1·81 ~~1·77~~	3·92 ~~3·96~~	1·94 ~~1·89~~	3·18 ~~3·14~~	2·89 ~~2·65~~	Year's Total ~~33·88~~	34·01 ✓
* Days with .01 in. or more.	21	16	21	~~16~~ 15	6	15	20	10 ~~9~~	18 ~~19~~	17 ~~16~~	18	17	194	✓
* Days with .04 in. or more.	14	14	13	~~12~~ 11	5	13	14	8 ~~7~~	16 ~~14~~	14 ~~13~~	15	16	159	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Chas. Chadwick. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at Norton-in-Hales

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 350 ft.

cord. for W. D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·33	·27	·06	—	—	·01	·09	—	—	·01	·11	·04		1
2	·11	·09	·02	—	·01	—	—	—	·06	·02	·01	·29		2
3	·02	·09	—	·28	—	—	—	—	—	—	—	·64		3
4	—	·04	—	·02	·30	·24	·04	—	—	—	—	·03		4
5	·15	·18	·22	—	·08	·07	—	·11	·01	—	—	—		5
6	·45	·02	—	—	·01	—	—	—	—	—	—	1·95		6
7	·19	—	—	·09	·20	·05	—	—	—	—	—	—		7
8	—	·61	—	·10	·01	·03	—	—	·03	—	·03	—		8
9	—	·02	—	·06	—	—	·11	—	·03	—	·24	—		9
10	—	·23	·40	·04	·13	—	·54	—	·10	—	—	—		10
11	—	—	·08	—	·02	·02	·02	—	—	—	—	·16		11
12	—	·45	·23	—	·32	·09	·02	—	—	—	—	·17		12
13	·07	·02	·04	—	·06	·33	—	—	·42	—	—	·20		13
14	—	—	·02	·03	·03	·02	—	1·48	·59	—	—	·04		14
15	—	·30	·26	—	—	—	—	·02	·03	—	·08	·26		15
16	·22	·07	·06	·28	—	—	1·34	·02	·05	—	—	·08		16
17	—	·10	·35	·50	—	—	—	·15	·03	—	—	·01		17
18	·06	·08	·28	·21	—	·04	—	·01	·44	—	—	—		18
19	1·12	·15	·29	·02	—	—	·05	·05	·19	—	·38	—		19
20	·02	·02	·06	·21	—	·10	·25	·01	—	—	·08	—		20
21	·13	·20	·02	·31	·39	—	—	—	—	—	—	·04		21
22	·07	·15	·13	·10	·02	—	·16	—	—	·04	—	·08		22
23	·07	·03	·17	—	·06	—	·22	—	—	·31	·16	·11		23
24	·11	·35	—	—	·10	—	·03	—	—	·60	·18	—		24
25	·18	·47	·12	—	—	—	·04	—	·21	·38	—	—		25
26	·02	·31	·03	—	—	—	·01	—	·04	·17	—	—		26
27	—	·69	·11	—	·79	—	—	—	—	·45	—	·05		27
28	—	·21	·02	·30	—	—	—	—	—	·02	—	—		28
29	—	×	·01	—	—	—	—	—	—	·18	—	—		29
30	—	×	—	—	—	·06	—	—	—	·20	·07	—		30
31	·17	×	—	×	—	×	—	·76	×	·10	×	·03		31
TOTAL	·27 3·4~~8~~3	·06 ~~5·16~~ 4·94	2·9~~8~~2	2·55	·01 2·5~~3~~4	·09 1·~~06~~ ·14	2·~~92~~ ·83	2·61	·01 2·2~~8~~4	·11 2·~~58~~ ·5	·04 1·~~34~~ ·27	·00 4·1~~8~~4	Year's Total ·19 33·~~62~~	✓
* Days with .01 in. or more.	18.	25.	2~~2~~1	15.	1~~6~~7	12.	1~~4~~3	9.	1~~4~~5	12.	10.	1~~7~~6	18~~4~~3	✓
* Days with .04 in. or more.	15.	20.	1~~6~~5	12	10.	~~8~~9	~~10~~9	5.	9.	~~9~~10	8.	1~~4~~3	13~~6~~5	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Chas. Chadwick. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Norton-in-Hales

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·25

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·12	·04	—	—	·33	·02	—	—	·23	·16	·32		1
2	—	·01	—	—	—	·43	·11	—	—	·29	·04	·27		2
3	—	—	—	·11	·04	·42	—	—	—	·11	·01	·08		3
4	·05	—	—	—	·01	·04	—	—	·08	·68	·02	·03		4
5	·03	·02	—	—	—	·02	·07	—	—	·10	·08	·25		5
6	·02	—	—	—	—	·01	—	·53	·14	·03	·02	·06		6
7	·03	—	—	·03	—	·02	·52	—	·01	·16	—	·02		7
8	·22	—	—	—	—	—	·56	·31	·03	·03	—	·02		8
9	·43	·03	—	—	—	—	·21	·39	—	·36	—	·15		9
10	·15	·14	·03	—	—	·03	·02	·12	—	·02	—	·20		10
11	·08	·02	·02	—	—	·17	·55	·02	—	·02	—	·15		11
12	·33	·03	—	—	—	·01	·05	·02	·02	·08	·17	·10		12
13	·10	—	—	—	·14	—	·04	—	—	·20	·36	·13		13
14	·06	—	—	—	·03	—	·01	—	—	·05	·08	·05		14
15	·34	·01	—	—	·12	—	·31	—	·13	·01	·03	·02		15
16	·09	—	—	—	·06	—	·34	·09	—	·01	·07	·15		16
17	·37	—	—	—	·04	—	·04	·05	—	·24	—	·03		17
18	·03	—	—	—	·84	—	·06	—	·13	·08	·03	—		18
19	·02	—	—	—	·14	·04	—	·25	—	·01	·29	—		19
20	·01	—	—	—	—	—	—	·04	·01	·01	·03	·03		20
21	·08	—	—	—	—	—	—	·01	·04	·01	·27	—		21
22	—	—	—	—	—	—	—	·05	·04	·01	·05	·10		22
23	—	·01	—	·02	—	·07	—	—	·05	·01	·36	·08		23
24	—	—	—	—	·05	·02	—	—	·09	·01	·02	—		24
25	·15	·02	·31	—	·05	·05	—	·70	·04	·01	·03	—		25
26	·04	·13	·18	—	·01	·01	·02	·02	—	·01	1·05	·07		26
27	·14	·18	·28	—	·07	·28	—	·01	·05	·72	·02	·15		27
28	·16	·03	·02	—	1·13	·19	·12	·35	·05	·02	·33	—		28
29	·18	X	—	—	·02	·33	·14	·06	·02	·03	—	·33		29
30	·50	·04	—	—	·45	—	·01	—	—	·17	·12	·14		30
31	·09		—		·02	·02	—	—	·23	·01	·32	·21		31
TOTAL	·12 3·82	·67 ~~·75~~	·84 ~~·88~~	·16	·33 3·55	2·16 ~~2·17~~	3·18 ~~3·20~~	3·02	1·16 ~~·93~~	·16 3·66 ~~3·73~~	3·71 ~~3·55~~	·26 3·07	Year's Total ~~28·75~~	29·00 ✓
* Days with .01 in. or more.	26	13 ✓	67	3 ✓	18	18 ✓	18	17 ✓	17 16	31 ✓	23 ✓	25 ✓	215	215 ✓
* Days with .04 in. or more.	20 ~~19~~	4 ✓	37	1 ✓	13	10	14 ✓	12 ✓	12	14 ✓	14 ✓	19 ✓	136	136 ✓

† Spare column, no ~~entries~~ required

* See Instruction 3 (f) on other side.

(Signed) Chas. Chadwick

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Norton in Hales

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ Ground „ Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·02

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	—	·15	—	·08	—	·05	·01	·02	—	—	·10		1
2	·29	—	·05	·14	·01	—	·03	·13	·01	—	—	·04		2
3	·25	—	—	·13	—	—	·08	·35	·30	—	—	·04		3
4	·48	—	—	·21	—	—	·01	·10	·02	—	·04	·35		4
5	·24	—	·23	·23	·13	—	·30	·01	·02	·11	·19	·20		5
6	—	—	—	·02	·22	—	·11	·03	—	·06	·22	·04		6
7	·68	·04	·01	—	—	—	1·04	·01	—	·01	·14	—		7
8	·14	·10	—	—	·11	—	·28	·13	—	—	·31	·54		8
9	·05	·12	·35	—	—	—	·33	·56	—	·23	·60	·10		9
10	·10	·09	—	—	—	—	·48	·24	—	·28	·02	·21		10
11	·43	—	·07	—	—	—	·01	·03	·24	·16	·01	·11		11
12	·04	·05	·20	—	—	·26	—	·02	·01	·18	—	—		12
13	—	·21	—	—	—	·13	—	—	·01	—	—	—		13
14	·02	—	·04	·18	·08	·07	·21	—	·09	·04	·01	—		14
15	·63	·02	—	·08	·32	·26	·03	—	·01	·10	·19	—		15
16	·22	—	·02	·06	·04	·54	·52	T	—	·01	·10	—		16
17	·10	—	·07	—	·29	—	·43	—	—	·16	·07	—		17
18	·38	·06	·01	—	·02	·02	·41	—	—	1·23	·03	—		18
19	·26	·16	·08	—	—	·16	·03	—	—	·05	·83	—		19
20	·21	·01	·02	—	—	—	1·68	—	—	—	·03	—		20
21	·14	—	·03	—	—	·10	·03	·10	·02	—	—	—		21
22	·26	·01	·26	·07	·02	—	·04	·14	·10	—	—	—		22
23	·24	·46	·05	·06	—	—	·22	·03	·01	·03	·60	—		23
24	·05	·07	—	·17	—	—	·14	·01	—	·33	·31	—		24
25	·09	·03	·07	·09	—	·01	·05	·01	—	·49	·04	—		25
26	·40	·02	—	·04	—	—	·41	—	—	·04	·15	·03		26
27	·02	·01	—	—	—	—	·02	·02	—	·02	·27	·06		27
28	·01	·46	·08	—	—	·15	·13	—	—	·11	·16	·14		28
29	—	X	·25	—	—	·08	·16	·03	—	·02	·31	—		29
30	—	X	·02	·24	—	—	·99	·24	—	·10	·12	—		30
31	—	X ·75	—	X ·08	—	X ·05	·01 ·10	·02 ·02	X	·20	X ·10	— ·02		31
TOTAL	6·03 ~~6·28~~	2·07 ~~1·92~~	1·91 ~~2·06~~	1·86 ~~1·78~~	1·24 ~~1·32~~	1·86 ~~1·81~~	8·61 ~~8·65~~	2·26 ~~2·25~~	·84 ~~·86~~	3·96 ~~3·96~~	4·85 ~~4·45~~	1·94 ~~2·02~~	Year's Total ~~34·66~~	37·43
* Days with .01 in. or more.	25 ~~26~~	19 ~~17~~	19 ~~20~~	15 ~~14~~	10 ~~11~~	12 ~~11~~	29	21	12 ~~13~~	22	24 ~~23~~	13	~~220~~	'd'
* Days with .04 in. or more.	22 ~~23~~	10 ~~11~~	13 ~~14~~	14 ~~13~~	7 8	10 9	22	9	3 ~~4~~	14	17 ~~18~~	11 ~~12~~	53 ~~160~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Chas. Chadwick.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2313

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Norton-in-Hales

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 350 ft.

Corrd. for WD.

WD.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following '03

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'02	—	—	13	·44	—	—	—	—	—	1·15	—		1
2	—	—	—	'02	'01	—	—	—	—	—	'25	—		2
3	—	—	—	'19	—	—	04	—	—	—	'46	'19		3
4	—	'10	'02	'07	—	—	—	—	—	'18	'31	'12		4
5	—	'14	—	'08	—	—	'03	—	—	'11	'32	'09		5
6	—	—	—	—	'07	—	'19	—	—	'06	'26	'14		6
7	'10	'31	—	—	—	—	'11	—	—	1·03	'23	'02		7
8	'03	'29	—	'05	'05	—	'08	—	—	'10	'01	'02		8
9	'02	—	—	'02	—	—	—	—	—	'25	—	'24		9
10	—	—	'27	—	—	—	'47	'03	'05	'04	1·13	'29		10
11	—	—	'13	—	—	'05	'58	'05	'10	'02	'17	'20		11
12	—	—	'02	'08	—	'03	1·20	'02	—	—	'54	'09		12
13	—	'02	'09	'01	—	'25	'09	'01	'13	—	'03	—		13
14	—	—	'24	'03	—	—	'13	'04	'21	—	—	'03		14
15	—	—	'26	'09	'10	—	'03	'03	'25	'05	—	'28		15
16	—	—	'02	'06	'39	—	—	—	'11	—	'09	'02		16
17	'02	'23	'26	'08	—	'01	'13	—	'62	'71	'70	'08		17
18	—	—	'47	'02	'03	—	'05	—	'02	—	1·42	'01		18
19	'13	'52	'38	'55	—	—	'01	'09	'68	—	'03	'10		19
20	—	'26	'13	'70	—	—	'47	'04	'09	'01	'24	'01		20
21	—	—	'02	'12	—	—	'14	'12	'03	'35	'03	—		21
22	—	—	'01	'02	'20	'84	'12	'07	—	—	1·06	—		22
23	—	'03	'05	—	'25	'06	—	'03	'24	'02	'01	—		23
24	—	'15	'12	'20	'11	—	—	—	'02	—	'02	—		24
25	—	'01	'08	—	—	—	—	—	—	'02	—	'02		25
26	—	—	—	'02	'04	'04	'09	—	—	—	—	—		26
27	1·23	'10	'20	'13	'04	'02	'25	'01	—	—	'03	'01		27
28	'45	'08	—	'26	—	—	'27	—	—	—	'12	—		28
29	'29	'25	—	'02	'19	—	'02	'03	—	—	'02	—		29
30	—	✕	'19	'13	—	—	'02	—	—	'02	—	'33		30
31	—	✕	—	✕	'03	✕	—	—	✕	'34	✕	'10		31
	-	-	·13	·44	-	-	-	-	-	1·15	-	·03	Year's Total	
TOTAL	~~2·29~~ 2·27	2·49	~~2·96~~ 3·09	~~3·08~~ 3·39	~~1·95~~ 1·51	1·30	4·52	·57	2·55	~~3·31~~ 4·46	8·63 7·48	2·39 2·42	36·0~~4~~5	
* Days with .01 in. or more.	8 ~~9~~	14	20 ~~19~~	24	13 ~~14~~	8	22	13	13	17 ~~24~~	23 ~~24~~	2~~1~~2	194	
* Days with .04 in. or more.	5	11	15 ~~14~~	16	10 ~~11~~	5	17	6	10	12 ~~11~~	15 ~~16~~	13	135	

† Spare column, no entries required.

(*Signed*) Chas. Chadwick [P.T.O.

* See Instruction 3 (f) on other side.

68

2313/5.

MADELEY.
STAFFS.
1936- 1940
780405.

Section **A** for the ... E.
AIR ... Div. 1 ... ITISH RAINFALL ORGANIZATION. Station No. 2313/5

FORM 1090.

R... IN 1936.

Kept at ...MADEL...

in the County of ...St...

Diameter of Funnel of G...

Height of top of Gauge ...

,, Ground ,, ... Level ... ft.

A

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									·07	–	·18	–		1
2									·05	–	·10	·04		2
3									·41	–	·07	·05		3
4									·29	–	·05	·10		4
5									·36	–	·32	–		5
6									·45	–	·12	–		6
7									·34	·01	·04	–		7
8									·26	–	·41	·06		8
9									·04	–	·04	·17		9
10									·01	–	–	·20		10
11									·06	–	–	·09		11
12									·44	·05	·05	·15		12
13									·01	·07	·61	·60		13
14									·34	–	·12	·40		14
15									·12	·02	·75	·25		15
16									·02	–	·24	·10		16
17									–	–	·10	·08		17
18									–	·08	·04	·10		18
19									–	·12	–	–		19
20									–	–	–	–		20
21									–	–	–	·02		21
22									–	–	–	–		22
23									–	·22	–	·04		23
24									·19	·04	–	–		24
25									·32	–	·04	·08		25
26									·12	–	–	·02		26
27									–	·05	·10	–		27
28									·02	·22	·04	–		28
29									–	·56	–	·10		29
30		✗							·01	·05	·18	·30		30
31		✗		✗		✗			✗	·02	✗	–		31
TOTAL									3·93	~~1·71~~ 1·51	~~3·70~~ 3·60	2·95	Year's Total	✓
* Days with .01 in. or more.									21	13	20	20		
* Days with .04 in. or more.									16	10	20	20		

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ✓ ✓ ✓ ✓ ... [P.T.O.

N

✓

68

E.

Section **A** for the entry of Daily Observations. Div. 1 Station No. 2313/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at MADELEY

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 350 ft.

B. A.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									·07	–	·18	–		1
2									·05	–	·10	·04		2
3									·41	–	·07	·05		3
4									·29	–	·05	·10		4
5									·36	–	·32	–		5
6									·45	–	·12	–		6
7									·34	·01	·04	–		7
8									·26	–	·41	·06		8
9									·04	–	·04	·17		9
10									·01	–	–	·20		10
11									·06	–	–	·09		11
12									·44	·05	·05	·15		12
13									·01	·07	·61	·60		13
14									·34	–	·12	·40		14
15									·12	·02	·75	·25		15
16									·02	–	·24	·10		16
17									–	–	·10	·08		17
18									–	·08	·04	·10		18
19									–	·12	–	–		19
20									–	–	–	–		20
21									–	–	–	·02		21
22									–	–	–	–		22
23									–	·22	–	·04		23
24									·19	·04	–	–		24
25									·32	–	·04	·08		25
26									·12	–	–	·02		26
27									–	·05	·10	–		27
28									·02	·22	·04	–		28
29									–	·56	–	·10		29
30		×							·01	·05	·18	·30		30
31		×		×		×			×	·02	×	–		31
TOTAL									3·93	1·51 ~~1·71~~	3·60 ~~3·70~~	2·95	Year's Total	✓
* Days with .01 in. or more.									21	13	20	20		
* Days with .04 in. or more.									16	10	20	20		

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

N

68 Travelling Forms

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2313/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Madeley Vicarage

in the County of Staffordshire /1

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 350 ft.

505954/36

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·23	·60	–	–	–	–	–	·05	–	–	·24		1
2	–	·12	·05	·22	–	–	–	–	–	–	–	·68		2
3	·05	·10	–	–	·21	·18	·03	–	–	–	–	·02		3
4	·22	·09	–	–	·09	·02	–	·07	–	–	–	·48		4
5	·51	–	·06	–	·13	–	–	–	–	–	–	·75		5
6	–	–	·05		–	–	·19	–	–	–	·01	–		6
7	·22	·36	–	·04	–	·06	–	–	–	–	–	–		7
8	–	·28	–	·11	–	–	–	–	·01	–	·23	–		8
9	–	·05	–	·04	·07	–	·56	·03	·07	–	–	–		9
10	–	·35	–	·05	–	–	–	–	–	–	–	·17		10
11	–	·02	·22	–	·34	–	·03	–	–	–	–	·11		11
12	·02	–	·03	–	·19	·21	–	–	·24	–	–	·17		12
13	·08	·03	–	–	·03	·01	–	·50	·24	–	–	·03		13
14	–	·02	·27	·01	–	–	–	·19	·05	–	·05	·23		14
15	–	·22	·03	–	–	–	1·44	–	·07	–	–	·05		15
16	–	·19	·32	·25	–	–	–	·12	·05	–	–	·02		16
17	·23	·05	·23	·66	–	–	–	–	·30	–	–	–		17
18	·04	·18	·05	·24	–	–	·04	·05	·30	–	·47	·01		18
19	1·42	·05	–	·02	–	–	·20	–	–	–	·07	–		19
20	·04	·03	–	·34	–	–	–	–	–	–	–	·06		20
21	·18	–	·04	·31	·18	·12	·11	–	–	·02	–	·04		21
22	–	·04	·15	·08	·03	–	·13	–	–	·32	·12	·09		22
23	·05	·02	–	–	·08	–	·11	–	–	·45	·20	Tr.		23
24	·11	·10	·18	–	·05	–	·13	–	·21	·37	–	–		24
25	·16	·60	–	–	·02	–	–	–	·02	·19	–	·01		25
26	·23	·11	·10	–	·62	–	–	–	–	–	–	·06		26
27	·10	·25	–	·27	–	–	–	–	–	·30	–	Tr		27
28	–	·51	–	–	–	–	–	–	–	·17	–	Tr		28
29	–	X	–	–	–	–	–	–	–	·09	·11	·02		29
30	·18	✕	–	–	–	·13	–	·16	·03	·06	·08	Tr		30
31	·31	✕	–	✕	–	✕	–		✕	·03	✕	–		31
TOTAL	4·15	4·20	1·84	2·54	2·04	·73	2·97	1·12	1·64	2·00	1·34	3·24	Year's Total 27·81	
* Days with .01 in. or more.	18	24	15	14	13	7	11	7	13	10	9	19	160	
* Days with .04 in. or more.	17	20	13	12	10	5	9	6	10	8	8	13	131	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Rev. W. Garner [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2313/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Madeley

in the County of Staffordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	Tr	-	-	-	·34	·13	·	-	·11	·05	·24		1
2	-	·02	·01	·13	Tr	·30	TR	·	-	·32	·10	·17		2
3	·04	-	-	·	·	·05	·09	·	Tr	·59	-	Tr		3
4	·02	-	Tr	·	-	-	·12	·	·19	·18	·01	·27		4
5	·04	Tr	-	·02	-	-	TR	·44	·20	·01	Tr	·01		5
6	·02	·01	·	·01	-	·01	·39		·03	·19	Tr	·02		6
7	·02	-	Tr	Tr	-	-	·36	·23	·01	·04	-	·01		7
8	·46	-	-	·	-	-	·17	1·34	-	·37	-	·16		8
9	·10	·18	-	·	-	TR	TR	·30	-	·01	-	·21		9
10	·06	·03	·01	·	·	·07	·61	·01	-	·04	-	·14		10
11	·38	Tr	·02	·	-	·01	·04	·01	·02	·10	·18	·08		11
12	·08	-	·	·	·10	-	·02	·	-	·18	·19	·01		12
13	·05	Tr	·	·	·02	-	TR	·	-	Tr	·14	·18		13
14	·40	·01	·	·	·08	-	·21	·	·14	Tr	·	Tr		14
15	·10	-	·	·	·09	-	·31	·07	Tr	-	-	·17		15
16	·21	-	·	·	·05	-	·13	·01	-	·12	·06	·04		16
17	·01	Tr	·	·	·21	-	·08	Tr	·19	·11	·05	·		17
18	·07	Tr	·	·	·15	·01	-	·24	·11	·01	·01	·		18
19	TR.	-	·	·	·02	-	-	·07	Tr	Tr	·21	·01		19
20	·10	-	·	·	-	-	-	·	·04	-	·29	·		20
21	-	-	-	·	-	-	-	·09	·04	-	·06	·04		21
22	TR.	-	-	·02	-	·11	-		·03	-	·37	·		22
23	TR.	-	-	Tr	-	·04	-	·	·06	-	·01	·		23
24	·17	Tr	·29	·	·13	TR	TR	·45	·03	·09	·01	·		24
25	-	·12	·16	·	·03	·01	·02	·03	Tr	Tr	·99	·		25
26	·14	·23	·21	·	·07	-	-	·	·05	·44	-	·21 ✓		26
27	·13	·02	·01	·	·88	·39	·11	·35	·05	·34	·32	·		27
28	·13	·05	·01	·	Tr	·42	·13	·03	·02	·01	-	·51		28
29	·57	-	·01	Tr	·36	·01	-	Tr	-	·01	·17	·20		29
30	·07	×	Tr	·	-	-	-	·	·28	·12	·31	·29		30
31	·11	×	-	×	·24	×	-	·	×	Tr	×	·26		31
TOTAL	3·48	·67	·73	·18	2·43	1·77	2·92	3·67	1·49	3·39	3·53	3·23	Year's Total 27·49	✓
* Days with .01 in. or more.	24	9	9	4	14	13	16	15	17	21	19	21	182	✓
* Days with .04 in. or more.	20	4	3	1	10	8	14	10	10	16	15	16	127	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

68 [illegible]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2313/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Madeley Vicarage

in the County of Staffordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level 350 ft.

TRAVELLING FOR

VALUES FOR[illegible] MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.37	-	.03	.24	-	-	-	.40	.05	-	-	-		1
2	.16	-	-	.09	-	-	.21	.39	.37	-	.01	.09		2
3	.20	-	-	.20	-	-	Tr	.10	-	-	.04	.31		3
4	.02	-	.20	.30	-	-	.25	Tr	-	-	.07	.15		4
5	Tr	-	Tr	.01	.44	-	.15	-	-	.14	.34	.04		5
6	.88	.01	-	-	-	-	.83	Tr	-	-	.13	-		6
7	.08	.02	-	-	.08	-	.27	-	-	-	.31	.52		7
8	.06	.10	.38	-	-	-	.37	.48	-	.15	.44	.11		8
9	.04	.12	Tr	-	-	-	.15	.20	-	.31	.02	.25		9
10	.58	Tr	.04	-	-	-	Tr	.03	.23	.18	Tr	.06		10
11	.17	.14	.83	-	-	.19	-	-	-	.13	Tr	-		11
12	.05	.08	-	-	-	.08	-	-	-	.01	Tr	-		12
13	-	Tr	.05	.19	.10	.11	.13	-	.24	.03	Tr	-		13
14	.49	-	TR	.07	.25	.22	.01	-	-	.06	.15	-		14
15	.22	-	-	.08	.04	.43	.13	-	-	-	.07	-		15
16	.14	-	.08	.02	.25	TR	.06	-	-	.13	.07	-		16
17	.40	.09	-	Tr	-	.04	.94	-	-	1.07	.75	-		17
18	.19	.11	.06	-	-	.16	.13	-	-	-	.06	-		18
19	.26	-	.02	-	-	TR	2.24	-	-	-	-	-		19
20	.15	-	.05	-	-	.14	.03	.07	.02	-	-	-		20
21	.16	.01	.26	.09	.02	.01	.34	.13	.13	-	-	-		21
22	.23	.44	.05	.05	-	-	.23	.28	-	.06	.64	-		22
23	-	.01	.06	.36	-	-	.09	Tr	-	.14	.28	-		23
24	.07	-	.03	.01	-	.03	.01	-	-	.33	-	TR		24
25	.41	.01	TR	.03	-	-	.49	-	-	.02	.28	.06		25
26	.01	-	-	.05	-	-	Tr	.01	-	.03	.26	.02		26
27	-	.39	.06	.01	-	.13	.14	-	-	.08	.08	.15		27
28	Tr	.23	.11	.03	-	.09	.13	-	-	-	.31	TR		28
29	-	×	-	.11	-	-	.85	.36	-	.09	.18	TR		29
30	-		-	.03	-	.06	.04	-	-	-	.07	.01		30
31	-		-		-		Tr	-		-		-		31
TOTAL	5.34	1.76	1.71	1.97	1.18	1.69	8.22	2.45	1.04	2.96	4.56	1.77	Year's Total 3465	
* Days with .01 in. or more.	23	14	16	19	7	13	24	11	6	17	21	12	183	
* Days with .04 in. or more.	21	9	13	12	6	11	21	9	5	13	19	10	149	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

68

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2313/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Madeley Vicarage

in the County of Staffordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.	·01	·01	-	.	-	-	-	·28	·03		1
2	.	-	-	·16	.	-	·08	-	-	-	·38	·18		2
3	.	·09	·01	·11	.	-	Tr	-	-	·16	·28	·11		3
4	.	·14	.	·01	.	-	·03	-	-	·09	·20	·07		4
5	.	-	.	·01	-	-	·13	-	·01	·06	·30	·12		5
6	·06	·52	.	-	·14	-	·02	-	-	·92	·19	·14		6
7	-	·32	.	·09	·06	-	·03	-	·04	·27	-	·01		7
8	·01	Tr	.	·02	.	-	-	·01	-	·04	·12	·25		8
9	.	-	·23	-	.	-	·18	·03	·03	·02	-	·26		9
10	.	-	·07	-	-	·06	·20	·15	·04	Tr	1·12	·27		10
11	.	.	Tr	·08	.	-	·60	trace	-	Tr	·32	·11		11
12	.	.	·04	-	.	·04	·50	-	·35	-	·41	-		12
13	.	-	·43	·02	.	-	·34	·09	·22	-	-	-		13
14	.	.	·05	·11	·15	-	Tr	·09	·20	·09	·11	·28		14
15	.	.	·01	·07	·20	-	-	-	·21	·02	·06	·01		15
16	·02	·13	·20	·03	Tr	-	·18	-	·50	·53	·89	·10		16
17	-	·48	·43	Tr	·10	-	·06	Tr	TR	-	1·10	Tr		17
18	·10	-	·21	·49	.	-	Tr	trace	·59	Tr	-	·15		18
19	.	·17	·07	·06	.	-	·70	trace	-	·40	·22	Tr		19
20	.	·05	-	·08	-	-	·27	·07	·05	-	-	-		20
21	.	·04	·01	-	·14	·86	·04	·04	·01	-	·97	-		21
22	.	·01	-	-	·21	·04	Tr	·03	·13	.	-	-		22
23	.	·07	·11	·14	·10	Tr	-	-	-	-	·04	·01		23
24	·05	·08	·05	-	·01	-	·09	-	-	.	Tr	·02		24
25	-	Tr	Tr	·01	·03	·18	·39	-	-	-	·02	·01		25
26	·65	·13	·10	·56	·03	·06	·05	-	-	-	-	-		26
27	·50	·13	Tr	·01	·04	-	.	-	·01	Tr	·13	·01		27
28	·15	·17	-	-	·16	-	.	-	-	-	-	·28		28
29	-	-	·14	·04	-	·16	·02	-	-	Tr.	-	-		29
30	·10		.	·41	Tr	-	-	-	-	·35	-	·10		30
31	-		·08		-		-	-		1·06		·01		31
TOTAL	1·64	2·53	2·24	2·52	1·38	1·40	3·91	·62	2·39	4·01	7·12	2·53	Year's Total 32·29	
* Days with .01 in. or more.	9	15	17	21	14	7	19	9	14	13	19	22	179	
* Days with .04 in. or more.	7	14	14	13	10	7	15	6	10	11	18	14	139	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

2314

Section **A** for the ent
AIR MIN

FORM 1090.

REC

Kept at Biddulph Grang
in the County of
Diameter of Funnel of Gauge
Height of top of Gauge above
,, Ground ,,

THE MORNING M

An observer who does not conf
year in the space on the right

FOR OFFICIAL USE.
RGANIZATION.

BIDDULPH GRANGE Orthopaedic Hospital.

ing

Jan. 1, following

2314 — 554637
BIDDULPH GRANGE
1931 — 1940

780405

Date	Jan.	Feb.	Ma								ov.	Dec.	Date
	in.	in.									in.	in.	
1	·05												1
2		·13									18	·09	2
3											90	·08	3
4		·05									08		4
5	·01	·05										·38	5
6		·31									·28		6
7		·01									·10	·06	7
8	·09	·15									·15	·01	8
9	·02	·45									·30	·17	9
10	·04	·08									·38	·06	10
11	·20	·33									·07	·02	11
12	·05	·10									·12	·01	12
13													13
14	·08	·17									·57	·03	14
15	·24	·51		·25	·02		·11	·32	·03			·20	15
16	·18	·23		·44	·33	·81	·18	·43	·20				16
17	·03	·15			·75	·38	·10	·15	·04		·17		17
18	·45			·16		·19	·20	·09	·02		·61		18
19	·18	·15		·02			·32	·40	·01	·04		·03	19
20		·18	·11	·03			·04	·43			·05	·02	20
21	·37			·01	·27	·06		·17			·20		21
22	·06	·05	·01	·06	·04	·05					·02		22
23	·13			·39	·41	·34	·43				·33	·19	23
24	·03	·03		·08	·41		·06				·05	·05	24
25	·12	·20		·55	·10		·07				·03	·05	25
26	·05	·05		·17			·17				·55		26
27	·29	·34		·09	·25		·03			·15	·59	·29	27
28	·42	·45		·10	·17							·30	28
29	·16			·07			·25			·47	·01		29
30		×		·15			·03		·11			·03	30
31	·44	×		×	·03	×	·02		×	·01	×	·04	31
TOTAL	3.69	4.17	0.19	4.33	3.34	5.56	3.88	5.96	3.45	1.18	5.74	2.11	YEAR'S TOTAL 43.60
*Days with ·01 in. or more.	23	22	5	24	18	16	23	18	16	10	22	20	217
*Days with ·04 in. or more.	19	20	1	18	14	15	18	16	11	6	19	13	170

40-9999

(Signed) Geo. N. Lea Secretary
Biddulph Grange Orthopaedic Hospital
The Secretary

P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the ent

2314

AIR MINISTRY.—METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

BIDDULPH GRANGE Orthopaedic Hospital.

Kept at Biddulph Grange Orthopaedic Hospital
in the County of Staffordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 5 in.
,, Ground ,, Sea Level approx 560. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·08						·02			1
2		·13		·85	·20	·36			·39	·07	·18	·09	2
3				·03		·10	·08		·85	·08	·90	·08	3
4		·05		·26	·03		·18	·45	1·23		·08		4
5	·01	·05		·05	·12	·98	·02	·32	·09			·38	5
6		·31		·01	·02	·34	·17	·03	·08	·30	·28		6
7		·01				·45		·66			·10	·06	7
8	·09	·15		·24		·42	·34	·46			·15	·01	8
9	·02	·45	·02	·22		·29		·18	·01	·02	·30	·17	9
10	·04	·08	·03		·08	·06		·20	·03		·38	·06	10
11	·20	·33				·01	·02	·01	·25		·07	·02	11
12	·05	·10		·02			·67	·15	·07	·02	·12	·01	12
13			·02		·04		·07	·39					13
14	·08	·17			·07	·72	·32	1·12	·04		·57	·03	14
15	·24	·51		·25	·02		·11	·32	·03			·20	15
16	·18	·23		·44	·33	·81	·18	·43	·20				16
17	·03	·15			·75	·38	·10	·15	·04		·17		17
18	·45			·16		·19	·20	·09	·02		·61		18
19	·18	·15		·02			·32	·40	·01	·04		·03	19
20		·18	·11	·03			·04	·43			·05	·02	20
21	·37			·01	·27	·06		·17			·20		21
22	·06	·05	·01	·06	·04	·05					·02		22
23	·13			·39	·41	·34	·43				·33	·19	23
24	·03	·03		·08	·41		·06				·05	·05	24
25	·12	·20		·55	·10		·07				·03	·05	25
26	·05	·05		·17			·17				·55		26
27	·29	·34		·09	·25		·03			·15	·59	·29	27
28	·42	·45		·10	·17							·30	28
29	·16			·07			·25			·47	·01		29
30		×		·15			·03		·11			·03	30
31	·44	×		×	·03	×	·02		×	·01	×	·04	31
TOTAL	3.69	4.17	0.19	4.33	3.34	5.56	3.88	5.96	3.45	1.18	5.74	2.11	YEAR'S TOTAL 43.60
*Days with ·01 in. or more.	23	22	5	24	18	16	23	18	16	10	22	20	217
*Days with ·04 in. or more.	19	20	1	18	14	15	18	16	11	6	19	13	170

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Geo. N. Lea Secretary
Biddulph Grange Orthopaedic Hospital
The Secretary

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2314

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Biddulph Grange Orthopaedic Hospital

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 560 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·03		·29			·15	·41	·10	·05	·14	·04	1
2	·30				·20			·02	·55	·43	·02		2
3				·06	·24		·35	·01		·01		·07	3
4	·03			·02					·02	·03	·34	·02	4
5	·35		·05	·19	·07			·02	·11			·02	5
6	·64		·10	·35	·01		·05		·16				6
7	·01		·40	·25					·21	·68	·02		7
8				·13					·08	·85			8
9	·25	·07		·09	·06				·03		·02	·03	9
10	·28	·02	·08	·16	·06				·47	·26		·03	10
11	·02	·04	·02	·06	·47		·30		·03	·04			11
12	·03				·13		·07	·01	·02	·33			12
13	·05	·06		·05	·13		·22	·01	·15	·12	·02	·08	13
14	·11			·01			·01	·40	·02	·24	·13	·03	14
15					·81					·07		·01	15
16	·59				·02					·05			16
17							·05		·11	·12			17
18					·08				·03	·04	·04		18
19	·01			·05	·20		·01			·11			19
20				·08	·40		·03	·60		·45	·13		20
21			·15	·09	·54			·25		·38	·06	·07	21
22	·06		·23	·12	·53		·13		·32	·05	·46	·03	22
23		·05		·04	·15		·16			·11	·26	·05	23
24	·05				·01	·03	·14		·13		·33		24
25		·03		·03	·09	·18	·08		·02	·25	·07		25
26				·26	·37		·40		·02	·08	·06		26
27			·35	·21	·36	·01	·16				·23	·05	27
28			·27	·05	·12		·15				·01	·03	28
29			·27	·36	·10	·10	·05	·99	·08	1·16	·16	·26	29
30		×	·16	·05		·47	·01	·40	·06	·64	·31	·08	30
31	·01	×	·02	×	·02	×	·19	·01	×	·02	×	·17	31
TOTAL	2·9~~4~~2	0·30	2·10	3·00	5·17	0·79	2·71	3·13	2·72	6·57	2·81	1·07	YEAR'S TOTAL 33·~~31~~ 29
*Days with ·01 in. or more.	17	7	12	23	24	5	20	12	21	25	19	17	202
*Days with ·04 in. or more.	11	4	10	20	20	3	16	6	13	22	14	9	148

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Geo. N. Lea

Biddulph Grange Orthopaedic Hospital.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2314

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Biddulph Grange Orthopaedic Hospital.
in the County of Staffordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
,, Ground ,, Sea Level approx 560 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·45	·07						·10		·17			1
2	·35		·23	·02	·03	·17		·02			·05			2
3	·01	·42	·16	·05	·28						·03			3
4	·13	·03	·08		·22									4
5	·10	·03	·09		·15						·09			5
6		·28			·13						·05			6
7	·07	·65	·03		·01		·10	·02		·65	·02			7
8	·09	·02	·17	·03	·03		·42							8
9		·01		·02	·14		·35			·81	·08	·04		9
10	·10					·14	·10			1·85	·03			10
11		·02					·15			·10	·01	·01		11
12	·04					·03	·34			·09				12
13	·01		·01		·16		·14		·07	·26	·26			13
14	·08						·24	·08		·01	·24			14
15	·46		·03			·04	·26	·18		·03	·44	·04		15
16	·20	·02	·30	·06		·20				·37	·03			16
17	·07		·78	·03		·73		·04	·11	·05	·02			17
18		·04	·11			·58					·01	·01		18
19		·02	·50			·04	·02		·66		·04	·01		19
20		·17	·01			·01		·04	·07					20
21		·01				·03		·41						21
22						·53		·22		·18		·01		22
23				·19		·56			·08	·08				23
24		·77		·18	·13	·23			·14	·03				24
25		·79		·17		·03					·01	·06		25
26		·85		·36	·12					·43	·01			26
27		·03		·02	·57				·12	·01				27
28				·07			·04			·12				28
29	·04			·34		·01	·15			·01		·06		29
30	·05	×	·08	·26			·14			·15		·13		30
31	·07	×	·11	×		×	·09	·02	×	·37	×	·03		31
TOTAL	2·04	4·61	2·76	1·80	1·97	3·33	2·54	1·03	1·35	5·60	1·59	0·40	Year's Total 29·02	
*Days with ·01 in. or more.	17	18	16	14	12	15	14	9	8	19	18	10	170	
*Days with ·04 in. or more.	15	9	12	9	9	10	13	6	8	14	9	5	119	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Geo. N. Lea Secretary, [P.T.O.
Biddulph Grange Orthopaedic Hospital

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2314

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. File No. 16357/30.

Kept at Biddulph Grange Orthopaedic Hospital,
in the County of Staffordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 5 in.
,, Ground ,, Sea Level ~~560~~ ft. 572 ft. See encl 3A f 16357/30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07							.09		.05	.42	.47		1
2	.01	.01	.10					36	.21	.01	.19	.28		2
3	.23	.02						.07		.10	.07	.13		3
4	.22		.21		.13				.25	.16		.61		4
5	.01		.16		.07			.55		.06	.02	.06		5
6			.06		.49	02		.01		.20		.33		6
7	.17	.04	.15			.32				.06	.14	.23		7
8	.01		.03		.04	.10		.02	.03	.08	.49	.07		8
9		.03	.24	.02				.10		.03	.61	.02		9
10	.01	.02	.29	.18				.10		.23	.02			10
11	.44			.20				.11			.02	.29		11
12	.02		.06	.08			26	.10		.02		.01		12
13	.42		.01	.04			.22	.12		.02		.03		13
14	.13		.31							.34	.06	.14		14
15	.13		.33		.46		.01	.15	.50	.12	.04	.37		15
16	.32		.17		.15					.45	.01			16
17	.10	.01	.13		.15		.22	.05	.27	.19		.21		17
18			.04	.26	.04	.09		.02		.01		.14		18
19			.16	.01	.10	.24		.02	.23	.09		.03		19
20			.10	.11	.05				05	.03		.04		20
21	.04		.02			.24		.04	.15	.08		.01		21
22	.03		.02					.04	.22	.17	.05	.06		22
23	.02		.15	.53	.07	.03	.34	.21		.04	.05	.12		23
24		.25	.05	.17		.02	.03		18			.01		24
25	.03	.06		.21	.04		.01		.02	.30		.41		25
26	.08		.07	.17		.01	13		.19	.11	.03	.03		26
27				.24		.16	27		.07	.15	.02	.40		27
28				.03		.86	.03	.21	.02	.10		.70		28
29							.04	.21	.45	.20		.03		29
30	.15	×					.12	.02	.02	.16		.21		30
31	.03	×		×		×	.11	.04	×	.28	×	.22		31
TOTAL	2.67	0.44	2.86	2.25	1.79	2.09	1.79	2.64	2.86	3.84	2.24	5.66	Year's Total. 31.13	
* Days with .01 in. or more.	22	8	22	14	12	11	13	22	15	28	16	29	212	
* Days with .04 in. or more.	13	3	18	11	12	7	9	17	11	23	10	21	155	

40-9999

† Spare column, no entries required.

(Signed) Geo. N. Lea Secretary, Biddulph Grange Orthopaedic Hospital [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 2314

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Biddulph Grange Orthopaedic Hospital.
in the County of Staffordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" Ground " Sea Level 571.87 ft.

March 16th computed by [illegible] stations
C[illegible] 10.1.36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·66	·46		·05		·07	·03		·05	·22	·02	·19		1
2	·03	·07				·22	·05			·21	·10	·27		2
3	·08	·55	·10	·16		·41	·20			·02	·12	·23		3
4	·01	·03	·16	·04		·18			·06	·37	·01	·07		4
5		·32	·08	·23		·04	·06		·19	·15	·19	·04		5
6	·03	·01		·06		·31								6
7				·14		·13				·09	·45	·22		7
8				·12		·05			·09	·14	·17	·12		8
9	·01	·02		·18		·18				·98	·13	·01		9
10		·06		·15		·02					·17			10
11	·43	·02				·03		·02			·14			11
12	·06	·01				·32			·03		·01			12
13	·24	·02		·07	·29	·03			·11	·02	·02			13
14				·01	·06	·07			·09		·98	·20		14
15	·01	·38		·57	·03	·55			·19		·03	1·03		15
16		·11	(·20)	·21	·04	·68	·30		·62	·11	·31	·02		16
17		·01		·49	·08	·45	·35	·05		·05	·81			17
18				·18	·20	·12	·25	·09	·24	·08	·02			18
19				·22	·39	·55	·13		·05	·20	·17			19
20	·02	·16		·30		·09	·08		·01	·08	·21			20
21		1·08						·10	·78	·05	·03	·12		21
22		·14	·07						·02			·04		22
23	·09		·31	·27				·38	·21	·38				23
24	·36	·53	·06	·05					·77	·05		·23		24
25	·17	·01	·02			·28			·01					25
26		·07						·89	·75	·19	·07	·38		26
27		·16					·08		·46	·50	·35	·13		27
28	·05	·01			·07			·01	·16	·70	·19	·03		28
29								·08	·18	·05	·03	·13		29
30	·13	✗	·07			·12		·13	·25	·33	·31	·08		30
31	·05	✗	·02	✗		✗			✗	·51	✗	·29		31
TOTAL	2·43	4·23	1·03	3·50	1·16	4·90	1·53	1·75	5·32	5·48	5·04	3·83	Year's Total 40·20	
* Days with .01 in. or more.	17	22	10 ~~9~~	19	8	22	10	9	22	22	25	20	20~~5~~ 6	
* Days with .04 in. or more.	11	13	7 ~~6~~	18	7	19	9	7	18	21	17	17	16~~3~~ 4	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Geo. N. Lea [P.T.O.

Clerk & Steward
Biddulph Grange Orthopaedic Hospital

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2314

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Biddulph Grange Orthopaedic Hospital

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 571·87 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·06	·08	·47		·02		·42	·06		·10	·45		1
2	·12	·02	·03	·09		·11	·15	·09			·13	·22		2
3	·01					·13	·01	·30	·70			·02		3
4	·04	·11	·14					·07	·73		·40	·14		4
5	·11	·06	·27					·30	·31	·01	·01	·44		5
6	·02		·02			·04	·08	·27	·22		·08	·02		6
7			·05				·70		·57		·06	·12		7
8	·16		·21				·01		·04		·34	·09		8
9	·24		·12			·03	·59		·01		·06			9
10	·10						1·18	75						10
11			·01			·11	·47	·04			·43			11
12				·10	·14	·45	·61	·01	·24	·04	·08	·10		12
13	·02			·07		·10	·10			·13	·01	·63		13
14				·07		·17	·14	·05	·17	·15	·34	·52		14
15	·20	·03		·02	·22	·04	·14		·09		1·12	·06		15
16	·08	·08	·01	·02			·05			·02	·62			16
17	·04	·46		·01	·03		·08	·14		·31	·12	·21		17
18		·09		·02		·15	·73	·11		·35		·01		18
19	·25	·15	·04	·20		·15	·07	·42		·15				19
20	·27	·17					·02			·12		·02		20
21	·70		·01	·10		·91				·15		·04		21
22	·03	·09	·04			·07	·25					·10		22
23		·12	·18	·09	·01		·45			·10				23
24	·12	·01		·02					·14	·47		·02		24
25	·14			·21		·02			·39	·08	·02			25
26	·18	·14	·21	·08			·05		·24	·28	·05			26
27	·38		·04				·01		·18	·34				27
28	·11	·14	·17				·07			·02	·02	·15		28
29	·02	·39	·23		·02	·17				·04	·24	·18		29
30	·11	✕			·29		·28			·52	·13	·01		30
31	·23	✕	·02	✕	·03	✕	·08	·02	✕		✕	·30		31
TOTAL	3·69	2·12	1·88	1·57	0·74	2·67	6·32	2·99	4·09	3·28	4·36	3·85	Year's Total 37·56 ✓	
* Days with .01 in. or more.	25	16	19	15	7	16	24	14	15	18	20	22	211 ✓	
* Days with .04 in. or more.	19	13	13	10	3	13	20	12	14	15	16	16	164 ✓	

† Spare column, no entries required.

(Signed) Geo. H. Lea Clerk & Steward

Biddulph Grange Orthopaedic Hospital

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 2314

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Biddulph Grange Orthopaedic Hospital

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 16 in.

,, Ground ,, Sea Level 571·87 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·07	·10						·06		·05	·09		1
2	·02	·10	·10	·26								·69		2
3		·06	·13		·16	·19	·10					·03		3
4	·28	·15			·10	·03						·63		4
5	·69		·02					·03				·90		5
6	·08			·03	·11		·05				·02	·01		6
7		·34		·30	·01	·06			·04					7
8		·28		·04	·01		·30				·11			8
9		·16		·04	·13		·63	·03	·02					9
10	·01	·39	·03				·05					·21		10
11		·01	·14		·20		·01					·03		11
12	·17	·55	·01		·32	·27			·40			·25		12
13		·10			·01	·30		1·60	·12			·21		13
14		·03	·20					·16	·03		·09	·27		14
15	·37	·20		·35			1·65	·02				·01		15
16	·03	·37	·46	·92	·01			·07	·25					16
17	·09	·08	·39	·50		·01		·01	·13					17
18	1·20	·22	·25	·15			·05	·09	·03		·52			18
19		·10	·01	·28	·02	·03	·24	·01			·10			19
20	·14	·20		·42	·29	·02						·02		20
21	·09	·18	·02	·23	·01		·29					·04		21
22	·06	·19	·30		·18		·13			·40	·06	·15		22
23	·10		·03		·03		·26			·47	·18			23
24	·18	·23	·09		·04		·16		·19	·43		·01		24
25	·02	·39	·05		·02		·02		·01	·15		·01		25
26		·26	·11		·59							·06		26
27		·78		·35						·25		·01		27
28		·29				·03				·10				28
29										·15	·07	·03		29
30	·19	X	·01			·45		·22		·10	·16	·01		30
31	·34	X		X		X		·02	X	·04	X	·01		31
TOTAL	4·17	5·73	2·45	3·87	2·33	1·39	3·94	2·26	1·28	2·09	1·36	3·68	Year's Total 34·55	✓
* Days with .01 in. or more.	19	25	19	13	18	10	14	11	11	9	10	22	181	✓
* Days with .04 in. or more.	15	23	12	12	10	5	12	5	7	9	9	11	130	✓

† Spare column, no entries required.

(*Signed*) C. J. Ostick [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2314

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Biddulph Grange Orthopaedic Hospital

in the County of Staffordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Totals.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02				·51	·04			·09	·08	·28		1
2		·05			·01	·46	·08			·35		·07		2
3				·16		·03	·05		·37	·70	·07			3
4	·03						·24	·09	·08	·13	·02	·41		4
5	·11	·02		·05		·07	·02	·30	·01	·08		·02		5
6	·06	·01		·01		·02	·44			·20		·01		6
7	·37						·34	·34	·03	·03		·01		7
8	·57	·02					·66	·27		·40		·29		8
9	·12	·38	·08			·21	·03	·58		·02		·24		9
10	·05	·03				·06	·69					·11		10
11	·46	·04				·01	·08	·10	·06	·19	·15	·08		11
12	·09				·09			·40		·43	·19			12
13	·08	·01			·02				·05	·04	·29	·22		13
14	·42	·02			·07		·33		·25		·04			14
15	·11				·11		·22	·08		·13	·02	·30		15
16	·31		·02		·03		·06	·02	·16	·23	·06	·09		16
17	·01				·14		·06			·33	·03			17
18	·07				·24	·02		·29	·47	·07	·39			18
19						·05		·08	·03		·01	·02		19
20	·15								·01		·30	·02		20
21	·01		·01					·07	·03		·11	·15		21
22				·02		·16			·01		·45	·09		22
23					·15	·08			·10		·08			23
24	·15		·37		·01	·03		·30	·02		·06			24
25	·08	·20	·22		·08		·09	·06		·44	·04			25
26	·26	·30	·36		·03	·29			·17	·26		·23		26
27	·20	·02	·01		·48	·09	·13	·27	·31		·30			27
28		·04			·03	·44	·27	·16	·25	·03		·62		28
29	·54		·06		·68	·02	·05			·13	·15	·29		29
30	·18	✕			·01	·05			·33		·25	·16		30
31	·13	✕		✕	·27	✕			✕	·24	✕	·75		31
TOTAL	4·56	1·16	1·13	·24	2·45	2·60	3·38	3·36	2·74	4·54	4·09	4·46	Year's Total 34·71	
* Days with .01 in. or more.	24	14	8	4	17	18	19	16	19	21	21	22	206	
* Days with .04 in. or more.	21	6	5	2	10	12	17	14	12	18	17	17	152	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Chas. F. Ostick

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2314

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Biddulph Grange Orthopaedic Hospital

in the County of Staffordshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ……ft. ……in.

,, Ground ,, Sea Level 575 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31			·28				·28				·08		1
2	·11			·09			·22	·47	·73			·02		2
3	·26			·19				·01			·08	·24		3
4	·20		·23	·20	·07		·35			·15	·15	·25		4
5			·02		·31		·05			·14	·47	·04		5
6	·78		·01				·75				·10			6
7	·06	·07					·15				·32	·65		7
8	·13	·17	·33				·48	·06		·12	·77	·15		8
9	·02	·10	·01					·28	·18	·33	·05	·36		9
10	·26		·05			·06		·07		·11	·01	·03		10
11	·31	·12	·28			·08				·07				11
12	·16	·22				·03			·04					12
13	·08		·11	·21	·12	·15	·10			·02	·02			13
14	·33		·01	·08	·75	·28	·02			·05	·11			14
15	·29			·18	·05	·58	·13				·06			15
16	·12	·02	·13		·24		·93			·03	·14			16
17	·67	·15			·01	·02	·25			·68	·08			17
18	·09	·15	·09			·22	·20				1·05			18
19	·25					·02	·16				·02			19
20	·09		·17		·02	·15	·07	·20	·08	·01				20
21	·11	·19	·39	·09	·20	·02		·25	·09					21
22	·27	·54	·18	·16			·34	·15			·77	·02		22
23	·02	·06	·01	·41			·14			·47	·37			23
24	·03	·02	·04	·05		·03		·01		·18	·02			24
25	·41	·06		·01			·05			·01	·67			25
26	·02									·08	·43	·10		26
27		·47	·02			·12	·15	·07			·15	·11		27
28		·23	·14	·04		·08	·21				·46			28
29			·01				·92			·14	·18			29
30		✕				·20	·09			·01	·10			30
31		✕		✕		✕	·07	·05	✕	·04	✕			31
TOTAL	5·38	2·57	2·23	1·99	1·77	2·04	5·83	1·90	1·12	2·64	6·08	2·05	Year's Total 35.60	
* Days with .01 in. or more.	25	15	19	13	9	15	22	12	5	18	24	12	189	
* Days with .04 in. or more.	21	14	12	12	7	10	21	11	5	13	20	9	155	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Chas. F. Ostick

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2314

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Biddulph Grange Orthopaedic Hospital

in the County of Staffordshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ....ft....in.

,, Ground ,, Sea Level 575 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.15		.03			.05				.36	.03		**1**
2		.18		.21							.21	.29		**2**
3		.15		.13			.04			.13	.14	.17		**3**
4		.14	.01	.02			.02			.15	.27	.13		**4**
5		.01			.18		.08		.01	.02	.16	.12		**5**
6	.04	.38								.92	.11	.05		**6**
7				.12	.16		.03		.04					**7**
8	.01	.01		.02				.05	.11	.24	.01	.29		**8**
9			.21		.18		.42	.03		.05	.94	.22		**9**
10			.04			.04	.52	.08	.07	.22	.74	.86		**10**
11			.01	.12		.02	.42				.65			**11**
12			.16			.30	.08	.01	.81		.12			**12**
13			.30					.09	.39					**13**
14			.18	.28	.20		.04	.15	.26	.03	.24	.42		**14**
15			.05	.12	.16			.01	.20	.05	.10	.01		**15**
16		.43	.15			.01	.30		.48	.53	.38	.06		**16**
17			.51		.24		.09		.01		.52	.27		**17**
18	.17	.46	.18	.64				.21	.30		.03	.01		**18**
19		.20	.03	.04			.56		.11		.11			**19**
20		.01					.27	.22		.03	.09			**20**
21	.03		.02			.73	.73	.01		.26	1.10			**21**
22			.06		.31	.03		.37			.01			**22**
23		.15	.10	.04	.12		.04	.01	.17		.01			**23**
24	.16		.03		.02		.27		.02	.03		.02		**24**
25		.01			.02	.24	.25							**25**
26	1.08	.08	.15	.12		.23	.24				.03			**26**
27	.75	.10		.17	.10		.09	.09	.04		.14			**27**
28	.70	.08			.32									**28**
29	.20		.18	.03	.04	.20	.11			.02		.41		**29**
30	.02	✕								.28		.24		**30**
31		✕	.10	✕		✕			✕	.02	✕			**31**
TOTAL	3.19	2.54	2.50	2.15	2.05	1.80	4.68	1.33	3.02	3.96	7.47	3.60	Year's Total 38.29	
* Days with .01 in. or more.	10	16	19	15	13	9	21	13	15	16	23	17	187	
* Days with .04 in. or more.	7	12	14	11	11	6	19	8	12	10	18	13	141	

† Spare column, no entries required

(Signed) C. L. Ostick

[P.T.O.

* See Instruction 3 (f) on other side.

Section **A** for the entry of Dail
AIR MINISTRY.—

Station No. 2314/5
AINFALL ORGANIZATION

FORM 1090

REGIST 19~~3~~40

Kept at X Kinver X
in the County of Staffordshire
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

f 731754/26

. ORGANIZATION.

2314/5 – 438409

KINVER

1940

780405

THE MORNING MEASUREME **EVIOUS DAY**

An observer who does not conform to thi *rst of the following*
year in the space on the right of this pa

Please **af**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April						t.	Nov.	Dec.		Date
	in.	in.	in.	in.						.	in.	in.	†	
1	•	.08	•	.05							.26	•		1
2	•	.07	•	.18							.72	.06		2
3	•	.11	•	.01						25	.76	.06		3
4	•	.07	•	.14	•	•	.01	•	•	.05	.13	.01		4
5	•	.01	•	•	.03	•	.01	•	•	.06	.40	.08		5
6	.09	.23	•	•	•	•	•	•	•	.40	.14	•		6
7	•	.22	•	•	•	•	.01	•	•	•	•	.01		7
8	•	•	•	.01	•	•	.02	•	•	.23	•	.13		8
9	•	•	•	•	•	•	.06	.12	.01	.10	.38	.12		9
10	•	•	.08	•	•	•	.53	•	•	.03	.06	.25		10
11	•	•	.01	.02	•	•	.15	•	•	•	.56	.16		11
12	•	•	.10	•	•	.02	.10	•	.08	•	.02	•		12
13	•	.02	.26	•	•	•	•	.03	.02	•	•	•		13
14	•	.01	.01	.06	.46	•	•	•	.29	.04	•	.32		14
15	•	•	.04	.06	.43	.01	•	•	.11	.04	.15	•		15
16	.02	.31	.20	•	•	•	.07	•	.07	.48	.50	•		16
17	•	•	.19	•	.24	•	•	•	•	•	.14	•		17
18	.17	.65	.27	.40	•	•	•	.04	.20	.07	•	.08		18
19	•	.23	.06	.32	•	•	.83	•	•	•	.16	•		19
20	•	•	•	.01	•	•	.14	•	•	.30	•	•		20
21	•	•	•	•	.23	.42	.08	•	•	•	1.05	•		21
22	•	•	•	.01	.44	.04	•	•	.12	•	•	•		22
23	•	•	.03	.15	.23	.03	•	•	.01	•	•	•		23
24	•	•	•	•	•	•	.03	•	•	•	•	•		24
25	.01	.02	•	.01	•	•	•	•	•	•	•	•		25
26	1.43	.11	.01	.17	.08	•	.22	•	•	•	.03	•		26
27	1.07	.19	.01	.01	.01	•	.15	•	•	•	.04	•		27
3.20 28	.58	.16	•	.02	.36	•	•	•	•	•	•	•		28
29	•	•	.04	.31	•	.02	•	•	•	•	•	.10		29
30	.06	✕	•	.48	.06	•	•	•	•	.50	•	•		30
31	.05	✕	.01	✕	•	✕	•	•	✕	.95	✕	.03		31 Pd WH
TOTAL	3.48	2.49	1.32	2.42	2.57	.54	2.43	.19	.91	3.50	5.50	1.41	Year's Total 26.76	✓
* Days with .01 in. or more.	9	16	15	19	11	6	16 ~~14~~	3	9	14	17	13	4 1~~1~~8	✓
* Days with .04 in. or more.	7	12	9	11	9	2	11	2	6	15	15	10	107	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

N.

(Signed) X Fred. J. Dixon X

P.T.O.

Section **A** for the entry of Daily Observations

Station No. 2314/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

f 731754/26

Kept at Kinver

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 152 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.08	.	.05	.	.	.	.	.	.	.26	.		1
2	.	.07	.	.18	.	.	.12	.	.	.	.72	.06		2
3	.	.11	.	.01	.	.	.	.	.	.25	.76	.06		3
4	.	.07	.	.14	.	.	.01	.	.	.05	.13	.01		4
5	.	.01	.	.	.03	.	.01	.	.	.06	.40	.08		5
6	.09	.23	.	.	.	.	.	.	.	.40	.14	.		6
7	.	.22	.	.	.	.	.01	.	.	.	.	.01		7
8	.	.	.	.01	.	.	.02	.	.	.23	.	.13		8
9	.	.	.	.	.	.	.06	.12	.01	.10	.38	.12		9
10	.	.	.08	.	.	.	.53	.	.	.03	.06	.25		10
11	.	.	.01	.02	.	.	.15	.	.	.	.56	.16		11
12	.	.	.10	.	.	.02	.10	.	.08	.	.02	.		12
13	.	.02	.26	.	.	.	.	.03	.02	.	.	.		13
14	.	.01	.01	.06	.46	.	.	.	.29	.04	.	.32		14
15	.	.	.04	.06	.43	.01	.	.	.11	.04	.15	.		15
16	.02	.31	.20	.	.	.	.07	.	.07	.48	.50	.		16
17	.	.	.19	.	.24	.	.	.	.	.	.14	.		17
18	.17	.65	.27	.40	.	.	.	.04	.20	.07	.	.08		18
19	.	.23	.06	.32	.	.	.73	.	.	.	.16	.		19
20	.	.	.	.01	.	.	.14	.	.	.30	.	.		20
21	.	.	.	.	.23	.42	.08	.	.	.	1.05	.		21
22	.	.	.	.01	.44	.04	.	.	.12	.	.	.		22
23	.	.	.03	.15	.23	.03	.	.	.01	.	.	.		23
24	.	.	.	.	.	.	.03	.	.	.	.	.		24
25	.01	.02	.	.01	.	.	.	.	.	.	.	.		25
26	1.43	.11	.01	.17	.08	.	.22	.	.	.	.03	.		26
27	1.07	.19	.01	.01	.01	.	.15	.	.	.	.04	.		27
3.20 28	.58	.16	.	.02	.36	.	.	.	.	.	.	.		28
29	.	.	.04	.31	.	.02	.	.	.	.	.	.10		29
30	.06	×	.	.48	.06	.	.	.	.	.50	.	.		30
31	.05	×	.01	×	.	×	.	.	×	.95	×	.03		31
TOTAL	3.48	2.49	1.32	2.42	2.57	.54	2.43	.19	.91	3.50	5.50	1.41	Year's Total 26.76	✓
* Days with .01 in. or more.	9	16	15	19	11	6	16	3	9	14	17	13	148	✓
* Days with .04 in. or more.	7	12	9	11	9	2	11	2	6	13	15	10	107	

* See Instruction 3 (f) on other side.

N.

† Spare column, no entries required.

(*Signed*) Fred. J. Dixon

P.T.O.

2315

Section **A** for the
AIR M

FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090.

RE

1.

Σ315 — 438344

KINVER/PRESTWOOD

1931 – 40

780405

Kept at Prestwood

in the County of

Diameter of Funnel of Ga

Height of top of Gauge abo

,, Ground ,,

THE MORNING

Y.

An observer who does not co
year in the space on the ri

following

Jan. 1, following

Date	Jan.	Feb.									Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.02	.	.12	.	.08	.	.	.46	.	.	.	1
2	.03	.06	.	.90	.13	.05	.	.01	.34	.	.03	.08	2
3	.02	.	.	.01	.	.	.02	.	.60	.	.57	.10	3
4	.	.	.	.14	.04	.	.30	.14	.09	.	.04	.	4
5	.	.07	.	.21	.02	1.58	.04	.	.10	.	.	.23	5
6	.	.16	.	.09	.	.15	.	.02	.	.31	.13	.	6
7	.	.02	.	.	.05	.08	.85	.57	.	.07	.16	.	7
8	.06	.05	.	.11	.	.09	.	1.04	.	.	.09	.	8
9	.05	.31	.	.03	.	.02	.02	.06	.	.	.39	.	9
10	.01	.	.	.	.01	.03	.	.16	.02	.	.14	.	10
11	.09	.31	.	.	.	.03	.20	.02	.30	.	.14	.02	11
12	.01	.06	.	.	.	.	.34	.18	.21	.05	.	.	12
13	.	.	.	.	.01	.02	.20	1.30	.	.	.	.	13
14	.	.08	.	.	.03	.70	.24	.55	.05	.	.40	.	14
15	.01	.11	.	.15	.08	.	.05	.19	.	.	.01	.03	15
16	.08	.10	.	.17	.30	.76	.	.20	.17	.	.	.	16
17	.05	.03	.	.26	1.13	.03	.03	.	.	.	.08	.	17
18	.08	.01	.	.21	.	.15	.15	.10	.	.	.40	.	18
19	.	.09	.	.04	.	.40	.35	.27	.	.	.	.	19
20	.	.05	.09	.	.	.	.	.20	.	.	.03	.02	20
21	.30	.	.	.	.50	.	.	.02	.	.	.18	.	21
22	.06	.	.01	.	.02	.	.	.16	.	.	.	.	22
23	.13	.02	.	.28	.49	.05	.02	.04	.	.	.26	.31	23
24	.	.	.	.30	.37	.	.15	.	.	.	.	.	24
25	.01	.	.	.51	.	.	.55	.	.	.	.07	.	25
26	.	.	.	.24	.	.	.04	.	.	.	.34	.	26
27	.11	.65	.	.05	.59	.	.01	.	.	.05	.12	.02	27
28	.10	.06	.	.15	.39	.	.	.	.	.06	.	.13	28
29	.01		.	.	.19	.	.19	.	.	.33	.	.	29
30	.	×	.	.01	.	.	.	.	.	.	.	.01	30
31	.32	×	.	×	.	×	.	.	×	.	×	.	31
TOTAL	1.53	2.26	.10	3.98	4.35	4.22	3.75	5.23	2.34	.87	3.58	.95	YEAR'S TOTAL 33.16
*Days with ·01 in. or more.	.19	19.	2	20	17	16	19	19	10	6	19	10	176
*Days with ·04 in. or more.	12	14	1	17	12	11	14	15	9	6	16	5	132

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) Fred. J. Dixon

[P.T.O.

2315

Section **A** for the

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Prestwood. Nr Kinver.

in the County of Stafford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 179 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.02	.	.12	.	.08	.	.	.46	.	.	.	1
2	.03	.06	.	.90	.13	.05	.	.01	.34	.	.03	.08	2
3	.02	.	.	.01	.	.	.02	.	.60	.	.57	.10	3
4	.	.	.	.14	.04	.	.30	.14	.09	.	.04	.	4
5	.	.07	.	.21	.02	1.58	.04	.	.10	.	.	.23	5
6	.	.16	.	.09	.	.15	.	.02	.	.31	.13	.	6
7	.	.02	.	.	.05	.08	.85	.57	.	.07	.16	.	7
8	.06	.05	.	.11	.	.09	.	1.04	.	.	.09	.	8
9	.05	.31	.	.03	.	.02	.02	.06	.	.	.39	.	9
10	.01	.	.	.	.01	.03	.	.16	.02	.	.14	.	10
11	.09	.31	.	.	.	.03	.20	.02	.30	.	.14	.02	11
12	.01	.06	.	.	.	.	.34	.18	.21	.05	.	.	12
13	.	.	.	.	.01	.02	.20	1.30	.	.	.	.	13
14	.	.08	.	.	.03	.70	.24	.55	.05	.	.40	.	14
15	.01	.11	.	.15	.08	.	.05	.19	.	.	.01	.03	15
16	.08	.10	.	.17	.30	.76	.	.20	.17	.	.	.	16
17	.05	.03	.	.26	1.13	.03	.03	.	.	.	.08	.	17
18	.08	.01	.	.21	.	.15	.15	.10	.	.	.40	.	18
19	.	.09	.	.04	.	.40	.35	.27	.	.	.	.	19
20	.	.05	.09	.	.	.	.	.20	.	.	.03	.02	20
21	.30	.	.	.	.50	.	.	.02	.	.	.18	.	21
22	.06	.	.01	.	.02	.	.	.16	.	.	.	.	22
23	.13	.02	.	.28	.49	.05	.02	.04	.	.	.26	.31	23
24	.	.	.	.30	.37	.	.15	.	.	.	.	.	24
25	.01	.	.	.51	.	.	.55	.	.	.	.07	.	25
26	.	.	.	.24	.	.	.04	.	.	.	.34	.	26
27	.11	.65	.	.05	.59	.	.01	.	.	.05	.12	.02	27
28	.10	.06	.	.15	.39	.	.	.	.	.06	.	.13	28
29	.01		.	.	.19	.	.19	.	.	.33	.	.	29
30	.	✕	.	.01	.	.	.	.	.	.	.	.01	30
31	.32	✕	.	✕	.	✕	.	.	✕	.	✕	.	31
TOTAL	1.53	22.6	.10	3.98	4.35	4.22	3.75	5.23	2.34	.87	3.58	.95	YEAR'S TOTAL 33.16
*Days with ·01 in. or more.	19	19.	2	20	17	16	19	19	10	6	19	10	176
*Days with ·04 in. or more.	12	14	1	17	12	11	14	15	9	6	16	5	132

40-9999

M

*See Instruction (f) on other side.

(Signed) Fred. J. Dixon

[P.T.O.

2315

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kinver, Prestwood

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 179 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.	.	.12	.80	.09	.03	.86	.03	.05	.01	.	1
2	.02	.	.	.10	.24	.	.	.	.20	.02	.	.14	2
3	–	.02	.	.09	.03	.	.02	.	.04	.02	.	.	3
4	.05	.	.	.50	.	.	.03	.	.	.	.42	.01	4
5	.32	.	.04	.02	.08	.	.	.	.12	.	.	.	5
6	.23	.	.15	.20	.	.	.05	.	.39	.	.	.	6
7	–	.	.10	.12	.	.	.	.	.08	.82	.	.	7
8	–	.	.	.01	.	.	.	.	.21	.41	.	.	8
9	.27	.02	.	.	.08	.	.	.	.	.	.	.	9
10	.32	.	.01	.18	.07	.	.	.	.17	.23	.	.	10
11	–	.	.	.10	.05	.	.59	.	.01	.01	.	.01	11
12	.27	.	.	.01	.17	.	.02	.	.16	.27	.01	.	12
13	.02	.04	.	.04	.02	.	.85	.05	.	.02	.	.05	13
14	.21	.	.	.	.	.	.20	.09	.	.02	.34	.	14
15	.01	.	.	.02	.65	.	.02	.	.	.01	.	.01	15
16	.20	.	.	.04	.06	.	.26	.	.	.	.	.	16
17	–	.	.	.	.	.	.16	.	.02	.04	.	.	17
18	–	.	.	.	.04	.	.	.	.	.	.10	.	18
19	–	.	.	.08	.02	.	.	.	.	.12	.01	.	19
20	–	.	.	.09	1.00	.	.	2.25	.	.41	.05	.	20
21	–	.	.16	.18	.96	.	.	.06	.	.26	.11	.10	21
22	–	.	.20	.02	.03	.	.08	.	.50	.06	.06	.01	22
23	–	.	.	.01	.30	.	.02	.	.09	.06	.07	.03	23
24	.05	.	.	.	.01	.03	.11	.	.06	.03	.23	.	24
25	.02	.03	.	.	.	.15	.04	.	.09	.05	.23	.01	25
26	–	.	.06	.47	.18	.	.05	.	.10	.02	.04	.	26
27	–	.	.58	.15	.38	.	.	.	.	.	.06	.	27
28	–	.	.05	.10	.17	.03	.08	.10	.	.	.	.04	28
29	–	.	.17	.24	.10	.10	.02	.02	.11	.40	.02	.10	29
30	–	×	.18	.16	.10	.48	.17	.15	.11	.10	.25	.07	30
31	–	×	.03	×	.	×	.35	.	×	.	×	.25	31
TOTAL	2.00	.11	1.73	3.05	5.54	.88	3.15	3.58	2.49	3.43	2.01	.83	YEAR'S TOTAL 28.80
*Days with ·01 in. or more.	14	4	12	24	23	6	20	8	18	22	16	13	180
*Days with ·04 in. or more.	9	1	10	18	18	4	13	7	15	14	12	7	128

40-9999 M

*See Instruction 2 (f) on other side.

(Signed) Fred. J. Dixon [P.T.O.

2315

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Linwer, Prestwood

in the County of Staffordshire

June 75 4ow

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 179 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.22	.04	.	.	.	.	.	.	.	.03	.	1
2	.16	.	.26	.	.01	.	.	.	.	.	.	.	2
3	.	.08	.09	.	.12	.	.	.	.	.	.	.	3
4	.07	.	.02	.	.22	.	.	.	.	.	.	.	4
5	.10	.06	.42	.	.01	.	.	.	.	.	.01	.	5
6	.	.36	.	.	.22	.	.	.	.	.09	.	.	6
7	.	.09	.01	.	.	.	.	.	.	.15	.	.	7
8	.01	.	.15	.	.10	.10	.44	.	.	.	.	.	8
9	.	.	.	.03	.05	.03	.24	.02	.	1.25	.	.	9
10	.12	.35	.	.	.	.	.04	.01	.	1.85	.18	.	10
11	.	.	.	.	.03	.	.18	.01	.	.	.	.	11
12	.01	.	.	.	.	.	.22	.	.01	.	.	.03	12
13	.	.	.	.	.06	.	.13	.	.	.04	.25	.	13
14	.02	.	.	.	.	.	.	.03	.	.23	.15	.	14
15	.54	.	.01	.	.	.08	.03	.	.	.01	.	.02	15
16	.08	.	.49	.	.02	.06	.09	.01	.	.09	.	.	16
17	.07	.02	.16	.	.	.11	.09	.	.03	.	.02	.	17
18	.03	.	.05	.	.	.13	.	.	.	.	.02	.	18
19	.01	.	.40	.	.	.10	.03	.	.27	.	.06	.	19
20	.	.01	.01	.	.	.06	.	.03	.33	.	.	.	20
21	.	.	.	.	.	.21	.	.19	.	.01	.	.	21
22	.	.	.	.	.	.06	.	.36	.	.27	.	.	22
23	.	.	.	.19	.	.04	.	.	.07	.11	.	.	23
24	.	.72	.	.14	.09	.80	.	.	.09	.04	.	.	24
25	.	.44	.	.14	.	.02	.	.	.02	.	.	.10	25
26	.	.62	.	.12	.27	.02	.	.	.02	.24	.	.	26
27	.	.02	.	.	.42	.	.	.	.	.02	.	.05	27
28	.	.09	.	.17	.	.	.01	.	.	.02	.	.04	28
29	.04		.	.12	.	.	.	.	.	.	.	.	29
30	.	×	.10	.	.	.	.03	.	.01	.04	.	.12	30
31	.18	×	.31	×	.	×	.	.04	×	.17	×	.	31
TOTAL	1.79	3.08	2.52	.91	1.62	1.82	1.53	.70	.85	4.63	.72	.36	YEAR'S TOTAL 20.53
*Days with ·01 in. or more.	15	13	15	7	13	14	12	9	9	17	8	6	138
*Days with ·04 in. or more.	10	10	11	6	9	11	8	3	4	13	4	4	93

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Fred. J. Dixon [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2315

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kinver, Prestwood

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 179 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.	.	.	.	.	.	.18	.09	.02	.03	.39	1
2	.01	.	.06	.	.	.	.	.	.28	.	.06	.06	2
3	.07	.03	.	.	.	.	.	.	.	.02	.	.09	3
4	.05	.	.04	.08	.33	.	.	.01	.02	.01	.04	.25	4
5	.	.	.23	.	.05	.	.	.57	.	.	.14	.03	5
6	.	.	.05	.	.33	.02	.	.01	.	.12	.01	.55	6
7	.15	.	.	.	.	.06	.	.05	.	.12	.04	.19	7
8	.	.	.	.	.10	.	.	.02	.09	.	.20	.12	8
9	.	.	.14	.01	.	.	.	.10	.	.	.44	.15	9
10	.08	.	.20	.26	.	.	.	.15	.	.01	.13	.01	10
11	.64	.	.07	.32	.	.	.04	.20	.	.	.01	.15	11
12	.01	.	.21	.02	.	.	.06	.08	.	.	.	.	12
13	.42	.	.01	.11	.	.	.54	.01	.	.02	.	.18	13
14	.10	.	.25	.	.02	.02	.	.	.	.14	.26	.09	14
15	.05	.	.07	.	.08	.	.03	.	.	.25	.25	.12	15
16	.20	.	.11	.	.	.	.	.01	.	.01	.03	.	16
17	.02	.	.07	.01	.	.	.02	.08	.26	.02	.	.22	17
18	.32	.	.04	.16	.	.01	.	.	.12	.	.	.12	18
19	.	.	.13	.03	.	.22	.	.	.01	.03	.	.12	19
20	.	.	.25	.02	.	.02	.	.	.	.	.	.	20
21	.	.	.03	.	.	.26	.	.04	.	.07	.	.	21
22	.	.	.02	.	.	.	.	.14	.23	.01	.	.19	22
23	.	.	.10	.17	.08	.16	.02	.03	.01	.	.02	.02	23
24	.	.25	.02	.13	.03	.05	.04	.	.25	.	.	.	24
25	.33	.03	.	.09	.05	.20	.	.	.01	.32	.	.40	25
26	.10	.	.06	.40	.	.08	.	.	.03	.02	.01	.24	26
27	.01	.	.	.22	.	.03	.	.	.01	.04	.03	.17	27
28	.	.	.	.32	.	.05	.	.11	.	.	.05	.40	28
29	.		.	.	.	.	.27	.02	.50	.05	.	.02	29
30	.03	×	.	.	.	.	.02	.03	.02	.01	.	.35	30
31	.	×	.	×	.	×	.	.01	×	SNOW. .18	×	.11	31
TOTAL	2.66 ✓	.31 ✓	2.16 ✓	2.35 ✓	1.07 ✓	1.18 ✓	1.04	1.85 ✓	1.93 ✓	1.47 ✓	1.75 ✓	4.74 ✓	YEAR'S TOTAL 22.51 ✓
*Days with ·01 in. or more.	18	3	21	16	9	13	9	20	15	20	17	26	187 ✓
*Days with .04 in. or more.	13	1	17	11	7	8	5	11	8	9	10	22	122

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Fred. J. Dixon

P.T.O.

The Gorse [illegible]

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 2315

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1935.

Kept at Kinver, Prestwood

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 179 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.02	.04	.	.01	.02	.02	.	.02	.07	.08	.07		1
2	.	.	.	.	.	.20	.	.	.14	.22	.03	.		2
3	.	.20	.03	.03	.	.06	.	.	.05	.25	.28	.12		3
4	.	.	.	.13	.	.05	.	.	.05	.38	.	.09		4
5	.	.52	.18	.04	.	.52	.01	.	.	.	.04	.02		5
6	.	.	.	.28	.	.36	.	.	.	.	.	.01		6
7	.	.	.	.32	.	.16	.	.	.	.15	.20	.12		7
8	.	.	.	.23	.	.05	.	.	.	.10	.22	.28		8
9	.03	.	.	.40	.	.30	.	.	.	.33	.25	.		9
10	.03	.	.	.14	.	.	.	.	.	.01	.08	.		10
11	.32	.	.	.	.	.02	.	.	.	.	.17	.01		11
12	.21	.	.	.	.	.04	.	.03	.	.	.	.		12
13	.14	.05	.	.15	.21	.09	.	.	.07	.	.01	.		13
14	.01	.	.	.03	.01	.04	.	.	.06	.	1.24	.13		14
15	.	.02	.	.50	.05	.13	.	.	.29	.	.13	.18		15
16	.	.04	.12	.30	.	.03	.	.	.50	.31	.48	.14		16
17	.	.	.	.05	.01	.07	.13	.01	.03	.	.55	.		17
18	.	.	.	.30	.10	.01	.02	.	.20	.07	.05	.		18
19	.	.	.	.08	.65	.28	.20	.	.02	.18	.22	.01		19
20	.01	.19	.	.23	.	.01	.14	.	.04	.01	.53	.		20
21	.	.30	.	.01	.	.	.	.	.70	.01	.10	.		21
22	..	.06	.04	.08	.	.	.	.07	.	.	.	.		22
23	.04	.01	.09	.	.	.	.	.30	.27	.60	.	.03		23
24	.13	.38	.02	.	.	.	.	.01	.79	.07	.	.21		24
25	.09	.26	.	.06	.	.81	.	.	.	.	.	.10		25
26	.	.15	.	.	.	.	.	.83	.17	.	.02	.49		26
27	.	.10	.	.	.	.	.	.	.16	.	.14	.42		27
28	.03	.	.	.	.26	.	.	.18	.08	.02	.03	.05		28
29	.01		.04	.	.	.	.	.01	.08	.03	.14	.22		29
30	.03	×	.	.15	.	.03	.	.29	.02	.23	.37	.08		30
31	.	×	.	×	.	×	.	.	×	.33	×	.15		31
TOTAL	1.11	2.30	.56	3.51	1.30	3.28	.52	1.73	3.74	3.37	5.36	2.93 ✓	Year's Total ✓ 29.71	
*Days with ·01 in. or more.	14	14	8	20	8	21	6	9	20	19	23	21	183	
*Days with ·04 in. or more.	6	11	6	17	5	15	3	5	16	14	19	16	133	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Fred. J. Dixon

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2315

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1050.

REGISTER OF RAINFALL IN 1936.

Kept at Kinver, Prestwood

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 179 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.16	.10	.46	.	.17	.33	.13	.	.	.10	.05		1
2	.08	.05	.01	.06	.	.34	1.07	.	.	.	.12	.		2
3	.	.	.	.	.	.08	.02	.	.75	.	.	.02		3
4	.	.	.10	.	.	.50	.	.	.40	.	.23	.07		4
5	.30	.08	.01	.	.07	.	.02	.14	.02	.	.	.28		5
6	.08	.	.	.	.15	.10	.20	.13	.12	.	.13	.17		6
7	.03	.	.03	.	.	.	.58	.	.11	.	.25	.04		7
8	.21	.	.08	.	.	.	.04	.	.	.	.49	.05		8
9	.45	.	.29	.	.	.02	1.40	.	.10	.	.01	.02		9
10	.02	.	.	.	.	.	.24	.	.	.	.	.		10
11	.	.	.	.02	.	.07	.06	.	.10	.	.67	.		11
12	.	.	.	.03	.27	.21	.58	.	.41	.	.12	.13		12
13	.	.	.	.03	.	.06	.	.	.01	.04	.	.39		13
14	.	.	.	.22	.	.05	.04	.02	.48	.03	.02	.33		14
15	.02	.	.	.03	.22	.	.02	.	.05	.	.08	.05		15
16	.10	.20	.	.16	.36	.	.05	.	.	.	.40	.02		16
17	.	.60	.	.02	.05	-	.11	.	.	.06	.07	.28		17
18	.	.06	.	.	.	.10	.34	.02	.	.08	.	.03		18
19	.28	.20	.04	.24	.	.05	.	.01	.	.09	.	.		19
20	.07	.13	.04	.	.	.15	.	.	.09	.02	.	.		20
21	.01	.	.01	.20	.	.90	.03	.	.	.	.	.		21
22	.	.52	.04	.	.10	.	.21	.	.	.	.	.07		22
23	.	.02	.73	.08	.03	.	.34	.	.	.02	.	.		23
24	.17	.05	.	.03	.	.	.	.	.09	.50	.	.		24
25	.07	.	.10	.38	.	.	.08	.	.27	.02	.	.		25
26	.04	.10	.20	.	.	.	.05	.	.	.04	.08	.		26
27	.11	.05	.05	.	.	.	.02	.	.21	.17	.	.		27
28	.39	.11	.17	.02	.	.	.06	.	.	.02	.03	.08		28
29	.01	.31	.07	.	.	.43	.10	.	.	.03	.05	.08		29
30	.04	×	.	.	.05	.02	.23	.	.	.38	.	.		30
31	.50	×	.13	×	.	×	.02	.	×	.06	×	.24		31
TOTAL	3.08	2.64	2.20	1.98	1.30	3.25	6.24	.45	3.21	1.56	2.85	2.40	Year's Total. 31.16	
* Days with .01 in. or more.	21	15	18	15	9	16	26	6	15	15	16	19	191	
* Days with .04 in. or more.	16	14	14	8	8	14	20	3	13	9	13	15	147	

40-9999

† Spare column, no entries required.

(Signed) Fred. Dixon

[P.T.O.

* See Instruction 2 (f) on other side.

15

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2315

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1937.

Kept at Kinver, Prestwood

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 179 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTH.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.01	.	.04	.	.	.	.	.05	.	.09	.15		1
2	.02	.08	.	.51	.	.	.	.	.	.	.02	.16		2
3	.	.13	.02	.	.04	.04	.04	.	.09	.	.	.02		3
4	.09	.15	.02	.	.01	.	.	.02	.	.	.	.37		4
5	.08	.	.15	.	.	.	.	.	.	.	.	.		5
6	.04	.01	.01	.11	.15	.	.04	.	.	.	.	.		6
7	.	.57	.	.13	.	.07	.	.	.	.	.	.		7
8	.	.10	.	.	.07	.03	.05	.	.	.	.19	.		8
9	.	.	.	.02	.16	.	.35	.	.19	.	.	.01		9
10	.03	.02	.42	.06	$\frac{1}{.}$	.08	.	.	.	.	.	.17		10
11	.	.04	.48	.	.30	.02	.04	.	.	.	.	.15		11
12	.10	.26	.07	.	.17	.02	.	.03	.21	.	.	.22		12
13	.08	.02	.	.12	.01	.01	.	1.25 ×	.42	.	.	.04		13
14	.	.03	.15	.05	.	.	.	.32	.03	.	.01	.16		14
15	.13	.11	.	.21	.	.	1.38	.03	.06	.	.	.03		15
16	.	.16	.58	.30	.	.	.	.14	.10	.	.	.		16
17	.22	.14	.19	.05	.	.05	.	.	.33	.	.	.		17
18	.58	.07	.16	.	.	.	.03	.	.69	.	.50	.02		18
19	.03	.02	.06	.10	.04	.20	.12	.	.	.	.04	.		19
20	.43	.06	.	.46	.23	.	.01	.	.	.	.	.		20
21	.16	.22	.06	.05	.	.	.20	.	.	.02	.	.09		21
22	.11	.05	.15	.	.04	.01	.33	.	.	.55	.35	.05		22
23	.15	.03	.	.	.11	.	.01	.	.	.37	.15	.		23
24	.17	.23	.04	.	.06	.	.02	.	.10	.35	.	.01		24
25	.	.43	.	.	.07	.	.	.	.07	.36	.	.03		25
26	.	.33	.07	.	.48	.	.	.	.	.	.	.02		26
27	.	.27	.02	.20	.	.	.	.	.	.49	.	.		27
28	.	.17	.	.	.	.02	.	.	.	.09	.	.03		28
29	.01		.	.	.	.	.	.	.	.09	.07	.02		29
30	.27	✕	.	.	.	.	.	.19	.01	.	.06	.01		30
31	.20	✕		✕	.	✕	.	.	✕	.09	✕	.01		31
TOTAL	2.94	3.71	2.65	2.41	1.94	.55	2.62	1.98	2.35	2.41	1.48	1.77	Year's Total 26.81	
* Days with .01 in. or more.	20	26	17	15	15	11	13	7	13	9	10	21	177	
* Days with .04 in. or more.	16	19	13	14	13	5	9	4	11	8	8	19	130	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Fred. J. Dixon

P.T.O.

× Thunderstorm

S Staffs. Travelling Forms

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2315

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938.

Kept at Kinver, Prestwood

in the County of Stafford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 179 ft.

TRAVELLING FORM

V... FORWARDED ...

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.34	.34	.02	.01	.10	.10	.21		1
2				.08	.01	.16	.02			.14		.03		2
3	.01				.09	.04	.07			.73				3
4						.02	.03	.25		.05		.18		4
5							.01	.33	.04	.01		.02		5
6	.04					.02	.84		.11	.13		.02		6
7	.03						.50	.41	.03	.14		.07		7
8	.38						.12	.64		.25		.05		8
9	.04	.02				.07	.09	.17				.48		9
10	.05	.02				.09	.16	.06				.20		10
11	.52	.01								.01	.18	.09		11
12	.20				.16		.04	.01		.19	.41			12
13	.01										.23	.43		13
14	.27				.03		.62		.01					14
15	.08				.10		.20				.03	.35		15
16	.20									.02	.06	.11		16
17		.02					.02		.02	.15	.01			17
18	.07				.09	.11		.12	.56	.04	.24			18
19								.09			.04			19
20	.01										.39			20
21	.01								.32		.11	.29		21
22				.10							.42	.10		22
23					.01				.12			.02		23
24			.26		.13			.47	.04		.02			24
25	.05	.08	.04		.02		.01	.04	.06	.21	.54	.16		25
26	.07	.35	.13		.05	.18			.03	.31		.05 ✓		26
27	.04	.01			.25	.01	.28	.44	.09		.28			27
28	.13	.02			.01	.15	.07	.13	.01		.04	.20		28
29	.34			.01	.43	.01	.01		.09	.17	.08	.10		29
30	.05	×			.03	.20			.32		.23	.24		30
31	.12	×		×	.16	×			×	.13	×	.29		31
TOTAL	2.72	.53	.43	.19	1.57	1.40	3.43	3.18	1.86	2.78	3.41	3.69	Year's Total 25.19	✓
* Days with .01 in. or more.	22	8	3	3	15	13	18	14	16	17	18	22	169	✓
* Days with .04 in. or more.	17	2	3	2	9	9	12	12	10	14	15	18	123	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Fred J. Dixon

[P.T.O.

15 T.F. S.Staffs. W.W. Co.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2315

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Kinver, Prestwood

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 179 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.37	.	.02	.11	.08	.	.	.	.	.	.	.02		1
2	.12	.	.	.03	.	.	.06	.27	.62	.03	.02	.		2
3	.18	.	.	.28	.	.	.	.39	.05	.	.12	.29		3
4	.10	.	.26	.42	.15	.	.30	.14	.17	.16	.05	.20		4
5	.	.	.	.03	.26	.	.23	.11	.	.03	.34	.01		5
6	.65	.	.	.	.	.	.61	.	.	.	.12	.		6
7	.01	.10	.	.	.	.	.38	.07	.	.05	.37	.46		7
8	.	.11	.39	.	.	.	.21	.07	.	.50	.87	.07		8
9	.04	.02	.	.	.06	.	.	.28	.	.38	.	.19		9
10	.31	.	.02	.	.	.	.	.01	.09	.20	.	.02		10
11	.02	.04	.13	.	.	.24	.	.04	.	.06	.	.		11
12	.	.02	.	.	.	.18	.	.	.	.	.	.		12
13	.	.	.03	.19	.04	.02	.15	.	.01	.03	.	.		13
14	.46	.	.03	.09	.19	.16	.41	.	.	.08	.19	.		14
15	.79	.	.01	.09	.10	.42	.23	.	.	.01	.28	.		15
16	.05	.	.05	.	.23	.	.13	.	.	.13	.19	.		16
17	.46	.01	.	.	.	.10	.31	.	.	1.10	.12	.		17
18	.31	.04	.06	.	.	.27	.13	.	.	.	.56	.		18
19	.18	.	.	.	.	.	.44	.	.	.	.02	.		19
20	.20	.	.	.	.	.02	.	.	.	.	.	.		20
21	.15	.16	.15	.03	.	.14	.	.	.05	.	.	.		21
22	.22	.26	.03	.01	.	.	.03	.	.	.02	.47	.		22
23	.06	.	.03	.06	.	.	.16	.	.	.03	.71	.		23
24	.12	.	.	.20	.	.01	.14	.	.	.12	.	.		24
25	.59	.05	.	.01	.	.	.09	.	.	.04	.14	.01		25
26	.02	.	.	.01	.	.	.	.10	.	.	.36	.16		26
27	.01	.04	.24	.	.	.04	.09	.	.	.05	.01	.12		27
28	.	.03	.15	.04	.	.08	.19	.08	.	.	.11	.09		28
29	.		.	.15	.	.01	.27	.07	.	.14	.05	.		29
30	.	✕	.	.11	.	.20	.03	.	.	.03	.05	.		30
31	.	✕	.	✕	.	✕	.	.30	✕	.02	✕	.04		31
TOTAL	5.42	.88	1.60	1.86	1.11	1.89	4.59	1.93	.99	3.21	5.15	1.68	Year's Total 30.31	
* Days with .01 in. or more.	23	12	15	17	8	14	21	13	6	21	21	13	184	
* Days with .04 in. or more.	19	8	8	11	8	10	19	12	5	13	18	9	140	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Fred. J. Dixon

P.T.O.

15 S. Staffs W.W. T.F. [illegible]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2315 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Kinver, Prestwood

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 149 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	•	.03	•	.04	.01	•	•	•	•	•	.34	.01		1
2	•	.05	•	.22	•	•	.10	•	•	•	.72	.08		2
3	•	.16	•	.01	•	•	.06	•	•	.29	.76	.07		3
4	•	.05	•	.13	•	•	.01	•	•	.06	.13	.03		4
5	•	.01	•	•	.03	•	.09	•	•	.07	.38	.13		5
6	.09	.22	•	•	•	•	•	•	•	.44	.15	.01		6
7	•	.18	•	.02	•	•	.07	•	•	.01	•	•		7
8	•	•	•	.02	.04	•	•	•	•	.23	.01	.18		8
9	•	•	.02	•	•	•	.08	.12	.02	.12	.36	.12		9
10	•	•	.11	•	•	•	.52	•	•	.06	.06	.21		10
11	•	•	.03	.04	•	•	.11	•	•	•	.53	.15		11
12	•	.02	.13	•	•	.02	.15	•	.07	•	.03	•		12
13	•	•	.25	.01	•	•	•	.03	.08	•	•	•		13
14	•	•	.05	.06	.45	•	•	•	.22	.03	.03	.34		14
15	•	•	.02	.06	.48	.04	•	•	.11	.05	.14	.01		15
16	.03	.34	.21	•	•	•	.06	•	.14	.47	.54	.02		16
17	•	•	.24	•	.28	•	•	•	•	•	.15	•		17
18	.16	.53	.29	.44	•	•	•	.05	.21	.07	.02	.06		18
19	•	.23	.08	.34	•	•	.35	•	.02	•	.15	.01		19
20	•	.08	•	.02	•	.01	.26	•	•	.32	•	•		20
21	•	.02	•	•	.26	.48	.09	.01	•	•	1.15	•		21
22	•	•	.01	.01	.37	.04	•	•	.15	•	•	•		22
23	•	.05	.05	.22	.34	.05	•	•	.01	•	.01	•		23
24	•	•	•	•	•	•	.04	•	.01	•	•	•		24
25	.02	•	•	.03	.01	•	•	•	•	•	•	•		25
26	1.38	.12	.05	.20	.06	•	.31	•	•	•	.03	•		26
27	.84	.20	•	.19	.02	•	.19	•	•	•	.05	•		27
3·04 ✓ 28	.66	.18	•	.03	.64	•	•	•	•	•	•	•		28
29	•	•	.05	.32	•	.03	.01	•	•	•	•	.22		29
30	.08	✕	•	.63	.02	•	•	•	•	.47	•	•		30
31	.06	✕	.03	✕	•	✕	•	•	✕	.86	✕	.04		31
TOTAL	3.32	2.47	1.62	3.04	3.01	.67	2.50	.21	1.04	3.55	5.74	1.69 ~~2.38~~	Year's Total 28.86	✓
* Days with .01 in. or more.	9	17	16	21	14	7	17	4	11	15	21	17 ~~20~~	169 ~~172~~	✓
* Days with .04 in. or more.	7	13	11	13	9	4	15	2	7	13	15	11	120	✓

† Spare column, no entries required.

(Signed) Fred. J. Dixon

* See Instruction 3 (f) on other side.

[P.T.O.

2315/5

PRESTWOOD SANITORUM

1940

780405

Section A for the entry … AIR MINIS… …ALL ORGANIZATION

NR ~~Station~~ No. 2315/5

FORM 1090

REG… 1940

~~No FILE~~

Kept at PRESTWOOD … SA…

in the County of … WORCES…

Diameter of Funnel of Gauge….

Height of top of Gauge above G…

,, Ground ,, S…

THE MORNING MEASU… …US DAY

An observer who does not conform … …e following year in the space on the right of …

P…

Jan. 1, following

Date	Jan.	Feb.	Mar.							…v.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							–	–	–	–	·34	Trace		1
2							·15	–	–	–	·75	·07		2
3							–	–	–	·31	·77	·07		3
4							·155	–	–	·07	·14	·02		4
5							·28	–	Trace	·07	·4	·12		5
6							–	–	–	·42	·2	–		6
7							·15	–	Trace	Trace	–	–		7
8							–	–	–	·2	Trace	·21		8
9							·1	·11	·015	·11	·33	·16		9
10							·7	Trace	–	·04	·05	·28		10
11							·28	–	–	–	·55	·18		11
12							·22	·01	·08	–	·03	–		12
13							Trace	·02	·04	–	–	·02		13
14							–	Trace	·22	Trace	·03	·31		14
15							–	–	·09	·04	·13	Trace		15
16							·125	–	·13	·49	·53	·015		16
17							–	–	–	–	·19	–		17
18							–	·06	·22	·05	–	Trace		18
19							·5	–	·02	–	·15	–		19
20							·48	Trace	–	·31	–	·02		20
21							·15	Trace	–	–	1·02	–		21
22							–	Trace	·14	–	–	–		22
23							–	–	–	–	–	–		23
24							·035	–	Trace	Trace	–	–		24
25							·01	–	–	–	–	–		25
26							·38	Trace	–	Trace	Trace	–		26
27							·175	Trace	Trace	–	·09	Trace		27
28							–	–	–	–	–	–		28
29							·01	–	–	–	–	·13		29
30		✕					–	–	–	·45	Trace	–		30
31		✕		✕		✕	–	–	✕	·87	✕	·05		31
TOTAL							3·90	·2	·955	3·43	5·70	1·655	Year's Total ..	[illegible]
* Days with .01 in. or more.							17	4	9	13	17	14	..	JH
* Days with .04 in. or more.							14	2	7	13	15	10	..	

Rainfall not available prior to July 1st.

Records for 1941 are being maintained.

~~W. K. Aston Esq~~

The Medical Superintendent

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Wesley K. Aston

[P.T.O.

Section **A** for the entry

NR Station No. 2315/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

~~No~~ File

Kept at PRESTWOOD SANATORIUM

in the County of WORCESTERSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							-	-	-	-	·34	Trace		1
2							·15	-	-	-	·75	·07		2
3							-	-	-	·31	·77	·07		3
4							·155	-	-	·07	·14	·02		4
5							·28	-	Trace	·07	·4	·12		5
6							-	-	-	·42	·2	-		6
7							·15	-	Trace	Trace	-	-		7
8							-	-	-	·2	Trace	·21		8
9							·1	·11	·015	·11	·33	·16		9
10							·7	Trace	-	·04	·05	·28		10
11							·28	-	-	-	·55	·18		11
12							·22	·01	·08	-	·03	-		12
13							Trace	·02	·04	-	-	·02		13
14							-	Trace	·22	Trace	·03	·31		14
15							-	-	·09	·04	·13	Trace		15
16							·125	-	·13	·49	·53	·015		16
17							-	-	-	-	·19	-		17
18							-	·06	·22	·05	-	Trace		18
19							·5	-	·02	-	·15	-		19
20							·48	Trace	-	·31	-	·02		20
21							·15	Trace	-	-	1·02	-		21
22							-	Trace	·14	-	-	-		22
23							-	-	-	-	-	-		23
24							·035	-	Trace	Trace	-	-		24
25							·01	-	-	-	-	-		25
26							·38	Trace	-	Trace	Trace	-		26
27							·175	Trace	Trace	-	·09	Trace		27
28							-	-	-	-	-	-		28
29							·01	-	-	-	-	·13		29
30		✕					-	-	-	·45	Trace	-		30
31		✕		✕		✕	-	-	✕	·87	✕	·05		31
TOTAL							3·90	·2	·955	3·43	5·70	1·655	Year's Total ..	
* Days with ·01 in. or more.							17	4	9	13	17	14	..	
* Days with ·04 in. or more.							14	2	7	13	15	10	..	

Rainfall not available prior to July 1st.
Records for 1941 are being maintained.

~~X W. K. Aston Esq X~~

* See Instruction 3 (f) on other side.

the Medical Superintendent X

† Spare column, no entries required.

(Signed) Wesley K. Aston

[P.T.O.

Section —

2316 — 438251

KINGSWINFORD P-S.

1931 - 1940

780405 -

1754/25 2316

FOR OFFICIAL USE.

Form 10

ICE.—BRITISH RAINFALL ORGANIZATION.

FALL IN 1931.

400

Kept

in the

Diamet

Height

,,

TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	.12	.02	.18	.	.	.39	.	.	.	1
2	.02	.17	.	.89	.12	.06	.	.02	.35	.03	.04	.09	2
3	.	.	.	.01	.	.	.02	.	.50	.01	.63	.09	3
4	.	.	.	.13	.01	.	.30	.29	.11	.	.08	.	4
5	.	.05	.	.19	.01	1.50	.04	.	.09	.	.	.22	5
6	.	.17	.	.08	.	.16	.	.02	.	.31	.15	.	6
7	.	.02	.	.01	.07	.07	1.05	.55	.	.03	.16	.	7
8	.16	.06	.02	.14	.	.09	.	1.17	.	.01	.08	.	8
9	.01	.31	.	.03	.	.03	.	.06	.	.	.39	.	9
10	.15	.	.	.	.02	.02	.	.15	.	.	.15	.	10
11	.11	.30	.	.	.	.02	.19	.01	.34	.	.14	.02	11
12	.02	.06	.	.	.	.	.35	.12	.18	.05	.	.	12
13	.	.	.	.	.01	.02	.13	1.07	.	.	.	.	13
14	.	.09	.02	.	.02	.68	.24	.54	.05	.	.41	.	14
15	.01	.12	.	.13	.07	.	.09	.27	.01	.	.01	.03	15
16	.07	.10	.	.16	.32	.78	.	.23	.15	.	.	.	16
17	.01	.05	.	.24	1.17	.07	.03	.	.01	.01	.09	.	17
18	.08	.02	.	.23	.	.12	.17	.10	.	.	.39	.	18
19	.	.11	.	.04	.	.53	.29	.22	.	.	.01	.	19
20	.	.03	.06	.01	.	.	.	.27	.	.	.02	.02	20
21	.21	.	.	.	.50	.	.	.02	.	.	.18	.	21
22	.12	.	.02	.	.03	.	.	.25	.	.	.01	.	22
23	.11	.05	.	.29	.48	.06	.	.02	.	.	.23	.31	23
24	.01	.01	.	.25	.39	.	.16	.	.	.	.01	.	24
25	.02	.	.	.57	.	.	.35	.	.	.	.06	.	25
26	.	.01	.	.32	.	.	.05	.	.	.	.34	.	26
27	.10	.63	.	.09	.57	.	.04	.	.	.06	.13	.01	27
28	.10	.06	.	.14	.27	.	.	.	.	.03	.	.03	28
29	.02		.	.	.17	.	.18	.	.	.33	.	.	29
30	.	×	.	.01	.	.	.	.	.	.	.	.01	30
31	.31	×	.	×	.	×	.	.	×	.	×	.02	31
TOTAL	1.64	2.42	.12	4.08	4.25	4.39	3.68	5.38	2.18	.87	3.71	.85	YEAR'S TOTAL 33.57
*Days with ·01 in. or more.	19	20	4	22	18	16	17	19	11	10	22	11	189
*Days with ·04 in. or more.	11	15	1	17	11	12	15	14	9	4	17	4	130

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) Fred. J. Dixon

[P.T.O.

Section 1754/21 2316

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1931.

Kept at Ashwood. Kingswinford.

in the County of Stafford.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 207 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	.12	.02	.18	.	.	.39	.	.	.	1
2	.02	.17	.	.89	.12	.06	.	.02	.35	.03	.04	.09	2
3	.	.	.	.01	.	.	.02	.	.50	.01	.63	.09	3
4	.	.	.	.13	.01	.	.30	.29	.11	.	.08	.	4
5	.	.05	.	.19	.01	1.50	.04	.	.09	.	.	.22	5
6	.	.17	.	.08	.	.16	.	.02	.	.31	.15	.	6
7	.	.02	.	.01	.07	.07	1.05	.55	.	.03	.16	.	7
8	.16	.06	.02	.14	.	.09	.	1.17	.	.01	.08	.	8
9	.01	.31	.	.03	.	.03	.	.06	.	.	.39	.	9
10	.15	.	.	.	.02	.02	.	.15	.	.	.15	.	10
11	.11	.30	.	.	.	.02	.19	.01	.34	.	.14	.02	11
12	.02	.06	.	.	.	.	.35	.12	.18	.05	.	.	12
13	.	.	.	.	.01	.02	.13	1.07	.	.	.	.	13
14	.	.09	.02	.	.02	.68	.24	.54	.05	.	.41	.	14
15	.01	.12	.	.13	.07	.	.09	.27	.01	.	.01	.03	15
16	.07	.10	.	.16	.32	.78	.	.23	.15	.	.	.	16
17	.01	.05	.	.24	1.17	.07	.03	.	.01	.01	.09	.	17
18	.08	.02	.	.23	.	.12	.17	.10	.	.	.39	.	18
19	.	.11	.	.04	.	.53	.29	.22	.	.	.01	.	19
20	.	.03	.06	.01	.	.	.	.27	.	.	.02	.02	20
21	.21	.	.	.	.50	.	.	.02	.	.	.18	.	21
22	.12	.	.02	.	.03	.	.	.25	.	.	.01	.	22
23	.11	.05	.	.29	.48	.06	.	.02	.	.	.23	.31	23
24	.01	.01	.	.25	.39	.	.16	.	.	.	.01	.	24
25	.02	.	.	.57	.	.	.35	.	.	.	.06	.	25
26	.	.01	.	.32	.	.	.05	.	.	.	.34	.	26
27	.10	.63	.	.09	.57	.	.04	.	.	.06	.13	.01	27
28	.10	.06	.	.14	.27	.	.	.	.	.03	.	.03	28
29	.02		.	.	.17	.	.18	.	.	.33	.	.	29
30	.	×	.	.01	.	.	.	.	.	.	.	.01	30
31	.31	×	.	×	.	×	.	.	×	.	×	.02	31
TOTAL	1.64	2.42	.12	4.08	4.25	4.39	3.68	5.38	2.18	.87	3.71	.85	YEAR'S TOTAL 33.57
*Days with .01 in. or more.	19	20	4	22	18	16	17	19	11	10	22	11	189
*Days with .04 in. or more.	11	15	1	17	11	12	15	14	9	4	17	4	130

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) Fred. J. Dixon

[P.T.O.

2316

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kingswinford, Ashwood P.S.

in the County of Staffordshire

400

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 207 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.01	.	.15	.85	.08	.01	1.00	.02	.04	.01	.	1
2	.03	.	.	.18	.25	.	.02	.	.21	.01	.	.13	2
3	–	.02	.	.13	.03	.	.01	.	.	.02	.	.	3
4	.03	.01	.	.52	.	.	.03	.01	.	.	.45	.02	4
5	.31	.	.07	.	.07	.	.	.	.11	.	.	.	5
6	.20	.	.11	.17	.	.	.03	.	.36	.	.	.	6
7	–	.	.10	.07	.02	.	.	.	.14	.77	.	.	7
8	–	.	.	.01	.	.	.	.	.19	.43	.	.	8
9	.30	.03	.	.	.13	.	.	.	.	.	.	.	9
10	.33	.	.	.15	.07	.	.	.	.14	.21	.	.	10
11	–	.01	.	.11	.06	.01	.48	.	.03	.	.	.02	11
12	.26	.	.	.01	.16	.	.01	.	.14	.32	.02	.	12
13	.02	.05	.	.05	.02	.	.91	.05	.01	.03	.01	.04	13
14	.21	.	.	.	.	.	.23	.15	.	.03	.25	.	14
15	–	.	.	.03	.64	.	.	.	.	.01	.	.01	15
16	.21	.	.	.06	.04	.	.32	.	.	.	.	.	16
17	–	.	.	.	.	.	.17	.	.01	.02	.	.	17
18	–	.	.	.	.04	.	.	.	.	.01	.11	.	18
19	–	.	.	.07	.04	.	.	.	.	.08	.	.	19
20	–	.	.	.07	1.10	.	.	2.34	.	.42	.05	.01	20
21	–	.	.16	.18	.77	.	.	.05	.	.26	.13	.12	21
22	–	.	.20	.01	.03	.	.03	.	.54	.09	.09	.01	22
23	–	.	.	.	.33	.	.01	.	.10	.06	.04	.02	23
24	.04	.	.	.	.01	.05	.14	.	.07	.02	.24	.	24
25	.02	.02	.	.01	.	.18	.16	.	.11	.05	.17	.01	25
26	–	.	.05	.53	.19	.	.08	.	.10	.01	.08	.	26
27	–	.	.53	.14	.38	.	.01	.	.	.	.05	.	27
28	–	.	.04	.07	.20	.02	.08	.10	.	.	.	.02	28
29	–	.	.16	.19	.09	.10	.02	.02	.10	.40	.06	.11	29
30	–	×	.08	.15	.03	.45	.19	.17	.22	.11	.29	.06	30
31	–	×	.03	×	.01	×	.40	.	×	.	×	.28	31
TOTAL	2.02	.15	1.53	3.06	5.56	.89	3.34	3.89	2.60	3.40	2.05	.86	YEAR'S TOTAL 29.35
*Days with ·01 in. or more.	13	7	11	23	25	7	21	9	18	22	16	14	186
*Days with ·04 in. or more.	9	1	10	18	18	5	11	7	14	13	13	6	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Fred. J. Dixon

P.T.O.

2316

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10[illegible].

REGISTER OF RAINFALL IN 1933.

Kept at Kingswinford, Ashwood P.S.
in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 207 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.34	.23	.04	.	.	.	.	.	.	.	.16	.	1
2	.15	.	.23	.	.02	.	.	.	.	.	.01	.	2
3	.	.17	.08	.	.03	.	.	.	.	.	.	.	3
4	.09	.	.02	.	.34	.	.	.	.	.	.	.	4
5	.10	.07	.41	.	.	.	.	.	.	.	.02	.	5
6	.	.36	.	.	.22	.	.	.	.	.08	.	.	6
7	.02	.09	.07	.	.	.	.	.	.	.13	.	.	7
8	.	.	.19	.01	.08	.02	.48	.	.	.	.	.	8
9	.	.	.	.03	.06	.01	.27	.	.	1.16	.	.	9
10	.09	.38	.	.	.	.01	.07	.01	.	2.10	.22	.	10
11	.	.	.	.	.07	.	.27	.	.	.	.	.	11
12	.	.	.	.	.	.	.23	.	.	.	.	.05	12
13	.	.	.	.	.08	.	.08	.	.	.05	.26	.	13
14	.07	.	.	.	.	.	.	.04	.	.21	.15	.	14
15	.51	.	.	.	.	.01	.05	.	.	.	.01	.02	15
16	.09	.	.45	.	.01	.08	.17	.	.	.11	.03	.	16
17	.06	.	.15	.	.	.08	.05	.	.03	.	.01	.	17
18	.05	.	.06	.	.	.14	.	.	.	.	.02	.	18
19	.	.	.40	.	.	.12	.04	.	.27	.	.04	.	19
20	.	.	.	.	.	.15	.	.01	.33	.	.	.	20
21	.	.	.	.	.	.50	.	.33	.	.01	.	.	21
22	.	.	.	.01	.	.28	.	.37	.	.27	.	.	22
23	.	.	.	.16	.	.03	.	.	.06	.10	.	.	23
24	.	~~.49~~ .69	.	.14	.12	1.06	.	.	.10	.03	.01	.	24
25	.	.53	.	.13	.	.09	.	.	.02	.	.	.10	25
26	.	.63	.	.14	.21	.03	.	.	.02	.18	.	.	26
27	.	.01	.	.	.44	.	.	.	.	.01	.	.04	27
28	.	.10	.	.16	.	.	.01	.	.	.08	.	.04	28
29	.04		.	.19	.	.	.	.	.	.	.	.01	29
30	.	×	.05	.	.	.	.	.	.02	.08	.	.08	30
31	.17	×	.30	×	.	×	.04	.08	×	.19	×	.	31
TOTAL	1.78	~~3.06~~ 3.26	2.45	.97	1.68	2.61	1.76	.84	.85	4.79	.94	.34	YEAR'S TOTAL 22.27
*Days with ·01 in. or more.	13	11	13	9	12	15	12	6	8	16	12	7	134
*Days with ·04 in. or more.	12	10	12	6	9	9	11	4	4	13	5	5	100

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Fred. J. Dixon

[P.T.O.

0

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No** 2316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kingswinford, Ashwood P.S.

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 207 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.	.	.	.	.	.	.16	.08	.02	.04	.35	1
2	.	.	.05	.	.	.	.	.01	.30	.	.05	.07	2
3	.08	.03	.	.	.	.	.	.	.	.02	.	.10	3
4	.05	.	.05	.10	.34	.	.	.	.02	.	.04	.20	4
5	.	.	.24	.	.05	.	.	.55	.	.	.14	.04	5
6	.	.	.01	.	.33	.02	.	.01	.	.13	.	.56	6
7	.17	.	.	.	.	.10	.	.04	.	.08	.01	.19	7
8	.	.	.	.	.10	.	.	.01	.05	.	.17	.11	8
9	.	.	.14	.03	.	.	.	.10	.	.	.44	.15	9
10	.10	.	.21	.27	.	.	.	.16	.	.01	.12	.	10
11	.64	.	.02	.20	.	.	.05	.27	.	.	.01	.15	11
12	.02	.	.20	.02	.	.	.08	.07	.	.	.	.	12
13	.49	.	.01	.11	.	.	1.54	.	.	.01	.	.16	13
14	.03	.	.24	.	.	.01	.	.	.	.14	.30	.07	14
15	.04	.	.06	.	.08	.	.03	.	.	.25	.24	.14	15
16	.22	.	.11	.	.	.	.	.03	.	.01	.05	.	16
17	.01	.	.08	.01	.02	.	.02	.07	.23	.01	.01	.22	17
18	.30	.	.	.13	.	.01	.	.	.13	.	.	.11	18
19	.	.	.11	.03	.	.16	.	.	.02	.02	.	.11	19
20	.	.	.24	.02	.	.03	.	.	.	.	.	.	20
21	.	.	.02	.	.	.22	.	.03	.	.06	.	.	21
22	.02	.	.01	.	.	.	.	.13	.27	.01	.	.19	22
23	.	.	.07	.19	.06	.11	.03	.12	.02	.	.02	.03	23
24	.	.29	.06	.11	.02	.06	.02	.	.25	.	.	.	24
25	.32	.03	.	.07	.04	.12	.	.	.	.29	.	.36	25
26	.12	.	.08	.30	.	.12	.	.	.03	.02	.01	.15	26
27	.	.	.	.31	.	.03	.	.	.	.06	.03	.14	27
28	.	.	.	.28	.	.04	.	.10	.03	.	.05	.38	28
29	.		.	.	.	.	.23	.	.46	.	.	.03	29
30	.05	×	.	.	.	.	.02	.13	.02	.01	.	.36	30
31	.	×	.	×	.	×	.	.	×	.18 SNOW.	×	.09	31
TOTAL	2.74	.35	2.01	2.18	1.04	1.03	2.02	1.99	1.91	1.33	1.73	4.46	YEAR'S TOTAL 22.79
*Days with ·01 in. or more.	17	3	20	16	9	13	9	17	14	18	17	25	178
*Days with .04 in. or more.	13	1	15	11	7	8	4	12	8	8	11	23	121

40-9999

*See Instruction 2 (*f*) on other side

M

(Signed) Fred. J. Dixon

P.T.O.,

Section **A** for the entry of Daily Observations. Station No. 2316

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1935.

Kept at Kingswinford, Ashwood P.S.

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" Ground " Sea Level 207 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.02	.02	.01	.	.01	.03	.	.02	.09	.08	.05		1
2	.	.	.	.	.	.13	.	.	.07	.21	.01	.01		2
3	.01	.17	.07	.03	.	.16	.	.	.13	.20	.31	.14		3
4	.	.	.	.10	.	.04	.	.	.05	.23	.	.08		4
5	.	.52	.20	.03	.	.39	.03	.	.	.02	.04	.02		5
6	.	.	.	.22	.	.41	.	.	.	.	.	.		6
7	.	.	.	.30	.	.16	.	.	.	.15	.23	.13		7
8	.	.	.	.17	.	.02	.	.	.	.09	.21	.22		8
9	.03	.	.	.30	.	.29	.	.	.	.37	.29	.		9
10	.01	.	.	.11	.	.	.	.	.	.	.04	.		10
11	.20	.	.	.	.	.01	.	.	.	.	.17	.01		11
12	.21	.02	.	.	.	.05	.	.02	.	.	.	.		12
13	.15	.06	.	.11	.20	.09	.	.	.11	.	.01	.		13
14	.01	.	.	.04	.01	.04	.	.	.07	.	1.17	.14		14
15	.	.01	.	.50	.05	.08	.	.	.27	.	.10	.14		15
16	.	.03	.12	.34	.	.11	.	.	.44	.31	.45	.11		16
17	.	.	.	.07	.	.06	.15	.	.02	.	.58	.		17
18	.	.	.	.26	.09	.02	.03	.	.17	.09	.07	.		18
19	.	.	.	.08	.48	.26	.19	.	.03	.18	.21	.		19
20	.01	.18	.	.19	.	.01	.12	.	.03	.	.50	.		20
21	.	.25	.	.	.	.	.	.	.75	.04	.08	.		21
22	.	.06	.04	.07	.	.	.	.02	.01	.	.	.		22
23	.04	.	.07	.	.	.	.	.33	.23	.60	.	.05		23
24	.10	.37	.01	.	.	.	.	.01	.90	.07	.	.25		24
25	.11	.28	.	.06	.	.71	.	.	.	.	.	.03		25
26	.	.14	.	.	.	.	.	.80	.16	.01	.01	.42		26
27	.	.07	.	.	.	.	.	.	.13	.	.16	.38		27
28	.03	.	.	.	.26	.	.	.29	.10	.02	.02	.03		28
29	.		.05	.	.	.	.	.01	.08	.04	.17	.20		29
30	.03	X	.	.13	.	.02	.	.29	.03	.18	.40	.07		30
31	.	X	.	X	.	X	.	.	X	.32	X	.12		31
TOTAL	.96	2.18	.58	3.12	1.09	3.07	.55	1.77	3.80	3.22	5.31	2.60	Year's Total 28.25	
*Days with .01 in. or more.	14	14	8	20	6	21	6	8	21	19	23	20	180	
*Days with .04 in. or more.	6	10	6	17	5	15	3	4	15	16	19	15	131	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Fred. J. Dixon

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 2316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1 0.

REGISTER OF RAINFALL IN 1936.

Kept at Kingswinford, Ashwood P.S.
in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 207 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.12	.14	.08	.43	.	.17	.29	.11	.	.	.10	.04		1
2	.08	.04	.01	.07	.	.39	1.52	.	.	.	.11	.		2
3	.02	.	.	.	.	.06	.	.01	.80	.	.	.		3
4	.	.	.10	.	.	.43	.	.	.42	.	.25	.07		4
5	.29	.06	.01	.	.04	.	.02	.12	.03	.	.	.17		5
6	.07	.	.	.	.15	.11	.21	.05	.09	.	.11	.22		6
7	.02	.	.02	.	.	.	.58	.	.11	.	.23	.07		7
8	.21	.	.06	.	.	.	.02	.	.02	.	.44	.03		8
9	.49	.	.29	.	.	.02	1.00	.	.10	.01	.01	.01		9
10	.01	.	.	.	.	.	.28	.	.01	.	.02	.		10
11	.	.	.	.	.	.06	.05	.	.06	.	.67	.		11
12	.	.	.	.02	.27	.20	.57	.	.47	.01	.13	.14		12
13	.	.	.	.12	.	.07	.	.	.02	.04	.	.39		13
14	.	.	.	.19	.	.06	.05	.	.50	.02	.02	.29		14
15	.04	.	.	.07	.23	.01	.02	.	.04	.	.05	.03		15
16	.10	.18	.	.14	.19	.	.05	.	.	.	:38	.03		16
17	.	.50	.	.02	.05	.	.10	.	.	.07	.04	.26		17
18	.	.04	.	.	.	.08	.34	.01	.	.07	.	.02		18
19	.30	.19	.04	.25	.	.05	.	.01	.	.07	.	.		19
20	.01	.11	.03	.	.	.14	.	.	.03	.02	.	.		20
21	.	.	.	.20	.	.91	.04	.	.	.	.	.		21
22	.	.54	.02	.	.09	.	.17	.	.	.	.	.08		22
23	.	.02	.50	.09	.03	.	.34	.	.	.02	.	.		23
24	.14	.09	.	.02	.01	.	.	.	.11	.45	.	.		24
25	.06	.	.11	.40	.	.	.12	.	.29	.02	.	.		25
26	.06	.07	.19	.	.	.	.06	.	.	.03	.05	.		26
27	.11	.04	.03	.	.	.	.01	.	.20	.14	.	.		27
28	.31	.12	.14	.01	.	.	.14	.	.	.02	.01	.07		28
29	.03	.28	.07	.	.	.31	.10	.	.	.03	.07	.07		29
30	.05	×	.	.	.08	.01	.25	.	.	.39	.01	.		30
31	.53	×	.12	×	.	×	.03	.	×	.04	×	.26		31
TOTAL	3.05	2.42	1.82	2.03	1.14	3.08	6.36	.31	3.30	1.45	2.70	2.25	Year's Total. 29.91	
* Days with .01 in. or more.	21	15	17	14	10	17	25	6	17	17	18	18	195	
* Days with .04 in. or more.	16	14	11	10	8	14	20	3	12	8	13	13	142	

† Spare column, no entries required.

(Signed) Fred. S. Dixon

40-9999

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1937.

Kept at Kingswinford, Ashwood P.S.

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 204 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.01	.01	.04	.	.	.	.	.05	.	.09	.20		1
2	.01	.08	.01	.53	.	.	.01	.	.	.	.01	.23		2
3	.	.11	.04	.	.09	.05	.04	.	.04	.	.	.		3
4	.07	.13	.02	.	.01	.	.	.02	.	.	.	.47		4
5	.06	.	.16	.	.	.	.	.	.	.	.	.		5
6	.03	.01	.01	.09	.18	.	.	.	.	.	.	.		6
7	.	.60	.	.15	.	.07	.	.	.	.	.	.		7
8	.	.09	.	.	.07	.03	.06	.	.	.	.17	.		8
9	.	.01	.	.02	.16	.	.36	.	.18	.	.	.		9
10	.03	.04	.38	.03	.	.08	.	.	.	.	.	.19		10
11	.	.04	.39	.	.28	.03	.02	.	.	.	.	.13		11
12	.11	.29	.06	.	.18	.03	.	.	.19	.	.	.22		12
13	.06	.01	.	.09	.01	.	.	.93	.97	.	.	.		13
14	.	.02	.18	.07	.	.	.	.17	.03	.	.	.16		14
15	.12	.10	.	.19	.	.	1.46	.07	.10	.	.	.		15
16	.	.10	.51	.27	.	.	.	.17	.11	.	.	.		16
17	.19	.14	.18	.05	.	.03	.	.01	.23	.	.	.		17
18	.61	.05	.11	.	.	.	.04	.	.55	.	.49	.		18
19	.01	.02	.06	.09	.03	.46	.10	.	.	.	.03	.		19
20	.44	.03	.	.42	.23	.	.01	.	.	.	.	.		20
21	.14	.20	.17	.05	.	.	.25	.	.	.03	.	.14		21
22	.08	.05	.14	.	.03	.01	.34	.	.	.49	.32	.04		22
23	.14	.02	.01	.	.10	.	.	.	.	.35	.16	.		23
24	.15	.23	.03	.	.06	.01	.	.	.09	.33	.	.		24
25	.	.39	.	.	.09	.	.	.	.06	.32	.	.		25
26	.	.28	.04	.	.53	.	.	.	.	.	.	.04		26
27	.	.19	.03	.18	.	.	.	.	.	.49	.	.		27
28	.	.20	.	.	.	.	.	.	.	.08	.	.08		28
29	.02		.	.	.	.01	.	.	.	.05	.06	.02		29
30	.29	✕	.	.	.	.	.	.30	.01	.	.04	.02		30
31	.20	✕	.	✕	.	✕	.	.	✕	.10	✕	.01		31
TOTAL	2.77 ✓	3.44 ✓	2.54 ✓	2.27 ✓	2.05 ✓	.81 ✓	2.69	1.67 ✓	2.61 ✓	2.24	1.37 ✓	1.90 ✓	Year's Total 26.36	✓ ✓
* Days with .01 in. or more.	20	27	20	15	15	11	11	7	13	9	9	14	171	✓ ✓
* Days with .04 in. or more.	14	19	13	13	11	4	8	5	11	8	7	10	123	✓ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Fred J. Dixon [P.T.O.

COPY FOR OFFICIAL USE

Secti[illegible] **A** for the entry of Daily Observations

Station No. 2316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Kingswinford, Ashwood P.S.

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 204 ft.

TRA[illegible] FORM.
VAL[illegible] MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.	.	.	.	.32	.60	.	.	.08	.06	.20		1
2	.	.	.	.07	.01	.17	.	.	.	.11	.	.03		2
3	.01	.	.	.	.09	.03	.04	.	.	.51	.	.		3
4	.	.	.	.	.	.03	.10	.30	.	.07	.	.21		4
5	.	.	.	.	.	.	.	.35	.06	.01	.	.01		5
6	.05	.	.	.	.	.02	1.04	.	.02	.14	.	.02		6
7	.	.	.	.	.	.	.36	.53	.02	.09	.	.06		7
8	.35	.	.	.	.	.	.06	.47	.	.25	.	.03		8
9	.04	.02	.	.	.	.03	.08	.01	.	.	.	.35		9
10	.03	.02	.	.	.	.14	.18	.05	.	.	.	.15		10
11	.50	.01	.	.	.	.	.	.	.	.02	.19	.10		11
12	.17	.	.	.	.16	.	.04	.01	.	.19	.47	.		12
13	.01	.	.	.	.	.	.	.	.	.	.21	.43		13
14	.25	.	.	.	.02	.	.61	.	.01	.	.	.		14
15	.07	.	.	.	.10	.	.16	.	.	.	.03	.31		15
16	.20	.	.	.	.	.	.	.	.	.	.07	.17		16
17	.	.02	.	.	.02	.	.02	.	.01	.17	.01	.		17
18	.05	.	.	.	.09	.10	.	.12	.82	.04	.25	.		18
19	.	.	.	.	.	.	.	.09	.	.	.03	.01		19
20	.	.	.	.	.	.	.	.	.	.	.35	.		20
21	.01	.	.	.	.	.	.	.04	.32	.	.11	.31		21
22	.	.	.	.10	.	.10	.	.01	.	.	.43	.10		22
23	.	.	.	.	.	.	.	.	.13	.	.	.		23
24	.	.	.23	.	.10	.	.	.40	.03	.	.03	.		24
25	.04	.08	.02	.	.	.	.	.05	.02	.21	.62	.19		25
26	.09	.31	.11	.	.03	.09	.	.	.02	.34	.	.05	✓	26
27	.04	.01	.	.	.25	.08	.27	.47	.12	.	.35	.		27
28	.06	.02	.	.	.02	.14	.06	.16	.02	.	.	.19		28
29	.49		.	.	.44	.	.01	.	.08	.07	.15	.10		29
30	.05	✕	.	.	.03	.23	.	.	.36	.	.18	.26		30
31	.11	✕	.	✕	.15	✕	.	.	✕	.14	✕	.30		31
TOTAL	2.62	.49	.36	.17	1.51	1.48	3.63	3.06	2.04	2.44	3.54	3.58	Year's Total 24.92	
* Days with .01 in. or more.	20	8	3	2	14	13	15	15	15	16	17	22	160	
* Days with .04 in. or more.	16	2	2	2	8	9	13	12	7	14	13	17	115	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Fred J. Dixon

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

For 7090

REGISTER OF RAINFALL IN 1939

Kept at Kingswinford, Ashwood P.S.

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 207 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.38	.	.01	.09	.11	. .	.01	.	.	.	.	.02		1
2	.10	.	.	.03	.	.	.07	.29	.70	.07	.01			2
3	.20	.	.	.27	.	.	.	.32	.04	.	.10	.29		3
4	.10	.	.22	.51	.12	.	.25	.15	.25	.15	.08	.20		4
5	.	.	.	.02	.23	.	.14	.11	.	.02	.32	.01		5
6	.67	.	.	.	.	.	.66	.	.	.	.13	.		6
7	.	.08	.	.	.03	.	.35	.04	.	.09	.33	.42		7
8	.	.11	.35	.	.	.	.18	.05	.	.46	.72	.05		8
9	.	.03	.	.	.	.	.03	.26	.	.37	.	.20		9
10	.36	.	.02	.	.	.	.	.01	.09	.26	.	.01		10
11	.02	.02	.14	.	.	.31	.	.02	.	.05	.	.		11
12	.	.04	.	.	.	.07	.	.	.	.	.	.		12
13	.	.	.02	.17	.04	.02	.13	.	.02	.03	.	.		13
14	.47	.	.02	.06	.18	.15	.39	.	.	.07	.17	.		14
15	.70	.	.01	.09	.13	.39	.21	.	.	.	.24	.		15
16	.04	.	.	.	.25	.	.13	.	.	.16	.18	.		16
17	.41	.02	.	.	.	.12	.17	.	.	✓.97	.13	.		17
18	.20	.05	.11	.	.	.58	.07	.	.	.01	.63	.		18
19	.19	.	.	.	.	.	.50	.	.	.	.	.		19
20	.20	.	.	.	.	.01	.	.02	.	.	.	.		20
21	.15	.17	.18	.	.	.10	.	.	.05	.	.	.		21
22	.25	.22	.	.03	.	.	.05	.	.	.	.48	.		22
23	.10	.	.01	.08	.	.	.14	.	.	.06	.78	.		23
24	.16	.	.	.10	.	.02	.15	.	.	.09	.	.		24
25	.65	.07	.	.01	.	.	.11	.	.	.03	.09	.		25
26	.02	.	.	.	.	.	.	.05	.	.	.30	.17		26
27	.01	.04	.25	.	.	.04	.09	.	.	.05	.	.12		27
28	.	.03	.14	.	.	.08	.16	.05	.	.	.12	.07		28
29	.		.	.17	.	.01	.32	.11	.	.13	.04	.		29
30	.	×	.	.12	.	.27	.05	.	.	.	.05	.		30
31	.	×	.	×	.	×	.	.25	×	.02	×	.05		31
TOTAL	5.38	.88	1.48	1.75	1.09	2.17	4.36	1.73	1.15	3.09	4.90	1.61	Year's Total 29.59	
* Days with .01 in. or more.	21	12	13	14	8	14	23	14	6	19	19	12	175	
* Days with .04 in. or more.	18	8	7	10	7	10	21	11	5	14	18	9	138	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Fred J. Dixon

P.T.O.

15 S Staff

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2316

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Kingswinford, Ashwood P.S.

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 204 ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

~~THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY~~

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.	.	.08	.10	.	.	.	.	.	.37	.01		1
2	.	.	.	.18	.	.	.10	.	.	.	.68	.08		2
3	.	.12	.	.02	.	,	.	.	.	.28	.72	.06		3
4		.07	.	.08	.	.	.04	.	.	.07	.11	.02		4
5	.	.	.	.	.03	.	.16	.	.	.08	.40	.12		5
6	.09	.34	.	.	.	.	.	.	.	.40	.18	.		6
7	.	.17	.	.01	.	.	.16	.	.	.02	.	.02		7
8	.	.	.	.02	.03	.	.	.	.	.20	.	.19		8
9	.	.	.01	.	.	.	.08	.08	.02	.10	.32	.18		9
10	.	.	.10	.	.	.	.45	.	.	.06	.05	.27		10
11	.	.	.02	.02	.	.18	.11	.	.	.	.50	.17		11
12	.	.02	.10	.	.	.04	.15	.	.06	.	.02	.		12
13	.	.01	.26	.01	.	.	.	.02	.07	.	.	.		13
14	.	.	.03	.06	.40	.	.	.	.20	.04	.	.35		14
15	.	.	.02	.06	.49	.01	.	.	.08	.04	.15	.01		15
16	.05	.28	.25	.	.	.	.07		.14	.48	.50	.		16
17	.	.	.26	.	.38	.	.		.	.	.20	.		17
18	.22	.54	.25	.42	.	.	.	.04	.15	.07	.01	.06		18
19	.	.24	.07	.33	.	.	.40	.	.15	.	.18	.01		19
20	.	.	.	.02	.	.	.17	.03	.	.30	.	.		20
21	.	.	.	.	.28	.47	.09	.	.	.	1.11	.		21
22	.	.	.	.02	.34	.06	.	.	.09	.	.	.		22
23	.	.06	.05	.20	.30	.07	.	.	.	.	.01	.		23
24	.	.	.	.	.	.	.03	.	.01	.	.	.		24
25	.02	.	.	.08	.	.	.03	.	.	.		.		25
26	1.34	.11	.06	.25	.07	.	.42	.	.	.	.02	.		26
27	.76	.20	.	.22	.	.	.15	.	.	.	.03	.		27
28	.54	.24	.	.02	.53	.	.	.	.	.	.	.		28
29	.	.	.06	.31	.	.03	.	.	.	.	.	.12		29
30	.	×	.	.67	.01	.	.	.	.	.46	.	.		30
31	.12	×	.03	×	.	×	.	.	×	.90	×	.04		31
TOTAL	3.14	2.40	1.57	3.08	2.96	.86	2.61	.17	.97	3.50	5.56	1.71	Year's Total 28.53	
* Days with .01 in. or more.	8	13	15	21	12	7	16	4	10	15	19	16	156	
* Days with .04 in. or more.	7	11	10	13	9	5	14	2	8	14	14	11	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ed. J. Dixon

P.T.O.

2317

Section A **for the entr** R OFFICIAL USE.
AIR MINI GANIZATION.

FORM 1090.

REG

Kept at Shavers End

in the County of Staf

direction of wind.

Diameter of Funnel of Gauge
Height of top of Gauge above
,, Ground ,,

THE MORNING ME

An observer who does not confo
year in the space on the right ng

Jan. 1, following

2317 — 094471
DUDLEY — SHAVERS END
1931 — 1935

780405

Date	Jan.	Feb.	Ma								ov.	Dec.	Date
	in.	in.	i								n.	in.	
1	.01 N	N .04	.								S	. N	1
2	. W	W .14	.								03 SW	.11 SW	2
3	.08 N	NE .	.								55 S	.10 S.W.	3
4	. N	E .	.								05 S	. W	4
5	. W	S .03	.								S	.21 W to S	5
6	. W	S .19	.								15 S	. W	6
7	. N	S.W. .	.								17 S	. W	7
8	.09 W	S .06	.								20 S	. W	8
9	.01 W	W .33	NE .								35 S	. W	9
10	. W	W .									12 S	. W	10
11	.15 W	SW .22									12 S	.01 N	11
12	.02 NW	W .10									W	. W	12
13	. N	N .	SW								W	. N.W	13
14	. N	N.W. .11	. W	. N	.03 W						.42 S	. S to SW	14
15	.03 W	W .13	. S	.13 W	.05 W	. W	.13 NE	.20 S to S.W.	.01 W	. NW	.01 N	.06 N W.	15
16	.08 W	W .09	. E	.18 N	.31 N	.68 S	. W	.16 SW	.16 W	. NW to E	. S	. E	16
17	.10 W	N to NE .05	. E	.22 N	1.07 N	.05 W	.05 W	. W	.01 W	.01 NE.	.05 SE	. S.E.	17
18	.17 W	NE .02	. E	.15 N	. S.E.	.16 W	.22 W	.10 W	. N	. E	.29 S.E	. W	18
19	. W	NE .10	. S	.05 NE	. E	.15 E	.26 W	.22 S	.02 N	. SE	. S	. W	19
20	.02 W	SW .04	.17 S	. NE	. E	. N	.01 N	.38 SW	. N	. SE	.04 S	.02 W	20
21	.20 S	W .	. S.W.	. N.E.	.59 E	. N	. W	. N	. N	. NE	.21 W	. S	21
22	.12 SW	W .	. S.W	.04 NW	.02 S	. W	. W	.23 W	. N	. N.W	. S	. S	22
23	.11 W	W .	. W	.39 SW	.50 S	.21 W	. W	.02 W	. N	. N to S	.19 S	.37 S W.	23
24	. W	W .	. E	.20 S	.41 W	. E	.10 W	. S.W.	. NW.	. N	. S	. W	24
25	.03 W	W .	. E	.81 SE	. S.W	. E	.34 SE.	. N.W.	. N.W.	. N	.03 SW.	. W	25
26	.02 NW	W to N .02	. E	.15 W	. S.W.	. W	.03 W	. W	. N	. N	.36 S	. W	26
27	.09 SW	SW. .61	. E	.07 N.W	.46 E	. W	.02 W	. W to S	. N.W	.08 N	.10 S	.06 N	27
28	.17 NW	N .08	. E	.14 NW.	.30 E to S.W	. W	. W	. SW. to SE	. W	.01 NW.	. E	.11 N-W.	28
29	.06 NW		. SE.	. N	.16 SE.	. W	.23 W	. SE. to E	. N	.47 W	. SE.	. N	29
30	. NW	X	. S.E.	.01 W.	. S	. E	. W	. E	. S	. N	. N.	. N	30
31	.27 SE	X	. E.	X	. S	X	. SW.	. N.E	X	. N	X	.01 N.W.	31
TOTAL	1.83	2.36	.18	4.02	4.14	4.27	3.42	5.45	2.63	1.11	3.44	1.06	YEAR'S TOTAL 33.91
*Days with ·01 in. or more.	20.	18	2	22	18	16	19	17	14	10	19	10	185
*Days with ·04 in. or more.	13	15	1	19	12	14	14	15	10		16	7	140

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) Fred. J. Dixon [P.T.O.

Section A for the entr

R OFFICIAL USE.

2317

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1931.

Kept at Shavers End. Dudley. (NO 1 GAUGE)

in the County of Stafford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 745 ft.

⊗ Red ink letters denote direction of wind.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in. ⊗	⊗ in.	in ⊗	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01 N	N .04	. N.W.	SE. .11	.01 W	.09 SW & W	. W	. SE	.35 SW	. W	. S	. N	1
2	. W	W .14	. N	.69 E	.06 E	.07 W	. W	.04 E	.37 SW	.02 W	.03 SW	.11 SW	2
3	.08 N	NE .	. S	.03 N	. N.E.	. SW	. W	. E	.62 SW	.03 W	.55 S	.10 S.W.	3
4	. N	E .	. E	.18 N	.02 W	. W	.32 W	.24 E	.12 E	. SW	.05 S	. W	4
5	. W	S .03	. E	.18 N	.06 SW.	1.19 NE	.02 S	. E	.14 N	. SW	. S	.21 W & S	5
6	. W	S .19	. E	.06 S	. S.E.	.25 SW.	. W	.03 N	.01 NW	.41 SW	.15 S	. W	6
7	. N	S.W. .	. E	. S	.01 S.W.	.09 W	.05 N	.60 N	. N	.05 W	.17 S	. W	7
8	.09 W	S .06	. E	.14 S	. N	.07 W	.07 W	N & NE. 1.27	. W	.02 W	.20 S	. W	8
9	.01 W	W .33	NE. & E .01	.08 S	. W	.03 W	. W	N & NW. .11	. W	. S.W.	.35 S	. W	9
10	. W	W .	. N	. S	.02 S.W.	.06 SW	.03 W	.14 W	.11 W	. W	.12 S	. W	10
11	.15 W	SW .22	. N	. W	. W	.04 W	.29 W	. W	.42 W	. W	.12 S	.01 N	11
12	.02 NW	W .10	. N	.01 W & N	. W	. W	.61 W	.09 W	S & E .22	.01 W	. W	. W	12
13	. N	N .	SW & W .	. N	.06 S.W.	.02 E	.28 W	W & E .86	. N	. S.W.	. W	. N.W	13
14	. N	N.W. .11	. W	. N	.03 W	1.19 E	.36 S	.76 E	.07 W	. N.W	.42 S	. S & SW	14
15	.03 N	W .13	. S	.13 W	.05 W	. W	NE .13	S & S.W. .20	.01 W	. NW	.01 N	.06 N W.	15
16	.08 W	W .09	. E	.18 N	.31 N	.68 S	. W	.16 SW	.16 W	. NW & E	. S	. E	16
17	.10 W	N & NE. .05	. E	.22 N	1.07 N	.05 W	.05 W	. W	.01 W	.01 NE.	.05 SE	. S.E.	17
18	.17 W	NE .02	. E	.15 N	. S.E.	.16 W	.22 W	.10 W	. N	. E	.29 S.E	. W	18
19	. W	NE .10	. S	.05 NE.	. E	.15 E	.26 W	.22 S	.02 N	. SE	. S	. W	19
20	.02 W	SW. .04	.17 S	. NE	. E	. N	.01 N	.38 SW	. N	. SE	.04 S	.02 W	20
21	.20 S	W .	. S.W.	. N.E.	.59 E	. N	. W	. N	. N	. N.E.	.21 W	. S	21
22	.12 SW	W .	. S.W	.04 NW	.02 S	. W	. W	.23 W	. N	. N.W	. S	. S	22
23	.11 W	W .	. W	.39 SW	.50 S	.21 W	. W	.02 W	. N	. N & S	.19 S	.37 S W.	23
24	. W	W .	. E	.20 S	.41 W	. E	.10 W	. S.W.	. N.W.	. N	. S	. W	24
25	.03 W	W .	. E	.81 SE	. S.W	. E	SE. .34	. N.W.	. N.W.	. N	.03 SW	. W	25
26	.02 NW	W & N .02	. E	.15 W	. S.W.	. W	.03 W	. W	. N	. N	.36 S	. W	26
27	.09 SW	SW. .61	. E	.07 N.W	.46 E	. W	.02 W	. W & S	. N.W	.08 N	.10 S	.06 N	27
28	.17 NW	N .08	. E	.14 NW.	.30 E & S.W	. W	. W	. SW. & SE	. W	.01 NW.	. E	.11 N-W.	28
29	.06 NW		. SE.	. N	.16 SE.	. W	.23 W	. SE. & E	. N	.47 W	. SE.	. N	29
30	. NW	×	. S.E.	.01 W.	. S	. E	. W	. E	. S	. N	. N.	. N	30
31	.27 SE	×	. E.	×	. S	×	. SW	. N.E	×	. N	×	.01 N.W.	31
TOTAL	1.83	2.36	.18	4.02	4.14	4.27	3.42	5.45	2.63	1.11	3.44	1.06	YEAR'S TOTAL 33.91
*Days with ·01 in. or more.	20.	18	2	22	18	16	19	17	14	10	19	10	185
*Days with ·04 in. or more.	13	15	1	19	12	14	14	15	~~10~~	4	16	7	140

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) Fred. J. Dixon [P.T.O.

2317

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dudley, Shavers End (No I gauge)

in the County of Staffordshire

Red letters denote direction of wind.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 745 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03 S.W	• W&N	• E	.10 W	.93 E	.08 E	.10 W	.21 E	.03 S	.06 NW	.03 SW	• N	1
2	.04 W	.02 N	• E	.13 N	.33 W	• E	• W	• W	.25 W	.07 W&NW	• SW	.09 S.W	2
3	– W	.01 W	• NE	.15 NE	.05 N	• SE	.02 W	.01 N	• W	.04 N	• S.W	• W	3
4	.03 W	.02 E	• N	.51 E	• E	• N.E	• S	• W	• W	• N.W	.48 SW	.04 N	4
5	.32 W	• E	.03 SW	• NW	.07 N	• N	.01 W	• W	.11 W	• W	• N&E	.01 W	5
6	.24 W	• E	.02 W	.23 NW	• N	• N	.03 W	• W	.32 S.W	• S.W	• E	• E	6
7	– W	• N	.16 W	.16 W	.01 S.W	• W	• W	• N	.08 W	.81 SW	• E	• E	7
8	– W	• N	• W	.10 W	• W	• W	• W	• W	.11 S.W	.47 NW	• W	• E	8
9	.29 SW	.04 NE	• E	• W	.08 N	• W	• W	• W	• W	• W	• W	• E	9
10	.37 S	.01 NE&E	• W&NW	.13 W	.07 W	• SE	• W	• S.W	.18 E&W	.28 W	• W	• E	10
11	– SW	.02 NE	• N	.08 W	.09 SW	.05 E	.06 W	• S	• W	.13 W	.01 E	.01 E	11
12	.29 S.W	• E	• E	• N	.20 S.W	• E	• E	• W	.11 W	.35 W	.03 E	• E	12
13	.02 SW	.05 N.E	• N	.08 N	.02 S	• E	1.28 S	• W	• W	.03 W	.06 E	.05 S	13
14	.24 S	• N	• E	.07 W	• W	• E	.24 E	.10 W	• N.W	.02 W	.23 E	.01 S.W	14
15	– W	• NW	• E	.03 E	.46 E	• NE	.09 E	• E	• S	.04 N	• E	.01 S.W	15
16	.22 S.W	• N	• E	.11 NE	.09 NW	• NE	.12 NE	• E	• E	• W	• E	• S.W	16
17	– W	• E	• E	• E	• W	• E	.24 N.E	• W	.02 W	.14 NW	• E	• S	17
18	– W	• S	• N	• E	.06 S	• E	• N	• W	• W&N	.02 W	.08 SE	• S.W	18
19	– SW	• NE	• W	.09 W	.03 W	• E	• N	• E	• W	.21 W	• E	• S	19
20	– S.W	• N.E	• W	.09 W	.91 S.W	• NE	.03 W	1.76 E	• E	.42 W	.08 S	• S	20
21	– S	• N.W	.17 W	.18 SW	.86 N	• E	• W	.04 SE	• N.E	.26 S.W	.08 W	.11 S	21
22	– S.W	• N	.28 SW	.04 W	.06 NW	• W	.21 W	• N.W	.53 E	.06 S.W	.20 SW	.01 S.W	22
23	– S.W	.07 N	• N	• N.W	.37 NE	• E	.02 W	• N.W	.11 N.E	.06 S.W	.06 W	.04 S	23
24	.06 E	• NE	• S	• W	• N.E	.20 W	.04 S&SW	• N.E	.09 W	.02 W	.39 W	• W	24
25	.01 NW	.03 E	• S.E	• N.W	• N	.23 W	.07 W	• SW	.09 W	.09 W	.13 W	.01 W	25
26	– S.W	• NE	.07 S	.59 SW	.22 N	• W	.10 W	• SE	.10 W	.01 W	.06 W	• W	26
27	– S	• E	.44 S	.14 S	.42 N	• W	.01 W	• W	• NW	• W	.08 W	• S&S.W	27
28	– S.W	• E	.03 SW	.06 S	.28 W	.15 W	.01 W	.21 E	• E	• N	• N	.03 S	28
29	– S.W	• E	.13 W	.20 S	.11 N	.10 S	.04 W	• S	.20 W	.32 W	.02 W	.13 S	29
30	– NW	✕	.12 W	.18 S	• W	.61 S	.05 W	.16 W	.24 W	.20 W	.31 S.W	.10 NW	30
31	– S.E	✕	.02 W	✕	• W to E	✕	.49 W	• N	✕	• N	✕	.22 S	31
TOTAL	2.16	.27	1.47	3.45	5.72	1.42	3.36	2.49	2.57	4.11	2.33	.87	YEAR'S TOTAL 30.22
*Days with ·01 in. or more.	13	9	11	22	22	7	21	7	16	23	17	15	183
*Days with ·04 in. or more.	9	3	7	21	19	7	15	6	14	18	13	8	140

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) Fred. J. Dixon

[P.T.O.

2317

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Dudley, Shavers End

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 745 ft.

Gauge I

Red letters denote direction of wind.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.34 S	.29 S.W.	• S	• W	• S.E.	• S.E.	• W	• W	• W	• E	.04 N.W.	• S.E.	1
2	.22 S	• W	.29 S	• W	.04 E	• S.W.	• E	• S.W	• W	• E	.01 NW.	• E	2
3	• W	.16 S.W.	.08 S	• W	.08 E	• S.E.	• N	• W	• E	• S.E.	• N.E.	• E	3
4	.12 S	• W	.04 S.W.	• N W	.30 S	• S.E.	• N	• E	• N.W.	• N.W.	• N	• E	4
5	.13 W	• W	.30 S.W.	• S.W	.01 S	• S.E.	• S.E.	• E	• N.W	• W	.01 N.W.	• E	5
6	• S.W	.40 S	• S & W	• N.W.	.15 E	• E	• S E	• E	• NW & E.	.07 S.E.	• N	• E	6
7	.03 S.W	.16 W	.01 S	• W	• W	• E	• E	• W	• N W	.11 E	.01 N	• N.E.	7
8	.02 W	• S W	.19 S.W.	• W	.10 W	• N	.63 S.W	• N.W.	• N.W. & N.E	• S.E.	• N	• E	8
9	• N	• S.W. & W	• S	.04 W	.10 W	• E	.35 S.W.	• W	• N.E.	1.25 S	.01 S	• E	9
10	.08 W	.27 S.W. & E	• S.E.	• W	• N.W	.03 N.E.	.11 S	.02 N	• E	1.51 W	.20 W	• E	10
11	.01 W & N.W.	• N	• S.E.	• W	.03 W	• N.E.	.17 W	• S.E.	• E	• W	• N	• N.W.	11
12	• W & NW	• N	• S.E.	• N	.02 W	.01 N	.12 W	• E.	.02 E	• W	• W	.07 S.W. to S.E.	12
13	• N	• N	• W	• N	.13 W	• N.E.	.19 S & W	• E	.01 N	.07 S.W.	.32 W	• E	13
14	.02 S.W.	• N	• W	• W	• N	.01 S.E.	.04 W	.04 E	• N.W.	.19 W	.17 S.W.	• N.E.	14
15	.51 S.W. & N.W.	• N	• S	• W	• W	.02 N	.25 W	• S.W.	• W	.01 S.W.	.02 W	.04 N.E.	15
16	.11 W	• N & W	.48 S.W.	• N	• E	.09 W	.02 NW	.03 W	• S	.17 W	.03 E	• N.E.	16
17	.07 N	.01 N	.24 S.W & E	• N.E	• E	.09 N.W.	.04 W	• S	.07 S.W.	• W	.02 E	• N.E.	17
18	.05 S.W	• N	.03 W	• E	• E	.14 W	• W	• W	• N.W.	• S.W.	.01 E	• S.W.	18
19	• N	.01 N	.39 S	• E	• S.E.	.30 W	• W	• W	.08 SW	• S.W.	.05 S.E.	• N	19
20	• E	.02 W	.01 NW	• NE.	• S	.07 S	• W	.06 W	.03 S.W	• SE & E	.01 S	• W	20
21	• S	• N.W.	• S.W.	• N	• N	.41 N & S.W.	• NE	.48 W	• S.W.	.02 E	.01 E	• W	21
22	• S	• N	• S.E.	• N	• N	.91 W & S.E.	• N	.38 W	• N.E	.23 E	• N	• S	22
23	• W	• N	• SE	.16 S	• N	.02 W	• N	• W	.07 SW	.19 N	• N	• S.W	23
24	• E	~~.28~~ S.E. & .68 ⊗	• E	.16 S	.02 W	.80 W	• W	• W	.10 W	.03 E	• N	• S.W.	24
25	• E	.36 S	• E	.12 S	• W	.18 E	• W	• S.W.	.03 E	• N	• N	.07 S.W	25
26	• E	.61 S.E	• S.E.	.12 SW	.14 N	• N.W	• W	• S.W.	.03 NE	.38 N	• N	.01 S.W.	26
27	• E	• S	• E	• W	.38 N.E. & S.W.	• W	• SE. & W	• S	.05 E	.03 W	• S.E.	.06 S.W	27
28	• E	• S	• W	.17 S.W.	.19 S.W	• N.W	.01 S.W.	• S	.01 E	.04 W	• S.E.	.07 S.E. & E	28
29	.02 E		.01 W	.03 W	• N	• N.W	.15 W	• S.W.	• N.E	• N	• S.E.	.03 W	29
30	.09 W	✕	.05 W	.05 W	• S	• W	.04 NW	• W	• E	.11 NW.	• S.E.	.09 W	30
31	.11 S.W	✕	.48 W	✕	• S	✕	.02 W	.09 W	✕	.29 NW	✕	• W	31
TOTAL	1.93	~~2.57~~ 2.97	2.60	.85	1.69	3.08	2.14	1.10	.50	4.70	.92	.44	YEAR'S TOTAL 22.92
*Days with ·01 in. or more.	16	11	14	8	14	14	14	7	11	17	15	8	149
*Days with ·04 in. or more.	11	8	10	7	10	9	11	5	5	13	5	6	100

40-9999

⊗ see No 2 gauge.

(Signed) Fred. J. Dixon [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2317

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Dudley, Shavers End

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 745 ft.

Gauge 1.

Red letters denote direction of wind.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08 S	• NE.	• S.W	• E.	• E	• E	• N	.25 S.W	.05 W	.02 W	.08 N.W.	.38 SE.	1
2	.01 W	• N	S.W to S. .11	• N.E.	• NE.	• N.E.	• N	.02 S	.29 S	• NW	.06 N.W.	.10 S.W.	2
3	.09 W	.04 W	• W	• E	• E	• E	• N.W.	• S.W	• W	.03 S	• S to S.W	.10 S.W	3
4	.09 S.W.	• E	.07 W	.05 E	.26 W	• E	• W	• S.W	.03 W	• S.W.	.04 E	.29 S	4
5	• W	• N.W.	.16 W	.01 NE	.06 S.W	• E	• E	.58 S	• N.W.	• W	.14 N.E.	.04 S	5
6	• S.W.	• N	.04 S.W.	• E	.40 S.	.04 E	• S.E.	.03 S	• S.E.	.10 S	• N	.61 S	6
7	S.W. .21	• W	• N.W.	• W	• W	.11 N	• S.E.	.08 E	• S	.15 S.W	.02 [illegible]	.21 S	7
8	• W	• N.W	• S.W.	• W	.09 W	• S	• E	• S.W	• S	• W	.23 W	.10 S.W.	8
9	S.W. .01	• W	.12 S.	.02 NE.	• N	• E	• E	.14 W	• W	• W	.58 E	.15 S	9
10	S.W to S .08	• W	.16 S.	.32 W	• W	• E	• E	.26 S.W	• W	.01 W	.17 E	• S	10
11	S .67	• W	.06 NE E S.E.	.18 S	• W	• N.E.	.05 S.E.	.21 W	• S.W.	• W	.01 N.E.	.13 S	11
12	• W	• S	.17 NE.	.01 S to S.W.	• W	• E.	.14 S.E.	.19 W	• E	• W	• NE.	• S	12
13	S.W. .45	• S	.01 N	.10 S	• W	• S	.49 W	.02 W	• E	.02 W	• E	.16 S	13
14	S.W. .10	• N	.23 S	• S	.05 N.W.	• W	• N	• N.W.	.02 E	.15 W	.32 S.E.	.10 S	14
15	W .10	• N	.06 W	• S to W	.12 W	• E	.04 N.W.	• S.W.	• E	SNOW .48 N	.33 E	.16 S	15
16	W .19	• N	.08 W	• S.W.	.02 W	• S	• W	.01 W	• S.W.	.03 N	.09 E	.01 W	16
17	W .02	• N	.12 S.W to W	.10 S.W	.01 W	• S E.	.12 S	.04 W	.25 S	.09 N	.01 N	.14 S.W	17
18	W .32	• N to W	.01 W	.13 S.W	• S.W	.03 W	• NW	.01 W	.16 S	• W	• N	.07 S.W	18
19	N •	• W	.16 S	.01 W	• S.W	.15 W	• W	• W	.03 S.W	.01 W	• W	.30 S	19
20	N •	• N	.30 E	• N.W.	• S.W	• W	• S	• S.W	.02 W	.01 W	• W	.01 N	20
21	N .01	• W	.03 N	• W	• W	.25 W	• E	.05 W	• W	.07 W	• W	• S	21
22	W •	• W	.01 N	.05 N.W.	• W	• W	• E	.18 S.W.	.24 S	• W	• W	.22 S	22
23	S.W. •	• W	.08 S.W	.28 W	.10 E	.13 W	.08 W	.02 W	.03 N	• W	.02 W	.05 S	23
24	S.W. •	.29 W	.07 S.W	.06 W	.02 N	.05 E	• N.W.	• W	.24 S	• S.W	• W	• S.W	24
25	SW .38	N.W .02	• S.W	.07 W	.02 W	.27 E	• N.W.	• W	• W	.29 S	• W	.36 S.W	25
26	SW to W. .13	• N	.09 W	.06 N.W.	• N	.14 W	• W	• E	.05 S	.04 W	.01 W	.09 SW	26
27	NW .06	• N	• N	.33 N	• W	.04 W	• W	•	• S.W	.04 W	.03 W	.14 S.W	27
28	NW •	• N.	• E	.51 N	• N	.12 W	• S.W	.12 S	.03 S	• W	.07 W	.35 S	28
29	N •		• E	• N	• N	• NW.	.31 W	.04 W	.37 W N	.02 W	• W	.04 S.W	29
30	W .04	×	• SE	• E	• E	• N.W.	.02 S.W	.15 S	.03 W.	.01 W	• S.E.	.49 S.W	30
31	N •	×	• SE.	×	• E	×	• S.W	.05 S.W.	×	SNOW .12 N	×	.16 W.	31
TOTAL	3.04	.35	2.14	2.29	1.15	1.33	1.25	2.45	1.84	1.69	2.21	4.96	YEAR'S TOTAL 24.70
*Days with ·01 in. or more.	19	3	21	17	11	11	8	20	15	19	17	27	188
*Days with .04 in. or more.	15	2	17	13	7	10	7	14	8	10	11	25	139

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Fred. J. Dixon

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2317

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1935.

Kept at Dudley Shavers End No 1

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 745 ft.

Note - Red letters denote direction of wind.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07 W	.05 W	. S.W	N.W. .03	.01 S	.01 E	E .02	. N	.04 S	S.W. .32	S .13	. W		1
2	. N.W.	.02 W	. W	. N.W.	. S	.19 S	. W	. N	.05 W	S.W. .18	. S	W .07		2
3	.02 N.W.	.21 W	.10 S	N.W .06	. S.E	.02 S	. W	. N	.25 W	S. .28	S .31	W .18		3
4	. N	. W	. W	N.W. .12	. E	.14 S	. W	. W	. W	W .47	. S	N.W. .10		4
5	. N	.60 W	.23 S.W.	N.W. .08	E to S.E. .	.64 S	W .03	. W	. W	W .07	S .05	W .02		5
6	. N	. N.E.	. S.W	N .25	. N	.35 S	. W	. W	. W	W .	. S	W .01		6
7	. N	. E	. S.E.	W .24	. E	.20 W	. E	. W	. N.W	W .12	E .33	W .18		7
8	. E	. E	. E	S.W .17	. E	.01 W	. S	S .03	. W	.08 S	E .18	W .13		8
9	W to S.W. .01	. E	. E	S.W .49	. E	.36 S	. S	. W	. E	.46 S	.30 S	W .		9
10	. S.W.	. N.W.	. E	S.W .12	. E	. E	. W	. W	. E	. W	.03 S	. N.E		10
11	S.W. .19	. W	. E	W .	. E	.06 S	. E	. W	. E	W .05	S .23	N.E. .02		11
12	N.W .15	.04 S.W	. E	N.E. .	. E	.08 S	. E	N .04	. E	. W	. S.W	. E		12
13	.23 W	.05 S.W	. E	S .13	E .19	.03 W	. E	. N	.11 W	. W	S.W .02	. E		13
14	.04 N	. S.W	. E	W .01	. E	.05 W	. N	. W	.09 W	. W	1.09 S	S .11		14
15	. N.W.	.02 S.W	. S	S.W. .51	N.E. .09	.33 S	. W	. W	S to W .39	. W	.10 S	W .08		15
16	. W	.02 S.W.	.14 E	W .26	. N.E.	.39 S.W	. W	. W	.55 S.W	N.W .38	.60 S	W .13		16
17	. N	. S.W.	. W	W .18	S to N .	.10 S.W	.14 W	. N.W.	.01 W	W .05	.58 S.W	. N		17
18	. E	. S.W.	. W	W .29	N.W. .08	.21 S	. W	. S	.17 W	S .12	.08 W	. S		18
19	. E	. S.W.	. W	W .11	S .43	.28 S	.20 W	. W	.08 W	W .27	.28 S	E .01		19
20	.02 N	.18 S.W	. W	S .29	. N.E	. S	.13 W	. W	.01 W	W .01	.59 E	. E		20
21	. N	.22 S.W	. W	S.E. .	. N.E	. S	. W	. S.W	1.19 W	W .02	.13 E	. W		21
22	. N	.08 N	.12 W	S .03	. N.E.	. S	. W	.01 S	.02 N.W.	. N.W	. E	. W		22
23	N.W. .03	. N	.09 S.W	S .	. N.E.	. S	. W	E .33	.21 N.W	.54 S	. N.E	E .08		23
24	.12 W	.41 S	.02 W	E .	. N.E.	. S.E.	. N.W	E .01	1.00 S.W	S.E .03	. N	S.E. .23		24
25	N.W. .14	.16 S	. W	N .08	. N.E.	.62 E	. W	. W	. N.W	. W	. W	S .11		25
26	. N	.12 S	. W	E .	. N.E.	. S	. N	.97 W	.21 S	. W	S.W .03	S .41		26
27	. N	.06 S	. W	E .	. N.E	. S	. N.W.	. W	.12 W	W .04	S.W .20	S .43		27
28	.04 N	.04 S	. N.W	W .	N.E. .37	. S	. W	.21 W	.08 S.W.	W .10	. W	.17 W		28
29	. N		.07 W to E	N.W. .	. N	. S	. W	.01 W	.08 W	W .08	S.W .17	.18 W		29
30	.02 W	✕	. W	N. .15	. N.E	.02 N.W	. N	.27 S	.05 S.W	W .20	W. .40	.13 S		30
31	. N.W.	✕	. W	✕	. E	✕	. N	. S	✕	W .48	✕	.18 S		31
TOTAL	1.08	2.28	.77	3.60	1.17	4.09	.52	1.88	4.71	4.35	5.83	2.96	Year's Total 33.24	
*Days with ·01 in. or more.	13	16	7	20	6	20	5	9	20	22	21	21	180	
*Days with .04 in. or more.	8	13	6	17	5	15	3	5	17	19	18	17	143	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Fred. J. Dixon

[P.T.O.

(2317/1)

Section **A** for the entry of

AIR MINISTRY

FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

—

2317/1

SHAVERS END (No 2 GAUGE)

1931

780405

Staffs /2

25/30.

Kept at Shavers End(

in the County of Staffo

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to ... *llowing*

year in the space on the right of thi

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	.01	.04	.	.10	.01	.08	.	.	.35	.	.	.	1
2	.	.13	.	.69	.06	.07	.	.03	.38	.01	.02	.09	2
3	.08	.	.	.03	.	.	.	.	.62	.03	.51	.08	3
4	.	.	.	.16	.02	.	.28	.22	.11	.	.04	.	4
5	.	.02	.	.16	.04	1.10	.01	.	.13	.	.	.18	5
6	.	.18	.	.05	.	.24	.	.03	.	.40	.13	.	6
7	.	.	.	.	.	.08	.03	.59	.	.04	.17	.	7
8	.09	.05	.	.13	.	.05	.05	1.29	.	.01	.20	.	8
9	.01	.30	.02	.06	.	.03	,	.10	.	.	.32	.	9
10	.	.	.	.	.01	.05	.01	.12	.11	.	.10	.	10
11	.16	.20	.	.	.	.02	.27	.	.41	.	.11	.	11
12	.02	.11	.	.	.	.	.59	.06	.22	.01	.	.	12
13	.	.	.	.	.04	.01	.25	.86	.	.	.	.	13
14	.	.10	.	.	.02	1.14	.35	.66	.07	.	.41	.	14
15	.03	.13	.	.11	.04	.	.12	.17	.01	.	.	.06	15
16	.06	.11	.	.16	.30	.66	.	.11	.16	.	.	.	16
17	.09	.05	.	.19	1.06	.03	.02	.	.01	.	.04	.	17
18	.18	.03	.	.15	.	.13	.21	.09	.	.	.24	.	18
19	.	.08	.	.05	.	.13	.23	.19	.02	.	.	.	19
20	.02	.04	.15	.	.	.	.01	.37	.	.	.03	.01	20
21	.19	.	.	.	.54	.	.	.	.	.	.19	.	21
22	.12	.	.	.01	.02	.	.	.21	.	.	.	.	22
23	.11	.	.	.36	.48	.19	.	.02	.	.	.17	.36	23
24	.	.	.	.16	.39	.	.07	.	.	.	.	.	24
25	.02	.	.	.82	.	.	.32	.	.	.	.01	.	25
26	.02	.01	.	.14	.	.	.02	.	.	.	.34	.	26
27	.08	.60	.	.04	.41	.	.02	.	.	.07	.09	.03	27
28	.14	.11	.	.13	.29	.	.	.	.	.	.	.12	28
29	.05		.	.	.14	.	.20	.	.	.46	.	.	29
30	.	×	.	.	.	.	.	.	.	.	.	.	30
31	.21	×	.	×	.	×	.	.	×	.	×	.01	31
TOTAL	1.69	2.29	.17	3.70	3.87	4.01	3.06	5.12	2.60	1.03	3.12	.94	YEAR'S TOTAL 31.60
*Days with ·01 in. or more.	20	18	2	20	17	16	19	17	13	8	18	9	177
*Days with ·04 in. or more.	13	15	1	18	12	12	12	14	10	4	15	6	132

40-9999

M

O

(Signed) Fred. J. Dixon

[P.T.O.

*See Instruction 2 (*f*) on other side.

(2317/1)

Section **A** for the entry of [redacted] AIR MINISTR[redacted] ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Staffs /2

Ch up 1925/30.

Kept at Shavers End(No.2 gauge).

in the County of Stafford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 735 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.04	.	.10	.01	.08	.	.	.35	.	.	.	1
2	.	.13	.	.69	.06	.07	.	.03	.38	.01	.02	.09	2
3	.08	.	.	.03	.	.	.	.	.62	.03	.51	.08	3
4	.	.	.	.16	.02	.	.28	.22	.11	.	.04	.	4
5	.	.02	.	.16	.04	1.10	.01	.	.13	.	.	.18	5
6	.	.18	.	.05	.	.24	.	.03	.	.40	.13	.	6
7	.	.	.	.	.	.08	.03	.59	.	.04	.17	.	7
8	.09	.05	.	.13	.	.05	.05	1.29	.	.01	.20	.	8
9	.01	.30	.02	.06	.	.03	.	.10	.	.	.32	.	9
10	.	.	.	.	.01	.05	.01	.12	.11	.	.10	.	10
11	.16	.20	.	.	.	.02	.27	.	.41	.	.11	.	11
12	.02	.11	.	.	.	.	.59	.06	.22	.01	.	.	12
13	.	.	.	.	.04	.01	.25	.86	.	.	.	.	13
14	.	.10	.	.	.02	1.14	.35	.66	.07	.	.41	.	14
15	.03	.13	.	.11	.04	.	.12	.17	.01	.	.	.06	15
16	.06	.11	.	.16	.30	.66	.	.11	.16	.	.	.	16
17	.09	.05	.	.19	1.06	.03	.02	.	.01	.	.04	.	17
18	.18	.03	.	.15	.	.13	.21	.09	.	.	.24	.	18
19	.	.08	.	.05	.	.13	.23	.19	.02	.	.	.	19
20	.02	.04	.15	.	.	.	.01	.37	.	.	.03	.01	20
21	.19	.	.	.	.54	.	.	.	.	.	.19	.	21
22	.12	.	.	.01	.02	.	.	.21	.	.	.	.	22
23	.11	.	.	.36	.48	.19	.	.02	.	.	.17	.36	23
24	.	.	.	.16	.39	.	.07	.	.	.	.	.	24
25	.02	.	.	.82	.	.	.32	.	.	.	.01	.	25
26	.02	.01	.	.14	.	.	.02	.	.	.	.34	.	26
27	.08	.60	.	.04	.41	.	.02	.	.	.07	.09	.03	27
28	.14	.11	.	.13	.29	.	.	.	.	.	.	.12	28
29	.05		.	.	.14	.	.20	.	.	.46	.	.	29
30	.	×	.	.	.	.	.	.	.	.	.	.	30
31	.21	×	.	×	.	×	.	.	×	.	×	.01	31
TOTAL	1.69	2.29	.17	3.70	3.87	4.01	3.06	5.12	2.60	1.03	3.12	.94	YEAR'S TOTAL 31.60
*Days with ·01 in. or more.	20	18	2	20	17	16	19	17	13	8	18	9	177
*Days with ·04 in. or more.	13	15	1	18	12	12	12	14	10	4	15	6	132

40-9999

M O

*See Instruction 2 (*f*) on other side.

(*Signed*) Fred. J. Dixon

[P.T.O.

2317/2

Section A for the entry

AIR MINIST

FOR OFFICIAL USE.

ALL ORGANIZATION,

FORM 1000.

REGI

1.

2317/2

SHAVERS' END (No 3 Gauge)

1931 — 36

Kept at Shavers End (

in the County of Staf

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA

AY.

An observer who does not conform

year in the space on the right of

following

Jan. 1, following

780405

Date	Jan.	Feb.	March							t.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.	.10	.01	.08	.	.	.35	.	.	.	1
2			.	.70	.06	.07	.	.03	.38	.02	.02	.09	2
3			.	.03	.	.	.	.	.61	.03	.49	.08	3
4			.	.16	.02	.	.28	.23	.11	.	.04	.	4
5			.	.17	.05	1.13	.01	.	.13	.	.	.19	5
6			.	.05	.	.25	.	.03	.	.40	.14	.	6
7			.	.	.	.08	.03	.59	.	.05	.17	.	7
8			.	.13	.	.06	.06	1.29	.	.01	.20	.	8
9			.03	.08	.	.03	.	.10	.	.	.33	.	9
10			.	.	.01	.05	.	.12	.11	.	.10	.	10
11			.	.	.	.03	.27	.	.41	.	.12	.	11
12			.	.01	.	.	.59	.07	.23	.01	.	.	12
13			.	.	.05	.01	.25	.84	.	.	.	.	13
14			.	.	.02	1.11	.35	.73	.07	.	.41	.	14
15			.	.12	.04	.	.12	.17	.01	.	.	.06	15
16			.	.17	.31	.67	.	.12	.16	.	.	.	16
17			.	.19	1.07	.04	.03	.	.01	.	.05	.	17
18			.	.15	.	.14	.21	.08	.	.	.26	.	18
19			.	.05	.	.13	.24	.19	.02	.	.	.	19
20			.17	.	.	.	.01	.36	.	.	.03	.01	20
21			.	.	.57	.	.	.	.	.	.20	.	21
22			.	.02	.02	.	.	.21	.	.	.	.	22
23			.	.37	.49	.19	.	.02	.	.	.18	.36	23
24			.	.16	.40	.	.07	.	.	.	.	.	24
25			.	.81	.	.	.33	.	.	.	.02	.	25
26			.	.14	.	.	.02	.	.	.	.35	.	26
27			.	.05	.44	.	.01	.	.	.07	.10	.04	27
28			.	.13	.30	.	.	.	.	.	½	.14	28
29			.	.	.14	.	.21	.	.	.45	.	.	29
30		×	.	.01	.	.	.	.	.	.	.	.	30
31		×	.	×	.	×	.	.	×	.	×	.01	31
TOTAL			.20	3.80	4.00	4.07	3.09	5.18	2.60	1.04	3.21	.98	YEAR'S TOTAL
*Days with ·01 in. or more.			2	22	17	16	18	17	13	8	18	9	
*Days with ·04 in. or more.			1	18	12	13	12	14	10	4	15	7	

40-9999

M

N

*See Instruction 2 (*f*) on other side.

(*Signed*) Fred. J. Dixon [P.T.O.

Section **A** for the entry
AIR MINIST

FOR OFFICIAL USE.
ALL ORGANIZATION,

2317/2

FORM 1000.

REGISTER OF RAINFALL IN 1931.

Kept at Shavers End (No.3 gauge).

in the County of Stafford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 745 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.	.10	.01	.08	.	.	.35	.	.	.	1
2			.	.70	.06	.07	.	.03	.38	.02	.02	.09	2
3			.	.03	.	.	.	.	.61	.03	.49	.08	3
4			.	.16	.02	.	.28	.23	.11	.	.04	.	4
5			.	.17	.05	1.13	.01	,	.13	.	.	.19	5
6			.	.05	.	.25	.	.03	.	.40	.14	.	6
7			.	.	.	.08	.03	.59	.	.05	.17	.	7
8			.	.13	.	.06	.06	1.29	.	.01	.20	.	8
9			.03	.08	.	.03	.	.10	.	.	.33	.	9
10			.	.	.01	.05	.	.12	.11	.	.10	.	10
11			.	.	.	.03	.27	.	.41	.	.12	.	11
12			.	.01	.	.	.59	.07	.23	.01	.	.	12
13			.	.	.05	.01	.25	.84	.	.	.	.	13
14			.	.	.02	1.11	.35	.73	.07	.	.41	.	14
15			.	.12	.04	.	.12	.17	.01	.	.	.06	15
16			.	.17	.31	.67	.	.12	.16	.	.	.	16
17			.	.19	1.07	.04	.03	.	.01	.	.05	.	17
18			.	.15	.	.14	.21	.08	.	.	.26	.	18
19			.	.05	.	.13	.24	.19	.02	.	.	.	19
20			.17	.	.	.	.01	.36	.	.	.03	.01	20
21			.	.	.57	.	.	.	.	.	.20	.	21
22			.	.02	.02	.	.	.21	.	.	.	.	22
23			.	.37	.49	.19	.	.02	.	.	.18	.36	23
24			.	.16	.40	.	.07	.	.	.	.	.	24
25			.	.81	.	.	.33	.	.	.	.02	.	25
26			.	.14	.	.	.02	.	.	.	.35	.	26
27			.	.05	.44	.	.01	.	.	.07	.10	.04	27
28			.	.13	.30	.	.	.	.	.	½	.14	28
29			.	,	.14	.	.21	.	.	.45	.	.	29
30		X	.	.01	.	.	.	.	.	.	.	.	30
31		X	.	X	.	X	.	.	X	.	X	.01	31
TOTAL			.20	3.80	4.00	4.07	3.09	5.18	2.60	1.04	3.21	.98	YEAR'S TOTAL
*Days with ·01 in. or more.			2	22	17	16	18	17	13	8	18	9	
*Days with ·04 in. or more.			1	18	12	13	12	14	10	4	15	7	

40-9999

*See Instruction 2 (*f*) on other side.

M N

(*Signed*) Fred. J. Dixon

[P.T.O.

DUDLEY (SHAVERS END) No3 22645/33 (231 7/2)

Section **A** for the entry of Daily Observations. FOR ~~OFFICIAL USE.~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Staffs/2.

Kept at Shavers End Dudley (No3 (C") gauge)

in the County of Staffordshire

Cint 1931.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 745 ft.

OK fund

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.	.	.10	.92	.06	.07	.20	.03	.06	.03	.	1
2	.04	.02	.	.15	.34	.	.	.	.24	.06	.	.09	2
3	–	.02	.	.14	.05	.	.01	.	.	.04	.	.	3
4	.02	.02	.	.50	.	.	.	.	.	.	.48	.04	4
5	.30	.	.03	.	.05	.	.	.	.11	.	.	.01	5
6	.23	.	.02	.20	.	.	.02	.	.31	.	.	.	6
7	–	.	.16	.14	.	.	.	.	.08	.81	.	.	7
8	–	.	.	.09	.	.	.	.	.11	.46	.	.	8
9	.26	.05	.	.	.07	.	.	.	.	.	.	.	9
10	.36	.02	.	.12	.06	.	.	.	.17	.27	.	.	10
11	–	.02	.	.08	.08	.04	.06	.	.	.13	.01	.01	11
12	.28	.	.	.	.18	.	.	.	.11	.34	.03	.	12
13	.02	.04	.	.07	.02	.	1.26	.	.	.03	.06	.05	13
14	.23	.	.	.06	.	.	.22	.09	.	.02	.23	.01	14
15	–	.	.	.02	.44	.	.07	.	.	.03	.	.01	15
16	.21	.	.	.10	.08	.	.10	.	.	.	.	.	16
17	–	.	.	.	.	.	.23	.	.02	.14	.	.	17
18	–	.	.	.	.04	.	.	.	.	.02	.08	.	18
19	–	.	.	.08	.02	.	.	.	.	.19	.	.	19
20	–	.	.	.07	.90	.	.01	1.76	.	.42	.08	.	20
21	–	.	.17	.16	.84	.	.	.04	.	.25	.08	.11	21
22	–	.	.26	.03	.03	.	.18	.	.53	.06	.19	.	22
23	–	.06	.	.	.36	.	.01	.	.11	.07	.07	.04	23
24	.06	.	.	.	.	.18	.03	.	.09	.02	.39	.	24
25	.01	.03	.	.	.	.21	.05	.	.09	.09	.12	.01	25
26	–	.	.06	.57	.21	.	.08	.	.10	.	.06	.	26
27	–	.	.43	.13	.42	.	.	.	.	.	.08	.	27
28	–	.	.02	.05	.27	.13	.09	.21	.	.	.	.03	28
29	–	.	.12	.18	.09	.09	.03	.	.20	.32	.02	.13	29
30	–	×	.10	.16	.	.58	.05	.15	.23	.20	.30	.10	30
31	–	×	.	×	.	×	.47	.	×	.	×	.22	31
TOTAL	2.05	.28	1.37	3.20	5.47	1.29	3.04	2.45	2.53	4.03	2.31	.86	YEAR'S TOTAL 28.88
*Days with ·01 in. or more.	13	9	10	22	21	7	19	6	16	22	17	14	176
*Days with ·04 in. or more.	9	3	7	20	18	7	13	6	~~14~~	17	13	8	135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ~~Fred J. Dixon~~

X F. J. ~~DIXON~~ ESQ, C.E X

P.T.O.

Section **A** for the entry of Daily Observations.

2317/2

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1092.

REGISTER OF RAINFALL IN 1933.

Kept at Dudley, Shavers End No3

in the County of Staffordshire

~~Gauge 2~~ "C".

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" Ground " Sea Level 745 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.34	.28	•	•	•	•	•	•	•	•	.03	•	1
2	.21	•	.30	•	.03	•	•	•	•	•	.01	•	2
3	•	.15	.08	•	.07	•	•	•	•	•	•	•	3
4	.12	•	.04	•	.30	•	•	•	•	•	•	•	4
5	.13	•	.30	•	.01	•	•	•	•	•	.01	•	5
6	•	.40	•	•	.15	•	•	•	•	.07	•	•	6
7	.03	.15	.01	•	•	•	•	•	•	.11	.01	•	7
8	.01	•	.18	•	.10	•	.63	•	•	•	•	•	8
9	•	•	•	.04	.09	•	.34	•	•	1.24	.01	•	9
10	.08	.27	•	•	•	.03	.11	.02	•	1.50	.20	•	10
11	.01	•	•	•	.03	•	.17	•	•	•	•	•	11
12	•	•	•	•	.02	.01	.12	•	.02	•	•	.07	12
13	•	•	•	•	.13	•	.18	•	.01	.06	.32	•	13
14	.02	•	•	•	•	.01	.04	.04	•	.20	.17	•	14
15	.51	•	•	•	•	.02	.25	•	•	.01	.02	.04	15
16	.13	•	.48	•	•	.08	.01	.02	•	.16	.03	•	16
17	.09	.02	.24	•	•	.09	.04	•	.07	•	.02	•	17
18	.05	•	.03	•	•	.14	•	•	•	•	.01	•	18
19	•	.01	.37	•	•	.31	•	•	.08	•	.05	•	19
20	•	.02	.01	•	•	.05	•	.04	.02	•	.01	•	20
21	•	•	•	•	•	.39	•	.45	•	.02	.01	•	21
22	•	•	•	•	•	.95	•	.38	•	.24	•	•	22
23	•	•	•	.17	•	•	•	•	.07	.19	•	•	23
24	•	.85 ⊗	•	.16	.03	.81	•	•	.10	.03	•	•	24
25	•	.41	•	.12	•	.16	•	•	.02	•	•	.07	25
26	•	.65	•	.12	.14	•	•	•	.03	.39	•	.01	26
27	•	•	•	•	.36	•	•	•	.04	.03	•	.06	27
28	•	•	•	.17	.18	•	.01	•	.01	.03	•	.08	28
29	.03		.02	.02	•	•	.15	•	•	•	•	.03	29
30	.07	×	.05	.05	•	•	.04	•	•	.11	•	.09	30
31	.11	×	.47	×	•	×	.02	.08	×	.29	×	•	31
TOTAL	1.94 ✓	3.21 ✓	2.58 ✓	.85 ✓	1.64 ✓	3.05 ✓	2.11 ✓	1.03 ✓	.47 ✓	4.68 ✓	.91 ✓	.45 ✓	YEAR'S TOTAL 22.92
*Days with ·01 in. or more.	16	11	14	8	14	13	14	7	11	17	15	8	148
*Days with ·04 in. or more.	11	8	10	7	9	9	11	5	5	12	4	6	97

40-9999 ⊗ This amount due to drifting snow. (see No1 Gauge)

*See Instruction 2 (*f*) on other side.

(Signed) Fred. J. Dixon

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2317/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Dudley, Shavers End. No 3.

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 745 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	•08	•	•	•	•	•	•	•23	•03	•02	•07	•37	1
2	•01	•	•10	•	•	•	•	•01	•27	•	•06	•10	2
3	•08	•04	•	•	•	•	•	•	•	•02	•	•09	3
4	•09	•	•06	•04	•25	•	•	•	•02	•	•03	•27	4
5	•	•	•15	•01	•07	•	•	•54	•	•	•14	•03	5
6	•	•	•03	•	•38	•04	•	•02	•	•10	•	•60	6
7	•20	•	•	•	•	•10	•	•07	•	•14	•01	•20	7
8	•	•	•	•	•08	•	•	•	•	•	•22	•08	8
9	•01	•	•12	•01	•	•	•	•13	•	•	•57	•15	9
10	•07	•	•15	•31	•	•	•	•24	•	•01	•16	•	10
11	•67	•	•06	•17	•	•	•05	•18	•	•	•01	•13	11
12	•	•	•17	•	•	•	•14	•16	•	•	•	•	12
13	•44	•	•01	•10	•	•	•49	•01	•	•01	•	•16	13
14	•10	•	•21	•	•04	•	•	•	•01	•14	•32	•09	14
15	•09	•	•05	•	•10	•	•03	•	•	SNOW. •47	•32	•16	15
16	•19	•	•06	•	•01	•	•	•	•	•02	•09	•01	16
17	•01	•	•12	•08	•	•	•11	•03	•24	•08	•01	•13	17
18	•31	•	•01	•13	•	•02	•	•	•15	•	•	•06	18
19	•	•	•14	•01	•	•14	•	•	•02	•01	•	•29	19
20	•	•	•28	•	•	•	•	•	•01	•01	•	•01	20
21	•01	•	•02	•	•	•23	•	•04	•	•06	•	•	21
22	•	•	•01	•04	•	•	•	•17	•23	•	•	•22	22
23	•	•	•07	•26	•09	•12	•08	•01	•02	•	•02	•05	23
24	•	•29	•07	•04	•01	•07	•	•	•23	•	•	•	24
25	•38	•01	•	•06	•02	•26	•	•	•	•26	•	•35	25
26	•13	•	•09	•05	•	•12	•	•	•06	•03	•01	•08	26
27	•06	•	•	•31	•	•03	•	•	•	•02	•03	•13	27
28	•	•	•	•50	•	•10	•	•11	•02	•	•07	•34	28
29	•		•	•	•	•	•30	•02	•37	•01	•	•03	29
30	•04	×	•	•	•	•	•01	•13	•03	•01	•	•47	30
31	•	×	•	×	•	×	•	•03	×	SNOW •15	×	•15	31
TOTAL.	2.97	•34	1.98	2.12	1.05	1.23	1.21	2.13	1.69	1.57	2.14	4.75	YEAR'S TOTAL 23.18
*Days with •01 in. or more.	19	3	21	16	10	11	8	18	15	19	17	27	184
*Days with .04 in. or more.	15	2	16	13	7	9	6	11	7	8	10	23	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Fred. J. Dixon

P.T.O.

COPY FOR OFFICIAL ~~USE~~.

Section **A** for the entry of Daily Observations. Station No. 2317/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109.

REGISTER OF RAINFALL IN 1935.

Kept at Dudley Shavers End no. 3. ("C" gauge)

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 745 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.04	.	.02	.01	.01	.01	.	.03	.30	.13	.		1
2	.	.02	.	.	.	.17	.	.	.05	.18	.	.06		2
3	.02	.22	.10	.06	.	.01	.	.	.24	.27	.30	.19		3
4	.	.	.	.12	.	.10	.	.	.	.46	.	.10		4
5	.	.64	.21	.07	.	.60	.01	.	.	.07	.05	.01		5
6	.	.	.	.25	.	.33	.	.	.	.	.	.01		6
7	.	.	.	.24	.	.17	.	.	.	.12	.34	.17		7
8	.	.	.	.16	.	.01	.	.02	.	.08	.18	.13		8
9	.01	.	.	.46	.	.36	.	.	.	.45	.29	.		9
10	.	.	.	.10	.	.	.	.	.	.	.02	.		10
11	.19	.	.	.	.	.06	.	.	.	.04	.23	.02		11
12	.18	.04	.	.	.	.05	.	.03	.	.	.	.		12
13	.25	.04	.	.13	.19	.02	.	.	.10	.	.01	.		13
14	.04	.	.	.01	.	.04	.	.	.08	.	1.10	.15		14
15	.	.02	.	.49	.09	.32	.	.	.36	.	.10	.08		15
16	.	.01	.14	.26	.	.34	.	.	.53	.38	.60	.12		16
17	.	.	.	.16	.	.09	.14	.	.	.05	.58	.		17
18	.	.	.	.29	.08	.20	.	.	.16	.10	.08	.		18
19	.	.	.	.11	.42	.27	.20	.	.08	.27	.27	.01		19
20	.02	.18	.	.28	.	.	.10	.	.01	.	.61	.		20
21	.	.20	.	.	.	.	.	.	1.26	.02	.14	.		21
22	.	.12	.12	.03	.	.	.	.01	.02	.	.	.		22
23	.03	.	.08	.	.	.	.	.31	.20	.53	.	.31		23
24	.10	.41	.01	.	.	.	.	.01	1.00	.03	.	.23		24
25	.13	.20	.	.08	.	.62	.	.	.	.	.	.11		25
26	.	.14	.	.	.	.	.	.97	.20	.	.02	.42		26
27	.	.06	.	.	.	.	.	.	.12	.04	.20	.42		27
28	.05	.04	.	.	.35	.	.	.21	.08	.10	.	.16		28
29	.		.06	.	.	.	.	.01	.08	.07	.16	.19		29
30	.02	×	.	.15	.	.02	.	.26	.03	.21	.38	.12		30
31	.	×	.	×	.	×	.	.	×	.48	×	.17		31
TOTAL	1.12	2.38	.72	3.47	1.14	3.79	.46	1.83	4.63	4.25	5.79	3.18	Year's Total 32.76	
*Days with ·01 in. or more.	13	16	7	20	6	20	5	9	19	21	21	21	178	
*Days with .04 in. or more.	8	13	6	17	5	15	3	4	15	19	18	17	140	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) Fred. J. Dixon

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2317/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Dudley, Shavers End No 3. ("C" gauge)

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 745 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.10	.17	.09											1
2	.11	.01	.											2
3	.	.	.											3
4	.	.	.09											4
5	.22	.07	.											5
6	.04	.	.01											6
7	.01	.	.04											7
8	.19	.	.08											8
9	.54	.	.20											9
10	.	.	.											10
11	.	.	.											11
12	.	.	.											12
13	.	.	.											13
14	.	.	.											14
15	.11	.	.											15
16	.12	.14	.											16
17	.04	.62	.											17
18	. SNOW DRIFT.	.	.											18
19	.72	.22	.04											19
20	.	.10	.											20
21	.	.	.03											21
22	.	.61	.06											22
23	.	.14	.32											23
24	.31	.05	.											24
25	.02	.	.18											25
26	.04	.05	.37											26
27	.14	.04	.10											27
28	.39	.15	.16											28
29	.09	SNOW DRIFT. .60	.08											29
30	.08	✕	.											30
31	.56	✕	.09	✕		✕			✕		✕			31
TOTAL	3.83	2.97	1.94										Year's Total	
* Days with .01 in. or more.	19	14	16											
* Days with .04 in. or more.	17	13	14											

NOTE. This gauge dismantled 1/4/36.

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Fred. J. Dixon

[P.T.O.

PENN (ST DEICHUL 2318

Section **A** for the entry of

AIR MINISTRY

FORM 1090.

REGIST

FOR OFFICIAL USE.

ORGANIZATION.

Kept at Wilton → Penn

in the County of Staffs

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

kept at
otnote.
continuation record
fr. Penman (Church Hill)

llowing

Jan. 1, following

2318

PENN ST DEICHUL

1931 — 33

7 ɣ 0405

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·03	—	·11	·02	·06	—	—	·30	—	—	—	1
2	·02	·12	—	·75	·08	·11	—	—	·39	·03	·04	·07	2
3	Snow ·05	—	—	·03	—	—	·02	—	·67	·03	·62	·09	3
4	—	·01	—	·14	—	—	·41	·36	·12	·01	·07	·01	4
5	—	·03	—	·17	—	1·24	·03	—	·12	—	—	·21	5
6	—	·12	—	·07	—	·06	·02	·03	·02	·38	·19	—	6
7	—	·01	—	·01	—	·12	·20	·67	—	·04	·19	·01	7
8	Snow ·10	·05	—	·16	—	·10	·07	1·41	—	·01	·20	—	8
9	·03	·28	—	·08	·02	·06	·70	·08	—	—	·31	—	9
10	·01	·01	—	—	—	·15	—	·13	·06	—	·10	—	10
11	·11	·15	—	—	·02	·02	—	·01	·30	—	·12	·03	11
12	·02	snow ·08	—	·03	·02	·01	—	·08	·28	·02	·01	·01	12
13	—	—	—	—	·02	·02	·02	·38	—	—	·01	—	13
14	—	·10	—	—	·04	·47	·42	·92	·05	—	·40	—	14
15	·02	·10	—	·11	·04	—	·09	·14	·02	—	·03	·04	15
16	·06	·07	—	·14	·26	·73	·03	·25	·14	—	—	—	16
17	·07	·05	—	·17	1·29	—	·06	—	·02	—	·08	—	17
18	·14	·02	—	·13	—	—	·17	·09	·01	—	·36	—	18
19	·02	·11	—	·02	—	·55	·30	·19	·01	—	·02	—	19
20	—	·06	·09	—	·57	—	—	·33	—	—	·04	·04	20
21	·15	—	—	·01	—	—	—	—	—	—	·18	—	21
22	·07	—	·02	·01	·03	—	—	·14	—	—	·01	—	22
23	·13	·01	—	·26	·46	·08	·02	·02	—	—	·19	·32	23
24	—	—	—	·11	·44	—	·11	—	—	—	—	·01	24
25	·02	·01	—	·76	·01	—	·42	—	—	—	·05	—	25
26	·02	·02	—	·18	—	—	·07	—	—	—	·41	·01	26
27	·07	·54	—	·05	·55	—	·01	—	—	·08	·10	·02	27
28	·12	·08	—	·11	·25	—	—	—	—	·02	—	snow ·15	28
29	·03	—	—	—	·16	—	·27	—	—	·44	·02	—	29
30	—	✕	—	·02	—	—	—	—	—	—	—	—	30
31	·25	✕	—	✕	—	✕	—	—	✕	—	✕	·02	31
TOTAL	1·52	2·06	·11	3·63	4·28	3·78	3·44	5·23	2·51	1·06	3·75	1·04	YEAR'S TOTAL 32·41
*Days with ·01 in. or more.	22	23	2	24	18	15	20	17	15	10	24	15	205
*Days with ·04 in. or more.	12	14	1	17	11	12	13	14	10	4	18	7	133

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. W. L. Mallandaine

P.T.O.

PENN (St DEICHUL

2318

Section **A** for the entry of

AIR MINISTRY

FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at ~~Wirton~~ Penn (by Mr Fowler)
in the County of Staffs
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 500 ft.

From September 17th kept at
Saint Deichul
Penn
Staffs.

Footnote
Continuation record for Penn (Church Hill)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·03	—	·11	·02	·06	—	—	·30	—	—	—	1
2	·02	·12	—	·75	·08	·11	—	—	·39	·03	·04	·07	2
3	Snow ·05	—	—	·03	—	—	·02	—	·67	·03	·62	·09	3
4	—	·01	—	·14	—	—	·41	·36	·12	·01	·07	·01	4
5	—	·03	—	·17	—	1·24	·03	—	·12	—	—	·21	5
6	—	·12	—	·07	—	·06	·02	·03	·02	·38	·19	—	6
7	—	·01	—	·01	—	·12	·20	·67	—	·04	·19	·01	7
8	Snow ·10	·05	—	·16	—	·10	·07	1·41	—	·01	·20	—	8
9	·03	·28	—	·08	·02	·06	·70	·08	—	—	·31	—	9
10	·01	·01	—	—	—	·15	—	·13	·06	—	·10	—	10
11	·11	·15	—	—	·02	·02	—	·01	·30	—	·12	·03	11
12	·02	Snow ·08	—	·03	·02	·01	—	·08	·28	·02	·01	·01	12
13	—	—	—	—	·02	·02	·02	·38	—	—	·01	—	13
14	—	·10	—	—	·04	·47	·42	·92	·05	—	·40	—	14
15	·02	·10	—	·11	·04	—	·09	·14	·02	—	·03	·04	15
16	·06	·07	—	·14	·26	·73	·03	·25	·14	—	—	—	16
17	·07	·05	—	·17	1·29	—	·06	—	·02	—	·08	—	17
18	·14	·02	—	·13	—	—	·17	·09	·01	—	·36	—	18
19	·02	·11	—	·02	—	·55	·30	·19	·01	—	·02	—	19
20	—	·06	·09	—	·57	—	—	·33	—	—	·04	·04	20
21	·15	—	—	·01	—	—	—	—	—	—	·18	—	21
22	·07	—	·02	·01	·03	—	—	·14	—	—	·01	—	22
23	·13	·01	—	·26	·46	·08	·02	·02	—	—	·19	·32	23
24	—	—	—	·11	·44	—	·11	—	—	—	—	·01	24
25	·02	·01	—	·76	·01	—	·42	—	—	—	·05	—	25
26	·02	·02	—	·18	—	—	·07	—	—	—	·41	·01	26
27	·07	·54	—	·05	·55	—	·01	—	—	·08	·10	·02	27
28	·12	·08	—	·11	·25	—	—	—	—	·02	—	Snow ·15	28
29	·03	—	—	—	·16	—	·27	—	—	·44	·02	—	29
30	—	×	—	·02	—	—	—	—	—	—	—	—	30
31	·25	×	—	×	—	×	—	—	×	—	×	·02	31
TOTAL	1·52	2·06	·11	3·63	4·28	3·78	3·44	5·23	2·51	1·06	3·75	1·04	YEAR'S TOTAL 32·41
*Days with ·01 in. or more.	22	23	2	24	18	15	20	17	15	10	24	15	205
*Days with ·04 in. or more.	12	14	1	17	11	12	13	14	10	4	18	7	133

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Mallandaine

P.T.O.

2318

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Saint Michael, Penn.
in the County of Staffordshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	—	·12	·74	·10	·03	·38	·03	·03	·02	·01	1
2	·07	—	—	·14	·31	—	—	·02	·31	·08	·01	·07	2
3	·01	·04	—	·16	·07	—	·01	—	—	·04	·01	·05	3
4	·05	·03	—	·62	—	—	·01	—	—	—	·45	·01	4
5	·31	·01	·07	·01	·08	—	—	·01	·11	—	—	—	5
6	·23	—	·03	·20	—	—	·03	—	·35	—	—	—	6
7	·01	—	·19	·17	·02	—	·02	—	·11	·81	—	—	7
8	·01	—	—	·04	—	—	—	—	·29	·32	—	—	8
9	·26	Snow ·04	—	·02	·12	—	—	—	—	—	—	—	9
10	·38	Snow ·02	—	·11	·05	—	—	—	·15	·32	—	—	10
11	—	·02	—	·08	·17	—	Thunder 1·11	—	·02	·10	·01	·02	11
12	·20	—	—	—	·17	—	·01	—	·12	·39	·03	—	12
13	·06	·04	—	·06	—	—	Thunder 1·44	·04	·01	·01	—	·07	13
14	·16	·02	—	·09	—	—	·20	·11	—	·02	·20	·02	14
15	·01	—	—	·05	·71	—	·10	—	—	·03	—	·02	15
16	·31	—	—	·10	·06	—	·09	—	—	·01	—	·01	16
17	·01	—	—	—	·01	—	·21	—	·02	·15	—	—	17
18	·01	—	—	—	·04	—	—	—	—	·02	·08	—	18
19	—	—	—	·05	·05	—	—	—	—	·22	·01	—	19
20	—	·01	—	·08	·90	—	·07	Thunder 1·83	—	·57	·10	·01	20
21	·01	—	·20	·15	·78	—	—	·02	—	·26	·08	·10	21
22	·01	—	·23	·02	·24	—	·18	—	·58	·10	·17	·02	22
23	—	·03	—	—	·40	—	·04	—	·14	·04	·08	·05	23
24	·05	—	—	—	·04	·10	·10	—	·06	·02	·46	—	24
25	·04	·02	—	—	—	·17	·07	—	·01	·14	·09	—	25
26	—	·01	·07	·42	·24	—	·05	—	·10	·03	·14	—	26
27	—	—	·53	·17	·44	—	·01	—	—	—	·07	·01	27
28		—	·08	·05	·25	·12	·13	·03	—	—	·01	·02	28
29	—	—	·15	·25	·14	·09	·04	·02	·18	·44	·03	·14	29
30	—	×	·04	·19	—	·46	·10	·14	·25	·26	·39	·09	30
31	—	×	—	×	—	×	·41	—	×	·01	×	·27	31
TOTAL	2·21	·29	1·59	3·35	6·03	1·04	4·46	2·60	2·84	4·42	2·44	·99	YEAR'S TOTAL 32·26
*Days with ·01 in. or more.	21	12	10	24	23	6	23	10	18	25	20	18	210
*Days with ·04 in. or more.	12	3	9	21	21	6	16	5	13	16	12	8	142

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Mallandaine

P.T.O.

2318

Section A **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Saint Michael - Penn
in the County of Staffordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·25	·04	—	—	—	—						1
2	·25	—	·27	—	·03	—	—						2
3	·01	·20	·12	—	·09	—	—						3
4	·10	·01	·02	—	·23	—	—						4
5	·14	·03	·33	—	·01	—	—						5
6	·02	·43	·01	—	·12	—	—						6
7	·03	·15	·03	—	·06	—	—						7
8	·02	—	·21	·02	—	—	·56						8
9	—	—	·01	·03	·07	—	·31						9
10	·08	·20	—	—	·03	·03	·12						10
11	—	—	—	—	·06	—	·15						11
12	·02	—	—	—	·02	—	·24						12
13	·01	—	—	—	·15	—	·12						13
14	·04	—	—	—	—	—	·02						14
15	·53	—	·02	—	—	·01	·18						15
16	·11	—	·43	—	·03	·08	·01	Observer left district					16
17	Snow ·07	Snow ·01	·25	—	·02	·13	·01						17
18	·05	Snow ·01	·05	—	—	·09	—	Gauge to be stored until					18
19	·03	Snow ·01	·31	—	—	·39	·07						19
20	—	—	·01	—	—	·03	—	he settles down again					20
21	—	·03	—	—	—	Thunder ·54	—						21
22	—	—	—	·02	—	Thunder ·73	—	Probably in Sussex					22
23	—	—	—	·19	—	·02	—						23
24	—	Blizzard ·94	—	·14	·03	·79							24
25	—	·48	—	·11	—	·18							25
26	—	·75	—	·16	·08	—							26
27	—	·01	—	—	·16	—							27
28	—	·04	—	·14	·15	—							28
29	·03	—	—	·06	—	—							29
30	·09	×	·02	—	—	—							30
31	·08	×	·57	×	—	×			×		×		31
TOTAL	2·05	3·55	2·70	·87	1·34	3·03	1·79						YEAR'S TOTAL
*Days with ·01 in. or more.	20	16	17	9	17	12							
*Days with ·04 in. or more.	12	9	10	6	10	8							

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) H. L. Mallandaine

P.T.O.

WOLVERHAMPTON

Section **A** for the entry o
AIR MINIST

Station No. 2318/2
LL ORGANIZATION

FORM 1090 REGI

Kept at SEISDON
in the County of STAFFOR

Diameter of Funnel of Gauge.....
Height of top of Gauge above G
,, Ground ,, Se

THE MORNING MEASU …… S DAY

An observer who does not conform …… *following*
year in the space on the right of
PI

Jan. 1, following

2318/2
STAFFS, SEISDON
1940

780405

764413/27

Date	Jan.	Feb.	Mar.							.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			—	—	·12	—	—	—	—	—	·87	—		1
2			—	·30	—	—	—	—	—	—	·45	—		2
3			—	·1/10	—	—	·05	—	—	—	·50	·10		3
4			—	—	—	—	—	—	—	·25	·74	·15		4
5			—	·20	—	—	—	—	—	—	·18	—		5
6			—	—	—	—	—	—	—	—	·34	—		6
7			—	—	—	—	—	—	—	—	·15	·08		7
8			—	—	—	—	—	—	—	(·50) ~~·25~~	—	—		8
9			—	—	—	—	—	—	—	—	—	—		9
10			—	—	—	—	·23	·05	—	—	·35	·44		10
11			·08	—	—	—	·48	—	—	(·33) ~~·08~~	·05	·30		11
12			—	—	—	—	·05	—	—	—	·42	—		12
13			—	—	—	—	·20	—	—	—	·05	—		13
14			·16	—	—	—	—	—	—	—	=	—		14
15			—	·13	·32	—	—	—	·30	—	—	·40		15
16			—	—	·72	—	·05	~~·5~~ —	·10	·15	·10	—		16
17			·26	—	—	—		—	·10	·45	·50	—		17
18			·27	—	—	—		—	—	—	·27	—		18
19			·15	·33	—	—		·05	·08	—	—	—		19
20			·05	·18	—	—	·24	—	·08	—	·10	—		20
21			—	—	—	—	·40	—	—	—	—	—		21
22			—	—	·14	·30	—	—	—	·30	·88 ~~·08~~	—		22
23			—	—	·32	·20	—	—	·05	—	—	—		23
24			·05	·23	·11	—	—	—	—	—	—	—		24
25			—	—	—	—	—	—	—	—	—	—		25
26			—	·05	—	—	—	—	—	—	—	—		26
27			—	—	—	—	·25	—	—	—	·15	—		27
28			—	·05	—	—	~~·34~~ ·35	—	—	—	—	—		28
29			—	—	·97	·10	·[illegible]	—	—	—	—	—		29
30		✕	·05	·20	—	—	—	—	—	—	—	·18		30
31		✕	—	✕	—	✕	—	—	✕	·30	✕	—		31
			—	·12	—	—	—	—	—	·87	—	—	Year's Total	
TOTAL			1·07	1·90	2·58	·60	2·30	·10	·71	3·15	5·23	1·65	〃	upinp
* Days with .01 in. or more.			8	11	6	3	10	2	6	8	16	7	〃	
* Days with .04 in. or more.			8	11	6	3	10	2	6	8	16	7	〃	WH

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Harry J. Shepard [P.T.O.

H. J. SHEPARD ESQ

WOLVERHAMPTON

Section **A** for the entry Station No. 2318/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at SEISDON ~~(The Elms)~~
in the County of STAFFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
,, Ground ,, Sea Level 250 ft.

Cord for W.I)
Oct 8-11 & 22 estd fr nearby stns.

f 764413/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			—	—	·12	—	—	—	—	—	·87	—		1
2			—	·30	—	—	—	—	—	—	·45	—		2
3			—	·1/10	—	—	·05	—	—	—	·50	·10		3
4			—	—	—	—	—	—	—	·25	·74	·15		4
5			—	·20	—	—	—	—	—	—	·18	—		5
6			—	—	—	—	—	—	—	—	·34	—		6
7			—	—	—	—	—	—	—	—	·15	·08		7
8			—	—	—	—	—	—	—	(·50) ~~·25~~	—	—		8
9			—	—	—	—	—	—	—	—	—	—		9
10			—	—	—	—	·23	·05	—	—	·35	·44		10
11			·08	—	—	—	·48	—	—	(·33) ~~·08~~	·05	·30		11
12			—	—	—	—	·05	—	—	—	·42	—		12
13			—	—	—	—	·20	—	—	—	·05	—		13
14			·16	—	—	—	—	—	—	—	—	—		14
15			—	·13	·32	—	—	—	·30	—	—	·40		15
16			—	—	·72	—	·05	~~·5~~ —	·10	·15	·10	—		16
17			·26	—	—	—		—	·10	·45	·50	—		17
18			·27	—	—	—		—	—	—	·27	—		18
19			·15	·33	—	—		·05	·08	—	—	—		19
20			·05	·18	—	—	·24	—	·08	—	·10	—		20
21			—	—	—	—	·40	—	—	—	—	—		21
22			—	—	·14	·30	—	—	—	·30	·88 ~~·08~~	—		22
23			—	—	·32	·20	—	—	·05	—	—	—		23
24			·05	·23	·11	—	—	—	—	—	—	—		24
25			—	—	—	—	—	—	—	—	—	—		25
26			—	·05	—	—	—	—	—	—	—	—		26
27			—	—	—	—	·25	—	—	—	·15	—		27
28			—	·05	—	—	·35	—	—	—	—	—		28
29			—	—	·97	·10	~~[illegible]~~	—	—	—	—	—		29
30		✕	·05	·20	—	—	—	—	—	—	—	·18		30
31		✕	—	✕	—	✕	—	—	✕	·30	✕	—		31
				112						·87			Year's Total	
TOTAL			1·07	1·90	2·58	·60	2·30	·10	·71	3·15	5·23	1·65	"	
* Days with .01 in. or more.			8	11	6	3	10	2	6	8	16	7	"	
* Days with .04 in. or more.			8	11	6	3	10	2	6	8	16	7	"	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Harry J. Shepard [P.T.O.

H.J. SHEPARD ESQ

Section **A** for the entry o Station No. 2318/3
AIR MINISTR L ORGANIZATION.
FORM 1090. REGIS 3. Staffs/2

2318/3

DIMMINGSDALE WATERWORKS

1933 — 40

780405

Kept at DIMMINGSDALE WA
WOLVERHAMPTON ~~CORPORAT~~
in the County of STAFFORD

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to *ollowing*
year in the space on the right of th

Jan. 1, following

Date	Jan.	Feb.	Mar.									Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·24	·02	TRACE	—	—	—	—	—	—	·01	—		1
2	·15	TRACE	·24	—	·02	—	—	—	—	—	TRACE	—		2
3	·01	·15	·09	—	·07	—	—	—	—	—	—	—		3
4	·08	TRACE	·02	—	·23	—	—	·01	—	—	—	—		4
5	·12	·01	·34	—	·15	—	—	—	—	—	·01	—		5
6	—	·46	·01	—	}·20	—	—	—	—	·05	TRACE	—		6
7	Trace	·10	·02	—		—	—	TRACE	—	·25	—	·02		7
8	·01	TRACE	·19	—	·05	—	}·93	—	—	TRACE	—	—		8
9	Trace	—	TRACE	·03	·06	—		·05	—	·88	·04	—		9
10	·09	·39	—	—	TRACE	TRACE	·06	TRACE	—	2·28	·22	—		10
11	Trace	—	—	—	·06	·03	·34	TRACE	—	·01	TRACE	—		11
12	Trace	—	—	—	TRACE	TRACE	·23	—	—	TRACE	—	·03		12
13	—	—	—	—	}·11	—	·07	—	—	·07	·27	—		13
14	·02	—	—	—		—	·03	·07	—	·12	·12	—		14
15	·52	—	TRACE	—	—	·01	}·18	TRACE	—	TRACE	·04	TRACE		15
16	·09	—	·42	—	·02	·08		·03	—	·18	TRACE	TRACE		16
17	·07	—	·22	—	TRACE	}·20	·01	—	·03	—	·01	TRACE		17
18	TRACE	TRACE	·04	—	—		—	—	—	—	·01	TRACE		18
19	—	—	·26	—	—	·44	·07	}·04	·32	—	·03	TRACE		19
20	—	·01	TRACE	—	—	·01	TRACE		·21	—	TRACE	TRACE		20
21	—	—	—	—	—	·28	—	·14	—	TRACE	TRACE	—		21
22	—	—	—	·02	—	·21	—	·34	—	·29	—	—		22
23	—	TRACE	—	·16	—	·01	—	—	·03	·11	—	—		23
24	—	·43	—	·12	·03	}·88	—	—	·12	·02	—	—		24
25	—	·51	—	·13	—		—	—	·01	—	—	·09		25
26	—	·72	—	·08	·12	·01	—	—	·04	·29	—	·01		26
27	—	·02	—	TRACE	}·25	—	—	—	·06	·02	—	·02		27
28	—	·10	—	·19		—	TRACE	—	TRACE	·03	—	·04		28
29	·07	×	TRACE	·06	—	—	}·24	—	—	TRACE	—	·03		29
30	·04	×	·05	TRACE	—	—		—	—	·09	—	·07		30
31	·05	×	·39	×	—	×	·01	·08	×	·22	×	TRACE		31
TOTAL	1·65	3·14	2·31	0·79	1·37	2·16	2·17	0·76	0·82	4·91	0·76	0·31	Year's Total 21·15	Printed
*Days with ·01 in. or more.	14	12	14	8	~~13~~ (15)	~~11~~ (13)	~~11~~ (14)	8	8	16	10	8	~~133~~	(140)
*Days with .04 in. or more.	11	9	10	6	~~10~~ (12)	~~6~~ (8)	~~8~~ (7)	6	5	12	5	3	~~91~~	(96)

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) B. L. McMillan [P.T.O.

B. L. McMILLAN

Section **A** for the entry o Station No. 2318/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933. Staffs/2

2318
cf 2318/5

C 1933

Accumulated "days" adjusted by surrounding stns.

OK print

Kept at DIMMINGSDALE WATERWORKS
WOLVERHAMPTON ~~CORPORATION WATER UNDERTAKING~~
in the County of STAFFORDSHIRE

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft 9 in.
,, Ground ,, Sea Level 323 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·24	·02	TRACE	—	—	—	—	—	—	·01	—		1
2	·15	TRACE	·24	—	·02	—	—	—	—	—	TRACE	—		2
3	·01	·15	·09	—	·07	—	—	—	—	—	—	—		3
4	·08	TRACE	·02	—	·23	—	—	·01	—	—	—	—		4
5	·12	·01	·34	—	·15	—	—	—	—	—	·01	—		5
6	—	·46	·01	—	·20	—	—	—	—	·05	TRACE	—		6
7	Trace	·10	·02	—		—	—	TRACE	—	·25	—	·02		7
8	·01	TRACE	·19	—	·05	—	·93	—	—	TRACE	—	—		8
9	Trace	—	TRACE	·03	·06	—		·05	—	·88	·04	—		9
10	·09	·39	—	—	TRACE	TRACE	·06	TRACE	—	2·28	·22	—		10
11	Trace	—	—	—	·06	·03	·34	TRACE	—	·01	TRACE	—		11
12	Trace	—	—	—	TRACE	TRACE	·23	—	—	TRACE	—	·03		12
13	—	—	—	—	·11	—	·07	—	—	·07	·27	—		13
14	·02	—	—	—		—	·03	·07	—	·12	·12	—		14
15	·52	—	TRACE	—	—	·01	·18	TRACE	—	TRACE	·04	TRACE		15
16	·09	—	·42	—	·02	·08		·03	—	·18	TRACE	TRACE		16
17	·07	—	·22	—	TRACE	·20	·01	—	·03	—	·01	TRACE		17
18	TRACE	TRACE	·04	—	—		—	—	—	—	·01	TRACE		18
19	—	—	·26	—	—	·44	·07	·04	·32	—	·03	TRACE		19
20	—	·01	TRACE	—	—	·01	TRACE		·21	—	TRACE	TRACE		20
21	—	—	—	—	—	·28	—	·14	—	TRACE	TRACE	—		21
22	—	—	—	·02	—	·21	—	·34	—	·29	—	—		22
23	—	TRACE	—	·16	—	·01	—	—	·03	·11	—	—		23
24	—	·43	—	·12	·03	·88	—	—	·12	·02	—	—		24
25	—	·51	—	·13	—		—	—	·01	—	—	·09		25
26	—	·72	—	·08	·12	·01	—	—	·04	·29	—	·01		26
27	—	·02	—	TRACE	·25	—	—	—	·06	·02	—	·02		27
28	—	·10	—	·19		—	TRACE	—	TRACE	·03	—	·04		28
29	·07	×	TRACE	·06	—	—	·24	—	—	TRACE	—	·03		29
30	·04	×	·05	TRACE	—	—		—	—	·09	—	·07		30
31	·05	×	·39	×	—	×	·01	·08	×	·22	×	TRACE		31
TOTAL	1·65	3·14	2·31	0·79	1·37	2·16	2·17	0·76	0·82	4·91	0·76	0·31	Year's Total 21·15	Print ✓
*Days with ·01 in. or more.	14	12	14	8	~~13~~ (15)	~~11~~ (13)	~~11~~ (14)	8	8	16	10	8	~~135~~	(140)
*Days with ·04 in. or more.	11	9	10	6	~~10~~ (12)	~~6~~ (9)	~~8~~ (7)	6	5	12	5	3	~~91~~	(96)

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) B. L. McMillan [P.T.O.

B. L. McMILLAN Esq.

CROWN COPYRIGHT RESERVED.

Section **A** for the entry of Daily Observations. Station No. 2318/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at DIMMINGSDALE WATERWORKS.
(WOLVERHAMPTON CORPN WATER UNDERTAKING)
in the County of STAFFORDSHIRE

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground - ft 9 in.
,, Ground ,, Sea Level 323 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	-	-	-	-	-	-	·10	·03	·12	·06	·33		1
2	·01	Tr.	·06	-	Tr.	-	-	·02	·20	-	·08	·09		2
3	·08	·03	-	-	-	-	-	Tr.	-	·12	-	·10		3
4	Tr.	-	·07	·09	·28	-	-	Tr.	Tr.	·01	·02	·23		4
5	Tr.	-	·05	Tr.	·07	-	-	·65	-	-	·17	·03		5
6	Tr.	-	·03	-	·33	·01	-	·07	Tr.	·10	-	·50		6
7	·14	-	-	-	-	·08	-	·05	-	·03	·04	·26		7
8	Tr.	-	Tr.	-	·11	-	-	Tr.	·01	-	·22	·12		8
9	Tr.	-	·12	Tr.	Tr.	-	-	·16	-	-	·61	·14		9
10	·06	Tr.	·09	·34	Tr.	-	-	·17	-	Tr.	·08	Tr.		10
11	·66	-	·11	·18	-	-	·04	·07	-	-	Tr.	·15		11
12	·01	Tr.	·19	·03	-	-	·20	·26	-	-	-	-		12
13	·43	-	Tr.	·06	-	-	·28	·02	-	·01	-	·12		13
14	·10	-	·28	-	·02	Tr.	-	-	-	·14	·38	·07		14
15	·04	-	·06	-	·08	-	-	-	-	·30	·27	·15		15
16	·17	-	·11	-	Tr.	-	-	-	-	·01	·04	·03		16
17	·03	Tr.	·11	·01	·04	-	·06	·04	·29	·03	Tr.	·20		17
18	·24	-	Tr.	·16	-	·02	Tr.	Tr.	·05	-	Tr.	·08		18
19	-	-	·23	·06	-	·06	-	·01	·04	·03	Tr.	·19		19
20	-	-	·31	·04	-	Tr.	-	-	·03	Tr.	Tr.	·01		20
21	Tr.	-	·02	-	-	·15	Tr.	·01	Tr.	·01	-	Tr.		21
22	-	Tr.	·01	·03	Tr.	-	-	·24	·16	Tr.	-	·17		22
23	-	-	·07	·28	·03	·14	·05	Tr.	·01	-	·02	·02		23
24	-	·24	·04	·02	·02	·13	Tr.	-	·20	-	Tr.	Tr.		24
25	·24	·01	Tr.	·01	·04	·22	-	-	Tr.	·23	-	·38		25
26	·19	Tr.	·12	·36	-	·07	-	-	·01	-	Tr.	·17		26
27	·03	-	-	·45	-	·02	Tr.	-	Tr.	·02	·05	·16		27
28	Tr.	-	-	·49	-	·05	Tr.	·21	·04	-	·04	·37		28
29	-	×	-	-	-	-	·40	·13	·36	·02	Tr.	·03		29
30	·03	×	-	-	-	-	·01	·30	·01	Tr.	-	·26		30
31	Tr.	×	-	×	-	×	·03	·07	×	·18	×	·12		31
TOTAL	2·57	0·28	2·08	2·61	1·02	0·95	1·07	2·58	1·44	1·36	2·08	4·48	Year's Total. 22·52	
* Days with .01 in. or more.	17	3	19	16	10	11	8	18	14	16	14	27	173	
* Days with .04 in. or more.	12	1	16	11	7	8	6	14	8	7	12	22	124	

† Spare column, no entries required.

(*Signed*)

40-9999

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2318/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at DIMMINGSDALE WATERWORKS
(WOLVERHAMPTON CORPN. WATER UNDERTAKING)
in the County of STAFFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 323 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·01	TR	·02	TR	TR	·02	—	·03	·26	·04	—		1
2	TR	—	—	—	—	·17	—	—	·09	·24	·02	·03		2
3	·01	·24	·15	·03	—	·04	TR	—	·29	·18	·29	·23		3
4	—	TR	TR	·09	—	·08	—	—	·04	·21	TR	·08		4
5	—	·50	·22	·06	—	·15	·01	—	—	·02	·06	·01		5
6	—	—	TR	·27	—	·55	—	—	—	—	—	TR		6
7	—	—	—	·21	—	·17	—	—	—	·08	·21	·18		7
8	—	—	—	·16	—	—	—	—	—	·11	·19	·15		8
9	·02	—	—	·18	—	·25	—	—	—	·31	·26	TR		9
10	TR	—	—	·14	—	TR	—	—	—	—	·04	—		10
11	·17	—	—	—	—	·09	—	TR	—	—	·17	TR		11
12	·15	·02	—	—	—	·11	—	·04	—	—	—	—		12
13	·18	·02	—	·08	·20	·04	—	—	·19	—	·02	—		13
14	·01	—	TR	·06	·04	·04	—	—	·06	—	1·08	·13		14
15	TR	·01	—	·48	·08	·01	—	—	·13	—	·09	·11		15
16	TR	·02	·14	·30	—	·01	TR	—	·48	·41	·52	·10		16
17	—	TR	TR	·16	—	·10	·18	·03	—	·04	·56	TR		17
18	—	—	—	·38	·07	·13	TR	—	·12	·06	·07	—		18
19	—	TR	—	·07	·50	·27	·12	—	·03	·25	·17	TR		19
20	TR	·12	TR	·18	—	TR	·09	—	TR	·02	·55	TR		20
21	—	·28	—	—	—	—	—	—	·18	·01	—	—		21
22	—	·08	·03	·03	—	—	—	·02	·01	TR	—	—		22
23	—	TR	·08	·06	TR	—	—	·29	·20	·57	—	TR		23
24	·05	·38	·01	—	—	—	—	TR	·87	·04	—	·33		24
25	·09	·24	—	·08	—	·59	—	—	—	TR	—	·02		25
26	—	·12	—	—	—	—	—	·68	·18	TR	·04	·36		26
27	—	·10	—	—	—	—	—	TR	·05	TR	·21	·35		27
28	·03	·02	—	—	·28	—	—	·33	·12	·05	—	·04		28
29	TR	✕	·04	—	—	—	—	·01	·04	·04	·11	·18		29
30	·02	✕	—	·16	—	·03	—	·14	TR	·18	·30	·09		30
31	TR	✕	—	✕	—	✕	—	—	✕	·24	✕	·15		31
TOTAL	·77	2·16	·67	3·20	1·17	2·83	·42	1·54	3·11	3·32	5·00	2·54	Year's Total 26·73	
* Days with .01 in. or more.	12	15	7	21	6	18	5	8	18	20	21	17	168	
* Days with .04 in. or more.	5	7	5	19	6	15	3	5	15	17	20	14	131	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ...... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2318/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at DIMMINGSDALE WATERWORKS
WOLVERHAMPTON CORPORATION WATER UNDERTAKING
in the County of STAFFORD

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft 9 in.
,, Ground ,, Sea Level 323 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·16	·07	·50	–	·21	·04	·19	TR	–	·10	·06		1
2	·08	·01	TR	·07	–	·10	1·44	–	–	–	·12	TR		2
3	·01	–	–	–	TR	·02	·01	·02	·44	–	TR	TR		3
4	TR	TR	·10	–	–	·39	–	·01	·57	–	·19	·08		4
5	·25	·13	–	–	·01	TR	·03	·08	·11	TR	–	·09		5
6	·07	–	TR	–	·08	·01	·12	·06	·10	–	·16	·05		6
7	TR	–	·02	–	–	–	·68	–	·18	TR	·15	·02		7
8	·17	–	·08	–	–	–	·04	–	·03	–	·34	·06		8
9	·38	–	·31	–	TR	·01	1·21	–	·25	TR	·03	·01		9
10	–	–	TR	–	–	–	·26	–	TR	–	–	–		10
11	–	–	–	TR	–	·03	·14	–	·10	–	·61	–		11
12	–	–	–	TR	·23	·19	·51	TR	·40	TR	·13	·10		12
13	–	–	–	·05	–	·15	–	TR	TR	·05	TR	·39		13
14	–	–	–	·15	–	·09	·04	TR	·20	·02	·08	·30		14
15	Snow 1½" TR	–	–	·02	·28	TR	·10	–	–	–	·05	·06		15
16	·01	·13	–	·04	·24	–	·03	–	–	–	·45	·01		16
17	·01	·44	–	TR	TR	–	·11	TR	–	·07	·03	·28		17
18	–	·12	–	–	–	·36	·30	·02	–	·16	–	·03		18
19	·39	·25	·01	·35	–	·04	–	·03	–	·06	–	–		19
20	TR	·14	·04	TR	–	·02	–	TR	–	·02	–	–		20
21	–	TR	TR	·14	–	·86	TR	–	–	TR	TR	TR		21
22	–	·43	·04	–	·07	TR	·22	–	TR	–	TR	·08		22
23	–	·10	·18	·04	TR	–	·26	–	–	·03	–	TR		23
24	·23	·02	–	·01	·03	TR	–	–	·17	·28	TR	TR		24
25	·09	–	·09	·47	–	TR	·18	–	·36	TR	TR	–		25
26	·04	·05	·27	TR	–	–	·08	–	–	·03	·02	–		26
27	·09	·05	·03	–	–	–	·01	–	·18	·11	–	–		27
28	·26	·19	·12	·01	–	–	·09	TR	–	·06	·02	·05		28
29	·01	·28	·07	–	–	·24	·01	–	–	·03	·03	·09		29
30	·06	×	–	–	·11	·01	·20	–	–	·44	–	TR		30
31	·45	×	·10	×	–	×	·02	–	×	·04	×	·23		31
TOTAL	2·73	2·50	1·53	1·85	1·05	2·73	6·13	·41	3·09	1·40	2·51	1·99	Year's Total 27·92	✓
* Days with .01 in. or more.	18	15	15	12	8	16	25	7	13	14	16	18	177	
* Days with .04 in. or more.	14	13	12	9	6	10	19	3	12	9	11	14	132	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

Section **A** for the entry of Daily Observations

Station No. 2318/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at DIMMINGSDALE WATERWORKS
WOLVERHAMPTON CORPORATION WATER UNDERTAKING
in the County of STAFFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
,, Ground ,, Sea Level 323 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·02	TR	·01	–	–	TR	–	TR	–	·05	·14		1
2	TR	·08	–	·51	–	–	·01	–	–	–	TR	·37		2
3	TR	·08	·04	TR	·23	·03	·05	–	–	–	TR	·02		3
4	·09	·11	·02	–	·01	TR	–	·03	–	–	–	½" Snow ·59		4
5	·09	–	¼" Snow ·17	–	–	–	–	–	–	–	–	–		5
6	·04	TR	·01	·07	·12	–	·08	–	–	–	–	–		6
7	–	·67	–	·11	TR	·06	–	–	–	TR	TR	–		7
8	–	·10	–	·06	·04	TR	·05	–	·01	TR	·25	TR		8
9	–	–	–	·01	·13	–	·49	TR	·18	–	–	–		9
10	·01	·03	2½" Snow ·21	TR	–	·07	–	–	–	–	–	·13		10
11	–	TR	·36	–	·35	·18	·01	–	–	–	TR	½" Snow ·11		11
12	·10	·38	·16	–	·23	TR	TR	TR	·25	–	–	·21		12
13	·09	·01	TR	·07	·01	TR	–	·58	·17	–	–	·04		13
14	TR	·01	¼" Snow ·21	TR	–	–	–	·08	TR	–	·01	Snow ·15		14
15	·10	·08	–	·21	–	–	1·39	·14	·09	–	·01	·01		15
16	–	·07	·48	·36	–	–	–	·07	·09	–	–	–		16
17	·13	·10	·23	·07	–	·02	–	–	·21	–	–	–		17
18	·73	·03	·09	TR	–	–	·01	–	·92	TR	·44	Snow ·02		18
19	·01	·02	·06	·09	·02	·11	·04	–	TR	TR	·02	TR		19
20	·37	·01	TR	·37	·28	–	·02	–	–	TR	–	TR		20
21	·08	·19	·03	·04	–	–	·20	–	–	TR	–	·10		21
22	·07	·05	½" Snow ·10	TR	·06	–	·27	–	–	·44	·29	·04		22
23	·13	TR	TR	–	·06	–	TR	–	–	·44	·13	TR		23
24	·11	·36	·03	–	·05	–	·03	–	·06	·34	–	TR		24
25	TR	·33	–	–	·07	–	–	–	·01	·25	TR	·05		25
26	–	·23	·04	–	·57	–	–	–	–	TR	TR	·04		26
27	–	½" Snow ·27	·04	·22	TR	–	–	–	TR	·47	TR	TR		27
28	–	½" Snow ·09	TR	–	–	·04	–	–	–	·07	–	·03		28
29	¼" Snow TR	✕	–	–	–	·01	–	–	–	·02	·07	·01		29
30	·18	✕	–	–	–	–	–	·51	·03	TR	·05	TR		30
31	·23	✕	–	✕	–	✕	–	–	✕	·07	✕	TR		31
Total	2·57	3·32	2·28	2·20	2·23	·52	2·65	1·41	2·02	2·54	1·32	2·06	Year's Total 25·12	✓ ✓
* Days with .01 in. or more.	18	23	17	14	15	8	13	6	11	8	10	17	160	✓ ✓
* Days with .04 in. or more.	15	16	13	12	12	5	8	5	8	7	7	11	119	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Section **A** for the entry of Daily Observations — Station No. 2318/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at DIMMINGSDALE WATERWORKS
WOLVERHAMPTON CORPORATION WATER UNDERTAKING
in the County of STAFFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
,, Ground ,, Sea Level 323 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	TR.	—	—	—	TR.	·35	·13	·01	TR.	·10	·02	·19		1
2	—	—	TR.	·08	·02	·03	—	—	—	·14	—	·04		2
3	TR.	—	—	—	·10	·07	·01	—	TR.	·37	—	TR.		3
4	TR.	—	TR.	—	—	·03	·05	·16	—	·02	—	·19		4
5	—	—	—	—	—	—	TR.	·86	·17	TR.	—	—		5
6	·08	TR.	—	—	—	TR.	·77	·02	·05	·09	—	·02		6
7	·01	—	TR.	—	—	—	·50	·15	·02	·07	—	·11		7
8	·35	—	—	—	—	—	·40	·61	—	·26	—	·05		8
9	·05	·02	—	—	TR.	·01	·10	·64	—	TR.	—	·41		9
10	TR.	·02	—	—	—	·11	·24	·01	—	—	—	·13		10
11	·58	·01	—	—	—	—	·02	TR.	TR.	·02	·18	·06		11
12	·09	—	—	—	·08	—	·04	TR.	—	·19	·27	TR.		12
13	TR.	—	—	—	TR.	—	—	—	—	TR.	·27	·28		13
14	·17	—	—	—	·02	—	·60	—	TR.	—	—	TR.		14
15	·04	—	—	—	·07	—	·17	·01	—	—	·02	·25		15
16	·26	—	—	—	TR.	—	—	TR.	—	·09	·05	·07		16
17	TR.	·01	—	—	·03	—	TR.	—	·03	·09	TR.	—		17
18	·01	—	—	—	·09	·07	—	·14	·61	·05	·22	—		18
19	TR.	—	—	—	—	—	—	·14	TR.	—	·01	TR. ¼" SNOW		19
20	TR.	—	—	—	—	—	—	—	·02	—	·37	—		20
21	·02	—	—	—	—	—	—	·05	·19	—	·08	·21 (2½" SNOW)		21
22	TR.	—	—	·05	—	·13	—	TR.	TR.	—	·38	·09		22
23	—	—	—	—	—	TR.	—	—	·11	—	TR.	—		23
24	·01	TR.	·16	—	·11	TR.	—	·44	·03	—	TR.	TR.		24
25	·03	·09	·03	—	·03	TR.	·01	·02	TR.	·20	·67	·01		25
26	·05	·29	·17	—	·01	·09	—	—	·01	·37	TR.	·14		26
27	·03	TR.	TR.	—	·14	·06	·22	·50	·05	TR.	·26	—		27
28	·08	·02	—	—	·02	·20	·09	·24	·01	TR.	·03	·22		28
29	·40	×	—	TR.	·38	·07	TR.	—	·04	·12	·09	·12		29
30	·05	×	—	—	TR.	·09	—	—	·36	TR.	·11	·10 (½" SNOW)		30
31	·10	×	—	×	·14	×	—	—	×	·11	×	·37		31
TOTAL	2·41	0·46	0·36	0·13	1·24	1·31	3·35	4·00	1·70	2·29	3·03	3·06	Year's Total 23·34	✓
* Days with .01 in. or more.	19	7	3	2	14	13	15	16	14	16	16	20	155	✓
* Days with .04 in. or more.	13	2	2	2	8	10	12	11	8	14	12	18	112	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2318/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at DIMMINGSDALE WATERWORKS.
WOLVERHAMPTON CORPORATION WATER UNDERTAKING
in the County of STAFFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 323 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	—	TR.	·08	·04	—	TR.	·01	·01	—	—	·02		1
2	¼" SNOW ·14	—	—	·04	TR.	—	·04	·37	·61	TR.	TR.	TR.		2
3	3½" SN. TR.	—	—	·30	—	—	—	·15	·04	—	·15	·56		3
4	1½" SN. ·06	—	·17	·37	·11	—	·32	·10	·09	·13	·08	·17		4
5	·10	—	TR.	·03	·22	—	·17	·01	—	TR.	·46	TR		5
6	·70	—	—	—	TR.	—	·52	—	—	—	·12	—		6
7	·01	·06	—	—	·07	—	·32	·02	—	TR.	·35	·45		7
8	TR.	·08	·38	—	TR.	—	·33	·26	—	·52	·50	·07		8
9	·05	·05	TR.	—	TR.	—	·03	·26	—	·32	TR.	·19		9
10	·42	—	·05	—	TR.	—	—	TR.	·07	·20	—	·01		10
11	·04	·03	·14	—	—	·29	—	—	—	·01	—	TR		11
12	TR.	·03	TR.	—	—	·10	—	—	TR.	·08	TR.	—		12
13	—	TR.	·03	·15	·04	·06	·10	—	·02	·04	TR.	—		13
14	·42	—	·02	·05	·30	·08	·14	—	—	·12	·14	—		14
15	·43	—	TR.	·07	·14	·36	·19	—	—	—	·17	—		15
16	·02	TR.	·07	—	·26	—	·04	—	—	·09	·12	TR.		16
17	·37	·01	—	—	—	·08	·93	—	—	1·06	·06	—		17
18	·16	·05	·02	—	—	·42	·11	—	—	TR.	·69	—		18
19	·18	TR.	—	—	—	—	·61	—	—	—	·01	·01		19
20	·22	—	—	—	·04	·03	TR.	·02	—	—	—	TR		20
21	·19	·14	·21	·01	·05	·03	TR.	·02	·07	—	—	—		21
22	·20	·22	—	·01	—	—	·12	TR.	TR.	·07	·37	—		22
23	·08	TR.	TR.	·02	—	TR.	·08	—	—	·14	·66	—		23
24	1" SN. ·05	TR.	·01	·12	—	·01	·21	—	—	·15	—	TR.		24
25	·58	·05	—	TR.	—	—	·22	—	—	·02	·08	·01		25
26	·01	—	TR.	TR.	—	—	—	·03	TR.	—	·29	·15		26
27	—	·06	·17	TR.	—	·02	·09	—	—	·13	TR.	1¼" SN. ·13		27
28	—	·03	·12	·03	—	·16	·21	TR.	—	TR.	·15	½" SN. ·05		28
29	—	×	TR.	·12	—	·01	·36	·18	—	·13	TR.	—		29
30	—	×	—	·05	—	·03	TR.	TR.	—	TR.	·06	·02		30
31	—	×	—	×	—	×	—	·12	×	·01	×	·03		31
TOTAL	4·65	0·81	1·39	1·45	1·27	1·68	5·14	1·55	0·91	3·22	4·46	1·87	Year's Total 28·40	✓
* Days with .01 in. or more.	22	12	12	15	10	14	21	13	7	17	18	14	175	✓
* Days with .04 in. or more.	19	8	8	10	10	8	20	7	5	14	17	8	134	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B. H. W. McMillan

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2318/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at DIMMINGSDALE WATERWORKS
WOLVERHAMPTON CORPORATION WATER UNDERTAKING
in the County of STAFFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
„ Ground „ Sea Level 323 ft.

Jan 28th ests for snow
Snow circ. sent 30-4-41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	·05	·01	—	—	—	—	—	·47	TR.		1
2	—	TR. SNOW ·03	—	·20	—	—	·05	—	—	—	·56	·11		2
3	—	·07	—	·02	—	—	—	—	—	·23	·70	·10		3
4	—	·06	—	·23	—	—	·04	—	—	·04	·14	·05		4
5	—	·02	—	—	·01	—	·03	—	—	·04	·42	·06		5
6	·08	·34	—	—	—	—	—	—	—	·33	·11	—		6
7	·02	·17	—	TR.	·02	—	·23	—	·02	TR.	TR.	TR.		7
8	TR.	TR.	—	·01	·01	—	·02	—	—	·19	·01	·18		8
9	—	—	·04	—	—	—	·22	·06	·03	·02	·41	·32		9
10	—	—	·11	—	—	·04	·44	TR.	—	·05	·04	·20		10
11	—	—	·02	·01	—	TR.	·05	—	—	—	·41	·14		11
12	—	¼" SNOW ·02	·05	—	—	·01	·19	·01	·05	—	·03	TR.		12
13	—	TR. SNOW —	¾" SNOW ·21	·03	—	—	—	·04	·01	—	TR.	·02		13
14	—	—	·01	·12	·32	—	—	·03	·20	·03	TR.	·27		14
15	—	—	·03	·04	·76	—	—	—	·10	·04	·10	TR.		15
16	¾" SNOW	2½" SNOW ·18	·29	—	—	—	·08	—	·11	·53	·62	·01		16
17	—	—	·28	—	·02	—	·09	—	—	TR.	·29	TR.		17
18	2" SNOW ·15	·61	·16	·38	—	—	—	·07	·12	·03	·02	·06		18
19	—	·24	·05	·21	—	—	·27	—	·05	TR.	·11	TR.		19
20	—	·01	TR.	·01	—	—	·36	TR.	—	·29	TR.	—		20
21	—	TR.	TR.	—	·34	·48	·05	·01	—	TR.	1·16	—		21
22	—	—	TR.	·02	·31	·03	—	—	·05	TR.	—	—		22
23	—	·10	·03	·30	·42	·02	TR.	—	—	TR.	—	TR.		23
24	·01	—	—	·01	TR.	—	TR.	TR.	—	—	—	TR.		24
25	·01	TR.	—	·07	TR.	TR.	·02	—	—	—	TR	TR.		25
26	1·18	·10	·04	·02	·02	·01	·29	·02	—	TR.	·02	—		26
27	4" SNOW 1·07	·10	—	·11	TR.	—	·49	·01	—	—	·12	TR.		27
28	SNOW MELTED 1·70	·24	—	—	·70	—	—	TR.	—	—	TR.	—		28
29	—	—	·07	·25	TR.	·09	·01	—	—	—	—	·19		29
30	—	✕	TR.	·44	·03	—	—	—	—	·40	TR.	·01		30
31	·23	✕	·02	✕	TR.	✕	—	—	✕	·38	✕	TR.		31
TOTAL	3 4·45	2·29	1·41	2·53	2·97	0·68	2·93	0·25	0·74	3·20	5·74	1·72	Year's Total 7 28·91	
* Days with .01 in. or more.	9	15	15	20	13	7	18	8	10	14	19	14	162	
* Days with .04 in. or more.	6	11	10	12	6	3	14	3	7	11	15	11	109	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) ……………………

[P.T.O.

2318/5

Staffs/2

—

2318/5

WOLVERHAMPTON, COPTHORNE RD.

1932—35, 1937

780405

FORM 1090. **B**

on.

, The following register of
&c., is NOT required if
values are given on the

ection and also the space for

this register should be sent:—

RAINFALL IN

WOLVERHAMPTON (COPT

At ~~Copthorne Road~~

In the County of Staf

Rain Gauge
- Diameter of Funnel
- *Height of Top above Ground*
- *Height of Ground above Sea L*

AM in Summer 9 AM (summer Time)

istance 1 1/4 Direction from gauge N E

istance 3/4 mile Direction from gauge W

Month.	Total Depth.	Greatest Fa in 24 hours			
	Inches	Inches	Date		
JAN.	1·99	·38	10th	14	11
FEB.	·27	·05	9th & 13	9	4
MAR.	1·60	·55	27th	10	9
APRIL	3·61	·63	4th	24	21
MAY	6·35	1·28	28th	20	19
JUNE	·97	·48	30th	6	6
JULY	4·21	·97	11th	21	16
AUG.	2·71	1·80	20th	9	5
SEPT.	2·62	·57	22nd	16	13
OCT.	4·54	·73	7th	22	18
NOV.	2·41	·56	24th	17	12
DEC.	·91	·25	31st	12	8
Total	32·19			180	142

Directions from gauge .. South

If gauge has been moved during the year state—

Date of move None Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

Similar to A but the diameter of the inside vessel is only about 2/3rds of the outside

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

pattern A

Signature Kenneth C Berrington

X K.C. BERRINGTON ESQ X

Leaflet 1930
NR 1931

OK print

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

N

FORM 1090.

B Summary. n.

2318/5

Staffs/2

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

WOLVERHAMPTON (COPTHORNE RD.) X

At ~~Copthorne Road Wolverhampton~~

In the County of Stafford

Rain Gauge
Diameter of Funnel 5 7/8 in.
Height of Top above Ground ft. 9 *in.*
Height of Ground above Sea Level 505 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·99	·38	10th	14	11
FEB.	·27	·05	9 & 13	9	4
MAR.	1·60	·55	27th	10	9
APRIL	3·61	·63	4th	24	21
MAY	6·35	1·28	28th	20	19
JUNE	·97	·48	30th	6	6
JULY	4·21	·97	11th	21	16
AUG.	2·71	1·80	20th	9	5
SEPT.	2·62	·57	22nd	16	13
OCT.	4·54	·73	7th	22	18
NOV.	2·41	·56	24th	17	12
DEC.	·91	·25	31st	12	8
				180	142
Total	32·19				

Signature Kenneth C Berrington Junr

X K.C. BERRINGTON ESQ X

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM (summer Time)

Nearest Railway Station Wolverhampton Distance 1 1/4 Direction from gauge N E

Nearest Parish Church at Penn Fields Distance 3/4 mile Direction from gauge W

Nature of objects nearest to gauge	House (bungalow)			
Heights of objects	15 – 20 feet			
Distances ..	40 feet			
Directions from gauge ..	South			

If gauge has been moved during the year state—

Date of move None Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any **record of rainfall** not quoted in **British Rainfall,** please give the observer's name and address:—

Similar to A but the diameter of the inside vessel is only about 2/3rds of the outside

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

pattern A

Leaton 1930
NR 1931

Ok print

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

N

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2318

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Copthorne Rd Wolverhampton

in the County of Stafford

Diameter of Funnel of Gauge 5⅞ in.

Height of top of Gauge above Ground 1 ft 9¾ in.

,, Ground ,, Sea Level 505 ft.

Days.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·08

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	·28	·03	–	–	–	–	–	–	–	·04	–		1
2	·22	–	·28	–	·02	–	–	–	–	–	–	–		2
3	·01	·21	·12	–	·10	–	–	–	–	–	–	–		3
4	·10	–	·03	–	·23	–	–	–	–	–	–	–		4
5	·14	·02	·29	–	·02	–	–	–	–	–	·02	–		5
6	–	·42	·02	–	·10	–	–	–	–	·04	–	–		6
7	·04	·17	·02	–	–	–	–	–	–	·19	·01	·03		7
8	·02	–	·22	–	·11	–	·55	–	–	–	–	–		8
9		–	–	·03	·03	–	·26	·04	–	1·08	·04	–		9
10	·07	·22	–	–	–	·04	·12	–	–	2·56	·20	–		10
11	–	–	–	–	·06	–	·28	·01	–	·05	–	–		11
12	–	–	–	–	–	·01	·16	–	–	·04	–	·03		12
13	–	–	–	–	·19	–	·14	–	·01	·08	·30	–		13
14	·05	–	–	–	–	–	·01	·06	–	·11	·14	–		14
15	·59	–	·02	–	–	–	·16	–	–	·02	·06	·03		15
16	·08	–	·51	–	·03	·11	·01	·03	–	·08	–	–		16
17	·07	–	·27	–	·04	·12	–	–	·06	–	·03	–		17
18	·07	–	–	–	–	·12	–	–	–	–	·01	–		18
19	–	–	·31	–	–	·30	·06	–	·20	–	·05	–		19
20	–	·04	·03	–	–	·02	–	·04	·03	–	–	–		20
21	–	–	–	–	–	·65	–	·19	–	·02	·02	–		21
22	–	–	–	–	–	·73	–	·33	–	·25	–	–		22
23	–	·01	–	·20	–	·02	–	–	·10	·14	–	–		23
24	–	·58	–	·14	·06	·78	–	–	·14	·05	–	–		24
25	–	·51	–	·13	–	·28	–	–	·02	–	–	·10		25
26	–	·75	–	·14	·10	–	–	–	·05	·26	–	–		26
27	–	–	–	–	·20	–	–	–	·16	·01	–	·04		27
28	–	·04	–	·15	·07	–	–	–	·01	·06	–	·04		28
29	·05	–	–	·04	–	–	·13	–	–	–	–	·04		29
30	·06	×	·04	–	–	–	·04	–	–	·07	–	·10		30
31	·10	×	·50	×	–	×	–	·08	×	·26	×			31
TOTAL	1·98	3·25	2·69	·83	1·36	3·18	1·92	·78	·78	5·37	·92	·41	Year's Total 23·47	
*Days with ·01 in. or more.	16	12	15	7	15	12	12	8	10	19	12	8	146	
*Days with ·04 in. or more.	14	10	9	6	11	9	10	6	6	16	7	5	109	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Kenneth C Berrington

[P.T.O.

2318/5

FORM 1090.

B Monthly Summary.

** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 193~~4~~4

At Wolverhampton (Copthorne Road)

In the County of Stafford

Rain Gauge
Diameter of Funnel 6 in.
Height of Top above Ground 0 ft 9 in.
Height of Ground above Sea Level 505 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more*	Number of Days with ·04 in. or more*
	Inches	Inches	Date		
JAN.	2·58				
FEB.	·35				
MAR.	2·54				
APRIL	2·54				
MAY	1·01				
JUNE	1·20				
JULY	·90				
AUG.	2·71				
SEPT.	1·77				
OCT.	1·62				
NOV.	2·05				
DEC.	4·69				
Total	23·96				

Signature ....

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge

Height of objects

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Rainfall 1934

Wolverhampton (Copthorne Road)
No 2318/5

January	2·58
February	·35
March	2·54
April	2·54
May	1·01
June	1·20
July	·90
August	2·71
September	1·77
October	1·62
November	2·05
December	4·69
	23·96

M.O. 7
22 FEB 1935

file 897177/29

1. Rules for measuring
the measurements are give
be obtained gratis from T
Ministry, London, W.C.2
logical Office, 6, Drumshe

2. In filling up the r
rules should be observed.
summary form above are

(*a*) *Rain should be me*
Greenwich Mean T
the previous day a
time of observatio
rainfall for the 24
it is therefore the
9 a.m. Greenwich
Summer Time Pe

(*b*) *The rain-guage s*
exception. When
in the register sh
"trace" or "tr"
(A) and (B).

(A) When there i
and the obser
drop or two
emptying the
observation,
certain that t
the preceding
that the prec
wet fog this

(B) The observer
that some rai

London: Published by His
Adastral House, King
Cardiff; 80, Chicheste

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

2318/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At 32 Copthorne Road Wolverhampton

In the County of Stafford

Rain Gauge

- Diameter of Funnel 5 in.
- *Height of Top above Ground* *ft* 9¼ *in.*
- *Height of Ground above Sea Level* 505 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·76	·21	11th	11	6
FEB.	2·64	·57	5th 24th	15	9
MAR.	·66	·17	5th	8	6
APRIL	3·58	·53	15th	20	18
MAY	1·25	·55	19th	8	5
JUNE	4·25	1·21	5th	19	15
JULY	·42	·15	17th	6	3
AUG.	1·43	·70	26th	5	5
SEPT.	3·37	·91	24th	19	15
OCT.	4·18	·58	4th	18	15
NOV.	5·52	1·17	14th	21	19
DEC.	2·90	·50	24th	19	16
Total	30·96			169	132

Signature Kenneth C Berrington

*See Instruction 2 (*f*) below.

C ~~Particulars of Station.~~

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

32 Copthorne Road Wolverhampton

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM

Nearest Railway Station Wolverhampton Distance 1½ miles Direction from gauge N E

Nearest Parish Church at Penn Fields Distance ¾ mile Direction from gauge W

Nature of objects nearest to gauge	House			
Height of objects	About [illegible] feet			
Distances ..	40 ft			
Directions from gauge ..	South			

If gauge has been moved during the year state—

Date of move NO Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

similar to A D



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* *9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

WOLVERHAMPTON (COPTHORNE RD)

2318/5

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At 32 Copthorne Rd Wolverhampton

In the County of Stafford 12

Rain Gauge
- Diameter of Funnel 5⅝ in.
- *Height of Top above Ground* ft. 9¼ in.
- *Height of Ground above Sea Level* 515 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with .01 in. or more	.04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·05	·39	20	19	15
FEB.	3·58	·62	7	25	17
MAR.	2·33	·41	11	17	13
APRIL	2·64	·58	2	16	12
MAY	2· –	·55	26	16	10
JUNE	·58	·14	10	10	7
JULY	2·91	1·53	15	12	7
AUG.	1·18	·49	30	7	5
SEPT.	2·11	·79	18	13	8
OCT.	2·01	·59	22	8	6
NOV.	1·47	·40	18	10	8
DEC.	2·19	·67	4	19	11
TOTAL	26·05			172	119

Signature Kenneth C Berrington

K.C. BERRINGTON ESQ

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Kenneth C Berrington
32 Copthorne Rd Wolverhampton

Hour of observation by the clock—in Winter 9 A.M. in Summer 9 A.M.

Nearest Railway Station Wolverhampton Distance 1¼ Direction from gauge E

Nearest Parish Church at Penn Fields Distance ¾ mile Direction from gauge W

Nature of objects nearest to gauge	House (bungalow)			
Height of objects	15-25 feet			
Distances ...	about 15 yards			
Directions from gauge ...	South			

If gauge has been moved during the year state—

Date of move No Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

NR 1936

897177/29.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

2319

Section **A** for the entry of D
AIR MINISTRY.-

FORM 1090.

REGISTI

Kept at WOLVERHAMPT

in the County of STAFFORD

Diameter of Funnel of Gauge 5½

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this p

Ple

2319

WOLVERHAMPTON. WEST RD.

1931 — 40

780405

PY FOR OFFICIAL USE.
ORGANIZATION.

ving

Jan. 1, following

Date	Jan.	Feb.	March	Ap							Nov.	Dec.	*Date*
	in.	in.	in.	i							in.	in.	
1	·01	·02	—	·12	—	·03	—	—	·25	—	—	—	1
2	—	·14	—	·75	·08	·10	—	—	·40	·06	·04	·05	2
3	·08	—	—	·02	—	—	·04	—	·71	·03	·55	·08	3
4	—	SNOW ·01	—	·17	—	—	·44	·34	·12	—	·09	—	4
5	—	·04	—	·15	·01	1·29	·03	—	·13	—	—	·19	5
6	—	·14	SNOW ·01	·06	·01	·15	—	·02	·02	·33	·16	—	6
7	—	—	—	·01	·02	·10	·28	·80	—	·04	·15	—	7
8	SNOW ·09	·05	SNOW ·01	·17	—	·10	·08	1·25	—	—	·21	—	8
9	·02	·36	—	·08	·03	·04	—	·10	—	—	·33	—	9
10	—	—	SNOW ·01	—	—	·13	—	·19	·08	—	·08	—	10
11	·13	·18	—	—	—	·02	·25	—	·26	—	·07	·02	11
12	·02	SNOW & RAIN ·05	—	·05	—	—	·51	·08	·25	—	·01	—	12
13	—	SNOW ·01	—	—	·01	·01	·03	·51	—	—	—	—	13
14	—	·08	—	—	·05	·65	·61	·96	·05	—	·44	—	14
15	·02	SNOW & RAIN ·13	—	·15	·04	—	·11	·30	—	—	·02	·04	15
16	·03	SNOW & RAIN ·04	—	·17	·34	·76	·05	·21	·11	—	—	—	16
17	·06	SNOW & RAIN ·04	—	·20	1·11	·02	·03	—	·03	—	·07	—	17
18	·10	SNOW ·01	—	·11	—	·15	·11	·12	—	—	·33	—	18
19	·02	·12	—	·02	—	·70	·23	·23	·03	—	—	—	19
20	—	·04	·12	—	—	—	·02	·32	—	—	·02	—	20
21	·17	—	—	—	·60	—	—	—	—	—	·19	—	21
22	·07	—	·02	—	·02	—	—	·11	—	—	—	—	22
23	·16	—	—	·25	·40	·03	·02	·01	—	—	·15	·24	23
24	—	—	—	·11	·45	—	·11	—	—	—	—	—	24
25	·03	—	—	·82	—	—	·27	—	—	—	·05	—	25
26	·03	·03	—	·11	—	—	·04	—	—	—	·40	—	26
27	·08	SNOW & RAIN ·54	—	·08	·46	—	—	—	—	·09	·10	·04	27
28	·13	SNOW ·07	—	·09	·30	—	—	—	—	·03	—	·08	28
29	·03	×	—	—	·14	—	·29	—	—	·46	—	—	29
30	—	×	—	·03	—	—	—	—	—	—	—	—	30
31	SNOW & RAIN ·22	×	—	×	—	×	—	—	×	—	×	·02	31
TOTAL	1·50	2·13	·17	3·72	4·07	4·28	3·55	5·55	2·44	1·04	3·46	·76	YEAR'S TOTAL 32·67
*Days with ·01 in. or more.	20	20	5	22	17	16	20	16	13	7	20	9	185
*Days with ·04 in. or more.	11	15	1	18	11	11	15	14	10	5	17	7	135

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) M. R. Jolly

[P.T.O.

2319

Section **A** for the entry of D [redacted] PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at WOLVERHAMPTON.

in the County of STAFFORDSHIRE

Diameter of Funnel of Gauge 5½ ins.

Height of top of Gauge above Ground 1 ft. 0 ins.

,, Ground ,, Sea Level 429·86 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	—	·12	—	·03	—	—	·25	—	—	—	1
2	—	·14	—	·75	·08	·10	—	—	·40	·06	·04	·05	2
3	·08	—	—	·02	—	—	·04	—	·71	·03	·55	·08	3
4	—	SNOW ·01	—	·17	—	—	·44	·34	·12	—	·09	—	4
5	—	·04	—	·15	·01	1·29	·03	—	·13	—	—	·19	5
6	—	·14	SNOW ·01	·06	·01	·15	—	·02	·02	·33	·16	—	6
7	—	—	—	·01	·02	·16	·28	·80	—	·04	·15	—	7
8	SNOW ·09	·05	SNOW ·01	·17	—	·10	·08	1·25	—	—	·21	—	8
9	·02	·36	—	·08	·03	·04	—	·10	—	—	·33	—	9
10	—	—	SNOW ·01	—	—	·13	—	·19	·08	—	·08	—	10
11	·13	·18	—	—	—	·02	·25	—	·26	—	·07	·02	11
12	·02	SNOW & RAIN ·05	—	·05	—	—	·51	·08	·25	—	·01	—	12
13	—	SNOW ·01	—	—	·01	·01	·03	·51	—	—	—	—	13
14	—	·08	—	—	·05	·65	·61	·96	·05	—	·44	—	14
15	·02	SNOW & RAIN ·13	—	·15	·04	—	·11	·30	—	—	·02	·04	15
16	·03	SNOW & RAIN ·04	—	·17	·34	·76	·05	·21	·11	—	—	—	16
17	·06	SNOW & RAIN ·04	—	·20	1·11	·02	·03	—	·03	—	·07	—	17
18	·10	SNOW ·01	—	·11	—	·15	·11	·12	—	—	·33	—	18
19	·02	·12	—	·02	—	·70	·23	·23	·03	—	—	—	19
20	—	·04	·12	—	—	—	·02	·32	—	—	·02	—	20
21	·17	—	—	—	·60	—	—	—	—	—	·19	—	21
22	·07	—	·02	—	·02	—	—	·11	—	—	—	—	22
23	·16	—	—	·25	·40	·03	·02	·01	—	—	·15	·24	23
24	—	—	—	·11	·45	—	·11	—	—	—	—	—	24
25	·03	—	—	·82	—	—	·27	—	—	—	·05	—	25
26	·03	·03	—	·11	—	—	·04	—	—	—	·40	—	26
27	·08	SNOW & RAIN ·57	—	·08	·46	—	—	—	—	·09	·10	·04	27
28	·13	SNOW ·07	—	·09	·30	—	—	—	—	·03	—	·08	28
29	·03	×	—	—	·14	—	·29	—	—	·46	—	—	29
30	—	×	—	·03	—	—	—	—	—	—	—	—	30
31	SNOW & RAIN ·22	×	—	×	—	×	—	—	×	—	×	·02	31
TOTAL	1·50	2·13	·17	3·72	4·07	4·28	3·55	5·55	2·44	1·04	3·46	·76	YEAR'S TOTAL 32·67
*Days with ·01 in. or more.	20	20	5	22	17	16	20	16	13	7	20	9	185
*Days with ·04 in. or more.	11	15	1	18	11	11	15	14	10	5	17	7	135

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2319 2319

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wolverhampton

in the County of Staffordshire

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 428·86 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	—	Snow & Rain ·15	·69	·09	·04	·29	·03	·02	·01	—	1
2	·07	—	—	Snow & Rain ·16	·29	—	—	·01	·19	·11	—	·06	2
3	—	·01	—	Snow & Rain ·20	·05	—	·03	·01	—	·03	—	—	3
4	·03	—	—	Snow & Rain ·58	—	—	·03	—	—	—	·41	·04	4
5	·29	—	·10	·01	·06	—	—	·03	·12	—	—	—	5
6	·23	—	·02	·28	—	—	·03	—	·31	—	—	—	6
7	—	—	·19	·26	·02	—	·01	—	·11	·62	—	—	7
8	—	—	—	Snow & Rain ·10	—	—	—	—	·31	·40	—	—	8
9	·23	Snow ·04	—	—	·11	—	—	—	—	—	—	—	9
10	·37	Snow ·02	—	Snow & Rain ·08	·04	—	—	—	·46	·37	—	—	10
11	—	Snow ·02	—	Snow & Rain ·07	·24	—	·50	—	·03	·19	—	—	11
12	·20	—	—	—	·12	—	—	—	·13	·38	—	—	12
13	·05	·05	—	·04	·02	—	·92	·03	—	—	·03	·06	13
14	·13	·02	—	·04	—	—	·19	·14	—	·04	·11	—	14
15	—	—	—	·05	·75	—	·12	—	—	·03	—	—	15
16	·33	—	—	·09	·04	—	·08	—	—	—	—	—	16
17	—	—	—	—	—	—	·21	—	·03	·02	—	—	17
18	—	—	—	—	·04	—	—	—	—	·01	·09	—	18
19	—	—	—	·04	·05	—	—	—	—	·23	—	—	19
20	—	—	—	·04	·84	—	→ ·11 –	1·69	—	·46	·09	—	20
21	—	—	·22	·19	·77	—	—	·02	—	·24	·08	·10	21
22	—	—	·23	·04	·27	—	·39	—	·57	·07	·15	—	22
23	—	·02	—	·02	·43	—	·04	—	·12	·05	·04	—	23
24	·05	—	—	—	·04	·03	·37	—	·04	·01	·46	—	24
25	·02	·03	—	—	—	·12	·06	—	·01	·15	·09	—	25
26	—	—	·06	·45	·24	—	·03	—	·13	·04	·09	—	26
27	—	—	·53	·14	·45	—	—	—	—	—	·06	—	27
28	—	—	·18	·05	·31	·10	·18	·02	—	—	—	·01	28
29	—	—	·15	·20	·12	·08	·04	—	·16	·50	·02	·14	29
30	—	×	·06	·19	—	·40	·10	·16	·14	·28	·34	·07	30
31	—	×	·04	×	·01	×	·80	—	×	—	×	·26	31
TOTAL	2·01	·21	1·78	3·47	6·00	·82	4·28	2·40	2·59	4·25	2·07	·74	YEAR'S TOTAL 30·62
*Days with ·01 in. or more.	13	8	11	24	24	6	21	10	17	22	15	8	179
*Days with ·04 in. or more.	10	2	10	22	21	5	16	4	13	16	12	7	138

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

File No. 93851/31.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2319

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wolverhampton

in the County of Staffordshire

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 429.86 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31	·28	·06	—	—	—	—	—	—	—	·05	—	1
2	·19	—	·28	—	·03	—	—	—	—	—	—	—	2
3	—	·21	·11	—	·07	—	—	—	—	—	—	—	3
4	·13	—	—	—	·22	—	—	—	—	—	—	—	4
5	·12	·03	·35	—	—	—	—	—	—	—	·01	—	5
6	—	·41	—	—	·10	—	—	—	—	—	—	—	6
7	·04	·19	—	—	—	—	—	—	—	·06	—	—	7
8	·02	—	·23	—	·14	—	·59	—	—	·21	—	—	8
9	—	—	—	—	·12	—	·26	·04	—	1·03	·05	—	9
10	·07	·17	—	—	—	·04	·15	—	—	2·47	·14	—	10
11	—	—	—	—	·07	—	·25	—	—	·09	—	—	11
12	—	—	—	—	—	—	·23	—	—	·04	—	Snow ·08	12
13	—	—	—	—	·19	—	·09	—	·01	·09	·34	—	13
14	·04	—	—	—	—	—	·07	·07	—	·10	·14	—	14
15	·49	—	—	—	—	—	·17	·01	—	·01	·11	—	15
16	+snow ·10	—	·48	—	·02	·11	—	·05	—	·07	—	—	16
17	+snow ·06	—	·27	—	—	·14	—	—	·06	—	—	—	17
18	+snow ·08	—	·06	—	—	·09	—	—	—	—	—	—	18
19	—	—	·26	—	—	·18	·06	—	·18	—	·09	—	19
20	—	·04	—	—	—	·02	—	·05	·04	—	—	—	20
21	—	—	—	—	—	·65	—	·10	—	·01	—	—	21
22	—	—	—	·02	—	·55	—	·31	—	·25	—	—	22
23	—	snow ·03	—	·21	—	·05	—	—	·10	·16	—	—	23
24	—	+snow ·78	—	·13	·03	·71	—	—	·14	·02	—	—	24
25	—	+snow ·48	—	·11	—	·44	—	—	—	—	—	·10	25
26	—	+snow ·77	—	·09	·18	—	—	—	·07	·27	—	—	26
27	—	—	—	—	·21	—	—	—	·10	—	—	·04	27
28	—	—	—	·14	·05	—	—	—	—	·05	—	·04	28
29	·06	—	—	·04	—	—	·12	—	—	—	—	—	29
30	+snow. ·06	×	·08	—	—	—	·07	—	—	·09	—	·14	30
31	·07	×	·45	×	—	×	—	·06	×	·26	×	—	31
TOTAL	1·84	3·39	2·63	·74	1·43	2·98	2·06	·69	·70	5·28	·93	·40	YEAR'S TOTAL 23·07
*Days with ·01 in. or more.	15	11	11	7	13	11	11	8	8	18	8	5	126
*Days with ·04 in. or more.	14	9	11	6	10	10	11	7	7	15	7	5	112

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) R. H. H. Jolly

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2319

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at WOLVERHAMPTON.

in the County of STAFFORDSHIRE.

Diameter of Funnel of Gauge 5 ins.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 421.0 ft.

T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	-	-	-	-	-	-	.14	.03	.10	.14	.39		1
2	-	.01	.12	-	-	-	-	.09	.20	-	.11	.11		2
3	.09	.04	-	-	-	-	-	.07	-	.13	.01	.08		3
4	-	-	.14	-	.33	-	-	.12	-	.07	.02	.29		4
5	-	-	.06	-	.06	-	-	.75	-	.01	.16	.03		5
6	-	-	.07	-	.35	.04	-	.02	-	.10	-	.57		6
7	.23	-	-	-	-	.06	-	.07	-	.05	.03	.21		7
8	-	-	-	-	.07	-	-	.01	-	-	.27	.09		8
9	-	-	.13	-	-	-	-	.17	-	-	.54	.13		9
10	.06	-	.13	.36	-	-	-	.11	-	-	.12	-		10
11	.56	-	.08	.16	-	-	.03	.06	-	-	.01	.19		11
12	-	-	.17	-	-	-	.20	.15	-	-	-	-		12
13	.48	-	.01	.09	-	-	.09	.01	-	-	-	.12		13
14	.14	-	.27	-	.02	-	-	-	.11	.20	.36	.07		14
15	-	-	.09	-	.09	-	-	-	.35	.47	.23	.15		15
16	.22	-	.09	-	-	-	-	.01	-	.07	.06	-		16
17	.04	-	.10	-	.04	-	.03	.03	.22	.06	-	.15		17
18	.25	-	-	.21	-	.03	-	.02	.08	-	-	.06		18
19	-	-	.29	.15	-	.09	-	.02	.12	.03	-	.16		19
20	-	-	.33	.13	-	.02	-	-	.05	.02	-	-		20
21	-	-	-	-	-	.19	-	.01	.01	.02	-	-		21
22	-	-	-	-	-	-	-	.21	.17	.01	-	.20		22
23	-	-	.09	.31	.05	.11	.04	-	.03	-	.03	.04		23
24	-	.27	.05	-	.01	.04	-	-	.19	-	-	-		24
25	.25	-	-	.04	.03	.37	-	-	.02	.21	-	.36		25
26	.16	-	.14	.11	-	.12	-	-	.03	.01	-	.15		26
27	-	-	-	.39	-	.01	-	-	.02	.04	.04	.12		27
28	-	-	-	.46	-	.08	.03	.10	.06	-	.04	.34		28
29	-	X	-	-	-	-	.31	.15	.42	.01	-	.02		29
30	.07	X	-	-	-	-	-	.05	.03	-	-	.21		30
31	-	X	-	X	-	X	.03	.04	X	.20	X	.20		31
													Year's Total.	
TOTAL	2.63	.32	2.36	2.41	1.05	1.16	.76	2.41	2.14	1.81	2.17	4.44	23.66	
* Days with .01 in. or more.	13	3	18	11	10	12	8	23	18	19	16	25	176	
* Days with .04 in. or more.	13	2	17	11	7	9	4	15	11	12	11	23	136	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) Jolly

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2319

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wolverhampton

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 421 ft. ?450

JK

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·03	—	·03	—	·03	·04	—	·03	·39	·06	—	·68	1
2	—	—	—	—	—	·06	—	—	·10	·22	·01	·11	·50	2
3	·01	·24	·08	·05	—	·08	·01	—	·15	·27	·26	·20	1·38	3
4	—	—	—	+snow ·13	—	·05	—	—	—	·47	—	·15	·80	4
5	—	·47	·17	+snow ·06	—	1·12	·03	—	—	—	·08	·01	1·94	5
6	—	—	—	·23	—	·51	—	—	—	—	—	—	·74	6
7	—	—	—	·29	—	·23	—	—	—	·07	·31	·15	1·05	7
8	—	—	—	·15	—	—	—	—	—	·16	·24	·14	·69	8
9	snow ·02	—	—	·19	—	·29	—	—	—	·30	·32	—	1·12	9
10	—	—	—	·17	—	—	—	—	—	—	·14	—	·31	10
11	·21	—	—	—	—	·07	—	—	—	—	·17	·02	·47	11
12	·11	·02	—	—	—	·11	—	·06	·01	—	—	—	·31	12
13	·16	·02	—	·12	·19	·05	—	—	·14	—	·02	—	·70	13
14	·02	—	·02	·05	·01	·05	—	—	·04	—	1·06	·12	1·37	14
15	—	·03	—	·49	·10	·01	—	—	·19	—	·11	·13	1·06	15
16	—	·09	·12	·32	—	·04	—	—	·41	·44	·46	·05	1·93	16
17	—	—	—	·22	—	·10	·16	·03	—	—	·58	·01	1·10	17
18	—	—	—	·44	·08	·05	·03	—	·14	·07	·04	—	·85	18
19	·02	—	—	·10	·49	·37	·12	—	·06	·18	·29	·01	1·64	19
20	—	·18	—	·41	—	·01	·12	—	—	·01	·53	—	1·26	20
21	—	+snow ·27	—	—	—	—	—	—	·59	—	·08	—	·94	21
22	—	+snow ·10	·03	·05	—	—	—	·05	—	—	—	—	·23	22
23	·01	—	·11	·03	—	—	—	·35	·17	·50	—	·04	1·21	23
24	·06	·49	·02	—	—	—	—	·24	·85	·04	—	·38	2·08	24
25	·11	+snow ·23	—	·09	—	·86	—	—	—	—	—	·08	1·37	25
26	—	+snow ·10	—	—	—	—	—	·71	·20	—	·07	·37	1·45	26
27	—	+snow ·06	—	—	·08	—	—	—	·06	·03	·22	·34	·79	27
28	·04	·02	—	—	·29	—	—	·29	·10	·07	·04	·04	·89	28
29	—	—	·06	—	—	—	—	—	·06	·03	·09	·13	·37	29
30	—	✕	—	·13	—	·03	—	·14	·04	·17	·41	·12	1·04	30
31	—	✕	—	✕	—	✕	—	—	✕	·31	✕	·17	·48	31
TOTAL	·84	2·38	·61	3·45	1·24	4·12	·51	1·87	3·34	3·43	5·59	2·77	Year's Total 30·75	
* Days with .01 in. or more.	12	15	8	21	7	20	7	8	18	18	23	21	178	
* Days with .04 in. or more.	7	10	5	19	6	16	4	7	16	15	21	17	143	

40-9999.

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) .... P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2319

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Wolverhampton West P.R.

in the County of STAFFS.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·14	·07	·48	-	·15	·55	·19	-	-	·09	·10		1
2	·11	-	-	·07	-	·18	·94	·01	-	-	·11	-		2
3	·01	-	-	-	-	·04	·02	·01	·75	-	-	·02		3
4	-	·01	·12	-	-	·46	-	-	·68	-	·17	·06		4
5	·19	·11	-	-	-	-	·03	·11	·06	-	-	·21		5
6	·07	-	·01	-	·15	·05	·15	·11	·09	-	·08	·02		6
7	-	-	·02	-	-	-	·67	-	·29	-	·15	·06		7
8	·15	-	·11	-	-	-	·06	-	·02	·03	·32	·07		8
9	·36	-	·21	-	-	·02	2·05	-	·13	·03	-	-		9
10	-	-	-	-	-	-	·36	-	·01	-	·01	-		10
11	-	-	-	·03	-	·05	·27	-	·11	-	·66	-		11
12	-	-	-	·02	·17	·29	·52	·02	·43	-	·11	·10		12
13	-	-	-	·05	-	·14	-	·01	-	·05	-	·40		13
14	-	-	-	·14	-	·11	·08	-	·14	·03	·07	·37		14
15	·10	-	-	·02	·22	·01	·01	-	-	-	·18	·08		15
16	·11	·13	-	·11	·13	-	·05	-	-	-	·45	·01		16
17	-	·44	-	-	·03	-	·11	-	-	-	·05	·29		17
18	-	·07	-	-	·01	·19	·31	·01	-	·37	-	·01		18
19	·43	·22	·04	·43	-	·02	-	·05	-	·04	-	-		19
20	-	·14	·03	-	-	·01	·03	-	-	·02	-	-		20
21	-	-	-	·13	-	1·80	·02	-	-	-	-	-		21
22	-	·43	·06	-	·08	·03	·23	-	-	-	-	·06		22
23	-	·07	·11	·06	·02	-	·20	-	-	·02	-	-		23
24	·28	·03	-	·02	·08	-	-	-	·22	·29	-	-		24
25	·09	-	·10	·51	-	-	·08	-	·52	·02	-	-		25
26	·04	·07	·39	-	-	-	·14	-	·01	·07	-	-		26
27	·14	·02	·05	-	-	-	·01	-	·19	·12	-	-		27
28	·51	·18	·13	·01	-	-	·08	-	-	·08	·02	·05		28
29	·02	·27	·05	-	-	·16	·09	-	-	·03	·03	·07		29
30	·07	✕	-	-	·16	·02	·20	-	-	·50	·03	-		30
31	·44	✕	·09	✕	-	✕	·02	-	✕	·04	✕	·25		31
TOTAL	3·24	2·33	1·59	2·08	1·05	3·73	7·28	·52	3·65	1·74	2·53	2·23	Year's Total 31·97	✓
* Days with .01 in. or more.	18	15	16	14	10	18	27	9	15	16	16	18	192	✓
* Days with .04 in. or more.	16	12	13	9	7	12	20	4	12	9	12	14	140	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2319

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Wolverhampton

in the County of Stafford

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

T-L

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·03	·01	·02	–	–	–	–	·03	·01	·07	·18		1
2	·01	·06	·02	·57	–	–	–	–	–	–	–	·35		2
3	–	·08	·02	–	·06	·07	·05	–	–	–	–	·02		3
4	·11	·10	·03	–	·06	·01	–	·04	–	–	–	·68		4
5	·12	–	·17	–	–	–	–	–	–	–	–	–		5
6	·08	–	·01	·07	·12	–	·03	–	–	–	·01	·01		6
7	–	·62	–	·13	·01	·07	–	–	·02	–	–	–		7
8	–	·09	–	·05	·07	·03	·04	–	·01	–	·36	–		8
9	–	–	–	·03	·12	–	·38	·01	·16	–	–	–		9
10	·01	·06	·28	·01	–	·15	–	–	–	–	–	·15		10
11	–	–	·41	–	·28	·37	·02	–	–	–	–	·09		11
12	·08	·32	·16	–	·27	–	–	·01	·20	–	–	·20		12
13	·09	·04	·01	·06	·01	·02	–	·53	·54	–	–	·04		13
14	–	–	·17	·01	–	–	–	·14	·01	–	·04	·14		14
15	·10	·09	–	·25	–	–	1·47	·01	·13	–	·01	·01		15
16	–	·08	·43	·43	·03	–	–	·11	·09	–	–	–		16
17	·15	·08	·17	·11	–	·04	–	–	·23	–	–	–		17
18	·62	·07	·10	·01	–	–	·02	–	1·05	–	·40	·03		18
19	·03	·03	·06	·11	·08	·09	·04	–	·01	–	·05	–		19
20	·29	–	–	·33	·34	–	·03	–	–	–	–	–		20
21	·07	·20	·07	·07	–	–	·23	–	–	·02	–	·07		21
22	·09	·09	·10	–	·04	·01	·31	–	–	·59	·36	·04		22
23	·22	–	–	–	·07	–	·02	–	–	·38	·14	–		23
24	·10	·41	·03	–	·09	–	·01	–	·09	·39	–	–		24
25	–	·34	–	–	·06	–	–	–	·02	·15	–	·03		25
26	–	·22	·08	–	·37	–	–	–	–	–	–	·03		26
27	–	·34	·02	·25	–	–	–	–	–	·47	–	·01		27
28	–	·14	–	–	–	–	–	–	–	·07	–	·04		28
29	·02	–	–	–	–	·02	–	–	·01	·04	·06	·02		29
30	·31	✗	–	–	–	·02	–	·32	–	·01	·06	·01		30
31	·31	✗	–	✗	–	✗	–	–	✗	·13	✗	·01		31
TOTAL	2·82	3·49	2·35	2·51	2·08	·90	2·65	1·17	2·60	2·26	1·56	2·16	Year's Total 26·55	
* Days with .01 in. or more.	20	21	20	17	17	12	13	8	15	11	11	21	186	
* Days with .04 in. or more.	15	19	12	12	14	6	7	5	8	8	9	11	126	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 2319

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Wolverhampton

in the County of Stafford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 430 ft.

T. L

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01		·03		01	33	·03	·01	·01	·08	·01	·20		1
2				·05	·04	·16	—	—	—	·14	—	·03		2
3	·01				·08	·11	·03	—	·02	·37	—	—		3
4						·02	·07	·14	—	·02	—	·23		4
5							·07	·57	·07	·02	—	—		5
6	·10					·02	·90	·02	·05	·10	—	·02		6
7	·02						·41	·23	·03	·10	—	·08		7
8	·37						·20	·44	—	·27	—	·05		8
9	·07	·08			·02	·05	·10	·24	—	—	—	·22		9
10	·02	·05				·25	·35	·01	—	—	—	·11		10
11	·56	·03					·07	1·08	·03	·02	·14	·07		11
12	·09				·08		·01	·02	—	·22	·42	—		12
13							—	—	—	·02	·17	·34		13
14	·15				·02		·58	—	·01	—	—	—		14
15	·06				·04		·22	·02	—	—	·02	·21		15
16	·26				·05		—	·04	—	·06	·10	·09		16
17		·01			·47		·03	·01	·04	·10	—	·02		17
18	·02				·17	·06	—	·18	·39	·12	·21	—		18
19							—	·20	—	—	·01	—		19
20	·01						—	—	·04	—	·41	—		20
21	·03						—	·02	·28	—	·06	·17		21
22				·08		·12	—	—	—	—	·36	·13		22
23							—	—	·14	—	·01	—		23
24	·02		·23		·14	·02	—	·41	·04	—	·01	·01		24
25	·03	·07	·03		·06		·03	·07	·01	·22	·70	·03		25
26	·06	·27	·20		·02	·10	—	—	·03	·36	—	·15		26
27	·07	·01			·24	·08	·17	·43	·09	·01	·35	—		27
28	·24	·04			·03	·20	·10	·22	·02	—	·05	·25		28
29	·40			·01	·41	·14	·01	—	·06	·10	·08	·15		29
30	·07	×			·01	·17	—	—	·48	—	·13	·09		30
31	·10	×		×	·13	×	·01	—	×	·11	×	·32		31
TOTAL	2·77	·56	·49	·14	2·02	1·83	3·39	4·34	1·84	2·44	3·24	2·97	Year's Total 26·03	✓
* Days with .01 in. or more.	23	8	4	3	18	15	19	20	19	19	18	22	188	✓
* Days with .04 in. or more.	14	5	2	2	12	12	12	13	11	14	13	17	127	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. H. H. Jolly

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2319

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Wolverhampton (West Park).

in the County of Stafford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 430 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	–	–	·13	·04	–	–	–	–	–	–	·02		1
2	·08	–	–	·04	–	–	·09	·37	·42	·02	–	·01		2
3	·28	–	–	·37	–	–	–	·20	·02	–	·10	·50		3
4	·12	–	·19	·45	·10	–	·24	·16	·05	·25	·10	·18		4
5	–	–	–	·04	·24	–	·12	·14	–	·04	·34	·01		5
6	·54	–	–	–	–	–	·43	–	–	–	·22	–		6
7	·03	·08	–	–	·10	–	·34	·03	–	·15	·27	·42		7
8	·01	·04	·33	–	–	–	·32	·19	–	·52	·50	·07		8
9	·03	·06	–	–	–	–	·02	·30	–	·36	–	·24		9
10	·58	–	·04	–	–	–	–		·10	·13	–	·01		10
11	·04	·04	·16	–	–	·20	–	–	–	·03	–	–		11
12	–	·03	–	–	–	·04	–	–	–	–	–	–		12
13	–	–	·03	·27	·07	·02	·10	–	·11	·03	–	–		13
14	·39	–	·02	·05	·30	·12	·16	–	–	·11	·22	–		14
15	·50	–	·02	·11	·19	·34	·40	–	–	–	·20	–		15
16	·02	–	·07	–	·33	–	–	–	–	·28	·11	–		16
17	·45	·03	–	·01	–	·10	·19	–	–	1·17	·07	–		17
18	·23	·09	·09	–	–	·29	·05	–	–	–	·68	–		18
19	·19	–	–	–	–	–	·48	–	–	·07	·02	·01		19
20	·24	–	·01	–	·01	·01	–	·02	–	·01	–	–		20
21	·18	·14	·22	·02	·06	–	·29	·34	·11	–	–	–		21
22	·81	·22	·01	·06	–	–	·21	–	·01	·02	·50	–		22
23	·08	–	–	·05	–	·01	·12	–	·01	·15	·65	–		23
24	·13	–	·02	·13	–	·04	·18	–	–	·22	–	–		24
25	·68	·10	–	·01	–	–	·15	–	–	·01	·12	·02		25
26	·02	–	–	·01	–	–	–	·04	–	–	·31	·02		26
27	–	·03	·13	·01	–	·03	·08	–	–	·04	·01	·32		27
28	–	·03	·14	·03	–	·12	·25	–	–	–	·16	·10		28
29	–		–	·10	–	·02	·31	·61	–	·15	·02	–		29
30	–	×	–	·05	–	·08	–	–	–	–	·08	·02		30
31	–	×	–	×	–	×	–	·10	×	·01	×	·15		31
TOTAL	5·22	·92	1·48	1·94	1·44	1·42	4·53	2·50	·83	3·77	4·68	2·10	Year's Total 30.83	
* Days with .01 in. or more.	23	12	15	19	10	14	21	12	8	21	20	16	191	
* Days with .04 in. or more.	18	8	9	13	9	9	20	10	5	14	17	8	140	

† Spare column, no entries required.

(Signed) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2319 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1000

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Wolverhampton

in the County of Stafford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 430 ft.

Jan. Corrected for snow.

Feb. Total corrected for arithmetic.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·03		·06	·01	–	–	–	–	–	·42	–		1
2		·02		·24	–	–	·06	–	–	–	·59	·09		2
3		·18		·09	–	–	–	–	–	·24	·78	·10		3
4		·11		·25	–	–	·04	–	–	·06	·16	·05		4
5		·10		–	·03	–	·05	–	–	·06	·49	·15		5
6	·07	·24		–	–	–	–	–	–	·32	·16	·01		6
7	·01	·14		·03	·02	–	·19	–	·04	·01	–	–		7
8		·10		·01	·01	–	–	–	·01	15	·02	·22		8
9		–	·05	–	–	–	·12	·06	·04	·03	·32	·35		9
10		–	·15	–	–	·03	34	·02	02	05	·22	·23		10
11		–	·04	·02	–	·03	·03	–	–	–	·42	·08		11
12		·03	·02	–	–	·10	·38	·01	·10	–	·05	–		12
13		·04	·28	·08	–	–	–	07	·06	–	–	·05		13
14		·01		·09	·28	–	·02	·04	·14	·06	–	·22		14
15		–	·03	·02	·66	–	–	–	·08	·03	·12	–		15
16	(·05) ~~15~~	·39	·28	·01	–	–	·06	–	·11	73	·65	·02		16
17		–	·26	–	–	–	·03	–	–	–	·34	–		17
18	·23	·39	·16	·37	–	–	–	·06	·13	·07	·01	·10		18
19		·40	·11	·25	–	·01	·34	–	·09	–	·10	·02		19
20		·01		·02	–	–	·33	·04	–	·30	–	·01		20
21		–		–	·39	·49	03	·01	–	–	1·27	–		21
22		–	·03	·01	·29	·02	–	·03	·07	–	–	–		22
23		·09	·03	·22	·28	·04	–	–	·01	·01	–	–		23
24	·02	–		·01	–	–	·01	–	·01	·01	–	–		24
25	·03	–		·01	·01	·02	·09	–	–	–	–	–		25
26	1·23	·08	·03	·16	·03	–	·22	·02	–	·01	·05	–		26
27	(·72) ~~1·42~~	·12		·37	–	–	·21	·04	01	–	·10	–		27
28	(·76) ~~1·26~~	·30		·01	1·10	–	–	·01	–	–	–	–		28
29		–	·08	·29	–	–	·02	–	–	–	–	·24		29
30	·04	✕		·69	·06	·10	–	–	–	·33	–	·04		30
31	·13	✕	·02	✕	–	✕	–	–	✕	·94	✕	·01		31
													Year's Total	
Total	3·29	2·7~~9~~8	1·57	3·31	3·17	·84	2·57	·41	·92	3·41	6·27	1·99	30·53	✓
* Days with .01 in. or more.	11	19	15	23	13	9	19	12	15	18	19	18	191	✓
* Days with .04 in. or more.	8	14	9	13	7	4	13	6	10	12	17	13	126	✓

2·93

† Spare column, no entries required.

(Signed) R. A. H. Jolly

* See Instruction 3 (f) on other side.

[P.T.O.

2320

Section **A** for the entry of
AIR MINISTRY

FORM 1090.

REGIST

~~—~~

2320

TETTENHALL, THE HOLLIES

1931 — 40

780405

OPY FOR OFFICIAL USE.
ORGANIZATION.

Kept at The Hollies, Tetten
in the County of Stafford

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

llowing

Jan. 1, following

Date	Jan.	Feb.	March							Nov.	Dec.	Date
	in.	in.	in.							in.	in.	
1	·02	·02	—	·12	—	·03	—	—	·32	—	—	—	1
2	·01	·15	—	·83	·01	·12	·02	—	·35	·02	·02	05	2
3	·09	—	—	·01	·09	—	·05	—	·73	·02	·53	·06	3
4	—	—	—	·19	—	—	·48	·25	·18	—	·12	·01	4
5	·01	·04	—	·16	—	1·30	·18	·01	·16	—	—	·17	5
6	—	·16	—	·07	·09	·31	·01	·03	·02	·36	·17	·01	6
7	—	·01	—	·01	·01	·10	·26	·82	—	·04	·16	—	7
8	·08	·05	·01	·16	—	·08	·08	1·33	—	—	·21	—	8
9	·02	·39	—	·08	—	·07	—	·10	—	—	·32	—	9
10	—	—	—	·01	·03	·08	·01	·26	·10	—	·08	—	10
11	·14	·19	—	—	—	·04	·13	·01	·32	—	·07	·02	11
12	·02	·12	—	·05	·01	—	·70	·09	·21	—	·02	—	12
13	—	—	—	—	·03	·01	·02	·42	—	—	—	—	13
14	—	—	—	—	—	·47	·54	·87	·05	—	·41	—	14
15	·03	·09	—	·12	—	—	·09	·16	—	—	·02	·04	15
16	·04	·15	—	·18	·38	·90	·03	·31	·13	—	—	—	16
17	·13	·09	—	·27	1·19	·03	·02	—	·02	—	·09	—	17
18	·13	·05	—	·20	—	·17	·10	·15	—	—	·30	—	18
19	·02	·19	—	·01	—	·28	·14	·28	—	—	·01	—	19
20	·01	·03	·10	·01	—	—	·02	·29	·01	—	·02	·03	20
21	·20	—	—	·01	·60	—	—	·01	—	—	·21	—	21
22	·09	—	—	—	·02	—	—	·09	—	—	·01	—	22
23	·14	—	—	·27	·41	·03	·02	—	—	—	·13	·24	23
24	·01	—	—	·08	·34	—	·10	—	—	—	—	·01	24
25	·04	—	—	·85	—	—	·28	—	—	—	·03	—	25
26	·04	·02	—	·14	—	—	·04	—	—	—	·44	—	26
27	·09	·54	—	·05	·48	—	·01	—	—	·10	·13	·06	27
28	·16	·13	—	·10	·26	—	—	—	—	·02	—	·13	28
29	·03		—	·01	·12	—	·29	—	—	·47	—	—	29
30	—	×	—	·02	—	—	—	—	—	—	—	—	30
31	·26	×	—	×	·01	×	—	—	×	—	×	·02	31
TOTAL	1·81	2·42	·11	4·01	408	4·02	3·62	5·48	2·60	1·03	3·50	·85	YEAR'S TOTAL 33·53
*Days with ·01 in. or more.	24	18	2	26	17	16	·24	18	13	7	22	13	200
*Days with ·04 in. or more.	14	14	1	18	10	12	15	14	10	4	15	7	13 4

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Robt C Sikes M.Inst.C.E.

P.T.O.

2320

Section **A** for the entry of … OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH … ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at The Hollies, Tettenhall

in the County of Stafford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 355 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·02	—	·12	—	·03	—	—	·32	—	—	—	1
2	·01	·15	—	·83	·01	·12	·02	—	·35	·02	·02	05	2
3	·09	—	—	·01	·09	—	·05	—	·73	·02	·53	·06	3
4	—	—	—	·19	—	—	·48	·25	·18	—	·12	·01	4
5	·01	·04	—	·16	—	1·30	·18	·01	·16	—	—	·17	5
6	—	·16	—	·07	·09	·31	·01	·03	·02	·36	·17	·01	6
7	—	·01	—	·01	·01	·10	·26	·82	—	·04	·16	—	7
8	·08	·05	·01	·16	—	·08	·08	1·33	—	—	·21	—	8
9	·02	·39	—	·08	—	·07	—	·10	—	—	·32	—	9
10	—	—	—	·01	·03	·08	·01	·26	·10	—	·08	—	10
11	·14	·19	—	—	—	·04	·13	·01	·32	—	·07	·02	11
12	·02	·12	—	·05	·01	—	·70	·09	·21	—	·02	—	12
13	—	—	—	—	·03	·01	·02	·42	—	—	—	—	13
14	—	—	—	—	—	·47	·54	·87	·05	—	·41	—	14
15	·03	·09	—	·12	—	—	·09	·16	—	—	·02	·04	15
16	·04	·15	—	·18	·38	·90	·03	·31	·13	—	—	—	16
17	·13	·09	—	·27	1·19	·03	·02	—	·02	—	·09	—	17
18	·13	·05	—	·20	—	·17	·10	·15	—	—	·30	—	18
19	·02	·19	—	·01	—	·28	·14	·28	—	—	·01	—	19
20	·01	·03	·10	·01	—	—	·02	·29	·01	—	·02	·03	20
21	·20	—	—	·01	·60	—	—	·01	—	—	·21	—	21
22	·09	—	—	—	·02	—	—	·09	—	—	·01	—	22
23	·14	—	—	·27	·41	·03	·02	—	—	—	·13	·24	23
24	·01	—	—	·08	·34	—	·10	—	—	—	—	·01	24
25	·04	—	—	·85	—	—	28	—	—	—	·03	—	25
26	·04	·02	—	·14	—	—	·04	—	—	—	·44	—	26
27	·09	·54	—	·05	·48	—	·01	—	—	·10	·13	·06	27
28	·16	·13	—	·10	·26	—	—	—	—	·02	—	·13	28
29	·03		—	·01	·12	—	·29	—	—	·47	—	—	29
30	—	×	—	·02	—	—	—	—	—	—	—	—	30
31	·26	×	—	×	·01	×	—	—	×	—	×	·02	31
TOTAL	1·81	2·42	·11	4·01	408	4·02	3·62	5·48	2·60	1·03	3·50	·85	YEAR'S TOTAL 33·53
*Days with ·01 in. or more.	24	18	2	26	17	16	·24	18	13	7	22	13	200
*Days with ·04 in. or more.	14	14	1	18	10	12	15	14	10	4	15	7	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Robt C Sikes
M. Inst. C. E.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2320

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at "The Hollies" Tettenhall

in the County of Stafford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 355 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	—	·16	·67	·10	·13	·48	·04	·01	·02	—	1
2	·06	—	—	·14	·29	—	—	·01	·24	·12	—	·09	2
3	—	—	—	·23	·04	—	·04	·01	—	·02	—	·04	3
4	·10	—	—	·58	—	—	·01	—	—	—	·39	—	4
5	·28	—	·07	·01	·08	—	·04	·06	·13	—	—	—	5
6	·33	—	·02	·29	—	—	—	—	·32	—	—	—	6
7	—	—	·21	·29	—	—	—	—	·10	·69	—	—	7
8	—	—	—	·07	—	—	—	—	·27	·43	—	—	8
9	·23	·06	—	·01	·16	—	—	—	—	—	—	—	9
10	·37		—	·08	·05	—	—	—	·16	·38	—	—	10
11	·01	·01	—	·11	·26	·01	1·12	—	·02	·19	·01	—	11
12	·20	—	—	—	·13	—	—	—	·14	·35	·02	—	12
13	·08	·05	—	·04	·01	—	1·05	·05	·01	·03	·01	·05	13
14	·12	—	—	·02	—	—	·15	·13	—	·04	·11	—	14
15	—	—	—	·05	·82	—	·10	·01	—	·03	—	·02	15
16	·31	—	—	·08	·03	—	·10	—	—	—	—	—	16
17	—	—	—	—	·01	—	·24	—	·03	·09	—	—	17
18	—	—	—	—	·04	—	—	—	—	·01	·09	—	18
19	—	·01	—	·03	·06	—	—	—	—	·20	—	—	19
20	—	—	—	·07	·98	—	·09	1·63	—	·42	·09	—	20
21	—	—	·23	·19	·78	—	·03	·01	—	·24	·08	·10	21
22	—	—	·23	·04	·27	—	·43	—	·51	·04	·15	·01	22
23	—	·01	·01	·02	·37	—	·04	—	·15	·08	·04	·04	23
24	·08	—	—	—	·02	·03	·18	—	·05	·01	·46	—	24
25	·01	·02	—	—	·02	·10	·04	—	—	·17	·06	·01	25
26	—	·01	·07	·50	·24	—	·06	—	·14	·03	·05	—	26
27	—	—	·52	·14	·42	—	·01	—	—	—	·07	—	27
28	—	—	·46	·25	·31	·04	·19	·01	—	—	—	·01	28
29	—	—	·18	·19	·12	·08	·05	·01	·15	·55	·02	·14	29
30	·01	×	·11	·19	—	·41	·10	·20	·18	·34	·28	·09	30
31	—	×	·13	×	—	×	·98	—	×	—	×	·21	31
TOTAL	2·20	·17	2·24	3·78	6·18	·77	5·18	2·61	2·64	4·47	1·95	·81	YEAR'S TOTAL 33·00
*Days with ·01 in. or more.	15	8	12	25	24	7	22	12	17	23	17	12	194
*Days with .04 in. or more.	11	2	10	20	19	5	19	6	14	16	12	8	142

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. F. C. Sike
M Inst C.E.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2320

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Hollies, Lower St. Tettenhall

in the County of Stafford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 355 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29	·29	·03	—	—	—	—	—	—	—	·05	—	1
2	·18	—	·24	—	·03	—	—	—	—	—	·01	—	2
3	·02	·23	·13	—	·10	—	—	—	—	—	—	—	3
4	·13	—	·03	—	·19	—	—	—	—	—	—	—	4
5	·12	·07	·33	—	·07	—	—	—	—	—	·01	—	5
6	—	·41	·02	—	·14	—	—	—	—	·04	—	·01	6
7	·04	·25	·02	—	—	—	—	—	—	·27	—	·01	7
8	·02	—	·20	—	·05	—	·60	—	·01	—	—	—	8
9	—	—	—	·05	·09	—	·33	·05	—	·92	·02	—	9
10	·07	·18	—	—	—	·05	·03	·02	—	2·25	·16	—	10
11	·01	—	—	—	·10	—	·41	·01	—	·09	—	—	11
12	·01	—	—	—	·01	—	·22	—	—	·02	—	·06	12
13	—	—	—	—	·18	—	·08	—	·02	·10	·33	—	13
14	·02	—	—	—	—	—	·08	·09	—	·09	·13	—	14
15	·49	—	·01	—	—	·05	·08	—	—	·02	·09	·01	15
16	·10	—	·46	—	·01	·09	·01	·02	—	·09	·02	·01	16
17	·07	—	·25	—	—	·17	—	—	·05	—	·01	—	17
18	·06	—	·04	—	—	·08	—	—	—	—	·01	—	18
19	—	—	·29	—	—	·18	·08	—	·35	—	·07	—	19
20	—	·02	·07	—	—	·01	—	·27	·05	—	·01	—	20
21	—	—	—	—	—	·63	—	·12	—	·01	·01	—	21
22	—	—	—	—	—	·59	—	·34	—	·25	—	—	22
23	—	·01	—	·21	—	·03	—	—	·06	·16	—	—	23
24	—	·85 (1	—	·13	·04	·71	—	—	·14	·03	—	—	24
25	—	·53	—	·15	—	·25	—	—	·01	—	—	·08	25
26	—	·70	—	·10	23	—	—	—	·08	·27	—	—	26
27	—	—	—	—	·21	—	—	—	·09	·02	—	·04	27
28	—	—	—	·17	—	—	·01	—	·01	·03	—	·05	28
29	·06	·05	—	·03	—	—	·10	—	—	—	—	·03	29
30	·06	×	·07	—	—	—	·06	—	—	·10	—	·14	30
31	·07	×	·43	×	—	×	·01	·06	×	·30	×	—	31
TOTAL	1·82	3·59	2·57	·84	1·45	2·84	2·10	·98	·87	5·06	·93	·44	YEAR'S TOTAL 23·49
*Days with ·01 in. or more.	18	12	16	7	14	12	14	9	11	19	14	10	156
*Days with ·04 in. or more.	13	10	10	6	11	10	10	6	7	13	6	5	107

40-9999

*See Instruction 2 (*f*) on other side.

0

(*Signed*) Robt C Sikes

P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.**

Station No. 2320

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at "The Hollies" Lower St. Tettenhall. Wolverhampton

in the County of Staffs.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 355 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	—	—	—	—	—	—	·15	·01	·08	·13	·41		1
2	·01	— tr	·09	—	—	—	—	·13	·20	—	·12	·12		2
3	·08	·04	—	—	—	—	—	·04	—	·09	—	·07		3
4	·08	—	·11	·02	·26	—	—	·01	·01	·12	·02	·25		4
5	·01	—	·11	·01	·06	—	—	·78	—	—	·18	·03		5
6	—	—	·11	—	·35	·04	—	·03	—	·10	—	·54		6
7	·11	·01	—	—	—	·04	—	·07	—	·05	·03	·21		7
8	—	—	—	—	·06	—	—	·01	·01	—	·30	·08		8
9	—	—	·12	—	—	—	—	·16	—	—	·54	·13		9
10	·04	—	·13	·32	—	—	—	·15	—	·01	·09	—		10
11	·54	—	·16	·15	—	—	·03	·03	—	—	·01	·20		11
12	—	—	·18	·02	—	—	·63	·17	—	—	—	—		12
13	·42	—	·01	·08	—	—	·11	·01	—	·01	—	·13		13
14	·12	—	·27	—	01	—	—	—	·05	·22	·39	·07		14
15	·01	—	·09	—	·09	—	—	—	·13	·49	·24	·13		15
16	19	—	·11	—	·03	—	—	—	—	·07	·07	—		16
17	·04	—	·12	·01	·06	—	·06	·13	·29	·07	·01	·17		17
18	·27	—	·01	·22	—	·02	—	·01	·07	—	—	·08		18
19	—	—	·23	·19	—	·18	—	·01	·09	·03	—	·19		19
20	—	—	·33	·10	—	·02	—	—	·04	·01	—	·01		20
21	·01	—	·01	—	—	·23	—	·01	·02	·02	—	·01		21
22	—	—	·01	·01	—	—	—	·23	·17	·01	—	·17		22
23	—	—	·07	·30	·04	·12	·04	·01	·02	—	·03	03		23
24	—	·26	·04	—	·01	·03	·01	—	·21	—	—	·01		24
25	·18	·01	—	·02	·03	·43	—	—	·01	·23	—	·35		25
26	·22	— tr	13	·18	—	·05	—	—	·02	·01	—	·15		26
27	·04	—	—	·40	—	·02	·01	—	·01	·05	·02	·14		27
28	·02	—	—	·34	—	·09	·01	·15	·04	—	·02	·36		28
29	—		—	—	—	—	·27	·04	·43	·01	—	·02		29
30	·04	×	—	—	—	—	·01	·04	·04	—	—	·27		30
31	—	×	—	×	—	×	·08	·04	×	·23	×	·21		31
TOTAL	2·52	·32	2·44	2·37	1·00	1·27	1·26	2·41	1·87	1·91	2·20	4·54	Year's Total. 2411	
* Days with .01 in. or more.	20	4	21	16	11	12	11	23	20	20	16	28	202	
* Days with .04 in. or more.	·15	2	17	10	7	8	6	14	12	12	9	22	134	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R C Sikes

[P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 2320

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Hollies, Tettenhall, Wolverhampton

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 355 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·02	—	·01	·01	·02	·03	—	·01	·43	·06	—		1
2	—	—	—	—	—	·12	·02	—	·16	·26	·02	·12		2
3	·02	·30	·08	·06	—	·05	·01	—	·42	·23	·26	·23		3
4	—	—	—	·15	—	·07	—	—	·01	·62	—	·12		4
5	—	·52	·17	·06	—	·75	·07	—	—	—	·13	·01		5
6	—	—	—	·25	—	·55	—	—	—	—	—	—		6
7	—	—	—	·25	—	·21	—	—	—	·07	·34	·17		7
8	—	—	—	·17	—	·02	—	—	—	·15	·22	·15		8
9	—	—	—	·18	—	·28	—	—	—	·31	·33	—		9
10	·01	—	—	·17	—	—	—	—	—	—	·08	—		10
11	·23	—	—	—	—	·14	—	—	—	—	·17	·01		11
12	·09	·01	—	—	—	·11	—	·05	—	—	—	—		12
13	·19	·02	—	·12	·18	·03	—	—	·19	—	·01	—		13
14	·02	—	·01	·16	·02	·04	—	—	·14	—	1·19	·14		14
15	—	·03	—	·48	·07	·01	—	—	·13	—	·06	·15		15
16	—	·11	·14	·39	—	·03	—	—	·44	·37	·58	·07		16
17	—	—	—	·22	—	·10	·18	·03	—	—	·57	—		17
18	—	—	—	·40	·08	·05	—	—	·16	·05	·03	—		18
19	—	—	—	·40	·46	·39	·13	—	·04	·24	·28	·01		19
20	·01	·14	—	·37	—	·04	·06	—	·01	—	·54	—		20
21	—	·32	—	—	—	—	—	—	·23	—	·07	—		21
22	—	·12	·02	·02	—	—	—	·02	·01	—	—	—		22
23	·01	·01	·12	—	—	—	—	·37	·16	·57	—	·04		23
24	·07	·41	·02	—	—	—	—	·01	·89	·03	—	·33		24
25	·13	·26	—	·08	—	·93	—	—	—	—	—	·03		25
26	—	·10	—	—	—	—	—	·83	·23	—	·08	·37		26
27	—	·09	—	—	·04	—	—	—	·05	·02	·22	·36		27
28	·03	·05	—	—	·24	—	—	·33	·15	·07	·05	·05		28
29	—	✕	·06	—	—	—	—	—	·08	·02	·11	·16		29
30	·02	✕	—	·13	—	·02	—	·11	01	·19	·41	·11		30
31	—	✕	—	✕	—	✕	—	—	✕	·31	✕	·17		31
TOTAL	·91	2·51	·62	3·77	1·10	3·96	·50	1·75	3·52	3·94	5·81	2·80	Year's Total 31·19	
* Days with .01 in. or more.	13	16	8	20	8	21	7	8	20	17	23	20	181	
* Days with .04 in. or more.	6	11	5	18	6	15	4	5	15	14	20	16	135	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Robt. C Sikes [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations **Station No.** 2320

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at The Hollies Lower St Tettenhall

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 355 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·14	·07	·50	—	·19	·13	·20	·01	—	·10	·11		1
2	·12	·01	·01	·07	—	·18	1·03	·01	—	—	·13	—		2
3	·02	—	·01	—	—	·03	·05	·02	·51	—	·01	·01		3
4	—	—	·11	—	—	·47	—	—	·55	—	·19	·07		4
5	·20	·15	·01	—	—	—	·03	·08	·07	—	—	·20		5
6	·08	—	—	—	·15	·05	·16	·16	·12	—	·09	·08		6
7	—	—	·01	—	—	—	·65	—	·29	—	·14	·05		7
8	·13	—	·07	—	—	—	·08	—	·03	—	·32	·05		8
9	·31	—	·22	—	—	·01	1·53	—	·14	—	—	·01		9
10	·01	—	·01	—	—	—	·32	—	·01	—	·02	[illegible]		10
11	—	—	—	·01	—	·05	·33	—	·08	—	·65	—		11
12	—	—	—	·02	·16	·28	·53	·01	42	—	·16	·11		12
13	—	—	—	·03	—	·16	—	·01	—	·08	—	·44		13
14	—	—	—	·16	—	·12	·15	·01	·20	—	·05	·29		14
15	·10	—	—	·02	·25	·03(6)	·02	·01	—	—	·11	·10		15
16	·09	·11	—	·05	·17	—	·04	—	—	—	·44	·01		16
17	·01	·43	—	—	—	—	·09	—	—	·10	·04	·31		17
18	—	·11	—	—	·02	·19	·36	·01	—	·24	—	—		18
19	·44	·23	·03	·44	—	·02	—	·05	—	·08	—	—		19
20	—	·15	·01	—	—	·01	·02	—	—	·03	—	—		20
21	—	—	—	·13	—	1·85	·02	—	—	—	—	·08		21
22	—	·45	·05	—	·09	·02	·23	—	—	—	—	—		22
23	—	·07	·29	·05	·01	—	·22	—	—	·04	—	—		23
24	·33	·02	—	·03	·06	—	—	—	·22	·27	·01	—		24
25	·09	—	·07	·54	·01	—	·07	—	·66	—	—	—		25
26	·05	·06	·37	·01	—	—	·14	—	·01	·07	—	—		26
27	·15	·05	·04	—	—	—	·01	—	·20	·10	—	—		27
28	·41	·18	·12	·01	—	—	·07	—	—	·08	·02	·03		28
29	·01	·33	·06	—	—	·17	·04	—	—	·03	·03	·08		29
30	·06	×	—	—	·17	·02	·23	—	—	·53	·02	—		30
31	·42	×	·10	×	—	×	·02	—	×	·04	×	·33		31
TOTAL	3·16	2·49	1·66	2·07	1·09	3·85	6·57	·57	3·52	1·69	2·53	2·36	Year's Total 31·56	
* Days with .01 in. or more.	20	15	19	15	10	18	27	11	16	13	18	18	200	
* Days with .04 in. or more.	16	13	12	8	7	11	21	4	12	11	12	14	141	

† Spare column, no entries required.

(Signed) Rob. C. Sike

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2320

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Hollies, Lower St, Tettenhall
in the County of Stafford Wolverhampton
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 355 ft.

~~Total~~ ✓ JH

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·03	·01	—	—	—	—	—	·05	—	·06	·10		1
2	—	·08	·01	·60	—	—	·01	—	—	—	—	·47		2
3	—	·07	·04	—	·08	·06	·05	—	—	—	—	·03		3
4	·10	·11	·03	—	·22	·01	—	·03	—	—	—	·68		4
5	·12	—	·18	—	—	—	—	—	—	—	—	—		5
6	·07	—	·01	·05	·12	—	·04	—	—	—	—	—		6
7	—	·66	—	·11	·01	·05	—	—	—	—	—	—		7
8	—	·10	—	·06	·06	·01	·04	—	·01	—	·29	—		8
9	—	—	—	·02	12	—	·48	·01	·15	—	—	—		9
10	·02	·06	·50	·01	—	·10	—	—	—	—	—	·15		10
11	—	·01	·38	—	·25	·31	·02	—	—	—	—	·10		11
12	·10	·33	·15	—	·29	·01	—	—	·16	—	—	·20		12
13	·06	·03	—	·06	·01	·01	—	·36	·44	—	—	·06		13
14	—	·01	·22	—	—	—	—	·14	·02	—	·04	·18		14
15	·10	·06	·01	·26	—	—	1·54	·01	·12	—	—	·01		15
16	—	·11	·44	·45	·04	—	—	·10	·09	—	—	—		16
17	·13	·08	·17	·12	—	·05	—	—	·30	—	—	—		17
18	·77	·07	·11	·01	—	—	·01	—	1·13	—	·39	·03		18
19	·03	·04	·04	·11	·04	·10	·03	—	·01	—	·07	—		19
20	·29	—	—	·34	·34	—	·03	—	—	—	—	·02		20
21	·07	·20	·04	·07?	—	—	·24	—	—	·01	—	·06		21
22	·07	·15	·10	—	·03	·03	·29	—	—	·58	·34	·05		22
23	·21	·01	—	—	·07	—	·02	—	—	·40	·13	—		23
24	·12	·44	·03	—	·05	—	·01	—	·07	·33	—	·01		24
25	—	·31	—	—	·07	—	—	—	·01	·10	—	·04		25
26	—	·21	·12	—	·48	—	—	—	—	—	—	·02		26
27	—	·43	·01	·26	—	—	—	—	—	·47	—	·01		27
28	—	·15	—	—	—	—	—	—	—	·07	—	·04		28
29	·02	×	—	—	—	·03	—	—	—	·03	·06	·02		29
30	·30	×	—	—	—	·01	—	·45	·02	·01	·08	·01		30
31	·33	×	—	×	—	×	—	—	×	·13	×	·01		31
TOTAL	2·93	3·75	2·60	2·53	2·28	·78	2·81	1·10	2·58	2·13	1·46	2·30	Year's Total 27·25	✓ ✓
* Days with .01 in. or more.	19	24	20	15	17	13	14	7	14	10	9	22	184	✓ ✓
* Days with .04 in. or more.	15	19	13	12	14	6	7	4	9	7	9	12	127	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Robt C. Sikes
M Inst C E.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2320

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Hollies, Lower St, Tettenhall, Wolverhampton

in the County of Staffs.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 355 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	·04	—	·01	·28	·06	·01	·01	·08	01	·23		1
2	—	—	—	·08	·03	·21	—	—	—	·16	—	·02		2
3	—	—	—	—	·05	·08	·01	—	·02	·40	—	—		3
4	—	—	—	—	—	·03	·07	·13	—	·02	—	·26		4
5	—	—	—	—	—	— tr	·06	·55	·09	·04	—	—		5
6	·11	—	—	—	—	·01	·79	·04	·03	·10	—	·02		6
7	·02	—	—	—	—	—	·45	·17	·02	·10	—	·09		7
8	·37	—	—	—	—	—	·23	·51	—	·28	—	·05		8
9	06	·06	—	—	·02	·04	·10	·28	—	—	—	·28		9
10	01	·08	—	—	—	·13	·34	·03	—	—	—	·12		10
11	·58	·03	—	—	—	—	·05	·53	·02	—	·16	·07		11
12	·08	·01	—	—	·07	—	—	·04	—	·21	·34	—		12
13	—	— tr	—	—	—	—	—	—	—	·01	·18	·30		13
14	·17	— tr	—	—	·01	—	57	—	·01	—	—	—		14
15	03	—	—	—	·08	—	·24	·01	—	—	·01	·21		15
16	·33	—	—	—	·01	—	—	·05	—	·02	·11	·10		16
17	—	·01	—	—	·22	—	·02	·01	·04	·08	—	·01		17
18	·02	—	—	—	·15	·05	—	·23	·86	·08	·29	—		18
19	—	—	—	—	—	—	—	·23	—	—	·01	·01		19
20	·01	—	—	—	—	—	—	—	·02	—	·41	—		20
21	·04	—	—	— tr	—	—	—	·02	·18	—	·05	·21		21
22	—	—	—	·07	—	·14	—	—	—	—	·38	·11		22
23	—	—	—	—	·01	—	—	—	·12	—	·01	—		23
24	—	—	·21	—	·12	—	—	·36	·03	—	·01	·01		24
25	·04	·08	·04	—	·09	·01	·02	·10	·01	·23	·76	·16		25
26	·06	·30	·19	—	·02	·11	—	—	·02	·40	—	·06		26
27	·06	— tr	—	—	·25	08	·20	·42	·07	·01	·33	—		27
28	·23	·08	—	—	·02	·14	·09	·23	·01	—	·04	·26		28
29	·40	✕	—	—	·39	·12	·01	—	·05	·10	·07	·15		29
30	·05	✕	—	—	·03	·03	—	—	48	—	12	·16		30
31	·10	✕	—	✕	·13	✕	—	—	✕	12	✕	·21		31
TOTAL	2·77	·65	·48	·15	1·71	1·46	3·31	3·95	2·09	2·44	3·29	3·10	Year's Total 25·40	✓
* Days with .01 in. or more.	20	8	4	2	19	15	17	20	19	18	18	23	183	✓
* Days with .04 in. or more.	15	5	4	2	10	11	13	15	8	14	13	18	128	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Robt. C Sikes

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 23~~20~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Hollies, Lower St. Tettenhall
in the County of Staffordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 355 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	—	—	·10	·02	—	—	—	—	—	—	·03		1
2	·13	—	—	·04	—	—	·06	·40	·43	·01	—	—		2
3	·31	—	~~—~~	·33	—	—	—	·15	·01	—	·12	·54		3
4	·20	—	·16	·40	·10	—	·31	·11	·05	·24	·09	·18		4
5	—	—	—	·03	·21	—	·14	·13	·01	·03	·40	·01		5
6	·55	—	—	—	—	—	·50	—	—	—	·29	—		6
7	·01	·07	—	—	·17	—	·37	·03	—	·12	·33	·39		7
8	·01	·07	·37	—	—	—	·37	·31	—	·52	·48	·08		8
9	·03	·06	·01	—	—	—	·02	·34	—	·37	—	·23		9
10	·62	—	·04	—	—	—	—	·01	·09	·18	—	·01		10
11	·04	·02	·16	—	—	·18	—	·05	—	—	—	—		11
12	—	·04	—	—	—	·04	—	·01	—	—	—	—		12
13	—	—	·04	·16	·04	·02	·11	—	·07	·04	—	—		13
14	·36	—	·02	·06	·31	·12	·14	—	—	·11	·30	—		14
15	·39	—	(?)02	·10	·19	·35	·36	—	—	—	·15	—		15
16	·01	—	·08	—	·34	—	—	—	—	·19 ✓	·12	—		16
17	·44	·02	—	— tr	—	·06	·07	—	—	1·20	·08	—		17
18	·24	·09	·07	—	—	·32	·07	—	—	—	·69	—		18
19	·19	—	—	—	—	—	·56	—	—	—	·03	·01		19
20	·24	—	·01	—	—	·01	— tr	·02	—	—	—	—		20
21	·20	·14	·20	·02	·14	—	·04	·31	·11	—	—	—		21
22	·31	·24	·01	·04	—	—	·17	—	·01	·02	·52	—		22
23	·11	·01	—	·04	—	—	·08	—	—	·13	·61	—		23
24	·15	—	·03	·16	—	04	·24	—	—	·24	—	—		24
25	·67	·09	—	·01	—	—	·16	·02	—	·03	·13	·01		25
26	·02	—	—	·02	—	—	—	—	—	—	·31	·11		26
27	—	·05	·14	— tr	—	·03	·08	—	—	·07	·01	·17		27
28	—	·04	·15	·02	—	·12	·25	—	—	—	·15	·02		28
29	—	—	—	10	—	·04	·34	·40	—	·16	·02	—		29
30	—	✕	—	·03	—	·07	—	—	—	—	·08	·03		30
31	—	✕	—	✕	—	✕	—	·13	✕	·01	✕	·01		31
TOTAL	5·34	94	1·51	1·66	1·52	1·40	4·44	2·42	·78	3·67	491	1·83	Year's Total 30·42	✓
* Days with .01 in. or more.	23	13	16	17	9	13	21	15	8	18	20	15	188	✓
* Days with .04 in. or more.	18	10	10	11	8	10	20	10	5	13	17	7	1·39	✓

† Spare column, no entries required.

(*Signed*) Robt. C. Sikes M.Inst.C.E.

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2320~~96013~~ ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at THE HOLLIES LOWER ST. TETTENHALL

in the County of STAFFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 355 ft.

July 20th–31st estd from nearby stns.

Type. Obsr. deceased. Record T.

200,20/40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	·06	·01	—	—							1
2	—	·03s	—	·23	—	—	·04							2
3	—	·15	—	·06	—	—	—							3
4	—	·02	—	·23	—	—	·07							4
5	—	—	—	—	·03	—	·12							5
6	·08	·25	—	—	·02	—	—							6
7	—	·14	—	·02	·02	—	·14							7
8	—	—	—	·01	—	—	—							8
9	—	—	·06	—	=	— +	·19							9
10	—	—	·15	—	—	·05	·35							10
11	—	—	·03	·02	—	·01	·01							11
12	—	·03s 1"	·04	—	—	·08	·42							12
13	—	·01s 1"	·28s 1"	·07	—	—	—							13
14	—	—	·01s	·07	·29	—	·01							14
15	—	—	·04	·03	·66T	—	—							15
1"s. 16	·04s	·27s 3"	·33	—	—	—	·06							16
17	—	—	·26	—	—	—	·03							17
2" 18	·12s	Min 16° ·62s	·15	·38s	—	—	—							18
19	—	·24	·10	·22	—	—	·24							19
20	—	—	—	·01	—	—	✗ ~~4~~							20
Min 4° 21	—	—	—	—	·41	·46	✓							21
22	—	—	·01	·01	·28	—								22
23	—	·09	·03	·18	·25T	·02								23
Min 12° 24	—	—	—	·01?	—	—	(·90)							24
S 25	·02	—	—	—	—	·02	✗							25
2"s. 26	1·26	·09	·07	·06T	·03	—	✗							26
8" deeps 27	·97	·08	—	·30TS	—	·12	✗							27
16" deeps? 28	·69	·32	—	·01	1·00T.	—								28
29	—	—	·08	·25	—	—	✓							29
30	·03	✗	—	·67TS	·07	—								30
31	·10	✗	·03	✗	—	✗			✗		✗			31
TOTAL	3·31	2·34	1·67	2·90	3·07	·76	2·58						Year's Total "	wp
* Days with .01 in. or more.	9	14	16	21	12	7	18						"	Temp
* Days with .04 in. or more.	7	10	11	13	7	4	13						"	WH

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) per pro R. C. Sikes
Chas. Sikes

[P.T.O.

2321

Section **A** for the entr
AIR MINI
FORM 1090.
REG
Kept at : Tettenhall Wo
in the County of St
Diameter of Funnel of Gauge.
Height of top of Gauge above G
,, Ground ,, S
THE MORNING ME
An observer who does not confor
year in the space on the right

2321

TETTENHALL, WATERWORKS

1931 — 40

780405

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.
931 .
ig
DAY.
the following

Jan. 1, following

Date	Jan.	Feb.	Mar							Oct.	Nov.	Dec.	Date
	in.	in.	in							in.	in.	in.	
1	.02	Trace	—	.12	Trace	.03	Trace	Trace	.28	Trace	—	Trace	1
2	Trace	.16	—	.83	.08	.10	.02	Trace	.35	.03	.03	.04	2
3	.05	Trace	—	.02	—	Trace	.05	—	.68	.02	.56	.07	3
4	—	Trace	—	.18	Trace	—	.45	.30	.17	Trace	.13	Trace	4
5	—	.03	—	.16	.07	1.25	.34	.01	.17	Trace	Trace	.17	5
6	—	.19	Trace	.06	Trace	.35	Trace	.03	.02	.36	.18	Trace	6
7	—	Trace	Trace	Trace	Trace	.10	.37	.76	—	.05	.15	.01	7
8	.10	.06	Trace	.16	—	.07	.07	1.32	—	Trace	.28	—	8
9	.04	.40	Trace	.08	Trace	.07	Trace	.10	—	—	.33	Trace	9
10	Trace	Trace	Trace	—	.02	.06	Trace	.20	.09	—	.07	Trace	10
11	.11	.18	—	—	—	.02	.11	Trace	.29	—	.06	.03	11
12	.02	.07	—	.04	—	Trace	.68	.05	.26	Trace	.02	Trace	12
13	—	—	Trace	Trace	.01	Trace	.02	.35	Trace	—	—	—	13
14	Trace	.11	Trace	Trace	.04	.44	.57	.79	.04	—	.41	Trace	14
15	.03	.15	—	.10	.02	Trace	.08	.15	Trace	—	Trace	.04	15
16	.04	.08	—	.16	.43	.95	.04	.25	.12	—	—	Trace	16
17	.10	.02	—	.21	1.12	.03	.02	Trace	.03	Trace	.09	—	17
18	.14	Trace	Trace	.20	—	.16	.09	.16	Trace	Trace	.34	—	18
19	.02	.12	Trace	.01	—	.17	.26	.26	.01	Trace	Trace	—	19
20	Trace	.03	.08	.01	—	Trace	Trace	.32	—	Trace	.02	Trace	20
21	.19	—	Trace	Trace	.59	—	Trace	.01	—	—	.22	Trace	21
22	.06	—	.01	Trace	.02	Trace	Trace	.08	—	—	Trace	—	22
23	.16	Trace	—	.29	.43	.03	.02	Trace	Trace	—	.13	.27	23
24	Trace	Trace	Trace	.12	.34	Trace	.09	—	Trace	—	Trace	Trace	24
25	.03	Trace	—	.83	—	—	.39	—	Trace	—	.03	Trace	25
26	Trace	.03	—	.13	—	Trace	.04	—	Trace	—	.42	Trace	26
27	.12	.55	—	.08	.50	—	Trace	—	Trace	.09	.13	.04	27
28	.15	.12	Trace	.09	.24	Trace	Trace	—	—	.02	Trace	.09	28
29	.01	✕	Trace	Trace	.15	—	.31	—	Trace	.46	Traces	Trace	29
30	Trace	✕	—	.03	Trace	Trace	Trace	—	Trace	—	—	.01	30
31	.26	✕	—	✕	Trace	✕	Trace	—	✕	Trace	✕	.02	31
TOTAL	1.65	2.30	.09	3.91	4.06	3.83	4.02	5.14	2.51	1.03	3.55	.79	YEAR'S TOTAL 32.88
*Days with ·01 in. or more.	19	16	2	22	15	15	20	17	13	7	19	11	176
*Days with ·04 in. or more.	13	12	1	18	11	11	16	14	10	4	15	7	132

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)
Water Engineer & Manager

[P.T.O.

Section **A** for the ent

2321

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at : Tettenhall Water Works

Wolverhampton Corporation Water Undertaking

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 468 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	Trace	—	.12	Trace	.03	Trace	Trace	.28	Trace	—	Trace	1
2	Trace	.16	—	.83	.08	.10	.02	Trace	.35	.03	.03	.04	2
3	.05	Trace	—	.02	—	Trace	.05	—	.68	.02	.56	.07	3
4	—	Trace	—	.18	Trace	—	.45	.30	.17	Trace	.13	Trace	4
5	—	.03	—	.16	.07	1.25	.34	.01	.17	Trace	Trace	.17	5
6	—	.19	Trace	.06	Trace	.35	Trace	.03	.02	.36	.18	Trace	6
7	—	Trace	Trace	Trace	Trace	.10	.37	.76	—	.05	.15	.01	7
8	.10	.06	Trace	.16	—	.07	.07	1.32	—	Trace	.28	—	8
9	.04	.40	Trace	.08	Trace	.07	Trace	.10	—	—	.33	Trace	9
10	Trace	Trace	Trace	—	.02	.06	Trace	.20	.09	—	.07	Trace	10
11	.11	.18	—	—	—	.02	.11	Trace	.29	—	.06	.03	11
12	.02	.07	—	.04	—	Trace	.68	.05	.26	Trace	.02	Trace	12
13	—	—	Trace	Trace	.01	Trace	.02	.35	Trace	—	—	—	13
14	Trace	.11	Trace	Trace	.04	.44	.57	.79	.04	—	.41	Trace	14
15	.03	.15	—	.10	.02	Trace	.08	.15	Trace	—	Trace	.04	15
16	.04	.08	—	.16	.43	.95	.04	.25	.12	—	—	Trace	16
17	.10	.02	—	.21	1.12	.03	.02	Trace	.03	Trace	.09	—	17
18	.14	Trace	Trace	.20	—	.16	.09	.16	Trace	Trace	.34	—	18
19	.02	.12	Trace	.01	—	.17	.26	.26	.01	Trace	Trace	—	19
20	Trace	.03	.08	.01	—	Trace	Trace	.32	—	Trace	.02	Trace	20
21	.19	—	Trace	Trace	.59	—	Trace	.01	—	—	.22	Trace	21
22	.06	—	.01	Trace	.02	Trace	Trace	.08	—	—	Trace	—	22
23	.16	Trace	—	.29	.43	.03	.02	Trace	Trace	—	.13	.27	23
24	Trace	Trace	Trace	.12	.34	Trace	.09	—	Trace	—	Trace	Trace	24
25	.03	Trace	—	.83	—	—	.39	—	Trace	—	.03	Trace	25
26	Trace	.03	—	.13	—	Trace	.04	—	Trace	—	.42	Trace	26
27	.12	.55	—	.08	.50	—	Trace	—	Trace	.09	.13	.04	27
28	.15	.12	Trace	.09	.24	Trace	Trace	—	—	.02	Trace	.09	28
29	.01	X	Trace	Trace	.15	—	.31	—	Trace	.46	Trace	Trace	29
30	Trace	X	—	.03	Trace	Trace	Trace	—	Trace	—	—	.01	30
31	.26	X	—	X	Trace	X	Trace	—	X	Trace	X	.02	31
TOTAL	1.65	2.30	.09	3.91	4.06	3.83	4.02	5.14	2.51	1.03	3.55	.79	YEAR'S TOTAL 32.88
*Days with ·01 in. or more.	19	16	2	22	15	15	20	17	13	7	19	11	176
*Days with ·04 in. or more.	13	12	1	18	11	11	16	14	10	4	15	7	132.

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

Water Engineer & Manager

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Tettenhall Waterworks
Wolverhampton Corporation Water Undertaking
in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft 10 in.
„ Ground „ Sea Level 468 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	Trace	—	·13	·65	·09	·11	·65	·04	·01	·02	Trace	1
2	·05	·01	—	·10	·26	—	Trace	·01	·23	·11	Trace	·09	2
3	—	·01	—	·21	·04	—	·04	Trace	Trace	·03	Trace	·05	3
4	·11	Trace	—	·53	Trace	—	Trace	Trace	Trace	—	·39	Trace	4
5	·28	Trace	·05	·01	·07	Trace	Trace	·04	·13	—	—	Trace	5
6	·33	—	Trace	·29	Trace	—	·04	Trace	·33	Trace	—	—	6
7	Trace	—	·20	·29	Trace	—	Trace	—	·09	·71	Trace	Trace	7
8	—	Trace	Trace	·11	Trace	—	—	—	·27	·41	—	—	8
9	·25	SNOW 7/8" ·04	—	Trace	·16	—	—	—	Trace	—	—	—	9
10	·40	SNOW 1/4 ·02	Trace	·08	·05	Trace	—	—	·14	·38	Trace	—	10
11	Trace	SNOW 1/8 ·01	Trace	SNOW 1/4" ·09	·25	Trace	1·41	Trace	·02	·15	·01	·01	11
12	·21	Trace	—	Trace	·13	Trace	Trace	—	·13	·34	·02	—	12
13	·07	·03	—	·04	·01	Trace	·91	·06	·01	·03	·02	·04	13
14	·17	Trace	—	·02	Trace	—	·16	·11	Trace	·03	·12	Trace	14
15	Trace	—	—	·04	·68	—	·12	Trace	—	·02	Trace	·02	15
16	·33	—	Trace	·08	·04	—	·07	—	—	Trace	Trace	Trace	16
17	—	—	Trace	Trace	—	—	·26	—	·03	·07	Trace	Trace	17
18	—	—	—	—	·03	—	Trace	—	Trace	·01	·09	Trace	18
19	—	Trace	—	·03	·04	—	Trace	Trace	Trace	·20	Trace	—	19
20	—	—	—	·06	·96	—	·10	1·68	—	·41	·10	Trace	20
21	—	Trace	·24	·16	·71	—	·01	·02	—	·25	·09	·10	21
22	·01	—	·23	·04	·27	—	·33	—	·48	·04	·14	·01	22
23	—	·01	—	·01	·35	—	·04	—	·16	·08	·04	·03	23
24	·07	Trace	—	Trace	·03	·05	·19	—	·05	Trace	·47	Trace	24
25	·02	·03	—	Trace	Trace	·01	·03	—	Trace	·15	·06	·01	25
26	—	Trace	·07	·48	·21	—	·05	Trace	·13	·03	·04	Trace	26
27	—	—	·50	·13	·39	—	Trace	—	—	Trace	·06	Trace	27
28	—	Trace	·47	·23	·28	·03	·20	Trace	—	—	Trace	·01	28
29	—	Trace	·18	·21	·12	·07	·04	·02	·153	·53	·02	·16	29
30	·01	×	·10	·16	Trace	·42	·10	·22	·24	·29	·28	·07	30
31	—	×	·15	×	·01	×	·79	—	×	Trace	×	·23	31
TOTAL	2·33	·16	2·19	3·53	5·74	·67	5·00	2·81	2·63	4·28	1·97	·83	YEAR'S TOTAL 32·14
*Days with ·01 in. or more.	15	8	10	24	23	6	20	9	17	22	17	13	184
*Days with ·04 in. or more.	11	1	10	20	19	4	18	6	14	15	12	7	137

40-9999
*See Instruction 2 (*f*) on other side.

(Signed) B M McMillan

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at TETTENHALL WATERWORKS
WOLVERHAMPTON CORPORATION WATER UNDERTAKING.
in the County of STAFFORDSHIRE

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground - ft 10 in.
,, Ground ,, Sea Level 468 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	·28	·03	Trace	-	-	-	-	Trace	-	·06	-		1
2	·16	-	·22	-	·02	Trace	-	Trace	-	Trace	Trace	-		2
3	·03	·24	·14	-	·10	-	-	-	-	-	-	-		3
4	·13	Trace	·03	-	·23	-	-	Trace	-	-	-	-		4
5	·12	·06	·33	-	·10	-	-	-	-	-	·01	-		5
6	-	·45	·01	Trace	·16	-	-	-	-	·05	Trace	Trace		6
7	·03	·21	·02	-	Trace	-	Trace	Trace	-	·29	Trace	·03		7
8	·03	Trace	·22	·02	·06	Trace	·68	-	Trace	Trace	Trace	-		8
9	-	-	Trace	·03	·11	Trace	·26	·05	-	·95	·02	-		9
10	·08	·22	-	-	Trace	·06	·11	Trace	-	2·23	·18	-		10
11	Trace	-	-	-	·07	Trace	·46	·01	-	·09	-	-		11
12	Trace	-	-	Trace	·01	Trace	·22	-	Trace	·03	-	·06		12
13	Trace	-	-	-	·17	Trace	·08	-	Trace	·10	·32	-		13
14	·02	-	-	-	Trace	-	·08	·08	-	·09	·13	-		14
15	·48	-	Trace	-	-	·07	·03	Trace	-	·02	·09	·01		15
16	·12	Trace	·42	Trace	·01	·09	·03	·02	-	·06	·02	·01		16
17	·07	Trace	·24	Trace	·01	·15	Trace	Trace	·05	-	·01	Trace		17
18	·07	Trace	·04	-	Trace	·08	-	Trace	-	-	·01	-		18
19	Trace	Trace	·29	Trace	-	·19	·06	Trace	·52	-	·06	Trace		19
20	-	·02	·02	-	-	·01	-	·22	·05	Trace	·01	-		20
21	-	Trace	-	-	-	·67	Trace	·10	Trace	·03	·01	Trace		21
22	-	-	-	·01	-	·32	-	·36	-	·24	Trace	-		22
23	-	·01	-	·19	-	·03	-	Trace	·05	·17	-	-		23
24	-	·65	-	·14	·04	·71	-	-	·13	·03	Trace	-		24
25	-	·46	-	·11	-	·22	-	-	·01	-	-	·08		25
26	-	·68	-	·10	·23	Trace	-	-	·06	·27	-	·01		26
27	-	·01	-	Trace	·13	-	-	-	·09	·02	-	·03		27
28	-	·06	-	·18	·01	-	Trace	-	·01	·03	-	·05		28
29	·07	×	Trace	·04	-	-	·12	Trace	Trace	Trace	-	·04		29
30	·05	×	·07	·04	-	-	·07	-	Trace	·08	-	·12		30
31	·07	×	·43	×	-	×	Trace	·06	×	·28	×	-		31
TOTAL	1·84	3·35	2·51	·86	1·46	2·60	2·20	·90	·97	5·06	·93	·44	Year's Total 23·12	
*Days with ·01 in. or more.	16	13	15	10	16	12	12	8	9	19	13	10	153	
*Days with ·04 in. or more.	12	10	10	7	11	10	10	6	7	13	6	5	107	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) BHMcMullan

[P.T.O.

CROWN COPYRIGHT RESERVED.

Section **A** for the entry of Daily Observations. Station No. 2321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at TETTENHALL WATERWORKS
(WOLVERHAMPTON CORPN WATER UNDERTAKING)
in the County of STAFFORDSHIRE.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground - ft 10 in.
,, Ground ,, Sea Level 468 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	Tr.	-	-	-	-	-	·12	·02	·09	·13	·43		1
2	·01	Tr.	09	Tr.	Tr.	-	-	·10	·20	Tr.	·12	·13		2
3	·08	·03	-	-	Tr.	-	-	·06	Tr.	·07	Tr.	·09		3
4	·08	Tr.	·11	·02	·28	-	-	Tr.	·01	·13	·03	·25		4
5	Tr.	-	·10	·01	·07	-	-	·75	-	Tr.	·19	·04		5
6	Tr.	-	·11	Tr.	·33	·04	-	·04	Tr.	·10	Tr.	·55		6
7	·12	Tr.	-	-	Tr.	·05	-	·07	-	·05	·03	·21		7
8	-	-	Tr.	-	·07	Tr.	-	·01	·01	Tr.	·30	·08		8
9	Tr.	Tr.	·10	Tr.	-	-	-	·17	Tr.	-	·54	·12		9
10	·04	Tr.	·11	·33	Tr.	-	-	·14	-	Tr.	·09	Tr.		10
11	·60	-	·15	·15	-	-	·03	·03	-	-	·01	·19		11
12	Tr.	Tr.	·19	·02	-	-	·47	·15	-	Tr.	-	Tr.		12
13	·42	Tr.	·01	·07	Tr.	-	·12	·01	-	·01	-	·13		13
14	·13	Tr.	·26	Tr.	·02	Tr.	-	-	·07	·17	·37	·07		14
15	·02	-	·09	Tr.	·09	-	Tr.	-	·02	·48	·24	·15		15
16	·18	-	·11 (½" SNOW)	-	·02	-	-	Tr.	-	·06	·08	-		16
17	·04	-	·11	·02	·05	-	·06	·04	·28	·07	Tr.	·18		17
18	·25	-	·01	·19	Tr.	·02	-	·01	·06	Tr.	Tr.	·09		18
19	Tr.	-	·21	·20	Tr.	·14	-	Tr.	·09	·03	-	·25		19
20	-	-	·35	·10	Tr.	·02	-	-	·04	·01	Tr.	·01		20
21	·01	-	·02	Tr.	-	·22	Tr.	·01	·02	·02	-	·02		21
22	Tr.	-	·01	·02	Tr.	-	Tr.	·25	·16	·01	-	·17		22
23	-	Tr.	·07	·29	·04	·12	·05	Tr.	·02	-	·03	·03		23
24	-	·25	·05	Tr.	·01	·04	Tr.	-	·23	Tr.	Tr.	·01		24
25	·14	·01	Tr.	·01	·03	·51	-	-	·01	·24	-	·37		25
26	·25	Tr.	·11	·26	-	·05	Tr.	-	·02	·02	Tr.	·17		26
27	·03	Tr.	-	·38	-	·01	·01	-	·01	·05	·02	·14		27
28	-	-	-	·33	-	·05	·03	·15	·04	-	·03	·37		28
29	-	×	-	Tr.	-	-	·26	·04	·42	·01	Tr.	·01		29
30	·05	×	-	-	-	-	·01	·07	·04	Tr.	-	·27		30
31	Tr.	×	-	×	-	×	·08	·07	×	·22	×	·19		31
TOTAL	2·55	0·29	2·37	2·40	1·01	1·27	1·12	2·29	1·77	1·84	2·21	4·72	Year's Total. 23·84	
* Days with .01 in. or more.	18	3	21	16	11	12	10	20	20	19	15	28	193	
* Days with .04 in. or more.	14	1	17	10	7	9	6	15	11	12	9	23	134	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) B McMillan

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 2321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at TETTENHALL WATERWORKS
(WOLVERHAMPTON CORPORATION WATER UNDERTAKING)
in the County of STAFFORD

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft 10 in.
,, Ground ,, Sea Level 468 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	·03	—	TR	TR	·01	·03	—	·01	·45	·05	TR		1
2	·01	TR	TR	—	—	·14	TR	—	·17	·28	·02	·12		2
3	·03	·29	·08	·05	—	·05	—	—	·40	·27	·22	·20		3
4	—	TR	TR	·11	—	·09	TR	—	TR	·53	TR	·10		4
5	—	·48	·18	·05	—	·31	·04	—	·01	TR	·14	·01		5
6	TR	—	TR	·25	—	·54	—	—	—	—	—	TR		6
7	TR	—	—	·27	—	·15	—	—	—	·06	·31	·17		7
8	—	—	TR	·17	TR	TR	—	—	—	·16	·22	·14		8
9	·02	—	—	·18	TR	·27	—	—	—	·32	·31	TR		9
10	TR	—	—	·14	—	TR	TR	—	—	TR	·05	—		10
11	·22	TR	—	—	—	·13	—	TR	—	—	·18	·02		11
12	·11	·02	—	—	—	·11	—	·05	TR	—	—	TR		12
13	·17	·02	—	·09	·19	·02	—	—	·24	—	·01	—		13
14	·02	TR	·01	·14	·03	·04	TR	—	·08	—	1·11	·15		14
15	TR	·04	—	·47	·07	·01	—	—	·14	—	·09	·15		15
16	—	·11	·14	·37	—	·04	TR	—	·47	·36	·60	·06		16
17	—	TR	TR	·20	TR	·10	·19	·01	TR	TR	·45	—		17
18	TR	TR	—	·39	·07	·05	TR	—	·15	·05	·02	—		18
19	—	TR	—	·08	·47	·40	·15	—	·05	·25	·27	TR		19
20	·01	·15	—	·37	TR	·04	·07	—	TR	·01	·58	—		20
21	—	·32	—	TR	—	—	TR	—	·19	TR	·08	—		21
22	TR	·09	·03	·02	—	—	—	·02	·01	—	—	—		22
23	·01	·01	·11	—	TR	—	—	·35	·17	·56	—	·02		23
24	·07	·40	·02	TR	—	—	—	·01	·88	·04	—	·37		24
25	·11	·24	—	·08	—	·91	—	—	—	TR	—	·04		25
26	—	·10	—	—	—	—	—	·84	·24	TR	·07	·35		26
27	—	·09	—	—	·06	TR	—	TR	·05	·02	·22	·36		27
28	·03	·02	—	—	·28	—	—	·29	·13	·07	·05	·04		28
29	TR	×	·07	—	—	—	—	TR	·09	·02	·12	·17		29
30	·03	×	TR	·13	—	·03	—	·09	·02	·18	·39	·11		30
31	TR	×	—	×	—	×	—	—	×	·30	×	·16		31
TOTAL	·91	2·41	·64	3·56	1·17	3·44	·48	1·66	3·50	3·93	5·36	2·74	Year's Total. 29·80	
* Days with .01 in. or more.	14	16	8	19	7	20	5	8	19	18	23	19	176	
* Days with .04 in. or more.	6	11	5	18	6	16	4	5	15	15	20	15	136	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H W Mullan

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 2321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at TETTENHALL WATERWORKS (WOLVERHAMPTON CORPORATION WATER UNDERTAKING)
in the County of STAFFORD

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 10 in.
,, Ground ,, Sea Level 468 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·14	·06	·53	–	·19	·13	·21	·01	–	·09	·09		1
2	·12	·01	·01	·08	–	·15	1·15	TR	–	–	·13	TR		2
3	·02	–	·01	TR	TR	·04	·04	·01	·47	–	·01	·01		3
4	TR	SNOW TR	·11	–	TR	·50	–	TR	·51	–	·19	·07		4
5	·21	·15	·01	–	·01	TR	·05	·08	·05	TR	TR	SNOW ·16		5
6	·09	–	TR	–	·13	·06	·13	·15	·12	–	·08	·06		6
7	TR	–	·01	–	TR	–	·64	TR	·27	TR	·14	·03		7
8	·15	–	·07	–	–	–	·08	–	·03	TR	·31	·08		8
9	·32	–	·26	–	–	·02	1·44	–	·16	TR	TR	·01		9
10	·01	–	·01	–	TR	–	·38	–	·01	–	·02	–		10
11	–	–	TR	·01	–	·05	·34	·02	·09	–	·66	T–		11
12	–	–	–	·01	·17	·30	·55	TR	·42	TR	·16	SNOW ·11		12
13	–	–	–	·02	TR	·15	TR	TR	–	·07	–	·46		13
14	–	–	–	·15	TR	·11	·22	·02	·13	·02	·05	·32		14
15	1¼" Snow ·12	TR	–	·02	·22	·02	·02	–	TR	TR	·13	·11		15
16	1" Snow ·10	·10	–	·05	·18	–	·04	–	–	–	·45	TR		16
17	–	·45	–	–	–	–	·08	–	–	·08	·05	·31		17
18	–	·10	–	–	·04	·09	·35	·01	–	·26	TR	·03		18
19	·42	·23	·03	·44	–	·02	TR	·05	–	·05	–	–		19
20	TR	·14	·03	TR	–	TR	·03	–	–	·04	–	–		20
21	TR	–	–	·11	–	1·53	·02	–	–	TR	TR	–		21
22	–	·45	·05	TR	·09	·08	·27	–	TR	TR	–	·08		22
23	TR	·09	·31	·04	·02	–	·19	–	–	·03	TR	TR		23
24	·34	·03	TR	·03	·06	–	–	–	·21	·26	·01	TR		24
25	·10	TR	·08	·54	–	–	·07	–	·68	·02	TR	–		25
26	·03	·06	·36	·01	–	–	·13	–	TR	·07	TR	–		26
27	·18	·05	·04	–	–	–	·01	–	·30	·09	–	–		27
28	·34	·18	·11	·01	–	–	·06	–	–	·06	·02	·03		28
29	·02	·29	·06	–	–	·21	·01	–	–	·04	·03	·09		29
30	·06	✕	TR	–	·15	·03	·23	–	–	·51	·02	TR		30
31	·43	✕	·09	✕	–	✕	·02	TR	✕	·05	✕	·34		31
TOTAL	3·18	2·47	1·71	2·05	1·07	3·55	6·68	·55	3·46	1·65	2·55	2·39	Year's Total 31·31	
* Days with .01 in. or more.	19	15	19	15	10	17	27	8	15	15	18	18	196	
* Days with .04 in. or more.	15	13	12	8	8	13	21	4	12	12	12	13	143	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. H. Williams

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at TETTENHALL WATERWORKS
WOLVERHAMPTON CORPORATION WATER UNDERTAKING
in the County of STAFFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 10 in.
,, Ground ,, Sea Level 468 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·03	·01	·01	–	–	–	–	·05	–	·06	·09		1
2	·01	·09	·01	·60	–	–	·01	–	–	–	TR	·46		2
3	–	·07	·08	–	·12	·06	·06	–	–	–	–	·03		3
4	·11	·12	TR	–	·24	TR	–	·03	–	–	–	1" Snow ·41		4
5	·12	TR	Snow ·17	–	–	–	–	TR	–	–	–	·23		5
6	·08	TR	Snow ·04	·06	·12	–	·07	–	–	TR	TR	TR		6
7	TR	·61	TR	·10	·01	·05	–	–	·01	TR	TR	–		7
8	–	·11	TR	·07	·05	TR	·04	–	·01	–	·29	–		8
9	–	TR	–	·02	·14	–	·41	·01	·15	–	–	–		9
10	·01	·05	5½" Snow –	TR	–	·14	–	–	–	TR	–	·14		10
11	·01	TR	Snow ·48	–	·28	·30	·02	–	–	–	–	½" Snow ·07		11
12	·11	·33	·13	–	·29	·01	–	TR	·19	–	–	·23		12
13	·06	·03	TR	·06	·02	TR	–	·39	·42	–	–	·06		13
14	–	·01	·19	–	–	TR	–	·15	·01	–	·04	¾" Snow ·18		14
15	·10	·06	TR	·28	–	–	1·43	·02	·11	–	·02	·01		15
16	TR	·11	·44	·42	·05	–	–	·09	·08	–	–	–		16
17	·12	·09	·22	·10	–	·06	–	TR	·22	TR	–	–		17
18	·77	·07	·11	·01	–	–	·01	–	1·30	TR	·44	⅜" Snow ·02		18
19	·04	·03	·05	·10	·01	·10	·03	–	·01	TR	·07	·01		19
20	·31	TR	TR	·34	·29	–	·01	–	–	TR	–	TR		20
21	·07	·21	·04	·08	TR	–	·26	–	–	·01	–	·08		21
22	·07	·07	Snow ·10	TR	·05	·03	·29	–	–	·59	·36	·06		22
23	·19	·01	Snow TR	–	·06	–	·02	–	–	·45	·14	TR		23
24	·11	·43	·03	–	·03	–	·02	–	·07	·33	–	–		24
25	TR	·34	–	–	·07	–	TR	–	·01	·28	–	·04		25
26	–	·22	·09	–	·46	–	–	–	–	TR	TR	·03		26
27	–	2½" Snow ·45	·01	–	TR	–	–	–	–	·52	TR	TR		27
28	–	Snow ·08	TR	·27	–	–	–	–	–	·08	–	·05		28
29	¼" Snow TR	×	T–	TR	–	·03	–	–	–	·03	·07	·02		29
30	·30	×	–	–	–	·01	–	·56	·03	·01	·10	·01		30
31	·33	×	–	×	–	×	–	–	×	·13	×	TR		31
TOTAL	2·94	3·62	2·20	2·52	2·29	·79	2·68	1·25	2·67	2·43	1·59	2·23	Year's Total 27·21	✓ ✓
* Days with .01 in. or more.	20	23	17	15	17	10	14	7	15	10	10	20	178	✓ ✓
* Days with .04 in. or more.	16	18	13	12	13	6	7	4	9	7	9	13	127	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B.H. McMillan [P.T.O.

Section **A** for the entry of Daily Observations

Station No. 2321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at TETTENHALL WATERWORKS
WOLVERHAMPTON CORPORATION WATER UNDERTAKING
in the County of STAFFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 468 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TR.	—	·03	—	·01	·33	·18	·01	TR.	·07	·01	·21		1
2	—	—	—	·07	·04	·17	TR.	—	—	·17	—	·02		2
3	TR.	—	—	—	·07	·08	TR.	—	·02	·42	—	—		3
4	—	—	TR.	—	—	·03	·07	·17	—	·02	—	·26		4
5	TR.	—	—	—	—	TR.	·09	·54	·08	·04	—	TR.		5
6	·11	TR.	—	—	—	TR.	·79	·18	·03	·12	TR.	·02		6
7	·02	—	—	—	—	—	·49	·17	·02	·09	—	·09		7
8	·35	—	—	—	—	—	·24	·47	—	·29	—	·05		8
9	·07	·06	—	—	·02	·04	·09	·23	—	TR.	—	·30		9
10	·02	·08	—	—	—	·23	·32	·03	—	—	—	·12		10
11	·57	·03	—	—	—	—	·07	·41	·02	·01	·15	·07		11
12	·10	—	—	—	·07	—	·01	·02	—	·22	·26	TR.		12
13	—	TR.	—	—	TR.	—	—	—	—	·01	·25	·31		13
14	·19	—	—	—	·01	—	·56	—	·01	—	—	TR.		14
15	·04	—	—	—	·11	—	·22	·01	—	—	·03	·21		15
16	·33	—	—	—	TR.	—	TR.	·04	TR.	·02	·09	·09		16
17	TR.	·01	—	—	·19	—	·02	—	·05	·08	·01	·02		17
18	·02	—	—	—	·17	·06	—	·16	·92	·09	·25	—		18
19	—	—	—	—	—	—	—	·30	TR.	—	·01	·01		19
20	·01	—	—	—	—	—	—	—	·01	—	·41	TR.		20
21	·04	—	—	—	—	—	—	·03	·15	—	·06	·20		21
22	—	—	—	·09	—	·14	—	—	TR.	—	·38	·08		22
23	—	—	—	—	TR.	TR.	—	—	·11	—	TR.	TR.		23
24	TR.	TR.	·23	—	·12	TR.	—	·37	·03	—	·01	—		24
25	·05	·08	·05	—	·07	TR.	·01	·08	·01	·22	·75	·03		25
26	1/8" SNOW ·04	·31	·18	—	·01	·11	—	TR.	·02	·39	TR.	·23		26
27	·08	TR.	TR.	—	·21	·08	·19	·42	·06	TR.	·35	TR.		27
28	·25	·08	—	—	·02	·17	·08	·20	·02	—	·03	·25		28
29	·41	×	—	—	·39	·11	TR.	—	·04	·11	·07	·14		29
30	·07	×	—	—	·02	·04	TR.	—	·47	—	·12	(½" SNOW) ·16		30
31	·09	×	—	×	·14	×	TR.	—	×	·12	×	·21		31
TOTAL	2·86	0·65	0·49	0·16	1·67	1·59	3·43	3·84	2·07	2·49	3·24	3·08	Year's Total 25·57 ✓	
* Days with .01 in. or more.	20	7	4	2	17	13	16	19	18	18	18	22	174 ✓	
* Days with .04 in. or more.	16	5	3	2	11	12	13	14	8	14	12	17	127 ✓	

† Spare column, no entries required.

(*Signed*)

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at TETTENHALL WATERWORKS.
WOLVERHAMPTON CORPORATION WATER UNDERTAKING
in the County of STAFFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
,, Ground ,, Sea Level 468 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·11	—	TR.	·10	·02	—	TR.	—	TR.	TR.	TR.	·02		1
2	1"SNOW ·14	—	TR.	·04	—	—	·05	·40	·47	·03	·01	·01		2
3	3½"SN. ·31	TR.	—	·32	—	—	—	·16	·02	TR.	·15	·51		3
4	¾"SN. ·19	—	·16	·34	·08	—	·42	·08	·04	·21	·07	·19		4
5	—	—	TR.	·03	·26	—	·20	·03	—	·02	·41	·01		5
6	·58	—	—	—	—	—	·52	—	—	TR.	·32	—		6
7	·01	·06	—	—	·25	—	·37	·04	—	·09	·33	·43		7
8	·01	·07	·36	—	—	—	·38	·31	—	·55	·46	·08		8
9	·03	·06	TR.	—	—	—	·02	·34	—	·38	·01	·22		9
10	·58	TR.	·05	—	—	—	TR.	·01	·09	·24	—	·01		10
11	·04	·01	·16	—	TR.	·21	—	·04	TR.	·01	TR.	TR.		11
12	—	·04	—	—	TR.	·04	—	·01	TR.	—	—	—		12
13	—	TR.	·04	·16	·05	·02	·11	—	·06	·04	—	—		13
14	·37	—	·01	·07	·31	·11	·15	—	TR.	·11	·23	TR.		14
15	·39	—	·02	·09	·19	·37	·50	—	—	·01	·20	—		15
16	·01	TR.	·08	TR.	·32	TR.	·05	—	—	·18	·13	—		16
17	·39	·02	TR.	·01	TR.	·10	·08	—	—	1·22	·08	—		17
18	·24	·09	·07	—	—	·30	·09	—	TR.	TR.	·67	—		18
19	·19	—	TR.	—	—	—	·55	—	—	—	·04	TR.		19
20	·23	—	·01	—	TR.	·01	·01	·01	—	—	—	·01		20
21	·21	·13	·20	·02	·11	·01	·02	·33	·09	—	—	—		21
22	·26	·26	TR.	·03	—	—	·17	—	·01	·02	·49	—		22
23	·11	·01	·01	·05	—	TR.	·07	—	—	·13	·62	—		23
24	1½"SN. ·10	TR.	·01	·16	—	·05	·29	TR.	—	·23	—	—		24
25	·41	·08	TR.	·01	—	—	·17	—	—	·03	·13	·01		25
26	·07	TR.	TR.	TR.	—	—	—	·01	—	—	·30	·15		26
27	TR.SN. TR.	·06	·14	·01	—	·03	·08	—	—	·09	·01	1½"SN. ·15		27
28	TR.	·03	·15	·02	—	·14	·25	TR.	—	·01	·16	·7"SN. ·13		28
29	—	×	TR.	·10	—	·04	·35	·41	—	·17	·02	—		29
30	—	×	—	·03	—	·07	TR.	·01	—	—	·08	·02		30
31	—	×	—	×	—	×	TR.	·14	×	·01	×	·01		31
TOTAL	4·98	0·92	1·47	1·59	1·59	1·50	4·90	2·33	0·78	3·78	4·92	1·96	Year's Total 30·72	
* Days with .01 in. or more.	23	13	15	18	9	14	23	16	7	21	22	16	197	
* Days with .04 in. or more.	19	9	10	10	8	10	20	10	5	13	18	8	140	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) B H W Millar

P.T.O.

Section **A** for the entry of Daily Observations
Station No. 2321

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~49

Kept at TETTENHALL WATERWORKS
WOLVERHAMPTON CORPORATION WATER UNDERTAKING
in the County of STAFFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
,, Ground ,, Sea Level 468 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	·05	·01	—	—	—	—	—	·49	TR.		1
2	—	TR.	—	·24	—	—	·05	—	—	—	·60	·09		2
3	—	·10	—	·06	—	—	TR.	—	—	·24	·75	·11		3
4	—	·03	—	·21	—	—	·05	—	—	·06	·22	·02		4
5	—	·03	—	—	·03	—	·08	—	TR.	·05	·44	·18		5
6	·08	·33	—	—	—	—	—	—	—	·33	·17	·01		6
7	·01	·17	—	·02	·03	—	·11	—	·03	TR	TR.	·01		7
8	TR.	—	—	·02	·01	—	TR.	—	—	·18	TR.	·02		8
9	—	—	·07	—	—	—	·24	·07	·03	·02	·40	·37		9
10	—	—	·15	—	—	·06	·39	·02	·02	·04	·13	·17		10
11	—	—	·03	·01	—	·02	·03	—	—	TR.	·48	·10		11
12	—	·25 SNOW TR	·04	—	—	·07	·30	·01	·09	—	·04	TR.		12
13	—	SNOW TR —	SNOW 1½" ·25	·06	—	—	—	·05	·09	—	—	·02		13
14	—	—	·01	·08	·31	—	—	·06	·15	·06	—	·25		14
15	—	—	·04	·02	·65	—	—	TR.	·07	·05	·12	TR.		15
16	SNOW ·6 ·05	SNOW 3½" ·70	·33	·01	—	—	·08	—	·14	·73	·69	TR.		16
17	—	—	·28	—	—	—	·05	—	TR.	TR.	·39	TR.		17
18	SNOW 1·9 ·14	·60	·15	·40	—	—	TR.	·06	·12	·06	·03	·08		18
19	—	·28	·08	·25	—	TR.	·25	—	·09	—	·10	·02		19
20	—	·01	·02	·02	—	TR.	·31	·02	TR.	·33	TR.	—		20
21	—	TR.	TR.	—	·40	·48	·02	·02	—	—	1·41	—		21
22	—	—	TR.	·01	·29	·04	—	·03	·06	TR	—	—		22
23	—	·09	·04	·19	·25	·02	TR.	—	TR.	—	TR.	TR.		23
24	TR.	—	—	·01	TR.	TR.	TR.	—	·01	·01	TR.	TR.		24
25	TR.	—	—	TR.	—	·02	·07	—	—	—	—	—		25
26	SNOW 1·6" 1·22	·09	·07	·02	·04	—	·29	TR.	—	—	·05	—		26
27	5·5 SNOW ·91	·09	—	·50	·01	—	·26	·07	·01	—	·11	TR		27
28	SNOW 12·5" ESTIMATED 1·25	·35	—	TR.	·92	—	—	·01	—	—	—	TR.		28
29	MELTED ICE ·09	—	·08	·25	TR.	·10	·02	—	—	—	—	·24		29
30	MELTED ICE ·05	×	TR.	·58	·06	—	—	—	—	·37	—	·03		30
31	MELTED ICE ·15	×	·04	×	TR.	×	—	—	×	·94	×	TR		31
TOTAL	3·95	2·87	1·68	3·01	3·01	0·81	2·60	0·42	0·91	3·47	6·62	1·72	Year's Total 31·07	✓
* Days with .01 in. or more.	10	13	16	21	13	8	17	11	13	15	18	16	171	✓
* Days with .04 in. or more.	9	10	13	12	8	5	14	5	8	13	17	9	123	✓

† Spare column, no entries required.

(Signed) B. W. Mullan

* See Instruction 3 (f) on other side.

[P.T.O.

2322

Section **A** for the entry of Da

AIR MINISTRY.–

FORM 1090.

REGISTI

PY FOR OFFICIAL USE.

ORGANIZATION.

2322

PATSHULL

1931

7804 05

Kept at PATSHULL

in the County of Staff

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE

An observer who does not conform to this

year in the space on the right of this p

Ple

ving

Jan. 1, following ·01"

Date	Jan.	Feb.	March	Ap							Nov.	Dec.	Date
	in.	in.	in.	in						in.	in.	in.	
1	·19	·27	·08	–	04	–	–	–	–	04	–	–	1
2	·01	–	–	·06	04	30	–	–	27	–	–	–	2
3	–	·08	–	·97	13	11	04	–	30	02	01	01	3
4	·04	–	–	·01	–	–	04	–	59	02	63	15	4
5	–	–	–	·20	–	–	43	45	37	–	15	–	5
6	–	·04	–	22	07	1·66	–	01	04	–	–	17	6
7	–	·18	–	·06	–	·07	12	04	03	32	12	02	7
8	–	·01	–	·01	–	·05	35	86	–	01	21	–	8
9	·10	·03	–	·16	–	09	06	1·03	–	–	13	–	9
10	·08	·32	–	·15	–	13	03	·14	–	01	37	–	10
11	–	01	–	–	02	03	–	·18	09	–	28	02	11
12	·09	·19	–	–	04	02	01	–	12	–	05	05	12
13	·04	·12	–	–	–	01	49	06	48	05	01	–	13
14	–	–	–	–	–	45	10	54	–	–	–	–	14
15	–	·11	–	–	03	[illegible]	39	1·15	16	–	46	–	15
16	·04	·17	–	13	07	–	20	17	–	–	02	06	16
17	·14	·12	–	17	46	1·13	01	35	14	–	–	–	17
18	13	02	–	17	1·31	–	02	–	01	–	05	–	18
19	·13	01	–	40	–	27	09	18	01	–	37	–	19
20	·01	15	–	01	–	29	23	13	–	–	01	–	20
21	–	·04	·11	01	–	–	–	43	–	–	04	02	21
22	·22	–	·03	–	69	–	–	05	–	–	21	–	22
23	·04	–	–	02	14	–	–	08	–	–	–	–	23
24	·15	03	–	33	39	17	05	01	–	–	13	29	24
25	–	–	–	44	37	–	13	–	–	–	–	–	25
26	·03	–	–	81	–	–	34	–	–	–	01	–	26
27	·02	04	–	11	–	–	09	–	–	–	51	–	27
28	·10	51	–	06	52	–	–	–	–	–	14	01	28
29	·12	–	–	11	33	–	–	–	–	41	–	15	29
30	–	×	–	–	16	–	32	–	–	40	–	02	30
31	–	×	–	×	01	×	02	–	×	–	×	02	31
	·27	·08	–	·04	–	–	–	–	·04	–	–	·01	YEAR'S TOTAL
TOTAL	~~1·67~~ 1·78	~~2·45~~ 2·26	~~·22~~ ·14	~~4·61~~ 4·65	~~4·82~~ 4·78	4·78	3·56	5·76	~~2·50~~ 2·54	~~·98~~ ·94	3·91	~~·99~~ 1·00	36·~~25~~ 87
*Days with ·01 in. or more.	19	20	28	23 ~~22~~	17 ~~18~~	15	22	18	14 ~~13~~	98	21	14 ~~13~~	193
*Days with ·04 in. or more.	15	14	1	18 ~~17~~	14 ~~15~~	12	17	16	11 ~~10~~	54	16	6	~~145~~ 144

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

Section **A** for the entry of Da

AIR MINISTRY.

Y FOR OFFICIAL USE.

RGANIZATION.

2322

FORM 1090.

REGISTER OF RAINFALL IN 193

Kept at PATSHULL

in the County of Staffordshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 16 in.

,, Ground ,, Sea Level 279. 6 ft.

corr. for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·01"

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	27	·08	–	04	–	–	–	–	04	–	–	1
2	·01	–	–	·06	04	30	–	–	27	–	–	–	2
3	–	·08	–	·97	13	11	04	–	30	02	01	01	3
4	·04	–	–	·01	–	–	04	–	59	02	63	15	4
5	–	–	–	·20	–	–	43	45	37	–	15	–	5
6	–	·04	–	22	07	1·66	–	01	04	–	–	17	6
7	–	·18	–	·06	–	·07	12	04	03	32	12	02	7
8	–	·01	–	·01	–	·05	35	86	–	01	21	–	8
9	·10	·03	–	·16	–	09	06	1·03	–	–	13	–	9
10	·08	·32	–	·15	–	13	03	·04	–	01	37	–	10
11	–	01	–	–	02	03	–	·18	09	–	28	02	11
12	·09	·19	–	–	04	02	01	–	12	–	05	05	12
13	·04	·12	–	–	–	01	49	06	48	05	01	–	13
14	–	–	–	–	–	45	10	54	–	–	–	–	14
15	–	·11	–	–	03		39	1·15	16	–	46	–	15
16	·04	·17	–	13	07	–	20	17	–	–	02	06	16
17	·14	·12	–	17	46	1·13	01	35	14	–	–	–	17
18	13	02	–	17	1·31	–	02	–	01	–	05	–	18
19	·13	01	–	40	–	27	09	18	01	–	37	–	19
20	·01	15	–	01	–	29	23	13	–	–	01	–	20
21	–	·04	·11	01	–	–	–	43	–	–	04	02	21
22	·22	–	·03	–	69	–	–	05	–	–	21	–	22
23	·04	–	–	02	14	–	–	08	–	–	–	–	23
24	·15	03	–	33	39	17	05	01	–	–	13	29	24
25	–	–	–	44	37	–	13	–	–	–	–	–	25
26	·03	–	–	81	–	–	34	–	–	–	01	–	26
27	·02	04	–	11	–	–	09	–	–	–	51	–	27
28	·10	51	–	06	52	–	–	–	–	–	14	01	28
29	·12	–	–	11	33	–	–	–	–	41	–	15	29
30	–	×	–	–	16	–	32	–	–	40	–	02	30
31	–	×	–	×	·01	×	02	–	×	–	×	02	31
	·27	·08	–	·04	–	–	–	–	·04	–	–	·01	YEAR'S TOTAL
TOTAL	~~1·67~~ 1·75	~~2·45~~ 2·26	~~·22~~ ·14	~~4·61~~ 4·65	~~4·82~~ 4·78	4·78	3·56	5·76	~~2·50~~ 2·54	~~·98~~ ·94	3·91	~~·99~~ 1·00	36·~~25~~ 87
*Days with ·01 in. or more.	19	20	28	23 ~~22~~	17 ~~18~~	15	22	18	14 ~~13~~	~~9~~8	21	14 ~~13~~	193
*Days with ·04 in. or more.	15	14	1	18 ~~17~~	14 ~~15~~	12	17	16	11 ~~10~~	54	16	6	~~140~~ 144

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

2323

2323 — 435388

SHIFNAL/WESTON PARK

1931 — 40

780405

Section **A** for the entry
AIR MINIS

FORM 1090. **REG**

Y FOR OFFICIAL USE.
ORGANIZATION.

Kept at Weston
in the County of Sta

Diameter of Funnel of Gauge
Height of top of Gauge above G
,, Ground ,, S

THE MORNING ME

An observer who does not confor
year in the space on the right

owing

Jan. 1, following

Date	Jan.	Feb.	Mar								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	–	·11	·02	·05	–	–	·20	·01	–	–	1
2	–	·14	–	·87	·17	·18	–	·02	·37	·03	·04	·04	2
3	·15	–	–	·02	–	–	·03	–	·76	·02	·66	·12	3
4	–	–	–	·16	–	–	·32	·27	·27	–	·03	–	4
5	–	·05	–	·12	·03	1·58	·14	·02	·07	–	–	·16	5
6	–	·22	–	·07	–	·10	–	·04	·05	·29	·13	–	6
7	–	·02	–	·02	–	·08	·08	·59	–	·01	·15	–	7
8	·12	·03	·01	·16	–	·04	·09	1·14	–	–	·16	–	8
9	·04	·25	·01	·13	–	·09	–	·11	–	·02	·31	–	9
10	–	·01	–	–	·04	·02	·01	·19	·12	–	·30	·02	10
11	·12	·23	–	–	–	·02	·06	·01	·26	–	·06	·04	11
12	·03	·13	–	·01	–	–	·53	·11	·32	·01	·05	–	12
13	–	–	·07	–	–	·01	·05	·24	–	–	–	–	13
14	–	·11	–	–	·04	·46	·60	1·15	·06	–	·46	–	14
15	·04	·17	–	·21	·09	–	·25	·37	·03	–	–	·12	15
16	·05	·14	–	·20	·71	·69	·04	·11	·20	–	–	–	16
17	·15	·02	–	·30	1·26	·02	·01	–	·01	–	·11	–	17
18	·12	–	–	·17	–	·16	·04	·16	·01	–	·33	–	18
19	·07	·14	–	·01	–	·32	·24	·36	·02	–	·01	–	19
20	–	·09	·12	–	–	–	·01	·46	–	–	·02	–	20
21	·32	–	–	·01	·63	–	–	·03	–	–	·15	–	21
22	·04	–	–	·01	·15	–	–	·32	–	–	·01	–	22
23	·10	–	–	·22	·33	·05	·08	·02	–	–	·10	·24	23
24	–	–	–	·25	·34	–	·13	–	–	–	–	–	24
25	·04	·01	–	1·20	–	–	·23	–	–	–	·01	·01	25
26	·07	·03	–	·24	–	–	·04	–	–	–	·50	–	26
27	·10	·43	–	·07	·61	–	·01	–	–	·14	·22	·05	27
28	·13	·08	–	·02	·24	–	–	–	–	·02	–	·14	28
29	·02	×	–	–	·12	–	·30	–	–	·40	·01	·01	29
30	–	×	–	·05	–	–	·02	–	·01	–	–	·01	30
31	·18	×	–	×	–	×	–	–	×	–	×	·01	31
TOTAL	1·90	2·32	·21	4·63	4·78	3·87	3·31	5·72	2·76	·95	3·82	·97	YEAR'S TOTAL 35·24
*Days with ·01 in. or more.	20	20	4	24	15	16	23	20	16	10	22	13	203
*Days with ·04 in. or more.	17	13	2	17	13	12	17	15	11	3	16	8	144

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Roland. D. Smith
(Head Gardener.)

P.T.O.

2323

Section A for the entr Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Weston Park.

in the County of Stafford

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	–	·11	·02	·05	–	–	·20	·01	–	–	1
2	–	·14	–	·87	·17	·18	–	·02	·37	·03	·04	·04	2
3	·15	–	–	·02	–	–	·03	–	·76	·02	·66	·12	3
4	–	–	–	·16	–	–	·32	·27	·27	–	·03	–	4
5	–	·05	–	·12	·03	1·58	·14	·02	·07	–	–	·16	5
6	–	·22	–	·07	–	·10	–	·04	·05	·29	·13	–	6
7	–	·02	–	·02	–	·08	·08	·59	–	·01	·15	–	7
8	·12	·03	·01	·16	–	·04	·09	1·14	–	–	·16	–	8
9	·04	·25	·01	·13	–	·09	–	·11	–	·02	·31	–	9
10	–	·01	–	–	·04	·02	·01	·19	·12	–	·30	·02	10
11	·12	·23	–	–	–	·02	·06	·01	·26	–	·06	·04	11
12	·03	·13	–	·01	–	–	·53	·11	·32	·01	·05	–	12
13	–	–	·07	–	–	·01	·05	·24	–	–	–	–	13
14	–	·11	–	–	·04	·46	·60	1·15	·06	–	·46	–	14
15	·04	·17	–	·21	·09	–	·25	·37	·03	–	–	·12	15
16	·05	·14	–	·20	·71	·69	·04	·11	·20	–	–	–	16
17	·15	·02	–	·30	1·26	·02	·01	–	·01	–	·11	–	17
18	·12	–	–	·17	–	·16	·04	·16	·01	–	·33	–	18
19	·07	·14	–	·01	–	·32	·24	·36	·02	–	·01	–	19
20	–	·09	·12	–	–	–	·01	·46	–	–	·02	–	20
21	·32	–	–	·01	·63	–	–	·03	–	–	·15	–	21
22	·04	–	–	·01	·15	–	–	·32	–	–	·01	–	22
23	·10	–	–	·22	·33	·05	·08	·02	–	–	·10	·24	23
24	–	–	–	·25	·34	–	·13	–	–	–	–	–	24
25	·04	·01	–	1·20	–	–	·23	–	–	–	·01	·01	25
26	·07	·03	–	·24	–	–	·04	–	–	–	·50	–	26
27	·10	·43	–	·07	·61	–	·01	–	–	·14	·22	·05	27
28	·13	·08	–	·02	·24	–	–	–	–	·02	–	·14	28
29	·02	×	–	–	·12	–	·30	–	–	·40	·01	·01	29
30	–	×	–	·05	–	–	·02	–	·01	–	–	·01	30
31	·18	×	–	×	–	×	–	–	×	–	×	·01	31
TOTAL	1·90	2·32	·21	4·63	4·78	3·87	3·31	5·72	2·76	·95	3·82	·97	YEAR'S TOTAL 35·24
*Days with ·01 in. or more.	20	20	4	24	15	16	23	20	16	10	22	13	203
*Days with ·04 in. or more.	17	13	2	17	13	12	17	15	11	3	16	8	144

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Roland D. Smith

(Head Gardener.)

P.T.O.

2323

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2323.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Weston Park.

in the County of Stafford

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·03	–	·10	·44	·05	·05	·48	·06	·04	·02	–	1
2	·04	–	–	·12	·30	–	–	·01	·10	·04	·02	·16	2
3	–	–	–	·38	·05	–	·29	·02	·01	·05	–	·04	3
4	·05	·03	–	·22	–	–	–	–	–	–	·25	–	4
5	·45	–	·05	·02	·13	–	–	·01	·13	–	–	–	5
6	·34	–	·02	·18	–	–	·02	–	·18	·01	–	–	6
7	–	–	·18	·22	–	–	·02	–	·07	·62	·01	–	7
8	–	–	–	·05	–	–	–	–	·08	·37	–	–	8
9	·17	·04	–	·02	–	–	–	–	–	–	–	–	9
10	·75	·02	–	·11	·04	–	–	–	·12	·43	–	·02	10
11	·07	·01	–	·15	·26	–	1·02	–	·06	·23	·02	·01	11
12	·15	–	–	–	·09	–	·04	–	·13	·33	·02	–	12
13	·02	·01	–	·03	·01	–	·85	·06	·01	·01	·03	·12	13
14	·20	–	–	·01	–	–	·16	·15	–	·13	·12	–	14
15	·01	–	–	·01	·59	–	·21	–	–	·01	–	·04	15
16	·23	–	–	·02	·04	–	·04	–	–	–	–	–	16
17	–	–	–	–	–	–	·19	–	·02	·02	–	–	17
18	–	–	–	–	·02	–	–	–	·01	·02	·12	–	18
19	–	·01	–	·04	–	–	–	–	–	·24	–	–	19
20	–	–	–	·05	·74	–	·05	1·18	–	·36	·13	–	20
21	–	–	·24	·23	·63	–	·01	·02	–	·25	·12	·05	21
22	·02	–	·24	·05	·23	–	·41	–	·47	·18	·13	–	22
23	–	·02	–	·02	·58	–	·05	–	·12	·08	·06	·02	23
24	·10	–	–	–	·02	·01	·07	–	·10	–	·37	–	24
25	–	·02	–	–	–	·01	–	–	·03	·19	·02	–	25
26	–	–	·09	·28	·19	–	·01	–	·14	·02	·02	–	26
27	–	–	·31	·16	·39	–	·28	–	–	–	·08	–	27
28	–	–	·25	·08	·34	–	·18	–	–	–	–	·03	28
29	–	–	·12	·42	·04	·05	·03	·06	·12	·50	·08	·20	29
30	–	×	·18	·22	·02	·37.	·03	·09	·04	·50	·29.	·07	30
31	–	×	·02	×	·01.	×	·25	–	×	–	×	·19.	31
TOTAL	2·61.	·19	1·70	3·19	5·16	·49.	4·26	2·08.	2·00.	4·63	1·91	·95.	YEAR'S TOTAL 29·17
*Days with ·01 in. or more.	15.	9	11.	25.	22.	5	22.	10	20	23.	19.	12.	193.
*Days with .04 in. or more.	11.	1.	9.	18.	17.	3.	16.	6.	15.	17.	11.	8.	132.

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Roland. D. Smith. P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2323.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Weston Park.
in the County of Stafford
Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	·18	·02	–	–	–	–	–	–	·01	·05	–		1
2	·27	–	·20	–	·06	·13	–	–	–	–	–	–		2
3	·02	·19	·12	–	·07	–	–	–	–	–	–	–		3
4	·14	·02	·01	–	·20	–	–	·02	–	–	–	–		4
5	·16	·01	·20	–	·04	–	–	–	–	–	·01	–		5
6	–	·55	·03	–	·24	–	–	–	–	·03	–	·02		6
7	·04	·28	·08	–	–	–	–	–	–	·09	–	·01		7
8	·04	–	·23	·03	·08	–	·89	–	–	–	·01	–		8
9	–	–	–	·01	·06	–	·40	–	–	·63	·06	–		9
10	·07	·27	–	–	·01	·04	·25	·03	–	2·49	·15	–		10
11	–	–	–	–	·04	–	·03	·02	–	·01	–	–		11
12	–	–	–	–	–	·01	·16	–	–	·01	–	·02		12
13	–	–	–	–	·14	·02	·92	–	–	·17	·40	–		13
14	·03	–	–	–	–	–	·04	·18	–	·13	·10	–		14
15	·38	–	·01	–	–	·03	·28	·06	–	·09	·15	–		15
16	·08	·01	·38	–	·07	·10	·01	·01	–	·10	·01	·01		16
17	·08	·01	·34	–	·01	·18	·02	·01	·07	–	–	–		17
18	·05	·02	·05	–	–	·11	–	–	–	–	·02	–		18
19	–	–	·30	–	–	·09	·14	–	·17	–	·05	–		19
20	–	·02	·04	–	–	·20	–	·20	·12	–	–	–		20
21	–	–	–	–	–	·38	·01	·12	–	·01	·01	–		21
22	–	–	–	·01	–	·06	–	·27	–	·22	–	–		22
23	–	·01	–	·14	–	·04	–	–	·03	·13	–	–		23
24	–	·72	–	·10	·03	·75	–	–	·14	·02	·01	–		24
25	–	·43	–	·12	–	·27	–	–	·01	–	–	·09		25
26	–	·69	–	·19	·27	–	–	–	·05	·27	–	–		26
27	–	·01	–	–	·05	–	–	–	·12	·02	–	·02		27
28	–	·07	–	·24	–	–	·01	–	·01	·01	–	·04		28
29	·04	×	·02	·24	–	–	·10	–	–	–	–	·05		29
30	·05	×	·09	·11	–	–	–	–	–	·05	–	·14		30
31	·08	×	·32	×	–	×	·01	·05	×	·32	×	–		31
TOTAL	1·81	3·49	2·44	1·19	1·37	2·41	3·27	×·97	×·72	4·81	1·03	×·40	Year's Total 23·91	
*Days with ·01 in. or more.	16.	17.	17.	10	15	15	15.	11.	9.	20	13	9.	167	
*Days with ·04 in. or more.	14.	9.	12.	7.	12.	12.	9.	6.	6.	12.	7.	4.	110.	

40-9999
*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.
(*Signed*) Roland D. Smith [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2323

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Weston Park.

in the County of Stafford

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	–	–	–	–	–	–	·10	·19	·56	·14	·60		1
2	–	–	·05	–	–	–	–	·14	·12	–	·15	·15		2
3	·07	·01	–	–	·01	–	–	·14	–	·21	–	·10		3
4	·10	–	·11	·01	·16	–	–	–	·19	·13	·01	·24		4
5	–	–	·06	·03	·08	–	–	·63	–	–	·12	·03		5
6	–	–	·08	–	·35	·01	–	·05	–	·10	–	·53		6
7	·06	–	–	–	·01	·01	–	·06	–	·10	·03	·13		7
8	–	–	–	–	·07	–	–	·01	·04	–	·37	·09		8
9	–	–	·19	·01	–	–	–	·06	·01	–	·54	·04		9
10	·05	–	·23	·26	–	–	–	·11	–	–	·05	–		10
11	·58	–	·16	·23	–	–	·02	·11	–	–	·02	·11		11
12	·01	–	·11	·06	–	–	1·42	·26	–	·01	–	·01		12
13	·41	–	·02	·06	–	–	·28	·03	–	·01	–	·06		13
14	·07	–	·21	–	–	·01	–	–	–	·23	·44	·05		14
15	·02	–	·06	–	·14	–	·03	·01	–	·38	·23	·15		15
16	·19	–	·08	–	·07	–	–	–	–	·08	·10	–		16
17	·07	–	·18	·01	·03	–	·21	·02	·15	·06	·01	·14		17
18	·17	–	·01	·11	–	·03	·02	·01	–	–	–	·15		18
19	–	–	·16	·08	–	·06	–	·02	·03	·05	–	·41		19
20	–	–	·17	·08	–	–	–	–	·04	·01	–	·02		20
21	–	–	·02	–	–	·24	–	·01	·03	·04	–	–		21
22	·04	–	·01	–	–	·03	–	·02	·31	·04	–	·12		22
23	–	–	·05	·23	·04	·23	·01	–	–	–	·05	·04		23
24	–	·26	·04	·01	–	·09	–	–	·23	–	·02	·01		24
25	·10	·01	–	·06	·02	·34	–	–	·01	·20	–	·25		25
26	·12	–	·14	·32	–	·79	–	–	·08	·01	–	·02		26
27	·05	–	–	·24	–	·02	·01	–	·01	·09	·03	·10		27
28	–	–	–	·15	–	·14	–	·11	·03	·01	·03	·42		28
29	–		–	–	–	–	·22	·02	·37	·02	–	·04		29
30	·07	×	–	–	–	–	·03	·03	·02	·01	–	·29		30
31	·02	×	–	×	–	×	–	·24	×	·22	×	·17		31
TOTAL	2·27	·28	2·14	1·95	·98	1·40	2·25	2·19	1·86	2·57	2·34	4·47	Year's Total 24·70	inches
*Days with ·01 in. or more.	19	3	21	17	11	13	10	22	17	22	17	28	200	days
*Days with ·04 in. or more.	16	1	17	12	7	7	4	12	10	15	10	23	134	"

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Roland D. Smith.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2323.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Weston Park

in the County of Stafford

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft. in.

„ Ground „ Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·03	–	–	·02	–	·07	–	·05	·51	·01	·02		1
2	–	–	–	–	–	·13	–	–	–	·16	·08	·11		2
3	·04	·24	·09	·07	–	·05	–	–	·07	·11	·19	·30		3
4	–	–	–	·20	–	·02	–	–	·01	·49	·01	·13		4
5	–	·45	·20	·07	–	–	·06	–	·05	·03	·08	–		5
6	–	–	–	·25	–	·17	–	–	–	·04	·01	–		6
7	–	–	–	·23	–	·21	–	–	–	·06	·21	·15		7
8	–	–	–	·21	–	–	–	–	–	·06	·15	·09		8
9	·03	–	–	·25	–	·18	–	–	–	·35	·19	–		9
10	–	–	–	·02	–	–	–	–	–	–	·06	–		10
11	·15	·02	–	–	–	·02	–	–	–	–	·17	·03		11
12	·10	·01	–	–	–	·11	–	·06	·01	–	·02	–		12
13	·15	–	–	·04	·19	–	–	–	·19	–	·03	–		13
14	·02	–	·01	·09	·01	·02	–	–	·12	–	1·03	·17		14
15	–	·05	–	·50	·04	·02	–	–	·11	–	·01	·20		15
16	–	·05	·14	·05	–	·04	–	–	·47	·23	·59	·04		16
17	–	–	–	·20	–	·22	·14	–	·02	·02	·67	–		17
18	–	–	–	·47	·07	·01	·04	–	·24	·03	·02	–		18
19	–	–	–	·09	·27	·38	·03	–	·03	·24	·22	–		19
20	·01	·26	–	·36	–	·07	·08	–	–	·07	·41	–		20
21	–	·60	–	–	–	–	–	–	·35	·01	·05	–		21
22	–	·02	·01	·07	–	–	–	–	·02	–	–	–		22
23	·01	·03	·08	–	·01	–	–	·17	·08	·58	–	·06		23
24	·12	·31	·03	·01	–	–	–	–	·82	·05	–	·25		24
25	·21	·24	–	·05	–	·43	–	–	–	–	–	·04		25
26	–	·10	–	–	–	–	–	·74	·27	·01	·02	·33		26
27	–	·06	–	–	–	·11	–	·02	·06	·03	·18	·20		27
28	·01	·01	–	–	·07	–	–	·20	·18	·07	·03	·04		28
29	–		·06	–	–	–	–	·01	·05	·03	·09	·10		29
30	·02	✕	–	·09	–	·07	–	·05	·01	·34	·34	·11		30
31	–	✕	–	✕	–	✕	–	–	✕	·26	✕	·13		31
TOTAL	·96	2·48	·62	3·32	·68	2·26	·42	1·25	3·21	3·78	4·87	2·50	Year's Total 26·35	
* Days with .01 in. or more.	13	16	8	20	8	18	6	7	21	23	26	19	185	
* Days with .04 in. or more.	7	10	5	18	5	13	5	5	15	16	17	17	133	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Roland D. Smith

(Head Gardener.)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2323.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Weston Park

in the County of Stafford

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·20	·04	·51	–	·20	·14	·32	·01	–	·13	·13		1
2	·33	·03	–	·07	–	·31	·37	·04	–	–	·11	·01		2
3	·03	–	·05	–	–	·07	–	·01	·79	–	·01	·03		3
4	–	–	·11	–	–	·20	–	·02	·30	–	·20	·21		4
5	·25	·07	·03	–	–	·01	·01	·08	·06	–	·01	·13		5
6	·05	–	·01	–	·12	·03	·17	·26	·17	–	·04	·05		6
7	–	–	·02	–	–	–	·25	–	·25	–	·18	·04		7
8	·09	–	·14	–	–	–	·15	–	·05	–	·35	·09		8
9	·34	–	·41	–	–	·02	1·36	–	·12	–	–	·01		9
10	·01	–	–	–	–	–	·27	·01	·01	–	–	–		10
11	–	–	–	·01	–	·09	·11	–	·05	–	·72	–		11
12	–	–	–	–	·07	·39	·78	–	·48	–	·16	·14		12
13	–	–	–	·08	–	·15	–	–	–	·10	–	·39		13
14	–	–	–	·12	–	·10	·03	·05	·67	·02	·05	·18		14
15	·13	–	–	·21	·25	·03	·10	·07	–	–	·25	·07		15
16	·11	·08	–	·09	·28	–	·03	–	–	–	·42	·01		16
17	–	·45	–	–	–	–	·16	·02	–	·16	·04	·25		17
18	–	·04	–	–	·02	·41	·25	·01	–	·20	–	·02		18
19	·35	·15	·03	·31	–	·03	–	·05	–	·06	–	–		19
20	·05	·11	·01	·02	–	·01	·02	–	–	·03	–	·01		20
21	–	–	–	·19	–	1·93	–	–	–	–	–	–		21
22	–	·26	·04	–	·03	·03	·21	–	–	–	–	·08		22
23	–	·05	·30	·05	·02	–	·19	–	–	·04	–	–		23
24	·33	·05	–	·03	·05	–	–	–	·36	·50	–	–		24
25	·14	–	·06	·52	–	–	·02	–	·76	·04	–	–		25
26	·07	·07	·25	–	–	–	·05	–	·01	·05	–	–		26
27	·14	·01	·08	–	–	–	–	–	·21	·18	–	–		27
28	·18	·18	·13	–	–	–	·04	–	–	·09	·07	·04		28
29	·03	·19	·05	–	–	·13	·04	–	–	·06	·03	·15		29
30	·09	✕	–	–	·18	–	·31	–	–	·54	·06	·01		30
31	·40	✕	·08	✕	–	✕	·02	–	✕	·01	✕	·30		31
TOTAL	3·30	1·94	1·84	2·21	1·02	4·14	5·09	·94	4·30	2·08	2·83	2·35	Year's Total 32·04	
* Days with .01 in. or more.	20	15	18	13	9	18	24	12	16	15	17	22	199	
* Days with .04 in. or more.	17	13	13	10	6	11	18	7	13	12	14	15	149	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Roland D. Smith

(Head Gardener)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2323.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Weston Park

in the County of Stafford

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·20	·04	·31	-	·20	·14	·32	·01	-	·13	·13		1
2	·33	·03	-	·07	-	·31	·37	·04	-	-	·11	·01		2
3	·03	-	·05	-	-	·07	-	·01	·79	-	·01	·03		3
4	-	-	·11	-	-	·20	-	·02	·30	-	·20	·21		4
5	·25	·07	·03	-	-	·01	·01	·08	·06	-	·01	·13		5
6	·05	-	·01	-	·12	·03	·17	·26	·17	-	·04	·05		6
7	-	-	·02	-	-	-	·25	-	·25	-	·18	·04		7
8	·09	-	·14	-	-	-	·15	-	·05	-	·35	·09		8
9	·34	-	·41	-	-	·02	1·36	-	·12	-	-	·01		9
10	·01	-	-	-	-	-	·27	·01	·01	-	-	-		10
11	-	-	-	·01	-	·09	·11	-	·05	-	·72	-		11
12	-	-	-	-	·07	·39	·78	-	·48	-	·16	·14		12
13	-	-	-	·08	-	·15	-	-	-	·10	-	·39		13
14	-	-	-	·12	-	·10	·03	·05	·67	·02	·05	·18		14
15	·13	-	-	·21	·25	·03	·10	·07	-	-	·25	·07		15
16	·11	·08	-	·09	·28	-	·03	-	-	-	·42	·01		16
17	-	·45	-	-	-	-	·16	·02	-	·16	·04	·25		17
18	-	·04	-	-	·02	·41	·25	·01	-	·20	-	·02		18
19	·35	·15	·03	·31	-	·03	-	·05	-	·06	-	-		19
20	·05	·11	·01	·02	-	·01	·02	-	-	·03	-	·01		20
21	-	-	-	·19	-	1·93	-	-	-	-	-	-		21
22	-	·26	·04	-	·03	·03	·21	-	-	-	-	·08		22
23	-	·05	·30	·05	·02	-	·19	-	-	·04	-	-		23
24	·33	·05	·06	·03	·05	-	-	-	·36	·50	-	-		24
25	·14	-	-	·52	-	-	·02	-	·76	·04	-	-		25
26	·07	·07	·25	-	-	-	·05	-	·01	·05	-	-		26
27	·14	·01	·08	-	-	-	-	-	·21	·18	-	-		27
28	·18	·18	·13	-	-	-	·04	-	-	·09	·07	·04		28
29	·03	·19	·05	-	-	·13	·04	-	-	·06	·03	·15		29
30	·09	✕	-	-	·18	-	·31	-	-	·54	·06	·01		30
31	·40	✕	·08	✕	-	✕	·02	-	✕	·01	✕	·30		31
TOTAL	3·30	1·94	1·84	2·21	1·02	4·14	5·09	·94	4·30	2·08	2·83	2·35	Year's Total 32·04	
* Days with .01 in. or more.	20.	15.	18.	13.	9.	18.	24.	12.	16.	15.	17.	22.	199.	
* Days with .04 in. or more.	17.	13.	13.	10.	6.	11.	18.	7.	13.	12.	14.	15.	149.	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Roland D. Smith [P.T.O.

(Head Gardener)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2323.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Weston Park

in the County of Stafford

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·08	·02	·01	-	-	-	-	·02	-	·01	·10		1
2	·01	·06	·01	·53	-	-	-	-	-	-	-	·91		2
3	-	·05	-	-	·61	·09	·02	-	-	-	-	·02		3
4	·12	·15	·02	-	·12	·02	-	·04	-	-	-	·80		4
5	·14	-	·18	-	-	-	-	-	-	-	-	·05		5
6	·10	·02	·02	·11	·14	-	·15	-	-	-	·01	·01		6
7	-	·65	-	·11	-	·13	-	-	-	·05	·01	-		7
8	-	·17	-	·02	·06	-	·08	-	-	-	·32	-		8
9	-	-	-	·02	·16	-	·46	·03	·16	-	-	-		9
10	·01	·05	·32	-	-	·05	-	-	-	-	-	·18		10
11	-	·02	·13	-	·28	·40	·02	-	-	-	-	·23		11
12	·06	·30	·10	-	·40	·12	-	-	·17	-	-	·18		12
13	·06	·03	·04	·01	-	-	-	·07	·29	-	-	·04		13
14	-	-	·15	-	-	-	-	·32	·06	-	·05	·14		14
15	·08	·09	·01	·18	-	-	2·22	·02	·26	-	-	·02		15
16	-	·09	·47	·44	·34	-	-	·20	·07	-	-	-		16
17	·11	·10	·10	·16	-	·05	-	-	·27	-	-	-		17
18	·89	·08	·02	-	-	-	·03	-	1·85.	-	·52	·02		18
19	·07	·12	·05	·11	-	·08	·05	-	·01	-	·09	-		19
20	·16	·01	-	·38	·54	-	-	-	-	-	-	-		20
21	·08	·16	·09	·04	-	-	·22	-	-	·05	-	·08		21
22	·04	·10	·15	-	·05	·08	·35	-	-	·44	·37	·10		22
23	·17	·02	-	-	·05	-	·03	-	-	·32	·17	-		23
24	·11	·38	·03	-	·01.	+	·04	-	·09	·40	-	·01		24
25	-	·40	-	-	·04	-	-	-	·02	·22	-	·02		25
26	-	·12	·08	-	·59	-	-	-	-	-	-	·05		26
27	-	·57	-	·21	-	-	-	-	-	·44	-	·01		27
28	-	·19	·02	-	-	-	-	-	-	·11	-	·03		28
29	·02		-	-	-	·05	-	-	-	·11	·04	·01.		29
30	·26	✕	-	-	-	-	-	·08	-	·02	·06	·01		30
31	·35	✕	-	✕	-	✕	-	-	✕	·16	✕	-		31
TOTAL	2·89	4·01	2·01	2·33	3·39	1·07	3·67	·76	3·27	2·32	1·65	3·02	Year's Total 30·39	✓
* Days with .01 in. or more.	20	25.	20.	14.	14.	10.	12.	7.	12	11.	11.	22	178.	✓
* Days with .04 in. or more.	17.	20.	12.	10.	13.	9.	8.	5.	9.	10.	8.	12.	133.	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Roland D. Smith

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2323

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Weston Park

in the County of Stafford

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·10	–	–	·46	·02	·01	–	·13	·05	·27		1
2	·01	·01	–	·12	·03	·31	–	–	–	·15	–	·03		2
3	–	–	–	–	–	·04	–	–	·01	·48	–	–		3
4	·01	·01	–	–	–	·01	·03	·08	–	·12	–	·24		4
5	–	–	–	–	–	–	–	·92	·04	·05	–	–		5
6	·17	–	–	–	–	–	·66	–	·34	·12	–	·01		6
7	·07	–	–	–	–	–	·37	·30	·07	·11	–	·11		7
8	·35	–	–	–	–	–	·39	·48	–	·28	–	·03		8
9	·11	·20	–	–	–	·11	·07	·23	–	–	–	·24		9
10	·02	–	–	–	–	·08	·31	·02	–	–	–	·14		10
11	·57	·03	–	–	–	–	·02	–	·02	·02	·16	·10		11
12	·11	–	–	–	·06	–	·01	–	–	·27	·23	–		12
13	–	–	–	[illegible]	·01	–	–	–	–	·03	·35	·22		13
14	·29	–	–	–	·03	–	·36	–	·02	–	–	–		14
15	·08	–	–	–	·08	–	·28	·02	–	–	·02	·17		15
16	·31	–	–	–	–	–	–	·02	–	·05	·06	·14		16
17	–	·01	–	–	–	–	·02	–	·10	·11	·01	·03		17
18	·06	–	–	–	·09	·04	–	·12	·48	·02	·33	–		18
19	·02	–	–	–	–	–	–	·14	·02	–	·02	·01		19
20	·02	–	–	–	–	–	–	–	·01	–	·37	–		20
21	·04	–	–	–	–	–	–	·09	·16	–	·03	·10		21
22	–	–	–	·03	–	·04	–	–	·03	–	·35	·01		22
23	–	–	–	–	·03	–	–	–	·10	–	·02	–		23
24	·02	–	·12	–	·05	·01	–	·22	·03	–	–	–		24
25	·03	·10	·07	–	·05	–	·02	·13	·01	·33	1·08	·03		25
26	·06	·30	·22	–	·01	·14	–	–	·05	·41	–	·14		26
27	·07	·01	·02	–	·17	·15	·16	·38	·04	·01	·32	–		27
28	·05	·05	–	–	·02	·12	·13	·07	·05	–	·02	·25		28
29	·33		·01	–	·54	–	·01	–	·01	·08	·08	·14		29
30	·05	✕	–	–	·12	·16	–	–	·40	–	·29	·29		30
31	·08	✕	–	✕	·14	✕	–	–	✕	·16	✕	·30		31
TOTAL	2·93	0·72	0·54	0·15	1·43	1·67	2·86	3·23	1·99	2·93	3·79	3·00	Year's Total 25·24 ✓	
* Days with .01 in. or more.	24	9.	6.	2.	15.	13.	16	16	20.	19.	18	22	180 ✓	
* Days with .04 in. or more.	17.	4.	4.	1.	9.	11.	9.	12.	11.	15.	12.	15.	120 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2323

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Weston Park - Shifnal

in the County of Stafford

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	-	-	·10	·01	-	·01	·01	-	·01	-	·01		1
2	·25	-	-	·03	-	-	·03	·37	·24	-	·01	·04		2
3	·32	-	-	·31	-	-	-	·16	·01	-	·14	·30		3
4	·20	-	·12	·29	·13	-	·33	·08	·04	·23	·23	·22		4
5	-	-	-	·06	·22	-	·09	·04	-	·02	·30	·03		5
6	·68	-	-	-	-	-	·55	-	-	-	·11	-		6
7	·12	·04	-	-	·02	-	·42	·02	-	·19	·57	·64		7
8	-	·05	·47	-	-	-	·23	·20	-	·41	·28	·08		8
9	·04	·05	·01	-	-	-	·31	·14	-	·43	·02	·34		9
10	·65	-	·02	-	-	-	-	·18	·10	·26	-	·02		10
11	·08	·03	·17	-	-	·29	-	·01	-	·01	·01	-		11
12	-	·07	-	-	-	·02	-	-	·01	-	-	-		12
13	-	-	·02	·15	·05	·02	·08	-	·03	·14	-	-		13
14	·56	-	·01	·03	·30	·21	·23	-	-	·20	·15	-		14
15	·33	-	·01	·05	·15	·37	·33	-	-	-	·16	-		15
16	·07	-	·07	-	·32	-	·04	-	-	-	·12	-		16
17	·27	·02	-	-	-	·06	·10	-	-	1·35	·07	-		17
18	·24	-	·07	-	-	·55	·12	-	-	·02	·73	-		18
19	·24	·13	-	-	-	-	·57	-	-	-	·03	·01		19
20	·27	-	·03	-	·01	·36	·01	·05	·01	-	-	-		20
21	·34	·07	·17	·03	·05	-	1·15	·90	·10	-	-	-		21
22	·33	·28	·02	·04	-	·01	·35	-	·01	·02	·52	-		22
23	·10	·03	-	·07	-	-	·07	-	-	·22	·59	-		23
24	·10	-	·11	·16	-	·01	·21	-	-	·29	-	-		24
25	·59	·06	-	·01	-	-	·30	-	-	·04	·15	·02		25
26	-	-	-	·01	-	-	-	-	-	-	·24	·18		26
27	·01	·06	·12	·01	-	·04	·08	-	-	·04	·03	·17		27
28	-	·08	·20	·03	-	·15	·37	-	-	·01	·17	·04		28
29	-		-	·12	-	·01	·92	·57	-	·12	·01	-		29
30	-	✕	-	·03	-	·12	·01	-	-	·01	·13	·02		30
31	-	✕	-	✕	-	✕	-	·05	✕	·01	✕	·06		31
TOTAL	6·04	·97	1·62	1·53	1·26	2·22	6·91	2·78	·55	4·03	4·77	2·18	Year's Total 34·86	✓
* Days with .01 in. or more.	22	13	16	18	10.	14	25.	14.	9.	21.	23.	16	201	✓
* Days with .04 in. or more.	21.	10.	9.	10.	7.	9.	21.	11.	4.	13.	17.	10	142	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Roland D. Smith

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 2323.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Weston Park

in the County of Stafford

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	·02	-	-	-	-	-	-	·40	·01		1
2	-	·04	-	·30	-	-	·06	-	-	-	·64	·07		2
3	-	·08	-	·04	-	-	-	-	-	·26	·47	·17		3
4	-	-	-	·10	-	-	·13	-	-	·08	·42	·03		4
5	-	-	-	-	·03	-	·04	-	-	·08	·36	·14		5
6	·08	·35	-	-	-	-	·02	-	-	·73	·20	·03		6
7	·01	·14	-	·02	·04	-	·07	-	·01	·01	-	·02		7
8	-	-	-	·03	-	-	·13	-	·05	·24	·01	·12		8
9	-	-	·13	-	-	·03	·20	·13	·04	·04	·39	·31		9
10	-	-	·11	-	-	·05	·62	·06	·03	·02	·07	·22		10
11	-	-	·05	·05	-	-	·10	-	-	-	·32	·14		11
12	-	·02	·01	-	-	·03	·37	·01	·11	-	·03	-		12
13	-	·01	·35	·07	-	-	-	·06	·05	-	-	·01		13
14	-	-	·01	·10	·20	-	-	·08	·17	·06	·01	·21		14
15	-	-	·03	·25	·66	-	-	-	·09	·04	·09	-		15
16	·03	·33	·29	-	-	-	·05	-	·17	·62	·67	-		16
17	-	-	·56	-	-	-	·09	-	-	-	·71	-		17
18	·14	·58	·11	·55	-	-	-	·05	·16	·03	·02	·10		18
19	-	·30	·04	·23	-	-	·20	-	·06	-	·16	·01		19
20	-	·12	-	·04	-	-	·12	·06	·04	·34	·01	-		20
21	-	·01	-	-	·30	·40	·28	·04	-	-	1·35	-		21
22	-	-	·01	·03	·34	·06	-	·04	·03	-	-	-		22
23	-	·15	·04	·30	·11	·01	-	-	-	·01	·01	-		23
24	-	-	-	-	-	-	·03	·01	-	-	-	-		24
25	·02	-	-	·01	·02	-	-	-	-	·01	-	-		25
26	1.18	·07	·06	·01	·02	-	·38	-	-	-	·04	-		26
27	·94	·03	-	·57	-	-	·15	·01	-	-	·15	·01		27
28	·65	·49	-	-	·42	-	-	-	-	-	-	-		28
29	·01	-	·10	·27	·01	·10	-	-	-	-	-	·16		29
30	·06	✕	-	·58	·06	-	-	-	-	·19	·01	·06		30
31	·15	✕	·10	✕	-	✕	-	-	✕	·95	✕	·04		31
													Year's Total	
TOTAL	3·27	2·73	2·00	3·57	2·21	·68	3·04	·55	1·00	3·71	6·54	1.86	31·16 ✓	
* Days with .01 in. or more.	11	16	16	20	12	7	18	11	13	17	23	19	183 ✓	
* Days with .04 in. or more.	7	11	12	14	8	4	16	8	10	12	16	12	130	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Roland D. Smith [P.T.O.

(Head Gardener)

2324

Section **A** **for the**
AIR M

PY FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090.

RE

2324

NORBURY JUNCTION

1931- 40

780405

Kept at Norbury
in the County of

Diameter of Funnel of Ga
Height of top of Gauge abo
,, Ground ,,

THE MORNING

An observer who does not co
year in the space on the rig

wing

Jan. 1, following

Date	Jan.	Feb.	M							Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	12	09	01	·	·	·	15	01	·	·	1
2	·	15	·	81	04	21	·	05	90	10	02	05	2
3	21	·	·	02	·	·	09	·	49	·	60	10	3
4	·	·	·	21	·	·	22	67	36	·	05	01	4
5	·	07	·	05	·	1·26	·	62	04	02	·	26	5
6	·	25	01	·	·	12	01	02	03	26	20	·	6
7	·	02	·	·	·	55	03	52	·	06	15	01	7
8	10	03	·	22	·	10	·	1·10	·	·	12	·	8
9	05	30	·	·	·	07	·	15	·	·	36	01	9
10	03	01	·	·	13	02	14	16	·	·	30	02	10
11	05	31	·	·	·	03	·	01	29	·	08	02	11
12	02	16	02	17	·	·	50	17	28	03	02	·	12
13	·	·	08	·	01	·	12	33	·	·	·	01	13
14	·	12	·	·	04	43	39	83	03	·	49	02	14
15	03	13	·	22	09	01	15	12	01	·	01	16	15
16	09	13	·	24	56	90	01	08	27	·	·	·	16
17	10	03	·	37	90	09	01	·	·	·	10	·	17
18	11	03	03	22	·	12	07	15	·	·	46	·	18
19	15	17	·	·	·	05	08	50	·	01	·	·	19
20	·	06	05	·	·	·	02	15	·	·	03	02	20
21	48	·	·	01	50	·	·	·	·	·	14	·	21
22	07	01	·	02	17	·	·	28	·	·	01	·	22
23	20	·	·	25	32	07	22	·	·	·	20	32	23
24	02	01	·	17	30	·	08	·	·	·	02	·	24
25	06	05	·	1·01	10	·	16	·	·	·	01	·	25
26	06	03	·	15	·	·	05	·	·	·	53	·	26
27	07	45	·	08	05	·	·	·	·	18	25	13	27
28	15	12	·	05	60	·	·	·	·	15	·	17	28
29	·	·	·	·	11	·	40	·	·	40	03	·	29
30	·	×	·	05	·	·	02	·	03	·	01	02	30
31	19	×	·	×	·	×	·	·	×	·	×	03	31
TOTAL	2·24	2·64	·31	4·44	3·93	4·03	2·77	5·91	2·88	1·22	4·19	1·36	YEAR'S TOTAL 35·92
*Days with ·01 in. or more.	20	22	6	20	16	15	20	18	12	10	24	17	200
*Days with ·04 in. or more.	16	14	3	17	14	12	14	16	8	6	15	7	142

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A Turnbull
JWM

P.T.O.

2324

Section A for the entry

PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.

ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Norbury Junction

in the County of Stafford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Ord Datum ~~Sea Level~~ 331½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	12	09	01	·	·	·	15	01	·	·	1
2	·	15	·	81	04	21	·	05	90	10	02	05	2
3	21	·	·	02	·	·	09	·	49	·	60	10	3
4	·	·	·	21	·	·	22	67	36	·	05	01	4
5	·	07	·	05	·	1·26	·	62	04	02	·	26	5
6	·	25	01	·	·	12	01	02	03	26	20	·	6
7	·	02	·	·	·	55	03	52	·	06	15	01	7
8	10	03	·	22	·	10	·	1·10	·	·	12	·	8
9	05	30	·	·	·	07	·	15	·	·	36	01	9
10	03	01	·	·	13	02	14	16	·	·	30	02	10
11	05	31	·	·	·	03	·	01	29	·	08	02	11
12	02	16	02	17	·	·	50	17	28	03	02	·	12
13	·	·	08	·	01	·	12	33	·	·	·	01	13
14	·	12	·	·	04	43	39	83	03	·	49	02	14
15	03	13	·	22	09	01	15	12	01	·	01	16	15
16	09	13	·	24	56	90	01	08	27	·	·	·	16
17	10	03	·	37	90	09	01	·	·	·	10	·	17
18	11	03	03	22	·	12	07	15	·	·	46	·	18
19	15	17	·	·	·	05	08	50	·	01	·	·	19
20	·	06	05	·	·	·	02	15	·	·	03	02	20
21	48	·	·	01	50	·	·	·	·	·	14	·	21
22	07	01	·	02	17	·	·	28	·	·	01	·	22
23	20	·	·	25	32	07	22	·	·	·	20	32	23
24	02	01	·	17	30	·	08	·	·	·	02	·	24
25	06	05	·	1·01	10	·	16	·	·	·	01	·	25
26	06	03	·	15	·	·	05	·	·	·	53	·	26
27	07	45	·	08	05	·	·	·	·	18	25	13	27
28	15	12	·	05	60	·	·	·	·	15	·	17	28
29	·	·	·	·	11	·	40	·	·	40	03	·	29
30	·	×	·	05	·	·	02	·	03	·	01	02	30
31	19	×	·	×	·	×	·	·	×	·	×	03	31
TOTAL	2·24	2·64	·31	4·44	3·93	4·03	2·77	5·91	2·88	1·22	4·19	1·36	YEAR'S TOTAL 35·92
*Days with ·01 in. or more.	20	22	6	20	16	15	20	18	12	10	24	17	200
*Days with ·04 in. or more.	16	14	3	17	14	12	14	16	8	6	15	7	142

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A Turnbull

P.T.O.

COPY FOR OFFICIAL USE.

Section **A.** for the entry of Daily Observations. Station No. 2324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Norbury Junction

in the County of Stafford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Ord. Datum ~~Sea Level~~ 331½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	03	·	11	35	·	30	13	05	·	01	05	1
2	06	01	·	09	26	·	02	·	20	21	·	18	2
3	02	01	·	48	06	·	40	06	04	16	·	09	3
4	03	·	·	21	·	·	·	·	20	·	27	·	4
5	20	·	03	02	16	·	·	·	10		·	·	5
6	82	·	10	11	01	·	·	·	01	01	·	·	6
7	·	·	16	15	08	·	05	·	10	92	·	·	7
8	·	·	·	05	·	·	·	·	·	21	·	·	8
9	32	02	·	·	·	·	·	·	·	·	·	·	9
10	19	01	·	15	06	·	·	·	26	43	·	·	10
11	10	01	·	10	30	·	40	·	·	10	·	02	11
12	16	·	·	·	06	·	03	·	10	26	·	·	12
13	02	·	·	02	77	·	·	09	·	30	08	06	13
14	18	·	·	01		·	90	23	·	18	14		14
15	01	·	·	·	15	·	15	·	·	·	·	05	15
16	29	·	·	·	30	·	·	·	·	·	·	·	16
17	01	·	·	·	01	·	30	·	·	03	·	·	17
18	·	·	·	·	02	·	·	·	·	·	07	·	18
19	·	·	·	11	03	·	·	·	·	20	·	·	19
20	·	·	·	05	80	·	07	95	01	32	21	·	20
21	·	·	25	·	23	·	·	04	02	25	20	04	21
22	01	·	26	05	15	·	32	·	42	21	20	04	22
23	·	·	·	·	45	·	10	·	·	·	06	04	23
24	11	·	·	·	02	·	20	·	·	04	45	·	24
25	01	02	·	·	01	04	02	·	·	26	02	·	25
26	·	·	09	26	20	·	10	·	·	08	·	·	26
27	·	·	31	14	43	·	18	·	·	·	11	·	27
28	·	·	21	06	40	·	18	·	·	·	·	07	28
29	·	·	11	26	10	08	02	12	10	36	15	20	29
30	·	×	26	12	01	27	04	02	06	42	15	09	30
31	01	×	01	×	·	×	55	·	×	·	×	21	31
TOTAL	2·58	·11	1·79	2·55	5·42	·39	4·33	1·64	1·67	4·95	2·12	1·14	YEAR'S TOTAL 28·69
*Days with ·01 in. or more.	19	7	11	20	26	3	20	8	14	20	14	13	175
*Days with .04 in. or more.	10	0	9	17	19	3	16	7	11	18	12	12	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. E Bullough

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Norbury Junction

in the County of Stafford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Ord. Datum ~~Sea Level~~ 331½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·45	·	·	·	·	·	·	·	·	·03	·		1
2	·07	·08	·05	·	·04	·13	·	·	·	·	·	·		2
3	·08	·20	·08	·	·05	·	·	·	·	·	·	·		3
4	·18	·	·	·	·15	·	·	·	·	·	·	·		4
5	·17	·	09	·	·06	·	·	·	·	·	·01	·		5
6	·11	·53	·	·	·18	·	·	·	·	·02	·			6
7	·	·35	·12	·	·	·	·	·	·	·12	·	·		7
8	·	·	·25	·	·10	·14	·75	·	·	·	·	·		8
9	·	·	·	·	·08	·01	·35	·	·	·52	·			9
10	·05	·33	·	·	·	·07	·21	·	·	2·13	·			10
11	·	·	·	·	·01	·	·23	·	·	·08	·	·		11
12	·	·	·	·05	·	·	·22	·	·	·05	·	·		12
13	·	·	·	·	·14	·	·14	·	·	·27	·44	·		13
14	·08	·	·	·	·	·	·03	·10	·	·29	·	·		14
15	·25	·	·	·	·	·	·10	·05	·	·05	·14	·		15
16	·12	·	·49	·	·07	·08	·	·	·	·11	·10	·		16
17	·08	·	·34	·	·	·27	·	·	·	·	·	·		17
18	·12	·	·06	·	·	·12	·	·	·09	·	·	·		18
19	·	·10	·29	·	·	·	·03	·	·12	·	·12	·		19
20	·	·03	·15	·	·	·08	·	·10	·10	·	·	·		20
21	·	·	·	·	·	·46	·	·32	·	·	·	·		21
22	·	·	·	·	·	·11	·	·28	·	·22	·	·		22
23	·	·	·	·23	·	·10	·	·	·	·15	·01	·		23
24	·	·60	·	·11	·07	·31	·	·	·21	·02	·	·		24
25	·	·49	·	·08	·	·10	·	·	·	·	·	·10		25
26	·	·53	·	·17	·07	·	·	·	·	·20	·	·		26
27	·	·04	·	·	·06	·	·	·	·24	·	·	·01		27
28	·	·01	·	·17	·02	·	·	·	·	·08	·	·02		28
29	·	·	·	·36	·	·	·30	·	·	·	·	·		29
30	·08	×	·	·08	·	·	·06	·	·	·01	·	·22		30
31	·05	×	·33	×	·	×	·	·04	×	·45	×	·		31
TOTAL	1·62	3·74	2·25	1·25	1·10	1·98	2·42	·89	·76	4·77	·85	·35	Year's Total 21·98	✓
*Days with ·01 in. or more.	14	13	11	8	14	13	11	6	5	17	7	4	123	✓
*Days with ·04 in. or more.	14	11	11	8	12	12	9	6	5	14	4	2	108	✓

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) R. G. Bullough JWM [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Norbury Junction

in the County of Stafford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Ord Datum ~~Sea Level~~ 331½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·	·	·	·	·	·	·08	·20	·69	·23	·40		1
2	·11	·	·10	·	·	·	·	·16	·11	·04	·07	·07		2
3	·15	·	·07	·	·	·	·	·07	·	·07	·16	·19		3
4	·	·	·	·	·05	·	·	·02	·12	·07	·04	·16		4
5	·	·	·18	·	·15	·	·	·74	·	·16	·11	·01		5
6	·	·	·05	·	·34	·	·	·15	·	·20	·01	·26		6
7	·	·	·	·	·	·04	·	·08	·	·10	·07	·09		7
8	·	·	·	·	·09	·05	·	·02	·	·	·40	·07		8
9	·	·	·22	·02	·	·	·	·20	·01	·	·46	·01		9
10	·	·	·19	·22	·	·	·	·46	·	·	·13	·		10
11	·52	·	·10	·18	·	·	·	·12	·	·	·02	·19		11
12	·15	·	·13	·07	·	·	·01	·18	·	·04	·	·		12
13	·63	·	·	·	·02	·	·59	·05	·	·20	·07	·02		13
14	·11	·	·19	·	·	·	·	·	·05	·27	·48	·08		14
15	·05	·	·07	·	·18	·	·	·01	·	·38	·20	·14		15
16	·04	·	·	·	·	·	·	·01	·	·18	·02	·01		16
17	·10	·	·23	·07	·03	·	·16	·01	·11	·	·	·13		17
18	·13	·	·01	·15	·	·	·01	·	·	·	·	·01		18
19	·	·	·12	·16	·	·11	·	·03	·03	·04	·	·12		19
20	·	·	·14	·10	·	·06	·	·	·03	·	·	·03		20
21	·02	·	·	·	·	·15	·	·01	·10	·04	·	·01		21
22	·03	·	·01	·	·	·11	·	·25	·27	·10	·	·18		22
23	·	·	·10	·18	·	·	·06	·	·10	·02	·04	·01		23
24	·	·31	·	·15	·	·02	·	·	·03	·02	·	·		24
25	·02	·05	·01	·07	·	·	·	·	·02	·19	·	·34		25
26	·04	·	·10	·43	·	·12	·05	·01	·03	·	·	·01		26
27	·	·	·	·14	·	·04	·03	·	·06	·08	·	·13		27
28	·	·	·	·05	·	·16	·	·10	·18	·03	·01	·29		28
29	·	·	·	·	·	·	·42	·03	·23	·	·	·07		29
30	·07	×	·	·	·	·	·02	·19	·02	·10	·	·15		30
31	·	×	·	×	·	×	·03	·04	×	·44	×	·38		31
TOTAL	2·24	·36	2·02	1·99	·86	·86	1·38	3·02	1·70	3·46	2·52	3·56	Year's Total. 23·97	
* Days with .01 in. or more.	16	2	18	14	7	10	10	24	18	22	17	28	186	
* Days with .04 in. or more.	13	2	15	13	5	9	5	15	11	19	13	19	139	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. E. Bullough WM

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 2324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Norbury Junction

in the County of Stafford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " ~~Sea Level~~ Ord Datum 331½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·	·	·	·02	·	·07	·	·06	·17	·01	·09		1
2	·01	·07	·	·	·	·19	·	·	·	·11	·05	·20		2
3	·01	·26	·10	·	·	·07	·	·	·	·31	·20	·59		3
4	·03	·01	·06	·19	·	·02	·	·	·04	·30	·02	·05		4
5	·	·26	·10	·10	·	·08	·15	·	·03	·05	·17	·01		5
6	·	·	·	·11	·	·21	·	·	·	·	·	·		6
7	·	·	·	·39	·	·33	·	·	·	·10	·25	·02		7
8	·	·	·	·15	·	·02	·	·02	·	·11	·22	·07		8
9	·	·	·	·16	·	·18	·	·	·	·44	·21	·		9
10	·	·	·	·12	·	·	·	·	·	·09	·04	·		10
11	·20	·	·	·	·	·09	·	·	·	·02	·01	·		11
12	·06	·01	·	·	·	·11	·	·	·01	·	·10	·		12
13	·16	·	·	·09	·25	·01	·	·	·27	·	·03	·		13
14	·	·03	·	·03	·	·06	·	·	·07	·	1·02	·11		14
15	·	·05	·	·55	·06	·	·	·	·14	·	·	·30		15
16	·01	·02	·15	·05	·	·04	·10	·	·40	·20	·51	·		16
17	·	·	·	·27	·	·30	·16	·45	·19	·	·68	·		17
18	·	·	·	·39	·23	·01	·25	·03	·21	·08	·01	·		18
19	·	·	·	·05	·27	·57	·03	·	·05	·14	·30	·		19
20	·	·21	·	·56	·	·01	·08	·	·	·01	·23	·		20
21	·01	·84	·	·01	·	·	·	·	·56	·01	·01	·		21
22	·	·06	·	·	·	·	·	·	·09	·	·	·05		22
23	·01	·06	·07	·12	·	·	·	·06	·12	·55	·	·		23
24	·13	·36	·09	·	·	·	·	·02	·61	·	·	·29		24
25	·23	·18	·	·	·	·26	·	·	·	·	·	·10		25
26	·	·12	·	·	·01	·	·	1·07	·33	·04	·29	·30		26
27	·	·04	·	·11	·	·	·	·	·11	·19	·01	·14		27
28	·	·	·	·	·02	·	·	·08	·21	·09	·	·01		28
29	·	·	·07	·	·	·	·	·01	·07	·03	·14	·08		29
30	·05	✕	·	·03	·	·08	·	·05	·19	·42	·20	·06		30
31	·	✕	·	✕	·	✕	·	·	✕	·38	✕	·22		31
													Year's Total	
Total	1·12	2·58	·64	3·48	·86	2·64	·84	1·79	3·76	3·84	4·71	2·69	28·95	✓
* Days with .01 in. or more.	13	16	7	19	7	19	7	9	20	22	23	18	180	✓
* Days with .04 in. or more.	7	12	7	16	4	14	6	5	18	18	16	15	138	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. E. Bullough [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Norbury Junction

in the County of Staffs

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Ord Datum ~~Sea Level~~ 331½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·13	·08	·51	·	·15	·	·36	·02	·	·17	·12		1
2	·38	·01	·	·10	·	·40	·39	·03	·	·	·17	·01		2
3	·02	·	·	·	·	·10	·	·05	·57	·	·	·		3
4	·	·	·17	·	·	·22	·01	·08	·28	·	·20	·23		4
5	·19	·01	·07	·	·	·	·	·	·10	·	·	·13		5
6	·	·	·	·	·10	·06	·10	·21	·27	·	·06	·		6
7	·01	·	·04	·	·	·	·25	·	·14	·	·08	·10		7
8	·08	·	·20	·	·	·	·10	·	·23	·	·10	·05		8
9	·	·	·25	·	·	·03	·70	·	·02	·	·01	·		9
10	·	·	·01	·	·	·	·30	·	·18	·	·	·		10
11	·03	·	·	·01	·	·09	·27	·03	·10	·	·53	·		11
12	·	·	·	·01	·08	·39	·50	·	·60	·	·04	·11		12
13	·	·	·	·03	·	·10	·10	·	·	·10	·08	·34		13
14	·	·	·	·08	·	·21	·02	·06	·36	·	·03	·23		14
15	·13	·	·	·18	·26	·06	·10	·07	·	·	·28	·07		15
16	·15	·09	·	·04	·09	·	·07	·	·	·	·44	·02		16
17	·	·42	·	·	·	·	·14	·08	·	·18	·07	·04		17
18	·	·18	·	·04	·	·26	·21	·09	·	·07	·	·		18
19	·38	·	·	·32	·	·05	·02	·03	·	·10	·	·		19
20	·	·18	·02	·	·	·	·	·	·	·	·	·		20
21	·	·	·	·15	·	·96	·01	·	·	·	·01	·		21
22	·	·19	·05	·	·	·36	·22	·	·	·	·	·		22
23	·03	·03	·65	·10	·02	·	·18	·	·	·03	·	·11		23
24	·17	·02	·	·06	·	·	·08	·	·19	·26	·	·		24
25	·16	·	·03	·23	·	·	·02	·	·45	·04	·	·		25
26	·01	·08	·22	·	·	·	·	·	·12	·03	·	·		26
27	·05	·	·02	·	·	·	·	·	·10	·02	·03	·		27
28	·26	·12	·18	·02	·	·	·03	·	·	·02	·03	·07		28
29	·18	·10	·01	·	·	·12	·	·	·	·11	·05	·15		29
30	·16	×	·01	·	·22	·	·38	·	·	·59	·03	·		30
31	·35	×	·	×	·	×	·02	·	×	·01	×	·19		31
													Year's Total	
TOTAL	2·78	1·56	2·01	1·88	·77	3·56	4·22	1·09	3·73	1·56	2·41	1·97	27·54	
* Days with .01 in. or more.	19	13	16	15	6	16	24	11	16	13	19	16	184	
* Days with .04 in. or more.	14	9	10	11	5	15	17	8	14	8	13	14	158	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) For R. C. BULLOUGH. FWM [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Norbury Junction

in the County of Staffs.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ ~~Sea Level~~ Ord. Datum 331½ ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·11	·07	·05	·01	·	·	·	·	·10	·	·	·17		1
2	·	·09	·04	·45	·	·	·	·	·	·	·	1·20		2
3	·	·05	·01	·	·30	·	·	·	·	·	·	·02		3
4	·13	·11	·03	·01	·	·	·	·03	·	·	·	·60		4
5	·21	·	·02	·	·	·	·	·	·	·	·	1·21		5
6	·24	·	·04	·11	·11	·	·	·	·	·	·	·		6
7	·	·55	·07	·04	·	·21	·	·	·	·	·04	·		7
8	·	·22	·	·	·	·	·33	·	·	·	·27	·		8
9	·	·	·	·	·15	·	·22	·	·08	·	·	·		9
10	·	·27	·13	·	·	·02	·	·	·	·	·02	·13		10
11	·	·16	·10	·	·24	·30	·03	·	·	·	·	·36		11
12	·09	·14	·12	·02	·20	·09	·	·	·10	·	·	·21		12
13	·02	·02	·04	·	·	·	·	·	·48	·	·	·		13
14	·	·	·32	·	·	·	·	·49	·08	·	·06	·10		14
15	·09	·19	·04	·	·	·	1·97	·	·30	·	·	·		15
16	·	·06	·54	·69	·	·	·	·15	·	·	·	·		16
17	·09	·10	·06	·26	·	·	·	·	·49	·	·	·		17
18	1·10	·09	·01	·	·	·	·	·	·65	·	·55	·10		18
19	·08	·11	·05	·18	·	·13	·42	·	·	·	·10	·		19
20	·15	·20	·02	·11	·60	·	·	·	·	·	·	·01		20
21	·07	·09	·04	·20	·	·	·26	·	·	·02	·	·03		21
22	·08	·07	·20	·01	·19	·	·27	·	·	·45	·	·		22
23	·15	·02	·01	·	·03	·	·04	·	·	·37	·46	·		23
24	·10	·38	·04	·	·	·	·02	·	·12	·45	·	·		24
25	·	·48	·01	·	·09	·	·	·	·02	·17	·	·09		25
26	·	·11	·07	·	·40	·	·	·	·	·	·01	·03		26
27	·	·63	·01	·24	·	·	·	·	·	·38	·	·		27
28	·	·20	·01	·	·	·	·	·	·	·12	·	·04		28
29	·	·	·	·	·	·	·	·	·	·10	·03	·		29
30	·21	✕	·	·	·	·	·	·48	·	·06	·04	·		30
31	·28	✕	·	✕	·	✕	·	·	✕	·14	✕	·01		31
TOTAL	3·20	4·41	2·08	2·33	2·31	·75	3·56	1·15	2·42	2·26	1·58	4·31	Year's Total 30·36	✓
* Days with .01 in. or more.	17	24	26	13	10	5	9	4	10	10	10	16	154	✓
* Days with .04 in. or more.	16	22	17	9	9	4	7	3	9	9	7	11	123	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) For [illegible] E. BULLOUGH [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM [illegible]090

REGISTER OF RAINFALL IN 1938.

Kept at Norbury Junction

in the County of Staffordshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 331 ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	·	·	·	·	·49	·04	·14	·	·20	·03	·12		1
2	·	·	·	·11	·02	·30	·	·	·	·11	·	·05		2
3	·	·	·	·01	·03	·04	·	·	·	·61	·01	·		3
4	·	·	·02	·	·	·02	·02	·04	·02	·12	·	·		4
5	·	·	·	·	·	·	·	·	·05	·14	·	·21		5
6	·08	·	·	·01	·	·01	·48	·52	·02	·10	·	·05		6
7	·20	·	·	·	·	·	·24	·24	·	·03	·	·07		7
8	·37	·	·	·	·	·	·34	·70	·	·29	·	·08		8
9	·	·20	·	·	·	·07	·05	·20	·	·	·	·08		9
10	·11	·	·	·	·	·24	·33	·	·	·	·	·11		10
11	·40	·01	·	·	·	·	·05	·	·01	·10	·15	·10		11
12	·08	·	·	·	·09	·	·03	·	·06	·30	·18	·		12
13	·03	·	·	·	·01	·	·	·	·	·	·	·22		13
14	·17	·	·	·	·	·	·37	·	·	·	·03	·		14
15	·18	·	·	·	·10	·	·30	·10	·	·	·	·12		15
16	·36	·	·	·	·07	·	·	·06	·	·	·07	·06		16
17	·02	·	·	·	·08	·	·04	·	·17	·20	·	·		17
18	·02	·	·	·	·12	·	·	·16	·20	·01	·13	·		18
19	·01	·	·	·	·	·03	·	·30	·01	·	·	·		19
20	·09	·	·	·	·	·	·	·	·03	·	·26	·		20
21	·	·	·	·	·	·	·	·18	·12	·	·02	·		21
22	·	·04	·	·02	·	·04	·	·	·	·	·29	·		22
23	·	·	·	·	·12	·	·	·	·	·	·	·05		23
24	·06	·04	·23	·	·05	·	·	·35	·11	·	·	·		24
25	·03	·20	·06	·	·	·	·02	·	·01	·42	·88	·06		25
26	·06	·10	·32	·	·	·36	·03	·	·03	·23	·	·10		26
27	·10	·01	·02	·	·44	·	·07	·28	·08	·	·33	·		27
28	·16	·03	·01	·	·04	·	·	·02	·02	·	·	·26		28
29	·45	·	·	·	·36	·	·	·	·01	·10	·05	·30		29
30	·10	✕	·	·	·	·08	·	·	·37	·	·30	·22		30
31	·05	✕	·	✕	·06	✕	·	·	✕	·21	✕	·28		31
TOTAL	3·13	·63	·66	·15	1·59	1·68	2·41	3·29	1·32	3·17	2·73	2·54	Year's Total 23·30	
* Days with .01 in. or more.	22	8	6	4	14	11	15	14	17	16	14	19	160	
* Days with .04 in. or more.	17	5	3	1	11	8	11	13	8	14	10	19	120	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. E. BULLOUGH per

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2324

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

TRAVELLING FORM
VALUES FORWARDED MONTHLY

Kept at Norbury Junction
in the County of Staffordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, ~~Sea Level~~ O.D. Datum 331 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·16	·	·	·16	·	·	·01	·11	·	·01	·	·		1
2	·10	·	·10	·10	·	·	·	·39	·29	·	·01	·		2
3	·24	·	·	·36	·	·	·	·06	·	·	·13	·		3
4	·33	·	·08	·14	·07	·	·25	·03	·	·24	·	·26		4
5	·	·	·	·01	·22	·	·13	·03	·	·	·10	·24		5
6	1·02	·	·	·	·	·	·71	·02	·01	·03	·07	·26		6
7	·10	·06	·	·	·	·	·15	·	·	·02	·08	·		7
8	·29	·11	·40	·	·	·	·25	·21	·	·54	·25	·78		8
9	·	·13	·	·	·	·	·16	·32	·15	·35	·	·08		9
10	·69	·	·	·	·	·	·	·12	·	·15	·01	·27		10
11	·09	·	·19	·	·	·18	·	·02	·	·	·	·02		11
12	·01	·18	·	·	·	·	·	·	·	·02	·	·		12
13	·	·	·	·36	·19	·04	·07	·	·	·18	·	·		13
14	·25	·	·	·	·27	·12	·08	·	·	·08	·05	·		14
15	·12	·	·	·10	·08	·52	·40	·	·	·	·15	·		15
16	·35	·	·	·	·22	·	·09	·	·	·06	·04	·		16
17	·40	·	·10	·04	·	·09	·	·	·08	1·28	·07	·		17
18	·18	·04	·07	·	·	·	·12	·	·	·	·66	·		18
19	·19	·	·	·	·	·	·45	·	·	·	·03	·02		19
20	·27	·	·	·	·	·10	·06	·10	·03	·01	·	·03		20
21	·15	·	·18	·04	·	·	·08	·48	·12	·	·	·		21
22	·31	·39	·	·13	·	·	·30	·	·	·01	·52	·		22
23	·05	·	·	·12	·	·	·19	·	·	·38	·46	·		23
24	·05	·03	·	·29	·	·	·21	·	·	·32	·	·		24
25	·51	·01	·04	·02	·	·	·33	·	·	·06	·16	·		25
26	·	·	·	·03	·	·	·	·	·	·02	·20	·12		26
27	·	·10	·08	·02	·	·	·10	·	·	·05	·11	·11		27
28	·	·	·20	·04	·	·21	·33	·	·	·03	·26	·07		28
29	·	·	·01	·21	·	·02	·89	·60	·	·03	·10	·		29
30	·	×	·	·02	·	·19	·03	·	·	·	·16	·		30
31	·	×	·	×	·	×	·	·05	×	·	×	·		31
TOTAL	5·86	1·05	1·45	2·19	1·05	1·47	5·39	2·54	·68	3·87	3·62	2·26	Year's Total 31·43	
* Days with .01 in. or more.	22	9	11	18	6	9	23	14	6	21	21	12	172	
* Days with .04 in. or more.	21	7	10	13	6	8	21	10	4	12	18	9	139	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) FOR F. [illegible]ERITT

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2324 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Norbury Junction

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Ord Datum ~~Sea Level~~ 331 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·	·		·04	·	-	·		·	·	·31	·		1
2	·	·		·24	·	-	·06	·	·	·	·64	·18		2
3	·	·19	·	·04	·	·	·	·	·	·18	·55	·08		3
4	·	·09	·	·05	·	·	·08	·	·	·08	·12	·04		4
5	·	·	·	-	·07	·	·03	·	·	·03	·42	·08		5
6	·08	·	·		·	·	·04	·	·	·67	·20	✓		6
7	· ✓	·22 x	·	·03	·	·	· x	·	·	·01	·	·02		7
8	·	· x	·	-	·	·	· ✓	·06	·02	·18	✓	·20		8
9	·	·	·22	·04	·	·	·25	·	·04	·05	·63	·29		9
10	·	·	·13	·	·04	·05	·42	·	·	·	·06	·20		10
11	·	-	·03	·04	·	·	·48	-	·	·	·46	·14		11
12	-	· ✓	·01	·	·	·06	·	·	·10	·	✓ ·	·		12
13	·	-	·33	·06	·	·	·24	·04	·16	·	·	·05		13
14	·	·	·	·08	·18	·	·09	·	·18	·07	✓	·22		14
15	·	·	·	·25	·47	·	·	·	· x	· x	·10 x	·		15
16	·	· x	·67	·	·	·	·10	·	·24	·62	·78	·		16
17	·	·	x	·	·40	·	·12	·	·	·	1·02	·		17
18	·	·59 x	·32	·48	·	·	·02	·12	·28	·02	·	·10		18
19	·09	·25	·03	·25	·	·	·42	·	·05	·	·10	·		19
20	·	·	·	·02	·	·	·19	·16	·02	·33	✓	·04		20
21	·	✓	·	·	·26	·65	·52	·07	·04	·	1·01	·		21
22	·	·	·08	·	·27	·07	·	·02	·04	·	·05	·		22
23	·	·08 x	·07	·	·10	✓	·	·	·	·	·02	·		23
24	·02	·	·	·	·01	·	·	·	·	·02	·	-		24
25	·	·	·	·	·01	·	·05	·	·	·	·	-		25
26	·60	·08	·	·25	·04	·	·27	·	·	·01	·03	·		26
27	·61	✓	·	·17	·	·	·08	·	·	·	·07	·		27
28	1·08	·22	·	·	·34	·	-	·	·	·	·	-		28
29	·	·	·12	·20	·	·05	·	·	·	·	·	·32		29
30	·09	✕	·	·45	·	·	·	·	·	·12		·05		30
31	·06	✕	·14	✕	·02	✕	·	·	✕	·90	✕	·02		31
TOTAL	2·63	1·72	2·15	2·69	2·21	·88	3·46	·47	1·16	3·29	6·57	2·03	Year's Total 29·26	- "
* Days with .01 in. or more.	~~8~~ 9	~~8~~ 13	~~12~~ 13	17	13	6 5	~~18~~ 20	6	~~11~~ 12	~~15~~ 16	22 ~~18~~	17 ~~16~~	~~147~~	164 d"
* Days with .04 in. or more.	7	~~8~~ 10	9 10	15	10	5	~~16~~ 17	5	~~9~~ 10	~~10~~ 11	16	14	124	130

† Spare column, no entries required. FOR F. EVERETT

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

2325

2325
STAFFS. OLD SPRINGS.
1931—37

780405

400

Section **A** for the entry
AIR MINIS

FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGI

31.

Kept at Old Springs
in the County of Staffor

Diameter of Funnel of Gauge
Height of top of Gauge above Gr
,, Ground ,, Se

THE MORNING MEA

AY.

An observer who does not conform
year in the space on the right o

e following

Jan. 1, following

Date	**Jan.**	**Feb.**	**Marc**							**ct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	tr	.01	tr	.09						.02			1
2		.13		.60	.27	.22	.03	.01	.09 ①	.10	.06	.07	2
3	.25			.01		tr	.03		.42 ②	.01	.69	.09	3
4	.01	.01		.19	tr		.16	.19	1.16 ③		.08		4
5		.10		.04	.09	1.24	.01	.42	.63 ④			.39	5
6		.21	tr	.02	.01	.07	.37	.02	.06 ⑤ .07 ⑥	.20			6
7		.02	tr			.40		.40		.06	.11		7
8	.09	.03	tr	.18	tr	.03	.10	.92		tr	.11		8
9	.11	.37		.11		.03	tr	.09		.01	.25	.01	9
10	.01	.01	tr		.04	.03	.04	.15	tr		.43	.03	10
11	.08	.38			.02	.07	.05	tr	.22		.03		11
12	.02	.16		.02		tr	.42		.26	.02	.07		12
13		tr	.05	tr	.02	.01	.05	.38			tr		13
14		.09			.22	.64	.45	1.23	.08		.58		14
15	.03	.14		.25	.18	tr	.11	.46	.04			.25	15
16	.05	.11		.25	.25	.82	.04	.26	.18				16
17	.06	.03		.24	.91	.02	.01	tr	.01		.12		17
18	.11	.01		.16	.07	.30	.16	.09	.03		.62		18
19	.16	.10		tr		.01	.09	.31	tr	.01	tr		19
20	.01	.08	.12			tr		.40			.07	.05	20
21	.37	tr	.01		.44			.03			.13		21
22	.12	.01	tr	.02	.08	.03		.06			.01		22
23	.19	tr		.12	.36	.04	.35				.36	.36	23
24	.01	tr		.13	.33		.11				.09		24
25	.07	.08		.83	.04		.06				.04	.03	25
26	.09	.03		.25			.06				.52		26
27	.08	.35		.05	.61		.01			.15	.24	.11	27
28	.10	.06	tr	.02	.35					.18	tr	.16	28
29	.02		.01		.07		.35			.44			29
30		×		.11	tr		.01		.09			.01	30
31	.21	×		×	.01	×	.02		×	tr	×	.01	31
TOTAL	2.25 ✓	2.52 ✓	.19 ✓	3.69 ✓	4.37 ✓	3.96 ✓	3.09	5.42	3.34 ✓	1.20 ✓	4.61 ✓	1.57 ✓	YEAR'S TOTAL 36.21 ✓
*Days with ·01 in. or more.	23 ✓	23 ✓	4 ✓	21 ✓	20 ✓	16 ✓	24 ✓	17 ✓	14 ✓	11 ✓	20 ✓	13 ✓	206 ✓
*Days with ·04 in. or more.	16 ✓	~~13~~ 14	2 ✓	16 ✓	16 ✓	9 ✓	17 ✓	14 ✓	12 ✓	6 ✓	18 ✓	8 ✓	~~147~~ 148

40-9999

(Signed) Francis E. Harding [P.T.O.

*See Instruction 2 (*f*) on other side.

2325

Section **A** for the entry

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Old Springs

in the County of Stafford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ~~22~~ 1 ft in.

,, Ground ,, Sea Level 422 ft.

150 400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	tr	·01	tr	·09						·02			1
2		·13		·60	·27	·22	·03	·01	·09 ①	·10	·06	·07	2
3	·25			·01		tr	·03		·42 ②	·01	·69	·09	3
4	·01	·01		·19	tr		·16	·19	1·16 ③		·08		4
5		·10		·04	·09	1·24	·01	·42	·63 ④			·39	5
6		·21	tr	·02	·01	·07	·37	·02	·06 ⑤ ·07 ⑥	·20			6
7		·02	tr			·40		·40		·06	·11		7
8	·09	·03	tr	·18	tr	·03	·10	·92		tr	·11		8
9	·11	·37		·11		·03	tr	·09		·01	·25	·01	9
10	·01	·01	tr		·04	·03	·04	·15	tr		·43	·03	10
11	·08	·38			·02	·07	·05	tr	·22		·03		11
12	·02	·16		·02		tr	·42		·26	·02	·07		12
13		tr	·05	tr	·02	·01	·05	·38			tr		13
14		·09			·22	·64	·45	1·23	·08		·58		14
15	·03	·14		·25	·18	tr	·11	·46	·04			·25	15
16	·05	·11		·25	·25	·82	·04	·26	·18				16
17	·06	·03		·24	·91	·02	·01	tr	·01		·12		17
18	·11	·01		·16	·07	·30	·16	·09	·03		·62		18
19	·16	·10		tr		·01	·09	·31	tr	·01	tr		19
20	·01	·08	·12			tr		·40			·07	·05	20
21	·37	tr	·01		·44			·03			·13		21
22	·12	·01	tr	·02	·08	·03		·06			·01		22
23	·19	tr		·12	·36	·04	·35				·36	·36	23
24	·01	tr		·13	·33		·11				·09		24
25	·07	·08		·83	·04		·06				·04	·03	25
26	·09	·03		·25			·06				·52		26
27	·08	·35		·05	·61		·01			·15	·24	·11	27
28	·10	·06	tr	·02	·35					·18	tr	·16	28
29	·02		·01		·07		·35			·44			29
30		×		·11	tr		·01		·09			·01	30
31	·21	×		×	·01	×	·02		×	tr	×	·01	31
TOTAL	2·25	2·52	·19	3·69	4·37	3·96	3·09	5·42	3·34	1·20	4·61	1·57	YEAR'S TOTAL 36·21
*Days with ·01 in. or more.	23	23	4	21	20	16	24	17	14	11	20	13	206
*Days with ·04 in. or more.	16	~~13~~ 14	2	16	16	9	17	14	12	6	18	8	~~147~~ 148

40-9999

(*Signed*) Francis E. Harding

[P.T.O.

*See Instruction 2 (*f*) on other side.

2325

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Old Springs
in the County of Stafford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 422 ft.

150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·02		·12	·40	tr	·05	·39	·07	·02	·04	·06	1
2	·05	tr		·05	·33			tr	·09	·13	·01	·16	2
3		·02		·62	·04		·34	·06	·07	·11	tr	·04	3
4	·08	tr		·08			·01	tr	tr	tr	·27	·01	4
5	·46	tr	·10	·02	·11		·02	tr	·08		tr	·01	5
6	·55		·02	·13	·02		·01		·10				6
7	·01		·13	·11	·01		·01		·12	·39	tr	tr	7
8	·01			·05		tr			·04	·37		·01	8
9	·20	·05	tr	·01					tr	tr		tr	9
10	·22	tr	tr	·03	·01				·10	·41		tr	10
11	·01	tr		·06	·24	tr	·27	·01	·06	·07	·01	tr	11
12	·26			tr	·10		·03		·12	·18	·01	tr	12
13	·05	·02		·03	·03		1·30	·17	·02	·24	·04	·08	13
14	·23			·02			·03	·21		·17	·19	·01	14
15	·01	tr		·01	·35		·01	tr		·01		·01	15
16	·39		tr	·02	·12		·18		tr	tr	tr	tr	16
17	tr			·06			·24		·04	·02			17
18				tr	·01				·01	·03	·06		18
19				·03	·05					·21 ~~·19~~	tr		19
20				·02	·51		·02	·53		·28	·15		20
21			·32	·23	·45		tr	·29		·33	·14	·04	21
22	tr		·32	·14	·08		·36		·25	·06	·47	·04	22
23		·01		·01	·71		·06		·06		·03	·04	23
24	·08				·01	tr	·09		·03	tr	·41	·01	24
25	·01	·01		tr	·01	·11			·08	·21	·07	·01	25
26		·01	·06	·27	·24	tr	·07		·04	·03	·02	tr	26
27			·29	·29	·29		·19				·12	·04	27
28		tr	·30	·17	·25	·01	·18				·02	·01	28
29			·11	·20	·07	·10	·04	·11	·12	·35	·06	·16	29
30	·02	×	·19	·18	tr	·25	·01	·12	·02	·40	·30	·10	30
31		×	·08	×	tr	×	·22	tr	×	·01	×	·16	31
TOTAL	2·67	·14	1·92	2·96	4·44	·47	3·74	8 1·89	1·52	4·03	2·42	1·00	27·20 YEAR'S TOTAL ~~27·00~~
*Days with ·01 in. or more.	18	7	11	26	24	4	23	9	20	22	17	19	202
*Days with ·04 in. or more.	11	1	10	16	17	3	14	8	16	~~15~~ 16 16	13	11	13~~5~~ 6

40-9999

(Signed) Francis E. Harding P.T.O.

*See Instruction 2 (*f*) on other side.

2325

COPY FOR OFFICIAL ✓172 USE.

Section **A** for the entry of Daily Observations. Station No. ~~2325~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Old Springs

in the County of Stafford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 422 ft.

150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·17	·02		~~[illegible]~~				·01	tr	·01		1
2	·22	·01	·20		~~·09~~ ·04	·19	tr				·01		2
3	·04	·16	·05		·09					tr	·01		3
4	·08	·02	·04		·16								4
5	·15	·01	·04		·02						·02		5
6	tr	·47	·03		·18					·01	·01	·02	6
7	·09	·28	·09		tr			·03		·49			7
8	·05	tr	·30	tr	·01	·28	·26			tr		tr	8
9		·02		·05	·08	·01	·43			·72	·11	·01	9
10	·04	·19			·03	·06	·21	·01		2·14	·11		10
11	·01			·01	tr		·06			·03	tr	·01	11
12	·01	tr			tr	·01	·23			·04		·02	12
13					·14		·18	·01		·21	·40		13
14	·04				tr		·03	·17		·04	·17		14
15	·28		·01				·54	·10		·08	·21		15
16	·10	·01	·31		·09	·06	tr	tr		·13	·01	·02	16
17	·05		·48		tr	·19	·01		·07		·05	tr	17
18	·02	·02	·06			·17				tr	·01		18
19		·01	·55	tr		·01	·02		·02		·17		19
20		·04	·17		tr	·01	tr	·04	·10		·01		20
21			tr			·26		·36		tr	·01		21
22				tr	·27	·09		·22		·16	tr		22
23				·20	tr	·10			tr	·11			23
24		·29		·12	·08	·28			·10	·01	tr		24
25		·21		·12		tr			·06			·09	25
26		·58		·14	·03	·02			·01	·19		·01	26
27		·01		·01	·36				·41	·02		tr	27
28		tr		·07	tr	tr	·02		tr	·03			28
29	·04			·02			·43	tr		·01			29
30	·04	X	·03	·12			·05			tr		·22	30
31	·10	X	·30	X		X		·02	X	·40	X		31
TOTAL	1·49	2·50	2·68	·86	1·58	1·74	2·47	·96	·78	4·82	1·32	·40	YEAR'S TOTAL 21·60 ✓
*Days with ·01 in. or more.	18 ✓	17 ✓	16 ✓	10 ✓	14 ✓	15 ✓	13 ✓	9 ✓	8 ✓	18 ✓	16 ✓	8 ✓	162 ✓
*Days with ·04 in. or more.	15 ✓	9 ✓	12 ✓	7 ✓	10 ✓	10 ✓	9 ✓	5 ✓	5 ✓	12 ✓	7 ✓	~~1~~2	10~~8~~3 ✓

40-9999

*See Instruction 2 (*f*) on other side,

D M

(*Signed*) Francis E Harding

P.T.O.

2325

Section A for the entry of Daily Observations. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Market Drayton, Old Springs

in the County of Staffordshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

Duplicate

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·17	·02	–					·01		·01		1
2	·22	·01	·20		·04	·19					·01		2
3	·04	16	·05		·09						·01		3
4	·08	·02	·04		·16								4
5	·15	·01	·04		·02						·02		5
6		·47	·03		·18					·01	·01	·02	6
7	·09	·28	09					·03		·49			7
8	·05		·30		·01	·28	·26						8
9		·02		·05	·08	·01	·43			·72	·11	·01	9
10	·04	·19			·08	·06	·21			2·14	·11		10
11	·01			·01			·06	·01		·03		·01	11
12	·01					·01	·23			·04		·02	12
13					·14		·18	·01		·21	·40		13
14	·04						·03	·17		·04	·17		14
15	·28		·01				·54	·10		·08	·21		15
16	·10	·01	·31		·09	·06				·13	·01	·02	16
17	·05		·48			·19	·01		·07		·05		17
18	·02	·02	·06			·17					·01		18
19		·01	·55			·01	·02		·02		·17		19
20		·04	17			·01		·04	·10		·01		20
21						·26		·36			01		21
22					·27	·09		·22		·16			22
23				·20		·10				·11			23
24		29		·12	08	·28			·10	01			24
25		·21		·12					·06			·09	25
26		58		·14	·03	·02			·01	·19		·01	26
27		·01		·01	·36				·41	·02			27
28				·07			·02			·03			28
29	·04			·02			·43			·01			29
30	·04	×	·03	·12			·05					·22	30
31	·10	×	30	×		×		02	×	40	×		31
TOTAL	1·49	2·50	2·68	·86	1·58	1·74	2·47	·96	·78	4·82	1·32	·40	YEAR'S TOTAL 21·60 ✓
*Days with ·01 in. or more.	18	17	16	10	14	15	13	9	8	18	16	8	162
*Days with ·04 in. or more.	15	9	12	7	10	10	9	5	5	12	7	2	103

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) F. E. Harding [P.T.O.

11 w

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2325

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Old Springs

in the County of Stafford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 422 ft.

150 — T. L.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06							·04	·05	·25	·39	·27		1
2	·01		·09					·24	·14	tr	·15	·11		2
3	·15				·01			tr	tr	·04	·04	·04		3
4	·13		·01	tr	·11			·03	·22	·12	tr	·43		4
5	·01		·11	·01	·02			·66		tr	·07	·08		5
6			·01	·01	·51	·01		·01		·12	tr	·24		6
7	·06				tr	·05		·03		·22	·03	·16		7
8			·11		·08	·04		·01	·03	·01	·38	·04		8
9	·01	tr		·02	tr			·10	tr	·01	·52	·05		9
10	·01	tr	·13	·26	tr			·12		·02	·07	·01		10
11	·56		·02	·18			tr	·04			·01	·20		11
12	·01		·09	·08			·02	·29		·03	·01	·01		12
13	·50		·01	·05	·02		·42	·02		tr		·03		13
14	·06	tr	·23	tr	·02	tr			·02	·39	·31	·07		14
15	·06		·14		·11	tr	tr	·03		·48	·21	·26		15
16	·15		·07		·01			·01		·14	·08	tr		16
17	·07		·19	tr	·08		·16	·05	·22	·09	tr	·18		17
18	·14		·02	·18	tr	·02	·03	·01	tr	tr		·07		18
19	tr		·12	tr	·04	·09	tr	·01	·10	·03		·20		19
20	tr		·08	·06	tr	tr			tr	·04	tr	·03		20
21	·04		tr		tr	·09		·09	·06	·05	·01	tr		21
22	·02		·03	·07	·01	·02		·09	·24	·10	tr	·17		22
23	tr		·07	·28	·01	·15	·04	·01		·02	·02	·09		23
24		·38	·04	·02		·03	·01		·10	tr	·01	·01		24
25	·03	·04	tr	·09	·01	tr	tr		·03	·22		·29		25
26	·03		·07	·58		·14	·03		·08	·11		·02		26
27			tr	·23		·05	·01		·10	·13	tr	·11		27
28			tr	·07		·04	·02	·26	·10			·58		28
29			tr	tr			·35	·09	·30	tr		·02		29
30		×					·03	·14	·02	·01		·13		30
31	tr	×		×		×	·13	·01	×	·41	×	·45		31
TOTAL	2·14	·42	1·64	2·19	1·04	·73	1·25	2·39	1·81	3·04	2·31	4·35	Year's Total 23·28	
*Days with ·01 in. or more.	20	2	20	16	14	12	12	24	16	23	16	29	204	
*Days with ·04 in. or more.	12	2	14	12	6	8	5	13	12	16	10	22	132	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) F. E. Harding

[P.T.O.

RAINFALL IN 193

At

In the County of

Diameter of Funnel in.

Name and Address to which any inquiry relating to this register should be sent: Francis E Harding
Old Springs Market Drayton

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Market Drayton Distance 2 3/4 Direction from gauge N W

Nearest Parish Church at Hales Distance 1 3/8 Direction from gauge NE

---

in the County of Staffordshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	-						·04	·05	·25	·39	·27		1
2	·01		·09					·24	·14		·15	·11		2
3	·15				·01					·04	·04	·04		3
4	·13		·01		·11			·03	·22	·12		·43		4
5	·01		·11	·01	·02			·66			·07	·08		5
6			·01	·01	·51	·01		·01		·12		·24		6
7	·06					·05		·03		·22	·03	·16		7
8			·11		·08	·04		·01	·03	·01	·38	·04		8
9	·01			·02				·10		·01	·52	·05		9
10	·01		·13	·26				·12		·02	·07	·01		10
11	·56		·02	·18				·04			·01	·20		11
12	·01		·09	·08			·02	·29		·03	·01	·01		12
13	·50		·01	·05	·02		·42	·02				·03		13
14	·06		·23		·02				·02	·39	·31	·07		14
15	·06		·14		·11			·03		·48	·21	·26		15
16	·15		·07		·01			·01		·14	·08			16
17	·07		·19		·08		·16	·05	·22	·09		·18		17
18	·14		·02	·18		·02	·03	·01				·07		18
19			·12		·04	·09		·01	·10	·03		·20		19
20			·08	·06						·04		·03		20
21	·04					·09		·09	·06	·05	·01			21
22	·02		·03	·07	·01	·02		·09	·24	·10		·17		22
23			·07	·28	·01	·15	·04	·01		·02	·02	·09		23
24		·38	·04	·02		·03	·01		·10		·01	·01		24
25	·03	·04		·09	·01				·03	·22		·29		25
26	·03		·07	·58		·14	·03		·08	·11		·02		26
27				·23		·05	·01		·10	·13		·11		27
28				·07		·04	·02	·26	·10			·58		28
29							·35	·09	·30			·02		29
30		✕					·03	·14	·02	·01		·13		30
31		✕		✕		✕	·13	·01	✕	·41	✕	·45		31
													Year's Total ✓	
TOTAL	2·11	·42	1·64	2·19	1·04	·73	1·25	2·39	1·81	3·04	2·31	4·35	23·28	
*Days with ·01 in. or more.	20	2	20	16	14	12	12	24	16	23	16	29	204	
*Days with .04 in. or more.	12	2	14	12	6	8	5	13	12	16	10	22	132	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) F E Harding Esq.

[P.T.O.

2325

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2325

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Old Springs

in the County of Stafford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 422 ft.

~~150~~

400

Dec corr by obs's card

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·03	tr	tr	·01				·23	·21	·01	·03		1
2	tr	~~·09~~ ·02	tr			·25	·02		tr	·08	·09	·14		2
3	·02	·19	·04	·10		·15			·01	·04	·13	·64		3
4		·02	·02	·16		·07			·04	1·20	·01	·10		4
5		·25	·18	·11		·26			tr	·01	·28	·01		5
6			tr	·17		·27					·01			6
7				·35		·15				·11	·17	·15		7
8	tr		tr	·16				tr		·05	·19	·11		8
9	·02	tr	tr	·14		·18				·67	·13			9
10	tr	tr		·12		tr		tr		tr	·17	tr		10
11	·20	·03		tr		·07		tr	tr		·06	tr		11
12	·06	·01				·15			tr		·01			12
13	·18	·03		·03	·19	·08			·10	tr	·03			13
14	·02		tr	·02	·04	·02			·08		1·12	·16		14
15	tr	·03		·45	·02	·01			·21		·01	·32		15
16		·05	·13	·09			·10	tr	·35	·12	·52	·03		16
17		tr	tr	25 ~~17~~ ~~·25~~	·09	·19	·06	·22	·08	·08	·78	·01		17
18				17 ~~·38~~	·07	·06	·02	·07	·16	·05	tr			18
19				·38	·35	·38	·13		·01	·16	·19	·01		19
20	tr	·21	tr	·29	·01	·07	·15		tr	tr	·25			20
21		·98		tr		tr		·01	·38	·04	·01			21
22		·11	·02	·05	·02			tr	·01	tr	tr	·02		22
23	tr	·04	·07	tr	·02			·11	·06	·50		·03		23
24	·07	·32	·04	·01				tr	·97	·03		·14		24
25	·22	·19		·08		·25				tr		·04		25
26		·04		tr				·80	·43	tr	·01	·39		26
27		·10						·15	·35	·20	24	·21		27
28	·02	·01				tr		·01	·16	·15		·04		28
29	tr		·05		trace			·03	·10	tr	·08	·03		29
30	·03	X	·02	·03		·08		·06	·15	·32	·28	~~·44~~		30
31	·01	X	tr	X		X		tr	X	·38	X	·19 ·06		31
TOTAL	1·06	2·66	·57	3·16	·82	2·71	·48	1·46	3·88	4·40	4·78	2·8~~8~~6	Year's Total. 28·84	
* Days with .01 in. or more.	12	19	9	20	10	18	6	9	19	19	24	~~28~~ 22	1887	
* Days with .04 in. or more.	6	~~12~~ 11	6	16	5	16	4	6	16	17	16	14	13~~4~~3	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(Signed) F E Harding

P.T.O.

RAINFALL IN 193....

At Francis E Harding
Old Springs Market Drayton

In the County of

Diameter of Funnel ... in.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Market Drayton Distance 2 3/4 Direction from gauge N W

Nearest Parish Church at Hales Distance 1 3/8 Direction from gauge NE

Kept at Market Drayton, Old Springs

in the County of Stafford

Diameter of Funnel of Gauge ...... in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level ...... ft.

150

as corrected

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.03			.01				.23	.21	.01	.03		1
2		.02				.25	.02			.08	.09	.14		2
3	.02	.19	.04	.10		.15			.01	.04	.13	.64		3
4		.02	.02	.16		.09			.04	1.20	.01	.10		4
5		.25	.18	.11		.26				.01	.28	.01		5
6				.17		.27					.01			6
7				.35		.15				.11	.17	.15		7
8				.16						.05	.19	.11		8
9	.02			.14		.18				.67	.13			9
10				.12							.17			10
11	.20	.03				.07					.06			11
12	.06	.01				.15					.01			12
13	.18	.03		.03	.19	.08			.10		.03			13
14	.02			.02	.04	.02			.08		1.12	.16		14
15		.03		.45	.02	.01			.21		.01	.32		15
16		.05	.13	.09			.10		.35	.12	.52	.03		16
17				.25	.09	.19	.06	.22	.08	.08	.78	.01		17
18				.17	.07	.06	.02	.07	.16	.05				18
19				.38	.35	.38	.13		.01	.16	.19	.01		19
20		.21		.29	.01	.07	.15				.25			20
21		.98						.01	.38	.04	.01			21
22		.11	.02	.05	.02				.01			.02		22
23		.04	.07		.02			.11	.06	.50		.03		23
24	.07	.32	.04	.01					.97	.03		.14		24
25	.22	.19		.08		.25						.04		25
26		.04						.80	.43		.01	.39		26
27		.10						.15	.35	.20	.24	.21		27
28	.02	.01						.01	.16	.15		.04		28
29			.05					.03	.10		.08	.03		29
30	.03	×	.02	.03		.08		.06	.15	.32	.28	.19		30
31	.01	×		×		×			×	.38	×	.06		31
TOTAL	1.06	2.66	.57	3.16	.82	2.71	.48	1.46	3.88	4.40	4.78	6 2.80	Year's Total 28.84	
*Days with .01 in. or more.	12	19	9	20	10	18	6	9	19	19	24	22	187	
*Days with .04 in. or more.	6	12	6	16	5	16	4	6	16	17	16	4 13	133	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) F. E. Harding

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2325

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Market Drayton, Old Springs

in the County of Staffordshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

150

Copy by B.R.O.

400

12

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·11	·10	·46		·25		·28	·02	-	·22	·10		1
2	·46	·02		·09		·28	·25	·03		-	·13	·02		2
3						·06		·03	·24	-	Tr	-		3
4	·02		·13			·07			·19	-	·32	·05		4
5	·13	·04	·07			·01	·01	·18	·04	-	Tr	·06		5
6					·11	·04	·06	·25	·19	-	·05	·07		6
7			·08				·26		·28	-	·08	·03		7
8	·23		·23						·02	-	·30	·08		8
9	·20		·16			·01	·68	·03	·16	TR	·04	·01		9
10							·39		·04	-	—	-		10
11				·01		·06	·18		·10	—	·46	-		11
12					·08	·51	·77		·30	·02	·05	·22		12
13				·01		·13	·05		·01	·09	—	·36		13
14				·08		·24	·06	·03	·41	·03	·10	·25		14
15	·16	·01	·01	·02	·21	·13	·05	·01	·23	-	·46	·07		15
16				·05	·12		·03			-	·37	-		16
17		·40					·22	·11		·06	·02	·04		17
18	·16	·05				·23	·24	·06		·05	—	-		18
19	·36	·16	·04	·33		·04	·01	·06		·08	—	-		19
20		·09					·01			·01	—	TR		20
21	·19	·02	·03	·15		·92	·01			—	—	-		21
22		·17	·02			·02	·18			—	—	·12		22
23		·03	·87	·11			·45			·01	—	·01		23
24	·15	·04		·03			·01		·30	·39	—	-		24
25	·09		·01	·13			·09		·43	·02	·07	-		25
26	·01	·13	·21						·01	·02	—	-		26
27	·35		·03						·25	·04	—	-		27
28	·18	·08	·06	·02			·02			·12	·07	-		28
29	·02	·26	·07			·23	·03			·06	·07	·08		29
30	·18	×			·18		·32			·59	·04	·43		30
31	·25	×	·05	×		×	·01	·01	×	TR	×	·18		31
TOTAL	3·23	1·61	2·17	1·49	·70	3·23	4·39	1·08	3·22	1·59	2·73	2·18	Year's Total. 2762	✓
* Days with .01 in. or more.	18	15	17	13	5	17	25	12	18	15	17	18	190	✓
* Days with .04 in. or more.	15	11	12	8	5	14	16	6	14	9	14	14	138	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. E. Harding

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2325

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Market Drayton, Old Springs
in the County of Stafford
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
" Ground " Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·07												1
2	Tr	–												2
3	–	·07												3
4	·12	·12												4
5	·27	–												5
6	–	–												6
7	·18	·65												7
8	–	·29												8
9	–	–												9
10	–	·29												10
11	–	–												11
12	·22	·38												12
13	·01	·01												13
14	–	–												14
15	·10	·20												15
16	–	·03												16
17	·04	·09												17
18	1·04	·07												18
19	–	·10												19
20	·11	–												20
21	·08	·21												21
22	·08	·09												22
23	·11	·02												23
24	·18	·32												24
25	–	·57												25
26	–	·23												26
27	–	·66												27
28	–	tr												28
29	Tr	–												29
30	–	✕												30
31	·27	✕		✕		✕			✕		✕			31
TOTAL	3·00	4·57											Year's Total	
* Days with .01 in. or more.	15	20												
* Days with .04 in. or more.	14	16												

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

MARKET D

~~Form 1000.~~

B

2325/5

MARKET DRAYTON (CHESHIRE JOINT SAN.)

1936 — 40

780405

on.

2325/5

*** The following register of

&c., is NOT required

values are given on the

ction and also the space for

this register should be sent:—

....

....

............in Summer..................

RAINFALL IN

At Market Drayton

In the County of ~~Salop~~

Rain Gauge
- Diameter of Funnel.......
- *Height of Top above Ground.*
- *Height of Ground above Sea L*

tance................gauge............ Direction from

stance................gauge............ Direction from

Month	Total Depth	Greatest Fall in 24 hours		*	*
	Inches	Inches	Date		
JAN.	3·92				
FEB.	2·06				
MAR.	2·22				
APRIL	2·09				
MAY	1·00				
JUNE	3·64				
JULY	4·46				
AUG.	1·41				
SEPT.	4·01				
OCT.	1·86				
NOV.	2·98				
DEC.	2·26				
TOTAL	31·91	print.			

Directions from gauge ...

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from record in file 418373/35

Signature The Medical Supt.
Cheshire Joint Sanatorium.

* See Instruction 3 *(f)* below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

N

MARKET D

~~Form 1090.~~

2325/5

B Summary. **C** on.

_ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Market Drayton

In the County of ~~Salop~~ Staffs.

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 581 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·92				
FEB.	2·06				
MAR.	2·22				
APRIL	2·09				
MAY	1·00				
JUNE	3·64				
JULY	4·46				
AUG.	1·41				
SEPT.	4·01				
OCT.	1·86				
NOV.	2·98				
DEC.	2·26				
TOTAL	31·91	print.			

Signature The Medical Supt.
Cheshire Joint Sanatorium.

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from record in file 418373/35

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

N

MARKET DRAYTON (CHES. J. SAN

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2325/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

150/7

F. 1090

REGISTER OF RAINFALL IN 1937

Kept at Market Drayton (Cheshire Joint Sanatorium)

in the County of ~~Cheshire~~ Stafford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 581 ~~70~~ ft.

Transferred from Salop to Stafford

M.W.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3						·15								3
4												·88		4
5														5
6														6
7		·58												7
8														8
9														9
10														10
11														11
12														12
13														13
14								1·71						14
15							1·59							15
16			·39	·59										16
17									·77					17
18	1·07										·50			18
19														19
20														20
21														21
22														22
23										·50				23
24														24
25														25
26					·55									26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	3·26	4·49	2·02	2·71	2·48	·71	3·08	1·04 ~~2·02~~	1·68 ~~2·85~~	✓ 2·35	✓ 1·40	✓ 3·81	Year's Total 29·03	✓
* Days with .01 in. or more.	16	23	18	12	14	11	12	~~3~~ 6	~~16~~ 13	10	8	16	159	✓
* Days with .04 in. or more.	15	21	14	11	12	8	10	~~3~~ 6	~~11~~ 8	10	8	12	135	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

MEDICAL SUPERINTENDENT

150/7

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2325/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Market Drayton (Cheshire Joint Sanatorium)
in the County of Stafford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 581 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.49								1
2				.07										2
3										.68				3
4														4
5							.55							5
6														6
7								.62						7
8	.47													8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25		.20									1.03			25
26			.24											26
27					.60									27
28												.41		28
29	.47													29
30		✕							.25					30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	3.23	.58	.65	.08	2.56	1.86	2.56	3.16	1.00	3.17	3.42	2.77	25 04	
* Days with .01 in. or more.	24	6	3	2	16	13	17	15	15	16	19	22	168	
* Days with .04 in. or more.	18	4	3	1	12	7	9	13	11	15	14	16	123	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2325/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Market Drayton (Cheshire Joint San.)
in the County of Stafford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 521 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2								·37	·33					2
3														3
4				·25										4
5					·25									5
6	·65						·93							6
7												·51		7
8			·32											8
9														9
10														10
11														11
12														12
13														13
14					·25	·28								14
15														15
16														16
17										1·23				17
18											·67			18
19														19
20														20
21														21
22		·39												22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	5·45	1·61	1·63	1·67	1·27	1·81	7·12	1·59	·90	3·89	4·26	1·66	Year's Total 32·86	✓
* Days with .01 in. or more.	24	12	16	17	8	13	25	16	7	17	19	11	185	✓
* Days with .04 in. or more.	24	10	12	13	8	9	20	9	4	14	18	8	149	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE 150/7

Section **A** for the entry of Daily Observations

Station No. 2325/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Market Drayton (Cheshire Joint San.)

in the County of Stafford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 581 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6										1·20				6
7														7
8														8
9							·60				1·13			9
10														10
11														11
12														12
13			·45											13
14														14
15					·29									15
16									·60					16
17														17
18		·64		·50										18
19														19
20								·21						20
21						·75								21
22														22
23														23
24														24
25														25
26	1·22													26
27														27
28														28
29												·36		29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	2·95	2·63	2·37	2·76	1·38	1·07	3·31	·55	2·00	4·35	6·94	2·29	Year's Total 32·60	✓
* Days with .01 in. or more.	8	16	15	18	13	9	19	8	15	16	20	16	173	✓
* Days with .04 in. or more.	7	12	14	13	8	5	15	4	9	12	15	14	128	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.